

**APPENDIX A – TEST DATA OF CONDUCTED EMISSION**

**LTE Band 3**

**1 RF Power Output**

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1710.7	19207	1.4	1	0	24.08
QPSK	1710.7	19207	1.4	1	3	23.41
QPSK	1710.7	19207	1.4	1	5	23.32
QPSK	1710.7	19207	1.4	3	0	23.52
QPSK	1710.7	19207	1.4	3	1	23.50
QPSK	1710.7	19207	1.4	3	3	23.42
QPSK	1710.7	19207	1.4	6	0	22.42
QPSK	1747.5	19575	1.4	1	0	23.37
QPSK	1747.5	19575	1.4	1	3	23.38
QPSK	1747.5	19575	1.4	1	5	23.34
QPSK	1747.5	19575	1.4	3	0	23.62
QPSK	1747.5	19575	1.4	3	1	23.48
QPSK	1747.5	19575	1.4	3	3	23.57
QPSK	1747.5	19575	1.4	6	0	22.43
QPSK	1784.3	19943	1.4	1	0	23.67
QPSK	1784.3	19943	1.4	1	3	23.68
QPSK	1784.3	19943	1.4	1	5	23.57
QPSK	1784.3	19943	1.4	3	0	23.60
QPSK	1784.3	19943	1.4	3	1	23.50
QPSK	1784.3	19943	1.4	3	3	23.58
QPSK	1784.3	19943	1.4	6	0	22.54

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1710.7	19207	1.4	1	0	22.96
16QAM	1710.7	19207	1.4	1	3	22.93
16QAM	1710.7	19207	1.4	1	5	23.45
16QAM	1710.7	19207	1.4	3	0	22.92
16QAM	1710.7	19207	1.4	3	1	22.93
16QAM	1710.7	19207	1.4	3	3	22.85
16QAM	1710.7	19207	1.4	6	0	21.48
16QAM	1747.5	19575	1.4	1	0	22.47
16QAM	1747.5	19575	1.4	1	3	23.50
16QAM	1747.5	19575	1.4	1	5	22.73
16QAM	1747.5	19575	1.4	3	0	22.82
16QAM	1747.5	19575	1.4	3	1	22.76
16QAM	1747.5	19575	1.4	3	3	22.62
16QAM	1747.5	19575	1.4	6	0	21.29
16QAM	1784.3	19943	1.4	1	0	22.14
16QAM	1784.3	19943	1.4	1	3	22.24
16QAM	1784.3	19943	1.4	1	5	21.98
16QAM	1784.3	19943	1.4	3	0	22.71
16QAM	1784.3	19943	1.4	3	1	22.64
16QAM	1784.3	19943	1.4	3	3	22.65
16QAM	1784.3	19943	1.4	6	0	21.56
64QAM	1710.7	19207	1.4	1	0	21.56
64QAM	1710.7	19207	1.4	1	3	21.54
64QAM	1710.7	19207	1.4	1	5	21.47
64QAM	1710.7	19207	1.4	3	0	21.53
64QAM	1710.7	19207	1.4	3	1	21.57
64QAM	1710.7	19207	1.4	3	3	21.40
64QAM	1710.7	19207	1.4	6	0	20.04
64QAM	1747.5	19575	1.4	1	0	21.92
64QAM	1747.5	19575	1.4	1	3	21.58
64QAM	1747.5	19575	1.4	1	5	21.71
64QAM	1747.5	19575	1.4	3	0	21.16
64QAM	1747.5	19575	1.4	3	1	21.38
64QAM	1747.5	19575	1.4	3	3	21.48
64QAM	1747.5	19575	1.4	6	0	20.10
64QAM	1784.3	19943	1.4	1	0	21.98
64QAM	1784.3	19943	1.4	1	3	21.41
64QAM	1784.3	19943	1.4	1	5	21.94
64QAM	1784.3	19943	1.4	3	0	21.56
64QAM	1784.3	19943	1.4	3	1	21.57
64QAM	1784.3	19943	1.4	3	3	21.71
64QAM	1784.3	19943	1.4	6	0	20.04

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1711.5	19215	3	1	0	23.60
QPSK	1711.5	19215	3	1	8	23.48
QPSK	1711.5	19215	3	1	14	23.56
QPSK	1711.5	19215	3	8	0	22.67
QPSK	1711.5	19215	3	8	4	22.61
QPSK	1711.5	19215	3	8	7	22.60
QPSK	1711.5	19215	3	15	0	22.46
QPSK	1747.5	19575	3	1	0	23.37
QPSK	1747.5	19575	3	1	8	23.26
QPSK	1747.5	19575	3	1	14	23.52
QPSK	1747.5	19575	3	8	0	22.40
QPSK	1747.5	19575	3	8	4	22.48
QPSK	1747.5	19575	3	8	7	22.47
QPSK	1747.5	19575	3	15	0	22.44
QPSK	1783.5	19935	3	1	0	23.81
QPSK	1783.5	19935	3	1	8	23.56
QPSK	1783.5	19935	3	1	14	23.80
QPSK	1783.5	19935	3	8	0	22.44
QPSK	1783.5	19935	3	8	4	22.54
QPSK	1783.5	19935	3	8	7	22.54
QPSK	1783.5	19935	3	15	0	22.51

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1711.5	19215	3	1	0	22.85
16QAM	1711.5	19215	3	1	8	22.73
16QAM	1711.5	19215	3	1	14	23.09
16QAM	1711.5	19215	3	8	0	21.62
16QAM	1711.5	19215	3	8	4	21.68
16QAM	1711.5	19215	3	8	7	21.65
16QAM	1711.5	19215	3	15	0	21.72
16QAM	1747.5	19575	3	1	0	22.58
16QAM	1747.5	19575	3	1	8	22.98
16QAM	1747.5	19575	3	1	14	23.50
16QAM	1747.5	19575	3	8	0	21.27
16QAM	1747.5	19575	3	8	4	21.69
16QAM	1747.5	19575	3	8	7	21.75
16QAM	1747.5	19575	3	15	0	21.50
16QAM	1783.5	19935	3	1	0	22.52
16QAM	1783.5	19935	3	1	8	22.76
16QAM	1783.5	19935	3	1	14	22.34
16QAM	1783.5	19935	3	8	0	21.47
16QAM	1783.5	19935	3	8	4	21.49
16QAM	1783.5	19935	3	8	7	21.73
16QAM	1783.5	19935	3	15	0	21.67
64QAM	1711.5	19215	3	1	0	21.87
64QAM	1711.5	19215	3	1	8	21.83
64QAM	1711.5	19215	3	1	14	21.76
64QAM	1711.5	19215	3	8	0	20.06
64QAM	1711.5	19215	3	8	4	20.00
64QAM	1711.5	19215	3	8	7	20.56
64QAM	1711.5	19215	3	15	0	20.04
64QAM	1747.5	19575	3	1	0	21.30
64QAM	1747.5	19575	3	1	8	21.58
64QAM	1747.5	19575	3	1	14	21.77
64QAM	1747.5	19575	3	8	0	19.96
64QAM	1747.5	19575	3	8	4	19.81
64QAM	1747.5	19575	3	8	7	20.05
64QAM	1747.5	19575	3	15	0	19.94
64QAM	1783.5	19935	3	1	0	21.17
64QAM	1783.5	19935	3	1	8	21.83
64QAM	1783.5	19935	3	1	14	21.47
64QAM	1783.5	19935	3	8	0	20.07
64QAM	1783.5	19935	3	8	4	19.90
64QAM	1783.5	19935	3	8	7	20.07
64QAM	1783.5	19935	3	15	0	20.19

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1712.5	19225	5	1	0	23.42
QPSK	1712.5	19225	5	1	12	23.58
QPSK	1712.5	19225	5	1	24	23.61
QPSK	1712.5	19225	5	12	0	22.43
QPSK	1712.5	19225	5	12	7	22.43
QPSK	1712.5	19225	5	12	13	22.46
QPSK	1712.5	19225	5	25	0	22.42
QPSK	1747.5	19575	5	1	0	23.40
QPSK	1747.5	19575	5	1	12	23.41
QPSK	1747.5	19575	5	1	24	23.63
QPSK	1747.5	19575	5	12	0	22.30
QPSK	1747.5	19575	5	12	7	22.33
QPSK	1747.5	19575	5	12	13	22.61
QPSK	1747.5	19575	5	25	0	22.33
QPSK	1782.5	19925	5	1	0	23.82
QPSK	1782.5	19925	5	1	12	23.70
QPSK	1782.5	19925	5	1	24	23.86
QPSK	1782.5	19925	5	12	0	22.62
QPSK	1782.5	19925	5	12	7	22.42
QPSK	1782.5	19925	5	12	13	22.39
QPSK	1782.5	19925	5	25	0	22.54

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1712.5	19225	5	1	0	22.76
16QAM	1712.5	19225	5	1	12	23.06
16QAM	1712.5	19225	5	1	24	23.15
16QAM	1712.5	19225	5	12	0	21.62
16QAM	1712.5	19225	5	12	7	21.64
16QAM	1712.5	19225	5	12	13	21.59
16QAM	1712.5	19225	5	25	0	21.57
16QAM	1747.5	19575	5	1	0	22.92
16QAM	1747.5	19575	5	1	12	23.18
16QAM	1747.5	19575	5	1	24	23.30
16QAM	1747.5	19575	5	12	0	21.54
16QAM	1747.5	19575	5	12	7	21.51
16QAM	1747.5	19575	5	12	13	21.67
16QAM	1747.5	19575	5	25	0	21.49
16QAM	1782.5	19925	5	1	0	22.14
16QAM	1782.5	19925	5	1	12	22.42
16QAM	1782.5	19925	5	1	24	22.07
16QAM	1782.5	19925	5	12	0	21.64
16QAM	1782.5	19925	5	12	7	21.59
16QAM	1782.5	19925	5	12	13	21.61
16QAM	1782.5	19925	5	25	0	21.60
64QAM	1712.5	19225	5	1	0	21.21
64QAM	1712.5	19225	5	1	12	21.33
64QAM	1712.5	19225	5	1	24	21.44
64QAM	1712.5	19225	5	12	0	20.04
64QAM	1712.5	19225	5	12	7	20.44
64QAM	1712.5	19225	5	12	13	20.52
64QAM	1712.5	19225	5	25	0	20.47
64QAM	1747.5	19575	5	1	0	21.24
64QAM	1747.5	19575	5	1	12	21.45
64QAM	1747.5	19575	5	1	24	21.86
64QAM	1747.5	19575	5	12	0	19.93
64QAM	1747.5	19575	5	12	7	19.91
64QAM	1747.5	19575	5	12	13	20.08
64QAM	1747.5	19575	5	25	0	19.96
64QAM	1782.5	19925	5	1	0	21.90
64QAM	1782.5	19925	5	1	12	21.75
64QAM	1782.5	19925	5	1	24	21.81
64QAM	1782.5	19925	5	12	0	19.96
64QAM	1782.5	19925	5	12	7	20.12
64QAM	1782.5	19925	5	12	13	19.98
64QAM	1782.5	19925	5	25	0	20.26

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1715	19250	10	1	0	23.71
QPSK	1715	19250	10	1	25	23.81
QPSK	1715	19250	10	1	49	23.63
QPSK	1715	19250	10	25	0	22.54
QPSK	1715	19250	10	25	12	22.54
QPSK	1715	19250	10	25	25	22.57
QPSK	1715	19250	10	50	0	22.44
QPSK	1747.5	19575	10	1	0	23.48
QPSK	1747.5	19575	10	1	25	23.53
QPSK	1747.5	19575	10	1	49	23.69
QPSK	1747.5	19575	10	25	0	22.55
QPSK	1747.5	19575	10	25	12	22.27
QPSK	1747.5	19575	10	25	25	22.61
QPSK	1747.5	19575	10	50	0	22.36
QPSK	1780	19900	10	1	0	23.57
QPSK	1780	19900	10	1	25	23.48
QPSK	1780	19900	10	1	49	23.51
QPSK	1780	19900	10	25	0	22.52
QPSK	1780	19900	10	25	12	22.44
QPSK	1780	19900	10	25	25	22.49
QPSK	1780	19900	10	50	0	22.51

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1715	19250	10	1	0	22.22
16QAM	1715	19250	10	1	25	22.47
16QAM	1715	19250	10	1	49	22.62
16QAM	1715	19250	10	25	0	21.63
16QAM	1715	19250	10	25	12	21.78
16QAM	1715	19250	10	25	25	21.69
16QAM	1715	19250	10	50	0	21.57
16QAM	1747.5	19575	10	1	0	22.17
16QAM	1747.5	19575	10	1	25	22.35
16QAM	1747.5	19575	10	1	49	22.53
16QAM	1747.5	19575	10	25	0	21.72
16QAM	1747.5	19575	10	25	12	21.63
16QAM	1747.5	19575	10	25	25	22.02
16QAM	1747.5	19575	10	50	0	21.33
16QAM	1780	19900	10	1	0	22.90
16QAM	1780	19900	10	1	25	22.78
16QAM	1780	19900	10	1	49	22.80
16QAM	1780	19900	10	25	0	21.46
16QAM	1780	19900	10	25	12	21.45
16QAM	1780	19900	10	25	25	21.68
16QAM	1780	19900	10	50	0	21.53
64QAM	1715	19250	10	1	0	21.94
64QAM	1715	19250	10	1	25	21.93
64QAM	1715	19250	10	1	49	21.47
64QAM	1715	19250	10	25	0	20.54
64QAM	1715	19250	10	25	12	20.17
64QAM	1715	19250	10	25	25	20.68
64QAM	1715	19250	10	50	0	19.73
64QAM	1747.5	19575	10	1	0	21.88
64QAM	1747.5	19575	10	1	25	21.44
64QAM	1747.5	19575	10	1	49	21.48
64QAM	1747.5	19575	10	25	0	20.01
64QAM	1747.5	19575	10	25	12	20.13
64QAM	1747.5	19575	10	25	25	20.29
64QAM	1747.5	19575	10	50	0	20.00
64QAM	1780	19900	10	1	0	21.49
64QAM	1780	19900	10	1	25	21.69
64QAM	1780	19900	10	1	49	21.88
64QAM	1780	19900	10	25	0	19.72
64QAM	1780	19900	10	25	12	20.27
64QAM	1780	19900	10	25	25	20.07
64QAM	1780	19900	10	50	0	20.75



Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1717.5	19275	15	1	0	23.50
QPSK	1717.5	19275	15	1	37	23.65
QPSK	1717.5	19275	15	1	74	23.62
QPSK	1717.5	19275	15	36	0	22.53
QPSK	1717.5	19275	15	36	29	22.41
QPSK	1717.5	19275	15	36	30	22.53
QPSK	1717.5	19275	15	75	0	22.47
QPSK	1747.5	19575	15	1	0	23.45
QPSK	1747.5	19575	15	1	37	23.44
QPSK	1747.5	19575	15	1	74	23.55
QPSK	1747.5	19575	15	36	0	22.39
QPSK	1747.5	19575	15	36	29	22.48
QPSK	1747.5	19575	15	36	30	22.47
QPSK	1747.5	19575	15	75	0	22.55
QPSK	1777.5	19875	15	1	0	23.57
QPSK	1777.5	19875	15	1	37	23.43
QPSK	1777.5	19875	15	1	74	23.65
QPSK	1777.5	19875	15	36	0	22.62
QPSK	1777.5	19875	15	36	29	22.64
QPSK	1777.5	19875	15	36	30	22.60
QPSK	1777.5	19875	15	75	0	22.39

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1717.5	19275	15	1	0	22.87
16QAM	1717.5	19275	15	1	37	23.08
16QAM	1717.5	19275	15	1	74	23.42
16QAM	1717.5	19275	15	36	0	21.45
16QAM	1717.5	19275	15	36	29	21.55
16QAM	1717.5	19275	15	36	30	21.65
16QAM	1717.5	19275	15	75	0	21.55
16QAM	1747.5	19575	15	1	0	23.08
16QAM	1747.5	19575	15	1	37	23.05
16QAM	1747.5	19575	15	1	74	23.41
16QAM	1747.5	19575	15	36	0	21.33
16QAM	1747.5	19575	15	36	29	21.57
16QAM	1747.5	19575	15	36	30	21.57
16QAM	1747.5	19575	15	75	0	21.70
16QAM	1777.5	19875	15	1	0	23.09
16QAM	1777.5	19875	15	1	37	23.10
16QAM	1777.5	19875	15	1	74	22.86
16QAM	1777.5	19875	15	36	0	21.62
16QAM	1777.5	19875	15	36	29	21.45
16QAM	1777.5	19875	15	36	30	21.62
16QAM	1777.5	19875	15	75	0	21.54
64QAM	1717.5	19275	15	1	0	21.24
64QAM	1717.5	19275	15	1	37	21.59
64QAM	1717.5	19275	15	1	74	21.51
64QAM	1717.5	19275	15	36	0	20.11
64QAM	1717.5	19275	15	36	29	20.07
64QAM	1717.5	19275	15	36	30	20.06
64QAM	1717.5	19275	15	75	0	20.36
64QAM	1747.5	19575	15	1	0	21.53
64QAM	1747.5	19575	15	1	37	21.33
64QAM	1747.5	19575	15	1	74	21.59
64QAM	1747.5	19575	15	36	0	19.99
64QAM	1747.5	19575	15	36	29	20.18
64QAM	1747.5	19575	15	36	30	20.23
64QAM	1747.5	19575	15	75	0	20.01
64QAM	1777.5	19875	15	1	0	21.96
64QAM	1777.5	19875	15	1	37	21.75
64QAM	1777.5	19875	15	1	74	21.87
64QAM	1777.5	19875	15	36	0	20.27
64QAM	1777.5	19875	15	36	29	20.55
64QAM	1777.5	19875	15	36	30	20.55
64QAM	1777.5	19875	15	75	0	20.08

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1720	19300	20	1	0	23.36
QPSK	1720	19300	20	1	49	23.29
QPSK	1720	19300	20	1	99	23.45
QPSK	1720	19300	20	50	0	22.39
QPSK	1720	19300	20	50	24	22.44
QPSK	1720	19300	20	50	50	22.60
QPSK	1720	19300	20	100	0	22.33
QPSK	1747.5	19575	20	1	0	23.37
QPSK	1747.5	19575	20	1	49	23.54
QPSK	1747.5	19575	20	1	99	23.60
QPSK	1747.5	19575	20	50	0	22.45
QPSK	1747.5	19575	20	50	24	22.40
QPSK	1747.5	19575	20	50	50	22.51
QPSK	1747.5	19575	20	100	0	22.39
QPSK	1775	19850	20	1	0	23.73
QPSK	1775	19850	20	1	49	23.88
QPSK	1775	19850	20	1	99	23.74
QPSK	1775	19850	20	50	0	22.36
QPSK	1775	19850	20	50	24	22.73
QPSK	1775	19850	20	50	50	22.63
QPSK	1775	19850	20	100	0	22.37

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1720	19300	20	1	0	23.16
16QAM	1720	19300	20	1	49	22.96
16QAM	1720	19300	20	1	99	23.48
16QAM	1720	19300	20	50	0	21.47
16QAM	1720	19300	20	50	24	21.62
16QAM	1720	19300	20	50	50	21.87
16QAM	1720	19300	20	100	0	21.55
16QAM	1747.5	19575	20	1	0	22.15
16QAM	1747.5	19575	20	1	49	22.42
16QAM	1747.5	19575	20	1	99	22.49
16QAM	1747.5	19575	20	50	0	21.26
16QAM	1747.5	19575	20	50	24	21.57
16QAM	1747.5	19575	20	50	50	21.63
16QAM	1747.5	19575	20	100	0	21.60
16QAM	1775	19850	20	1	0	22.48
16QAM	1775	19850	20	1	49	22.39
16QAM	1775	19850	20	1	99	22.40
16QAM	1775	19850	20	50	0	21.53
16QAM	1775	19850	20	50	24	21.61
16QAM	1775	19850	20	50	50	21.49
16QAM	1775	19850	20	100	0	21.63
64QAM	1720	19300	20	1	0	21.68
64QAM	1720	19300	20	1	49	21.62
64QAM	1720	19300	20	1	99	21.81
64QAM	1720	19300	20	50	0	20.14
64QAM	1720	19300	20	50	24	19.97
64QAM	1720	19300	20	50	50	20.13
64QAM	1720	19300	20	100	0	20.01
64QAM	1747.5	19575	20	1	0	21.73
64QAM	1747.5	19575	20	1	49	21.58
64QAM	1747.5	19575	20	1	99	22.05
64QAM	1747.5	19575	20	50	0	19.92
64QAM	1747.5	19575	20	50	24	20.05
64QAM	1747.5	19575	20	50	50	20.08
64QAM	1747.5	19575	20	100	0	19.94
64QAM	1775	19850	20	1	0	21.91
64QAM	1775	19850	20	1	49	21.86
64QAM	1775	19850	20	1	99	21.65
64QAM	1775	19850	20	50	0	20.04
64QAM	1775	19850	20	50	24	19.94
64QAM	1775	19850	20	50	50	20.54
64QAM	1775	19850	20	100	0	19.77

## 2 Occupied Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
3	QPSK	1710.7	19207	1.4	6	0	1.080	Fig.1
3	QPSK	1747.5	19575	1.4	6	0	1.070	Fig.2
3	QPSK	1784.3	19943	1.4	6	0	1.080	Fig.3
3	QPSK	1711.5	19215	3	15	0	2.670	Fig.4
3	QPSK	1747.5	19575	3	15	0	2.670	Fig.5
3	QPSK	1783.5	19935	3	15	0	2.680	Fig.6
3	QPSK	1712.5	19225	5	25	0	4.460	Fig.7
3	QPSK	1747.5	19575	5	25	0	4.460	Fig.8
3	QPSK	1782.5	19925	5	25	0	4.460	Fig.9
3	QPSK	1715	19250	10	50	0	8.900	Fig.10
3	QPSK	1747.5	19575	10	50	0	8.920	Fig.11
3	QPSK	1780	19900	10	50	0	8.920	Fig.12
3	QPSK	1717.5	19275	15	75	0	13.390	Fig.13
3	QPSK	1747.5	19575	15	75	0	13.390	Fig.14
3	QPSK	1777.5	19875	15	75	0	13.390	Fig.15
3	QPSK	1720	19300	20	100	0	17.830	Fig.16
3	QPSK	1747.5	19575	20	100	0	17.870	Fig.17
3	QPSK	1775	19850	20	100	0	17.840	Fig.18

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
3	16QAM	1710.7	19207	1.4	6	0	1.080	Fig.19
3	16QAM	1747.5	19575	1.4	6	0	1.070	Fig.20
3	16QAM	1784.3	19943	1.4	6	0	1.080	Fig.21
3	16QAM	1711.5	19215	3	15	0	2.680	Fig.22
3	16QAM	1747.5	19575	3	15	0	2.680	Fig.23
3	16QAM	1783.5	19935	3	15	0	2.680	Fig.24
3	16QAM	1712.5	19225	5	25	0	4.450	Fig.25
3	16QAM	1747.5	19575	5	25	0	4.450	Fig.26
3	16QAM	1782.5	19925	5	25	0	4.460	Fig.27
3	16QAM	1715	19250	10	50	0	8.920	Fig.28
3	16QAM	1747.5	19575	10	50	0	8.920	Fig.29
3	16QAM	1780	19900	10	50	0	8.910	Fig.30
3	16QAM	1717.5	19275	15	75	0	13.360	Fig.31
3	16QAM	1747.5	19575	15	75	0	13.370	Fig.32
3	16QAM	1777.5	19875	15	75	0	13.390	Fig.33
3	16QAM	1720	19300	20	100	0	17.820	Fig.34
3	16QAM	1747.5	19575	20	100	0	17.830	Fig.35
3	16QAM	1775	19850	20	100	0	17.830	Fig.36

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
3	64QAM	1710.7	19207	1.4	6	0	1.080	Fig.37
3	64QAM	1747.5	19575	1.4	6	0	1.080	Fig.38
3	64QAM	1784.3	19943	1.4	6	0	1.080	Fig.39
3	64QAM	1711.5	19215	3	15	0	2.670	Fig.40
3	64QAM	1747.5	19575	3	15	0	2.680	Fig.41
3	64QAM	1783.5	19935	3	15	0	2.670	Fig.42
3	64QAM	1712.5	19225	5	25	0	4.460	Fig.43
3	64QAM	1747.5	19575	5	25	0	4.470	Fig.44
3	64QAM	1782.5	19925	5	25	0	4.460	Fig.45
3	64QAM	1715	19250	10	50	0	8.920	Fig.46
3	64QAM	1747.5	19575	10	50	0	8.930	Fig.47
3	64QAM	1780	19900	10	50	0	8.930	Fig.48
3	64QAM	1717.5	19275	15	75	0	13.380	Fig.49
3	64QAM	1747.5	19575	15	75	0	13.380	Fig.50
3	64QAM	1777.5	19875	15	75	0	13.370	Fig.51
3	64QAM	1720	19300	20	100	0	17.850	Fig.52
3	64QAM	1747.5	19575	20	100	0	17.890	Fig.53
3	64QAM	1775	19850	20	100	0	17.860	Fig.54

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6






Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18

Test Mode: 16QAM




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

Test Mode: 64QAM




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42