

Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36



Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42



Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54



Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60




Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
26	819	26740	10	1	0	Fig.1
26	819	26740	10	1	0	Fig.2
26	819	26740	10	1	0	Fig.3




Fig.1




Fig.2





Fig.3

6 Band Edges Compliance

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
26	QPSK	814.7	26697	1.4	1	0	Fig.1
26	QPSK	814.7	26697	1.4	1	5	Fig.2
26	QPSK	814.7	26697	1.4	6	0	Fig.3
26	QPSK	814.7	26697	1.4	6	0	Fig.4
26	QPSK	823.3	26783	1.4	1	0	Fig.5
26	QPSK	823.3	26783	1.4	1	5	Fig.6
26	QPSK	823.3	26783	1.4	6	0	Fig.7
26	QPSK	823.3	26783	1.4	6	0	Fig.8
26	QPSK	823.3	26783	1.4	1	0	Fig.9
26	QPSK	823.3	26783	1.4	1	5	Fig.10
26	QPSK	823.3	26783	1.4	6	0	Fig.11
26	QPSK	823.3	26783	1.4	6	0	Fig.12
26	QPSK	815.5	26705	3	1	0	Fig.13
26	QPSK	815.5	26705	3	1	14	Fig.14
26	QPSK	815.5	26705	3	15	0	Fig.15
26	QPSK	815.5	26705	3	15	0	Fig.16
26	QPSK	822.5	26775	3	1	0	Fig.17
26	QPSK	822.5	26775	3	1	14	Fig.18
26	QPSK	822.5	26775	3	15	0	Fig.19
26	QPSK	822.5	26775	3	15	0	Fig.20
26	QPSK	816.5	26715	5	1	0	Fig.21
26	QPSK	816.5	26715	5	1	24	Fig.22
26	QPSK	816.5	26715	5	25	0	Fig.23
26	QPSK	816.5	26715	5	25	0	Fig.24
26	QPSK	821.5	26765	5	1	0	Fig.25
26	QPSK	821.5	26765	5	1	24	Fig.26
26	QPSK	821.5	26765	5	25	0	Fig.27
26	QPSK	821.5	26765	5	25	0	Fig.28
26	QPSK	819	26740	10	1	0	Fig.29
26	QPSK	819	26740	10	1	49	Fig.30
26	QPSK	819	26740	10	50	0	Fig.31
26	QPSK	819	26740	10	50	0	Fig.32
26	QPSK	819	26740	10	1	0	Fig.33
26	QPSK	819	26740	10	1	49	Fig.34
26	QPSK	819	26740	10	50	0	Fig.35
26	QPSK	819	26740	10	50	0	Fig.36

Test Mode: QPSK






Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band2 Low Channel QPSK			
		1.4M	3M	5M	10M
-10	NV	0.035	-0.055	-0.039	-0.016
0	NV	-0.088	-0.011	-0.049	0.074
+10	NV	-0.058	-0.082	-0.090	0.045
+30	NV	0.041	0.009	-0.024	-0.002
+40	NV	0.075	-0.039	-0.060	0.004
+55	NV	-0.090	-0.067	-0.050	-0.058
+20	LV	0.044	0.018	0.090	-0.096
+20	HV	-0.035	-0.015	-0.084	-0.003

Temperature(°C)	Voltage	Test Result (ppm) Band2 High Channel QPSK			
		1.4M	3M	5M	10M
-10	NV	0.021	-0.076	-0.080	-0.007
0	NV	0.059	0.029	0.018	0.082
+10	NV	0.068	-0.049	0.007	0.081
+30	NV	-0.078	-0.089	0.006	0.079
+40	NV	0.095	-0.042	-0.095	-0.035
+55	NV	-0.059	0.086	-0.016	0.052
+20	LV	0.072	-0.015	-0.010	-0.029
+20	HV	0.039	-0.009	0.043	0.012

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	814.7	26697	1.4	1	0	23.69	20.19	0.104
16QAM	814.7	26697	1.4	1	3	23.66	20.16	0.104
16QAM	814.7	26697	1.4	1	5	23.75	20.25	0.106
16QAM	814.7	26697	1.4	3	0	23.34	19.84	0.096
16QAM	814.7	26697	1.4	3	1	23.33	19.83	0.096
16QAM	814.7	26697	1.4	3	3	23.26	19.76	0.095
16QAM	814.7	26697	1.4	6	0	22.55	19.05	0.080
16QAM	819	26740	1.4	1	0	23.38	19.88	0.097
16QAM	819	26740	1.4	1	3	23.40	19.90	0.098
16QAM	819	26740	1.4	1	5	23.38	19.88	0.097
16QAM	819	26740	1.4	3	0	23.38	19.88	0.097
16QAM	819	26740	1.4	3	1	23.31	19.81	0.096
16QAM	819	26740	1.4	3	3	23.28	19.78	0.095
16QAM	819	26740	1.4	6	0	22.47	18.97	0.079
16QAM	823.3	26783	1.4	1	0	23.44	19.94	0.099
16QAM	823.3	26783	1.4	1	3	23.35	19.85	0.097
16QAM	823.3	26783	1.4	1	5	23.33	19.83	0.096
16QAM	823.3	26783	1.4	3	0	23.36	19.86	0.097

16QAM	823.3	26783	1.4	3	1	23.40	19.90	0.098
16QAM	823.3	26783	1.4	3	3	23.43	19.93	0.098
16QAM	823.3	26783	1.4	6	0	22.38	18.88	0.077
64QAM	814.7	26697	1.4	1	0	21.93	18.43	0.070
64QAM	814.7	26697	1.4	1	3	21.98	18.48	0.070
64QAM	814.7	26697	1.4	1	5	21.99	18.49	0.071
64QAM	814.7	26697	1.4	3	0	22.02	18.52	0.071
64QAM	814.7	26697	1.4	3	1	21.89	18.39	0.069
64QAM	814.7	26697	1.4	3	3	22.15	18.65	0.073
64QAM	814.7	26697	1.4	6	0	21.29	17.79	0.060
64QAM	819	26740	1.4	1	0	22.31	18.81	0.076
64QAM	819	26740	1.4	1	3	22.23	18.73	0.075
64QAM	819	26740	1.4	1	5	22.26	18.76	0.075
64QAM	819	26740	1.4	3	0	22.45	18.95	0.079
64QAM	819	26740	1.4	3	1	22.10	18.60	0.072
64QAM	819	26740	1.4	3	3	22.06	18.56	0.072
64QAM	819	26740	1.4	6	0	21.63	18.13	0.065
64QAM	823.3	26783	1.4	1	0	22.23	18.73	0.075
64QAM	823.3	26783	1.4	1	3	22.25	18.75	0.075
64QAM	823.3	26783	1.4	1	5	22.16	18.66	0.073
64QAM	823.3	26783	1.4	3	0	22.37	18.87	0.077
64QAM	823.3	26783	1.4	3	1	22.26	18.76	0.075
64QAM	823.3	26783	1.4	3	3	22.31	18.81	0.076
64QAM	823.3	26783	1.4	6	0	21.20	17.70	0.059

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	819	26740	1.4	1	0	23.81	20.31	0.107
QPSK	819	26740	1.4	1	3	23.80	20.30	0.107
QPSK	819	26740	1.4	1	5	23.76	20.26	0.106
QPSK	819	26740	1.4	3	0	23.69	20.19	0.104
QPSK	819	26740	1.4	3	1	23.75	20.25	0.106
QPSK	819	26740	1.4	3	3	23.69	20.19	0.104
QPSK	819	26740	1.4	6	0	23.34	19.84	0.096
QPSK	823.3	26783	1.4	1	0	23.84	20.34	0.108
QPSK	823.3	26783	1.4	1	3	23.71	20.21	0.105
QPSK	823.3	26783	1.4	1	5	23.74	20.24	0.106
QPSK	823.3	26783	1.4	3	0	23.70	20.20	0.105
QPSK	823.3	26783	1.4	3	1	23.72	20.22	0.105
QPSK	823.3	26783	1.4	3	3	23.72	20.22	0.105
QPSK	823.3	26783	1.4	6	0	23.22	19.72	0.094

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	815.5	26705	3	1	0	23.43	19.93	0.098
16QAM	815.5	26705	3	1	8	23.42	19.92	0.098
16QAM	815.5	26705	3	1	14	23.50	20.00	0.100
16QAM	815.5	26705	3	8	0	22.29	18.79	0.076
16QAM	815.5	26705	3	8	4	22.25	18.75	0.075
16QAM	815.5	26705	3	8	7	22.22	18.72	0.074
16QAM	815.5	26705	3	15	0	22.41	18.91	0.078
16QAM	819	26740	3	1	0	23.56	20.06	0.101
16QAM	819	26740	3	1	8	23.59	20.09	0.102
16QAM	819	26740	3	1	14	23.68	20.18	0.104
16QAM	819	26740	3	8	0	22.14	18.64	0.073
16QAM	819	26740	3	8	4	22.24	18.74	0.075
16QAM	819	26740	3	8	7	22.07	18.57	0.072
16QAM	819	26740	3	15	0	22.37	18.87	0.077
16QAM	822.5	26775	3	1	0	23.02	19.52	0.090
16QAM	822.5	26775	3	1	8	22.90	19.40	0.087
16QAM	822.5	26775	3	1	14	22.93	19.43	0.088
16QAM	822.5	26775	3	8	0	22.17	18.67	0.074
16QAM	822.5	26775	3	8	4	22.05	18.55	0.072
16QAM	822.5	26775	3	8	7	22.09	18.59	0.072
16QAM	822.5	26775	3	15	0	22.16	18.66	0.073
64QAM	815.5	26705	3	1	0	22.71	19.21	0.083
64QAM	815.5	26705	3	1	8	22.65	19.15	0.082
64QAM	815.5	26705	3	1	14	22.49	18.99	0.079
64QAM	815.5	26705	3	8	0	21.30	17.80	0.060
64QAM	815.5	26705	3	8	4	21.30	17.80	0.060
64QAM	815.5	26705	3	8	7	21.20	17.70	0.059
64QAM	815.5	26705	3	15	0	21.23	17.73	0.059
64QAM	819	26740	3	1	0	21.81	18.31	0.068
64QAM	819	26740	3	1	8	21.89	18.39	0.069
64QAM	819	26740	3	1	14	21.91	18.41	0.069
64QAM	819	26740	3	8	0	21.65	18.15	0.065
64QAM	819	26740	3	8	4	21.74	18.24	0.067
64QAM	819	26740	3	8	7	21.74	18.24	0.067
64QAM	819	26740	3	15	0	21.72	18.22	0.066
64QAM	822.5	26775	3	1	0	23.02	19.52	0.090
64QAM	822.5	26775	3	1	8	22.93	19.43	0.088
64QAM	822.5	26775	3	1	14	22.92	19.42	0.087
64QAM	822.5	26775	3	8	0	21.18	17.68	0.059
64QAM	822.5	26775	3	8	4	20.79	17.29	0.054
64QAM	822.5	26775	3	8	7	20.87	17.37	0.055
64QAM	822.5	26775	3	15	0	21.19	17.69	0.059

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	815.5	26705	3	1	0	23.88	20.38	0.109
QPSK	815.5	26705	3	1	8	23.81	20.31	0.107
QPSK	815.5	26705	3	1	14	23.77	20.27	0.106
QPSK	815.5	26705	3	8	0	23.24	19.74	0.094
QPSK	815.5	26705	3	8	4	23.21	19.71	0.094
QPSK	815.5	26705	3	8	7	23.16	19.66	0.092
QPSK	815.5	26705	3	15	0	23.27	19.77	0.095
QPSK	819	26740	3	1	0	23.70	20.20	0.105
QPSK	819	26740	3	1	8	23.81	20.31	0.107
QPSK	819	26740	3	1	14	23.70	20.20	0.105
QPSK	819	26740	3	8	0	23.12	19.62	0.092
QPSK	819	26740	3	8	4	23.21	19.71	0.094
QPSK	819	26740	3	8	7	23.20	19.70	0.093
QPSK	819	26740	3	15	0	23.16	19.66	0.092
QPSK	822.5	26775	3	1	0	23.80	20.30	0.107
QPSK	822.5	26775	3	1	8	23.77	20.27	0.106
QPSK	822.5	26775	3	1	14	23.77	20.27	0.106
QPSK	822.5	26775	3	8	0	23.11	19.61	0.091
QPSK	822.5	26775	3	8	4	23.20	19.70	0.093
QPSK	822.5	26775	3	8	7	23.11	19.61	0.091
QPSK	822.5	26775	3	15	0	23.18	19.68	0.093

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	816.5	26715	5	1	0	22.77	19.27	0.085
16QAM	816.5	26715	5	1	12	22.66	19.16	0.082
16QAM	816.5	26715	5	1	24	22.67	19.17	0.083
16QAM	816.5	26715	5	12	0	22.28	18.78	0.076
16QAM	816.5	26715	5	12	7	22.03	18.53	0.071
16QAM	816.5	26715	5	12	13	22.13	18.63	0.073
16QAM	816.5	26715	5	25	0	22.22	18.72	0.074
16QAM	819	26740	5	1	0	23.82	20.32	0.108
16QAM	819	26740	5	1	12	23.91	20.41	0.110
16QAM	819	26740	5	1	24	23.87	20.37	0.109
16QAM	819	26740	5	12	0	22.10	18.60	0.072
16QAM	819	26740	5	12	7	22.27	18.77	0.075
16QAM	819	26740	5	12	13	22.33	18.83	0.076
16QAM	819	26740	5	25	0	22.19	18.69	0.074
16QAM	821.5	26765	5	1	0	23.31	19.81	0.096
16QAM	821.5	26765	5	1	12	23.31	19.81	0.096

16QAM	821.5	26765	5	1	24	23.35	19.85	0.097
16QAM	821.5	26765	5	12	0	22.07	18.57	0.072
16QAM	821.5	26765	5	12	7	22.22	18.72	0.074
16QAM	821.5	26765	5	12	13	22.11	18.61	0.073
16QAM	821.5	26765	5	25	0	22.29	18.79	0.076
64QAM	816.5	26715	5	1	0	21.73	18.23	0.067
64QAM	816.5	26715	5	1	12	21.61	18.11	0.065
64QAM	816.5	26715	5	1	24	21.80	18.30	0.068
64QAM	816.5	26715	5	12	0	21.27	17.77	0.060
64QAM	816.5	26715	5	12	7	21.31	17.81	0.060
64QAM	816.5	26715	5	12	13	21.33	17.83	0.061
64QAM	816.5	26715	5	25	0	21.35	17.85	0.061
64QAM	819	26740	5	1	0	23.22	19.72	0.094
64QAM	819	26740	5	1	12	23.34	19.84	0.096
64QAM	819	26740	5	1	24	23.34	19.84	0.096
64QAM	819	26740	5	12	0	21.12	17.62	0.058
64QAM	819	26740	5	12	7	21.71	18.21	0.066
64QAM	819	26740	5	12	13	21.27	17.77	0.060
64QAM	819	26740	5	25	0	21.85	18.35	0.068
64QAM	821.5	26765	5	1	0	22.30	18.80	0.076
64QAM	821.5	26765	5	1	12	23.28	19.78	0.095
64QAM	821.5	26765	5	1	24	23.31	19.81	0.096
64QAM	821.5	26765	5	12	0	21.24	17.74	0.059
64QAM	821.5	26765	5	12	7	21.31	17.81	0.060
64QAM	821.5	26765	5	12	13	21.26	17.76	0.060
64QAM	821.5	26765	5	25	0	21.36	17.86	0.061

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	816.5	26715	5	1	0	23.70	20.20	0.105
QPSK	816.5	26715	5	1	12	23.72	20.22	0.105
QPSK	816.5	26715	5	1	24	23.73	20.23	0.105
QPSK	816.5	26715	5	12	0	23.29	19.79	0.095
QPSK	816.5	26715	5	12	7	23.16	19.66	0.092
QPSK	816.5	26715	5	12	13	23.17	19.67	0.093
QPSK	816.5	26715	5	25	0	23.22	19.72	0.094
QPSK	819	26740	5	1	0	23.74	20.24	0.106
QPSK	819	26740	5	1	12	23.77	20.27	0.106
QPSK	819	26740	5	1	24	23.72	20.22	0.105
QPSK	819	26740	5	12	0	23.35	19.85	0.097
QPSK	819	26740	5	12	7	23.30	19.80	0.095
QPSK	819	26740	5	12	13	23.32	19.82	0.096
QPSK	819	26740	5	25	0	23.26	19.76	0.095
QPSK	821.5	26765	5	1	0	23.73	20.23	0.105
QPSK	821.5	26765	5	1	12	23.70	20.20	0.105

QPSK	821.5	26765	5	1	24	23.70	20.20	0.105
QPSK	821.5	26765	5	12	0	23.29	19.79	0.095
QPSK	821.5	26765	5	12	7	23.48	19.98	0.100
QPSK	821.5	26765	5	12	13	23.33	19.83	0.096
QPSK	821.5	26765	5	25	0	23.31	19.81	0.096

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	819	26740	10	1	0	23.23	19.73	0.094
16QAM	819	26740	10	1	25	23.09	19.59	0.091
16QAM	819	26740	10	1	49	23.23	19.73	0.094
16QAM	819	26740	10	25	0	22.21	18.71	0.074
16QAM	819	26740	10	25	12	22.37	18.87	0.077
16QAM	819	26740	10	25	25	22.27	18.77	0.075
16QAM	819	26740	10	50	0	22.29	18.79	0.076
16QAM	819	26740	10	1	0	23.31	19.81	0.096
16QAM	819	26740	10	1	25	23.23	19.73	0.094
16QAM	819	26740	10	1	49	23.21	19.71	0.094
16QAM	819	26740	10	25	0	22.19	18.69	0.074
16QAM	819	26740	10	25	12	22.25	18.75	0.075
16QAM	819	26740	10	25	25	22.35	18.85	0.077
16QAM	819	26740	10	50	0	22.39	18.89	0.077
16QAM	819	26740	10	1	0	23.97	20.47	0.111
16QAM	819	26740	10	1	25	23.95	20.45	0.111
16QAM	819	26740	10	1	49	24.03	20.53	0.113
16QAM	819	26740	10	25	0	22.32	18.82	0.076
16QAM	819	26740	10	25	12	22.37	18.87	0.077
16QAM	819	26740	10	25	25	22.32	18.82	0.076
16QAM	819	26740	10	50	0	22.26	18.76	0.075
64QAM	819	26740	10	1	0	22.79	19.29	0.085
64QAM	819	26740	10	1	25	22.83	19.33	0.086
64QAM	819	26740	10	1	49	22.75	19.25	0.084
64QAM	819	26740	10	25	0	21.23	17.73	0.059
64QAM	819	26740	10	25	12	21.74	18.24	0.067
64QAM	819	26740	10	25	25	21.20	17.70	0.059
64QAM	819	26740	10	50	0	21.75	18.25	0.067
64QAM	819	26740	10	1	0	22.78	19.28	0.085
64QAM	819	26740	10	1	25	22.76	19.26	0.084
64QAM	819	26740	10	1	49	22.71	19.21	0.083
64QAM	819	26740	10	25	0	21.13	17.63	0.058
64QAM	819	26740	10	25	12	21.73	18.23	0.067
64QAM	819	26740	10	25	25	20.98	17.48	0.056
64QAM	819	26740	10	50	0	21.76	18.26	0.067
64QAM	819	26740	10	1	0	22.85	19.35	0.086
64QAM	819	26740	10	1	25	22.69	19.19	0.083

64QAM	819	26740	10	1	49	22.70	19.20	0.083
64QAM	819	26740	10	25	0	21.19	17.69	0.059
64QAM	819	26740	10	25	12	21.70	18.20	0.066
64QAM	819	26740	10	25	25	21.32	17.82	0.061
64QAM	819	26740	10	50	0	21.71	18.21	0.066

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	819	26740	10	1	0	23.90	20.40	0.110
QPSK	819	26740	10	1	25	23.83	20.33	0.108
QPSK	819	26740	10	1	49	23.89	20.39	0.109
QPSK	819	26740	10	25	0	23.22	19.72	0.094
QPSK	819	26740	10	25	12	23.17	19.67	0.093
QPSK	819	26740	10	25	25	23.33	19.83	0.096
QPSK	819	26740	10	50	0	23.21	19.71	0.094
QPSK	819	26740	10	1	0	23.89	20.39	0.109
QPSK	819	26740	10	1	25	23.94	20.44	0.111
QPSK	819	26740	10	1	49	23.87	20.37	0.109
QPSK	819	26740	10	25	0	23.21	19.71	0.094
QPSK	819	26740	10	25	12	23.15	19.65	0.092
QPSK	819	26740	10	25	25	23.25	19.75	0.094
QPSK	819	26740	10	50	0	23.18	19.68	0.093
QPSK	819	26740	10	1	0	23.92	20.42	0.110
QPSK	819	26740	10	1	25	23.96	20.46	0.111
QPSK	819	26740	10	1	49	23.83	20.33	0.108
QPSK	819	26740	10	25	0	23.19	19.69	0.093
QPSK	819	26740	10	25	12	23.14	19.64	0.092
QPSK	819	26740	10	25	25	23.23	19.73	0.094
QPSK	819	26740	10	50	0	23.39	19.89	0.097