

Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72




Fig.73




Fig.74




Fig.75




Fig.76




Fig.77




Fig.78




Fig.79




Fig.80




Fig.81




Fig.82




Fig.83




Fig.84




Fig.85




Fig.86




Fig.87




Fig.88




Fig.89




Fig.90

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
28	713	27310	20	1	0	Fig.1
28	728	27460	20	1	0	Fig.2
28	738	27560	20	1	0	Fig.3




Fig.1




Fig.2




Fig.3

6 Band Edges Compliance

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
28	QPSK	704.5	27225	3	1	0	Fig.1
28	QPSK	704.5	27225	3	15	0	Fig.2
28	QPSK	746.5	27645	3	1	14	Fig.3
28	QPSK	746.5	27645	3	15	0	Fig.4
28	QPSK	705.5	27235	5	1	0	Fig.5
28	QPSK	705.5	27235	5	25	0	Fig.6
28	QPSK	745.5	27635	5	1	24	Fig.7
28	QPSK	745.5	27635	5	25	0	Fig.8
28	QPSK	708	27260	10	1	0	Fig.9
28	QPSK	708	27260	10	50	0	Fig.10
28	QPSK	743	27610	10	1	49	Fig.11
28	QPSK	743	27610	10	50	0	Fig.12
28	QPSK	710.5	27285	15	1	0	Fig.13
28	QPSK	710.5	27285	15	75	0	Fig.14
28	QPSK	740.5	27585	15	1	74	Fig.15
28	QPSK	740.5	27585	15	75	0	Fig.16
28	QPSK	713	27310	20	1	0	Fig.17
28	QPSK	713	27310	20	100	0	Fig.18
28	QPSK	738	27560	20	1	99	Fig.19
28	QPSK	738	27560	20	100	0	Fig.20

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band 28 Low Channel QPSK				
		3M	5M	10M	15M	20M
-10	NV	0.050	-0.013	-0.014	-0.025	-0.015
0	NV	-0.020	-0.047	-0.067	-0.016	-0.063
+10	NV	-0.026	-0.024	-0.013	-0.017	0.001
+20	NV	-0.023	-0.014	0.010	-0.005	-0.024
+30	NV	-0.011	0.002	0.009	0.006	0.001
+40	NV	-0.020	-0.017	-0.013	-0.022	-0.019
+55	NV	0.049	0.056	0.018	-0.030	0.020
+20	LV	-0.065	-0.065	-0.038	-0.029	-0.004
+20	HV	-0.061	-0.062	-0.044	-0.023	-0.014

Temperature(°C)	Voltage	Test Result (ppm) Band 28 High Channel QPSK				
		3M	5M	10M	15M	20M
-10	NV	0.048	-0.009	-0.011	-0.009	-0.020
0	NV	-0.030	-0.017	-0.038	-0.061	-0.054
+10	NV	-0.037	-0.046	-0.056	-0.055	-0.060
+20	NV	-0.040	-0.020	-0.024	-0.053	-0.041
+30	NV	-0.054	-0.042	-0.056	-0.053	-0.049
+40	NV	-0.065	-0.054	-0.054	-0.024	-0.029
+55	NV	-0.017	-0.005	-0.017	-0.007	-0.013
+20	LV	-0.056	-0.048	-0.039	-0.061	-0.065
+20	HV	-0.043	-0.033	-0.038	-0.067	-0.054

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	704.5	27225	3	1	0	22.43	16.58	0.045
16QAM	704.5	27225	3	1	8	22.74	16.89	0.049
16QAM	704.5	27225	3	1	14	22.15	16.30	0.043
16QAM	704.5	27225	3	8	0	21.49	15.64	0.037
16QAM	704.5	27225	3	8	4	21.33	15.48	0.035
16QAM	704.5	27225	3	8	7	21.42	15.57	0.036
16QAM	704.5	27225	3	15	0	21.35	15.50	0.035
16QAM	719.5	27375	3	1	0	22.65	16.80	0.048
16QAM	719.5	27375	3	1	8	22.69	16.84	0.048
16QAM	719.5	27375	3	1	14	22.71	16.86	0.049
16QAM	719.5	27375	3	8	0	21.32	15.47	0.035
16QAM	719.5	27375	3	8	4	21.24	15.39	0.035
16QAM	719.5	27375	3	8	7	21.34	15.49	0.035
16QAM	719.5	27375	3	15	0	21.21	15.36	0.034
16QAM	746.5	27645	3	1	0	22.37	16.52	0.045
16QAM	746.5	27645	3	1	8	22.43	16.58	0.045
16QAM	746.5	27645	3	1	14	23.04	17.19	0.052
16QAM	746.5	27645	3	8	0	21.12	15.27	0.034
16QAM	746.5	27645	3	8	4	21.27	15.42	0.035
16QAM	746.5	27645	3	8	7	21.17	15.32	0.034
16QAM	746.5	27645	3	15	0	21.06	15.21	0.033
64QAM	704.5	27225	3	1	0	21.29	15.44	0.035
64QAM	704.5	27225	3	1	8	21.50	15.65	0.037
64QAM	704.5	27225	3	1	14	21.30	15.45	0.035
64QAM	704.5	27225	3	8	0	20.84	14.99	0.032
64QAM	704.5	27225	3	8	4	20.77	14.92	0.031
64QAM	704.5	27225	3	8	7	20.45	14.60	0.029
64QAM	704.5	27225	3	15	0	21.09	15.24	0.033
64QAM	719.5	27375	3	1	0	21.54	15.69	0.037
64QAM	719.5	27375	3	1	8	21.35	15.50	0.035
64QAM	719.5	27375	3	1	14	21.03	15.18	0.033
64QAM	719.5	27375	3	8	0	20.59	14.74	0.030
64QAM	719.5	27375	3	8	4	20.75	14.90	0.031
64QAM	719.5	27375	3	8	7	20.62	14.77	0.030
64QAM	719.5	27375	3	15	0	20.69	14.84	0.030
64QAM	746.5	27645	3	1	0	21.48	15.63	0.037
64QAM	746.5	27645	3	1	8	21.31	15.46	0.035
64QAM	746.5	27645	3	1	14	21.11	15.26	0.034
64QAM	746.5	27645	3	8	0	20.10	14.25	0.027
64QAM	746.5	27645	3	8	4	20.03	14.18	0.026
64QAM	746.5	27645	3	8	7	20.21	14.36	0.027
64QAM	746.5	27645	3	15	0	20.24	14.39	0.027

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	704.5	27225	3	1	0	23.17	17.32	0.054
QPSK	704.5	27225	3	1	8	23.39	17.54	0.057
QPSK	704.5	27225	3	1	14	23.24	17.39	0.055
QPSK	704.5	27225	3	8	0	22.47	16.62	0.046
QPSK	704.5	27225	3	8	4	22.18	16.33	0.043
QPSK	704.5	27225	3	8	7	22.46	16.61	0.046
QPSK	704.5	27225	3	15	0	22.43	16.58	0.045
QPSK	719.5	27375	3	1	0	23.39	17.54	0.057
QPSK	719.5	27375	3	1	8	23.42	17.57	0.057
QPSK	719.5	27375	3	1	14	23.24	17.39	0.055
QPSK	719.5	27375	3	8	0	22.25	16.40	0.044
QPSK	719.5	27375	3	8	4	22.32	16.47	0.044
QPSK	719.5	27375	3	8	7	22.36	16.51	0.045
QPSK	719.5	27375	3	15	0	22.25	16.40	0.044
QPSK	746.5	27645	3	1	0	23.14	17.29	0.054
QPSK	746.5	27645	3	1	8	23.26	17.41	0.055
QPSK	746.5	27645	3	1	14	23.08	17.23	0.053
QPSK	746.5	27645	3	8	0	22.03	16.18	0.041
QPSK	746.5	27645	3	8	4	22.07	16.22	0.042
QPSK	746.5	27645	3	8	7	22.14	16.29	0.043
QPSK	746.5	27645	3	15	0	22.17	16.32	0.043

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	705.5	27235	5	1	0	22.79	16.94	0.049
16QAM	705.5	27235	5	1	12	22.79	16.94	0.049
16QAM	705.5	27235	5	1	24	22.47	16.62	0.046
16QAM	705.5	27235	5	12	0	21.23	15.38	0.035
16QAM	705.5	27235	5	12	7	21.06	15.21	0.033
16QAM	705.5	27235	5	12	13	21.16	15.31	0.034
16QAM	705.5	27235	5	25	0	21.11	15.26	0.034
16QAM	720.5	27385	5	1	0	22.25	16.40	0.044
16QAM	720.5	27385	5	1	12	22.19	16.34	0.043
16QAM	720.5	27385	5	1	24	22.99	17.14	0.052
16QAM	720.5	27385	5	12	0	21.08	15.23	0.033
16QAM	720.5	27385	5	12	7	21.26	15.41	0.035
16QAM	720.5	27385	5	12	13	21.42	15.57	0.036
16QAM	720.5	27385	5	25	0	21.15	15.30	0.034
16QAM	745.5	27635	5	1	0	22.31	16.46	0.044
16QAM	745.5	27635	5	1	12	21.70	15.85	0.038
16QAM	745.5	27635	5	1	24	21.69	15.84	0.038
16QAM	745.5	27635	5	12	0	21.29	15.44	0.035
16QAM	745.5	27635	5	12	7	21.15	15.30	0.034
16QAM	745.5	27635	5	12	13	21.07	15.22	0.033
16QAM	745.5	27635	5	25	0	21.19	15.34	0.034
64QAM	705.5	27235	5	1	0	21.51	15.66	0.037
64QAM	705.5	27235	5	1	12	21.67	15.82	0.038
64QAM	705.5	27235	5	1	24	21.10	15.25	0.033
64QAM	705.5	27235	5	12	0	20.74	14.89	0.031
64QAM	705.5	27235	5	12	7	20.03	14.18	0.026
64QAM	705.5	27235	5	12	13	20.32	14.47	0.028
64QAM	705.5	27235	5	25	0	20.19	14.34	0.027
64QAM	720.5	27385	5	1	0	20.99	15.14	0.033
64QAM	720.5	27385	5	1	12	21.27	15.42	0.035
64QAM	720.5	27385	5	1	24	21.23	15.38	0.035
64QAM	720.5	27385	5	12	0	20.76	14.91	0.031
64QAM	720.5	27385	5	12	7	20.61	14.76	0.030
64QAM	720.5	27385	5	12	13	20.75	14.90	0.031
64QAM	720.5	27385	5	25	0	20.66	14.81	0.030
64QAM	745.5	27635	5	1	0	20.90	15.05	0.032
64QAM	745.5	27635	5	1	12	20.99	15.14	0.033
64QAM	745.5	27635	5	1	24	20.71	14.86	0.031
64QAM	745.5	27635	5	12	0	20.17	14.32	0.027
64QAM	745.5	27635	5	12	7	20.02	14.17	0.026
64QAM	745.5	27635	5	12	13	20.18	14.33	0.027
64QAM	745.5	27635	5	25	0	20.01	14.16	0.026

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	705.5	27235	5	1	0	23.45	17.60	0.058
QPSK	705.5	27235	5	1	12	23.38	17.53	0.057
QPSK	705.5	27235	5	1	24	23.36	17.51	0.056
QPSK	705.5	27235	5	12	0	22.23	16.38	0.043
QPSK	705.5	27235	5	12	7	22.49	16.64	0.046
QPSK	705.5	27235	5	12	13	22.47	16.62	0.046
QPSK	705.5	27235	5	25	0	22.28	16.43	0.044
QPSK	720.5	27385	5	1	0	23.36	17.51	0.056
QPSK	720.5	27385	5	1	12	23.36	17.51	0.056
QPSK	720.5	27385	5	1	24	23.42	17.57	0.057
QPSK	720.5	27385	5	12	0	22.31	16.46	0.044
QPSK	720.5	27385	5	12	7	22.32	16.47	0.044
QPSK	720.5	27385	5	12	13	22.31	16.46	0.044
QPSK	720.5	27385	5	25	0	22.28	16.43	0.044
QPSK	745.5	27635	5	1	0	23.30	17.45	0.056
QPSK	745.5	27635	5	1	12	23.40	17.55	0.057
QPSK	745.5	27635	5	1	24	23.20	17.35	0.054
QPSK	745.5	27635	5	12	0	21.92	16.07	0.040
QPSK	745.5	27635	5	12	7	22.13	16.28	0.042
QPSK	745.5	27635	5	12	13	22.19	16.34	0.043
QPSK	745.5	27635	5	25	0	22.15	16.30	0.043

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	708	27260	10	1	0	22.20	16.35	0.043
16QAM	708	27260	10	1	25	22.19	16.34	0.043
16QAM	708	27260	10	1	49	22.78	16.93	0.049
16QAM	708	27260	10	25	0	21.32	15.47	0.035
16QAM	708	27260	10	25	12	21.31	15.46	0.035
16QAM	708	27260	10	25	25	21.50	15.65	0.037
16QAM	708	27260	10	50	0	21.40	15.55	0.036
16QAM	723	27410	10	1	0	22.32	16.47	0.044
16QAM	723	27410	10	1	25	22.89	17.04	0.051
16QAM	723	27410	10	1	49	22.40	16.55	0.045
16QAM	723	27410	10	25	0	21.04	15.19	0.033
16QAM	723	27410	10	25	12	21.20	15.35	0.034
16QAM	723	27410	10	25	25	21.25	15.40	0.035
16QAM	723	27410	10	50	0	19.54	13.69	0.023
16QAM	743	27610	10	1	0	23.33	17.48	0.056
16QAM	743	27610	10	1	25	22.59	16.74	0.047
16QAM	743	27610	10	1	49	22.68	16.83	0.048
16QAM	743	27610	10	25	0	21.06	15.21	0.033
16QAM	743	27610	10	25	12	21.04	15.19	0.033
16QAM	743	27610	10	25	25	21.02	15.17	0.033
16QAM	743	27610	10	50	0	21.16	15.31	0.034
64QAM	708	27260	10	1	0	21.08	15.23	0.033
64QAM	708	27260	10	1	25	21.40	15.55	0.036
64QAM	708	27260	10	1	49	21.56	15.71	0.037
64QAM	708	27260	10	25	0	20.26	14.41	0.028
64QAM	708	27260	10	25	12	20.76	14.91	0.031
64QAM	708	27260	10	25	25	20.29	14.44	0.028
64QAM	708	27260	10	50	0	20.83	14.98	0.031
64QAM	723	27410	10	1	0	21.06	15.21	0.033
64QAM	723	27410	10	1	25	21.30	15.45	0.035
64QAM	723	27410	10	1	49	21.15	15.30	0.034
64QAM	723	27410	10	25	0	20.58	14.73	0.030
64QAM	723	27410	10	25	12	20.62	14.77	0.030
64QAM	723	27410	10	25	25	20.21	14.36	0.027
64QAM	723	27410	10	50	0	20.87	15.02	0.032
64QAM	743	27610	10	1	0	21.23	15.38	0.035
64QAM	743	27610	10	1	25	21.09	15.24	0.033
64QAM	743	27610	10	1	49	21.28	15.43	0.035
64QAM	743	27610	10	25	0	20.08	14.23	0.026
64QAM	743	27610	10	25	12	20.42	14.57	0.029
64QAM	743	27610	10	25	25	19.90	14.05	0.025
64QAM	743	27610	10	50	0	20.66	14.81	0.030

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	708	27260	10	1	0	24.26	18.41	0.069
QPSK	708	27260	10	1	25	23.78	17.93	0.062
QPSK	708	27260	10	1	49	23.78	17.93	0.062
QPSK	708	27260	10	25	0	22.55	16.70	0.047
QPSK	708	27260	10	25	12	22.17	16.32	0.043
QPSK	708	27260	10	25	25	22.39	16.54	0.045
QPSK	708	27260	10	50	0	22.19	16.34	0.043
QPSK	723	27410	10	1	0	23.34	17.49	0.056
QPSK	723	27410	10	1	25	23.38	17.53	0.057
QPSK	723	27410	10	1	49	23.23	17.38	0.055
QPSK	723	27410	10	25	0	22.30	16.45	0.044
QPSK	723	27410	10	25	12	22.37	16.52	0.045
QPSK	723	27410	10	25	25	22.02	16.17	0.041
QPSK	723	27410	10	50	0	22.47	16.62	0.046
QPSK	743	27610	10	1	0	23.34	17.49	0.056
QPSK	743	27610	10	1	25	23.11	17.26	0.053
QPSK	743	27610	10	1	49	23.20	17.35	0.054
QPSK	743	27610	10	25	0	22.09	16.24	0.042
QPSK	743	27610	10	25	12	21.99	16.14	0.041
QPSK	743	27610	10	25	25	22.13	16.28	0.042
QPSK	743	27610	10	50	0	22.19	16.34	0.043

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	710.5	27285	15	1	0	22.49	16.64	0.046
16QAM	710.5	27285	15	1	37	22.82	16.97	0.050
16QAM	710.5	27285	15	1	74	22.57	16.72	0.047
16QAM	710.5	27285	15	36	0	21.43	15.58	0.036
16QAM	710.5	27285	15	36	29	21.03	15.18	0.033
16QAM	710.5	27285	15	36	30	21.02	15.17	0.033
16QAM	710.5	27285	15	75	0	21.76	15.91	0.039
16QAM	725.5	27435	15	1	0	22.65	16.80	0.048
16QAM	725.5	27435	15	1	37	22.58	16.73	0.047
16QAM	725.5	27435	15	1	74	22.61	16.76	0.047
16QAM	725.5	27435	15	36	0	21.12	15.27	0.034
16QAM	725.5	27435	15	36	29	21.17	15.32	0.034
16QAM	725.5	27435	15	36	30	21.22	15.37	0.034
16QAM	725.5	27435	15	75	0	21.26	15.41	0.035
16QAM	740.5	27585	15	1	0	21.67	15.82	0.038
16QAM	740.5	27585	15	1	37	21.74	15.89	0.039
16QAM	740.5	27585	15	1	74	21.98	16.13	0.041
16QAM	740.5	27585	15	36	0	21.13	15.28	0.034
16QAM	740.5	27585	15	36	29	21.07	15.22	0.033
16QAM	740.5	27585	15	36	30	21.20	15.35	0.034
16QAM	740.5	27585	15	75	0	20.96	15.11	0.032
64QAM	710.5	27285	15	1	0	21.67	15.82	0.038
64QAM	710.5	27285	15	1	37	21.47	15.62	0.036
64QAM	710.5	27285	15	1	74	21.40	15.55	0.036
64QAM	710.5	27285	15	36	0	20.85	15.00	0.032
64QAM	710.5	27285	15	36	29	20.89	15.04	0.032
64QAM	710.5	27285	15	36	30	20.76	14.91	0.031
64QAM	710.5	27285	15	75	0	20.35	14.50	0.028
64QAM	725.5	27435	15	1	0	21.12	15.27	0.034
64QAM	725.5	27435	15	1	37	21.30	15.45	0.035
64QAM	725.5	27435	15	1	74	21.20	15.35	0.034
64QAM	725.5	27435	15	36	0	20.71	14.86	0.031
64QAM	725.5	27435	15	36	29	20.53	14.68	0.029
64QAM	725.5	27435	15	36	30	20.41	14.56	0.029
64QAM	725.5	27435	15	75	0	20.00	14.15	0.026
64QAM	740.5	27585	15	1	0	20.72	14.87	0.031
64QAM	740.5	27585	15	1	37	20.74	14.89	0.031
64QAM	740.5	27585	15	1	74	20.89	15.04	0.032
64QAM	740.5	27585	15	36	0	20.34	14.49	0.028
64QAM	740.5	27585	15	36	29	20.41	14.56	0.029
64QAM	740.5	27585	15	36	30	20.51	14.66	0.029
64QAM	740.5	27585	15	75	0	20.08	14.23	0.026

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	710.5	27285	15	1	0	23.48	17.63	0.058
QPSK	710.5	27285	15	1	37	23.36	17.51	0.056
QPSK	710.5	27285	15	1	74	23.40	17.55	0.057
QPSK	710.5	27285	15	36	0	22.25	16.40	0.044
QPSK	710.5	27285	15	36	29	22.27	16.42	0.044
QPSK	710.5	27285	15	36	30	22.17	16.32	0.043
QPSK	710.5	27285	15	75	0	22.23	16.38	0.043
QPSK	725.5	27435	15	1	0	23.26	17.41	0.055
QPSK	725.5	27435	15	1	37	23.28	17.43	0.055
QPSK	725.5	27435	15	1	74	23.02	17.17	0.052
QPSK	725.5	27435	15	36	0	22.20	16.35	0.043
QPSK	725.5	27435	15	36	29	22.39	16.54	0.045
QPSK	725.5	27435	15	36	30	22.24	16.39	0.044
QPSK	725.5	27435	15	75	0	22.32	16.47	0.044
QPSK	740.5	27585	15	1	0	22.78	16.93	0.049
QPSK	740.5	27585	15	1	37	23.26	17.41	0.055
QPSK	740.5	27585	15	1	74	23.12	17.27	0.053
QPSK	740.5	27585	15	36	0	22.15	16.30	0.043
QPSK	740.5	27585	15	36	29	22.12	16.27	0.042
QPSK	740.5	27585	15	36	30	22.11	16.26	0.042
QPSK	740.5	27585	15	75	0	22.07	16.22	0.042

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	713	27310	20	1	0	22.10	16.25	0.042
16QAM	713	27310	20	1	49	21.80	15.95	0.039
16QAM	713	27310	20	1	99	22.29	16.44	0.044
16QAM	713	27310	20	50	0	21.33	15.48	0.035
16QAM	713	27310	20	50	24	21.14	15.29	0.034
16QAM	713	27310	20	50	50	21.35	15.50	0.035
16QAM	713	27310	20	100	0	21.17	15.32	0.034
16QAM	728	27460	20	1	0	22.79	16.94	0.049
16QAM	728	27460	20	1	49	22.44	16.59	0.046
16QAM	728	27460	20	1	99	22.98	17.13	0.052
16QAM	728	27460	20	50	0	21.28	15.43	0.035
16QAM	728	27460	20	50	24	21.27	15.42	0.035
16QAM	728	27460	20	50	50	21.03	15.18	0.033
16QAM	728	27460	20	100	0	21.36	15.51	0.036
16QAM	738	27560	20	1	0	22.58	16.73	0.047
16QAM	738	27560	20	1	49	22.17	16.32	0.043
16QAM	738	27560	20	1	99	22.89	17.04	0.051
16QAM	738	27560	20	50	0	21.27	15.42	0.035
16QAM	738	27560	20	50	24	21.00	15.15	0.033
16QAM	738	27560	20	50	50	21.18	15.33	0.034
16QAM	738	27560	20	100	0	21.17	15.32	0.034
64QAM	713	27310	20	1	0	21.09	15.24	0.033
64QAM	713	27310	20	1	49	21.79	15.94	0.039
64QAM	713	27310	20	1	99	21.72	15.87	0.039
64QAM	713	27310	20	50	0	20.83	14.98	0.031
64QAM	713	27310	20	50	24	21.00	15.15	0.033
64QAM	713	27310	20	50	50	20.89	15.04	0.032
64QAM	713	27310	20	100	0	20.84	14.99	0.032
64QAM	728	27460	20	1	0	21.08	15.23	0.033
64QAM	728	27460	20	1	49	21.55	15.70	0.037
64QAM	728	27460	20	1	99	20.75	14.90	0.031
64QAM	728	27460	20	50	0	20.60	14.75	0.030
64QAM	728	27460	20	50	24	20.33	14.48	0.028
64QAM	728	27460	20	50	50	20.76	14.91	0.031
64QAM	728	27460	20	100	0	20.05	14.20	0.026
64QAM	738	27560	20	1	0	20.97	15.12	0.033
64QAM	738	27560	20	1	49	21.42	15.57	0.036
64QAM	738	27560	20	1	99	21.01	15.16	0.033
64QAM	738	27560	20	50	0	20.64	14.79	0.030
64QAM	738	27560	20	50	24	20.27	14.42	0.028
64QAM	738	27560	20	50	50	20.62	14.77	0.030
64QAM	738	27560	20	100	0	20.11	14.26	0.027

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	713	27310	20	1	0	23.43	17.58	0.057
QPSK	713	27310	20	1	49	23.59	17.74	0.059
QPSK	713	27310	20	1	99	23.54	17.69	0.059
QPSK	713	27310	20	50	0	22.27	16.42	0.044
QPSK	713	27310	20	50	24	22.49	16.64	0.046
QPSK	713	27310	20	50	50	22.38	16.53	0.045
QPSK	713	27310	20	100	0	22.41	16.56	0.045
QPSK	728	27460	20	1	0	23.16	17.31	0.054
QPSK	728	27460	20	1	49	23.21	17.36	0.054
QPSK	728	27460	20	1	99	23.18	17.33	0.054
QPSK	728	27460	20	50	0	22.18	16.33	0.043
QPSK	728	27460	20	50	24	22.24	16.39	0.044
QPSK	728	27460	20	50	50	22.07	16.22	0.042
QPSK	728	27460	20	100	0	22.18	16.33	0.043
QPSK	738	27560	20	1	0	23.18	17.33	0.054
QPSK	738	27560	20	1	49	23.18	17.33	0.054
QPSK	738	27560	20	1	99	23.22	17.37	0.055
QPSK	738	27560	20	50	0	21.96	16.11	0.041
QPSK	738	27560	20	50	24	22.12	16.27	0.042
QPSK	738	27560	20	50	50	22.09	16.24	0.042
QPSK	738	27560	20	100	0	22.23	16.38	0.043