


Date: 21.JUN.2021 14:04:30


Channel 1412



Date: 21.JUN.2021 14:07:03


Channel 1513

HSUPA Mode:




Date: 21.JUN.2021 14:15:08

Channel 1312



Date: 21.JUN.2021 14:18:27

Channel 1412




Date: 21.JUN.2021 14:21:36

Channel 1513

4. Spurious Emissions at antenna terminal


WCDMA band IV

REL99 Mode:



Date: 21.JUN.2021 13:32:24

Channel 1412 30MHz~1GHz(dBm)




Date: 21.JUN.2021 13:32:33

Channel 1412 1GHz~20GHz(dBm)


Note: The signal beyond the limit is the signal transmitted by EUT.

HSDPA Mode:



Date: 21.JUN.2021 14:07:20

Channel 1412 30MHz~1GHz(dBm)




Date: 21.JUN.2021 14:07:29

Channel 1412 1GHz~20GHz(dBm)


Note: The signal beyond the limit is the signal transmitted by EUT.

HSUPA Mode:



Date: 21.JUN.2021 14:21:53

Channel 1412 30MHz~1GHz(dBm)



Date: 21.JUN.2021 14:22:03


Channel 1412 1GHz~20GHz(dBm)

Note: The signal beyond the limit is the signal transmitted by EUT.

5. Band Edges Compliance

WCDMA band IV

REL99 Mode:




Channel 1312



Channel 1513

HSDPA Mode:



Date: 21.JUN.2021 14:15:42


Channel 1312



Date: 21.JUN.2021 14:22:11

Channel 1513

HSUPA Mode:



Date: 21.JUN.2021 14:15:42

Channel 1312



Date: 21.JUN.2021 14:22:11

Channel 1513

6. Frequency Stability

WCDMA band IV

REL99 Mode:

Temperature(°C)	Test Result (ppm)@NV		
	Channel 1312	Channel 1412	Channel 1513
-10	0.007	0.001	-0.001
0	0.003	0.001	0.002
+10	0.003	0.004	-0.001
+20	0.000	0.000	0.000
+30	0.000	0.001	-0.001
+40	0.001	0.003	-0.001
+50	0.006	-0.001	0.000
+55	0.004	-0.003	0.002
Voltage	Test Result (ppm)@NT		
	Channel 1312	Channel 1412	Channel 1513
LV	0.002	0.000	0.002
HV	0.002	-0.001	-0.001

HSDPA Mode:

Temperature(°C)	Test Result (ppm)@NV		
	Channel 1312	Channel 1412	Channel 1513
-10	0.004	0.005	-0.004
0	0.002	0.007	-0.003
+10	0.002	0.008	-0.004
+20	0.000	0.000	0.000
+30	0.003	0.008	-0.004
+40	0.004	0.011	-0.003
+50	0.003	0.004	-0.004
+55	0.002	0.003	-0.002
Voltage	Test Result (ppm)@NT		
	Channel 1312	Channel 1412	Channel 1513
LV	0.002	0.003	-0.004
HV	0.005	0.002	-0.004


HSUPA Mode:

Temperature(°C)	Test Result (ppm)@NV		
	Channel 1312	Channel 1412	Channel 1513
-10	0.000	0.002	0.001
0	-0.001	0.000	0.003
+10	0.001	0.001	0.002
+20	0.000	0.000	0.000
+30	-0.001	-0.003	0.001
+40	-0.001	0.004	0.004
+50	0.002	0.002	0.003
+55	0.003	0.004	0.005
Voltage	Test Result (ppm)@NT		
	Channel 1312	Channel 1412	Channel 1513
LV	-0.002	-0.001	0.001
HV	0.002	-0.001	-0.001

7. Peak-Average Ratio


WCDMA band IV

REL99 Mode:




Date: 21.JUN.2021 13:30:35

Channel 1312




Date: 21.JUN.2021 13:31:28

Channel 1412




Channel 1513

HSDPA Mode:




Channel 1312



Date: 21.JUN.2021 14:04:37


Channel 1412



Date: 21.JUN.2021 14:07:10


Channel 1513

HSUPA Mode:




Date: 21.JUN.2021 14:15:15

Channel 1312



Date: 21.JUN.2021 14:18:34

Channel 1412



Date: 21.JUN.2021 14:21:43

Channel 1513

8. Effective Radiated Power and Effective Isotropic Radiated Power

WCDMA band IV

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
Release 99	RMC,12.2 kbps	1712.4	1312	24.59	23.49	0.223
		1732.6	1412	24.46	23.36	0.217
		1752.6	1513	24.53	23.43	0.220
HSDPA	Subtest1	1712.4	1312	23.60	22.50	0.178
		1732.6	1412	23.36	22.26	0.168
		1752.6	1513	23.53	22.43	0.175
	Subtest2	1712.4	1312	23.59	22.49	0.177
		1732.6	1412	23.37	22.27	0.169
		1752.6	1513	23.62	22.52	0.179
	Subtest3	1712.4	1312	23.03	21.93	0.156
		1732.6	1412	22.99	21.89	0.155
		1752.6	1513	22.98	21.88	0.154
	Subtest4	1712.4	1312	23.04	21.94	0.156
		1732.6	1412	22.90	21.80	0.151
		1752.6	1513	22.99	21.89	0.155
HSUPA	Subtest1	1712.4	1312	23.49	22.39	0.173
		1732.6	1412	23.41	22.31	0.170
		1752.6	1513	23.56	22.46	0.176
	Subtest2	1712.4	1312	23.54	22.44	0.175
		1732.6	1412	23.38	22.28	0.169
		1752.6	1513	23.51	22.41	0.174
	Subtest3	1712.4	1312	22.96	21.86	0.153
		1732.6	1412	22.87	21.77	0.150
		1752.6	1513	23.02	21.92	0.156
	Subtest4	1712.4	1312	23.50	22.40	0.174
		1732.6	1412	23.41	22.31	0.170
		1752.6	1513	23.58	22.48	0.177
	Subtest5	1712.4	1312	23.03	21.93	0.156
		1732.6	1412	22.87	21.77	0.150
		1752.6	1513	23.00	21.90	0.155

HSPA+	QPSK	1712.4	1312	23.41	22.31	0.170
		1732.6	1412	23.41	22.31	0.170
		1752.6	1513	23.55	22.45	0.176
	16QAM	1712.4	1312	23.58	22.48	0.177
		1732.6	1412	23.41	22.31	0.170
		1752.6	1513	23.54	22.44	0.175
DC-HSDP A	Subtest1	1712.4	1312	23.48	22.38	0.173
		1732.6	1412	23.40	22.30	0.170
		1752.6	1513	23.58	22.48	0.177
	Subtest2	1712.4	1312	23.60	22.50	0.178
		1732.6	1412	23.40	22.30	0.170
		1752.6	1513	23.56	22.46	0.176
	Subtest3	1712.4	1312	23.04	21.94	0.156
		1732.6	1412	22.95	21.85	0.153
		1752.6	1513	23.01	21.91	0.155
	Subtest4	1712.4	1312	22.95	21.85	0.153
		1732.6	1412	22.93	21.83	0.152
		1752.6	1513	23.01	21.91	0.155

1. RF Power Output
WCDMA band V

Mode		Carrier frequency (MHz)	Channel No.	RF Power Output (dBm)
Release 99	RMC, 12.2kbps	826.4	4132	24.68
		836.6	4183	24.77
		846.6	4233	24.78
HSDPA	Subtest1	826.4	4132	23.73
		836.6	4183	23.83
		846.6	4233	23.82
	Subtest2	826.4	4132	23.76
		836.6	4183	23.88
		846.6	4233	23.83
	Subtest3	826.4	4132	23.20
		836.6	4183	23.35
		846.6	4233	23.29
	Subtest4	826.4	4132	23.30
		836.6	4183	23.45
		846.6	4233	23.38
HSUPA	Subtest1	826.4	4132	23.62
		836.6	4183	23.77
		846.6	4233	23.92
	Subtest2	826.4	4132	23.71
		836.6	4183	23.74
		846.6	4233	23.74
	Subtest3	826.4	4132	23.18
		836.6	4183	23.35
		846.6	4233	23.38
	Subtest4	826.4	4132	23.69
		836.6	4183	23.84
		846.6	4233	23.75
	Subtest5	826.4	4132	23.16
		836.6	4183	23.43
		846.6	4233	23.36
HSPA+	QPSK	826.4	4132	23.73
		836.6	4183	23.79
		846.6	4233	23.83
	16QAM	826.4	4132	23.63
		836.6	4183	23.88
		846.6	4233	23.75

Mode		Carrier frequency (MHz)	Channel No.	RF Power Output (dBm)
DC-HSDPA	Subtest1	826.4	4132	23.60
		836.6	4183	23.76
		846.6	4233	23.85
	Subtest2	826.4	4132	23.74
		836.6	4183	23.91
		846.6	4233	23.85
	Subtest3	826.4	4132	23.29
		836.6	4183	23.46
		846.6	4233	23.31
	Subtest4	826.4	4132	23.29
		836.6	4183	23.46
		846.6	4233	23.39

2. Occupied Bandwidth

WCDMA band V

REL99 Mode:

Carrier frequency (MHz)	Channel No.	Bandwidth of 99% Power (MHz)
826.4	4132	4.14
836.6	4183	4.12
846.6	4233	4.12


HSDPA Mode:

Carrier frequency (MHz)	Channel No.	Bandwidth of 99% Power (MHz)
826.4	4132	4.10
836.6	4183	4.11
846.6	4233	4.11

HSUPA Mode:


Carrier frequency (MHz)	Channel No.	Bandwidth of 99% Power (MHz)
826.4	4132	4.10
836.6	4183	4.14
846.6	4233	4.11

WCDMA band V
REL99 Mode:




Date: 21.JUN.2021 15:40:48

Channel 4132



Date: 21.JUN.2021 15:41:40


Channel 4183



Date: 21.JUN.2021 15:42:26


Channel 4233

HSDPA Mode:




Date: 21.JUN.2021 15:59:37

Channel 4132



Date: 21.JUN.2021 16:02:18


Channel 4183



Date: 21.JUN.2021 16:04:51


Channel 4233

HSUPA Mode:




Date: 21.JUN.2021 16:12:59

Channel 4132



Date: 21.JUN.2021 16:16:40

Channel 4183



Date: 21.JUN.2021 16:19:53

Channel 4233

3. Emission Bandwidth

WCDMA band V

REL99 Mode:

Carrier frequency (MHz)	Channel No.	Bandwidth of -26dBc Power (MHz)
826.4	4132	4.66
836.6	4183	4.66
846.6	4233	4.70


HSDPA Mode:

Carrier frequency (MHz)	Channel No.	Bandwidth of -26dBc Power (MHz)
826.4	4132	4.69
836.6	4183	4.66
846.6	4233	4.65

HSUPA Mode:


Carrier frequency (MHz)	Channel No.	Bandwidth of -26dBc Power (MHz)
826.4	4132	4.63
836.6	4183	4.66
846.6	4233	4.63

WCDMA band V
REL99 Mode:




Date: 21.JUN.2021 15:40:53

Channel 4132



Date: 21.JUN.2021 15:41:45


Channel 4183



Date: 21.JUN.2021 15:42:30


Channel 4233

HSDPA Mode:




Date: 21.JUN.2021 15:59:41

Channel 4132



Date: 21.JUN.2021 16:02:23


Channel 4183



Date: 21.JUN.2021 16:04:56


Channel 4233

HSUPA Mode:




Date: 21.JUN.2021 16:13:04

Channel 4132



Date: 21.JUN.2021 16:16:45

Channel 4183




Date: 21.JUN.2021 16:19:58

Channel 4233

4. Spurious Emissions at antenna terminal

WCDMA band V


REL99 Mode:



Date: 21.JUN.2021 15:42:47

Channel 4183 30MHz~1GHz(dBm)


Note: The signal beyond the limit is the signal transmitted by EUT.



Date: 21.JUN.2021 15:42:57

Channel 4183 1GHz~20GHz(dBm)


HSDPA Mode:



Date: 21.JUN.2021 16:05:13

Channel 4183 30MHz~1GHz(dBm)


Note: The signal beyond the limit is the signal transmitted by EUT.



Date: 21.JUN.2021 16:05:22

Channel 4183 1GHz~20GHz(dBm)


HSUPA Mode:



Date: 21.JUN.2021 16:20:15

Channel 4183 30MHz~1GHz(dBm)

Note: The signal beyond the limit is the signal transmitted by EUT.




Date: 21.JUN.2021 16:20:25

Channel 4183 1GHz~20GHz(dBm)

5. Band Edges Compliance


WCDMA band V

REL99 Mode:



Date: 21.JUN.2021 16:13:39


Channel 4132



Date: 21.JUN.2021 16:20:33


Channel 4233

HSDPA Mode:



Date: 21.JUN.2021 16:13:39


Channel 4132



Date: 21.JUN.2021 16:20:33


Channel 4233

HSUPA Mode:



Date: 21.JUN.2021 16:13:39

Channel 4132



Date: 21.JUN.2021 16:20:33

Channel 4233

6. Frequency Stability

WCDMA band V

REL99 Mode:

Temperature(°C)	Test Result (ppm)@NV		
	Channel 4132	Channel 4183	Channel 4233
-10	-0.002	0.001	0.002
0	-0.003	0.001	0.001
+10	-0.003	0.000	0.001
+20	0.000	0.000	0.000
+30	-0.003	0.001	0.001
+40	-0.002	0.002	0.001
+50	-0.002	0.001	0.002
+55	-0.008	0.003	0.003
Voltage	Test Result (ppm)@NT		
	Channel 4132	Channel 4183	Channel 4233
LV	-0.002	0.001	-0.001
HV	-0.002	0.001	0.000

HSDPA Mode:

Temperature(°C)	Test Result (ppm)@NV		
	Channel 4132	Channel 4183	Channel 4233
-10	0.000	-0.003	-0.005
0	-0.001	-0.002	-0.003
+10	0.002	-0.001	-0.004
+20	0.000	0.000	0.000
+30	-0.001	-0.002	-0.003
+40	0.000	-0.001	-0.004
+50	0.001	0.001	-0.004
+55	0.002	0.003	-0.002
Voltage	Test Result (ppm)@NT		
	Channel 4132	Channel 4183	Channel 4233
LV	0.004	-0.002	-0.004
HV	0.001	0.005	-0.003


HSUPA Mode:

Temperature(°C)	Test Result (ppm)@NV		
	Channel 4132	Channel 4183	Channel 4233
-10	-0.004	-0.004	-0.003
0	-0.004	-0.004	-0.001
+10	-0.002	-0.001	-0.002
+20	0.000	0.000	0.000
+30	-0.004	-0.003	0.001
+40	-0.005	-0.005	0.002
+50	-0.002	-0.003	0.004
+55	-0.003	-0.002	0.003
Voltage	Test Result (ppm)@NT		
	Channel 4132	Channel 4183	Channel 4233
LV	0.002	-0.003	-0.001
HV	-0.001	-0.001	-0.001


7. Peak-Average Ratio

WCDMA band V


REL99 Mode:



Channel 4132




Channel 4183




Channel 4233

HSDPA Mode:




Channel 4132



Date: 21.JUN.2021 16:02:30


Channel 4183



Date: 21.JUN.2021 16:05:03


Channel 4233

HSUPA Mode:




Date: 21.JUN.2021 16:13:11

Channel 4132



Date: 21.JUN.2021 16:16:52

Channel 4183



Date: 21.JUN.2021 16:20:05

Channel 4233

8. Effective Radiated Power and Effective Isotropic Radiated Power

WCDMA band V

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)	
Release 99	RMC, 12.2 kbps	826.4	4132	24.68	21.23	0.133	
		836.6	4183	24.77	21.32	0.136	
		846.6	4233	24.78	21.33	0.136	
HSDPA	Subtest1	826.4	4132	23.73	20.28	0.107	
		836.6	4183	23.83	20.38	0.109	
		846.6	4233	23.82	20.37	0.109	
	Subtest2	826.4	4132	23.76	20.31	0.107	
		836.6	4183	23.88	20.43	0.110	
		846.6	4233	23.83	20.38	0.109	
	Subtest3	826.4	4132	23.20	19.75	0.094	
		836.6	4183	23.35	19.90	0.098	
		846.6	4233	23.29	19.84	0.096	
	Subtest4	826.4	4132	23.30	19.85	0.097	
		836.6	4183	23.45	20.00	0.100	
		846.6	4233	23.38	19.93	0.098	
	HSUPA	Subtest1	826.4	4132	23.62	20.17	0.104
			836.6	4183	23.77	20.32	0.108
			846.6	4233	23.92	20.47	0.111
Subtest2		826.4	4132	23.71	20.26	0.106	
		836.6	4183	23.74	20.29	0.107	
		846.6	4233	23.74	20.29	0.107	
Subtest3		826.4	4132	23.18	19.73	0.094	
		836.6	4183	23.35	19.90	0.098	
		846.6	4233	23.38	19.93	0.098	
Subtest4		826.4	4132	23.69	20.24	0.106	
		836.6	4183	23.84	20.39	0.109	
		846.6	4233	23.75	20.30	0.107	
Subtest5		826.4	4132	23.16	19.71	0.094	
		836.6	4183	23.43	19.98	0.100	
		846.6	4233	23.36	19.91	0.098	

HSPA+	QPSK	826.4	4132	23.73	20.28	0.107
		836.6	4183	23.79	20.34	0.108
		846.6	4233	23.83	20.38	0.109
	16QAM	826.4	4132	23.63	20.18	0.104
		836.6	4183	23.88	20.43	0.110
		846.6	4233	23.75	20.30	0.107
DC-HSDP A	Subtest1	826.4	4132	23.60	20.15	0.104
		836.6	4183	23.76	20.31	0.107
		846.6	4233	23.85	20.40	0.110
	Subtest2	826.4	4132	23.74	20.29	0.107
		836.6	4183	23.91	20.46	0.111
		846.6	4233	23.85	20.40	0.110
	Subtest3	826.4	4132	23.29	19.84	0.096
		836.6	4183	23.46	20.01	0.100
		846.6	4233	23.31	19.86	0.097
	Subtest4	826.4	4132	23.29	19.84	0.096
		836.6	4183	23.46	20.01	0.100
		846.6	4233	23.39	19.94	0.099

APPENDIX B – TEST DATA OF RADIATED EMISSION

Radiated Spurious Emissions

WCDMA band II

Test result:

WCDMA Mode:

Channel 9262

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2456.34	-52.92	-13	Vertical
2780.40	-51.87	-13	Vertical
3729.80	-43.47	-13	Vertical
6677.88	-43.15	-13	Vertical
9962.21	-39.93	-13	Vertical
17823.25	-35.65	-13	Vertical

Channel 9400

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2455.52	-52.82	-13	Vertical
2781.06	-51.27	-13	Vertical
3730.18	-43.59	-13	Vertical
6676.68	-43.28	-13	Vertical
9963.22	-39.83	-13	Vertical
17821.14	-35.48	-13	Vertical

Channel 9538

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2456.80	-53.15	-13	Vertical
2781.87	-52.23	-13	Vertical
3727.47	-43.95	-13	Vertical
6676.57	-43.80	-13	Vertical
9961.79	-40.37	-13	Vertical
17822.39	-35.78	-13	Vertical

HSDPA/HSUPA Mode:
Channel 9262

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2455.79	-52.54	-13	Vertical
2781.33	-51.52	-13	Vertical
3730.47	-43.66	-13	Vertical
6678.34	-43.87	-13	Vertical
9964.14	-39.55	-13	Vertical
17821.19	-35.70	-13	Vertical

Channel 9400

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.83	-52.60	-13	Vertical
2779.97	-51.70	-13	Vertical
3731.01	-43.61	-13	Vertical
6679.95	-43.77	-13	Vertical
9963.22	-39.41	-13	Vertical
17821.46	-36.13	-13	Vertical

Channel 9538

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.03	-52.55	-13	Vertical
2778.62	-51.64	-13	Vertical
3728.49	-43.52	-13	Vertical
6678.64	-43.10	-13	Vertical
9963.26	-39.56	-13	Vertical
17824.07	-35.34	-13	Vertical

HSPA+ Mode: (QPSK)

Channel 9262

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2456.57	-52.89	-13	Vertical
2781.08	-51.95	-13	Vertical
3730.81	-43.73	-13	Vertical
6678.80	-43.75	-13	Vertical
9962.56	-40.17	-13	Vertical
17821.47	-35.88	-13	Vertical

Channel 9400

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2455.60	-52.57	-13	Vertical
2778.49	-51.87	-13	Vertical
3728.27	-44.00	-13	Vertical
6676.34	-43.30	-13	Vertical
9962.77	-40.36	-13	Vertical
17820.85	-35.32	-13	Vertical

Channel 9538

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2456.06	-52.80	-13	Vertical
2780.60	-51.92	-13	Vertical
3727.21	-43.66	-13	Vertical
6678.17	-43.62	-13	Vertical
9962.22	-39.94	-13	Vertical
17821.74	-35.62	-13	Vertical

WCDMA band IV

Test result:

WCDMA Mode:

Channel 1312

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.76	-52.82	-13	Vertical
2780.21	-52.22	-13	Vertical
3729.44	-43.44	-13	Vertical
6679.01	-43.11	-13	Vertical
9965.05	-39.77	-13	Vertical
17822.52	-36.19	-13	Vertical

Channel 1412

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2455.26	-52.25	-13	Vertical
2778.96	-51.89	-13	Vertical
3729.70	-43.86	-13	Vertical
6678.31	-43.02	-13	Vertical
9961.74	-40.06	-13	Vertical
17820.46	-35.57	-13	Vertical

Channel 1513

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2452.94	-52.48	-13	Vertical
2781.61	-51.95	-13	Vertical
3728.30	-43.54	-13	Vertical
6678.53	-43.14	-13	Vertical
9963.27	-40.15	-13	Vertical
17820.61	-35.29	-13	Vertical

HSDPA/HSUPA Mode:
Channel 1312

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2456.59	-52.36	-13	Vertical
2780.44	-51.79	-13	Vertical
3730.55	-44.25	-13	Vertical
6678.61	-43.14	-13	Vertical
9961.52	-40.37	-13	Vertical
17823.99	-35.79	-13	Vertical

Channel 1412

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.14	-52.61	-13	Vertical
2779.85	-51.46	-13	Vertical
3729.21	-44.17	-13	Vertical
6677.49	-43.11	-13	Vertical
9965.17	-39.51	-13	Vertical
17820.80	-35.25	-13	Vertical

Channel 1513

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2455.51	-52.51	-13	Vertical
2781.41	-51.60	-13	Vertical
3730.12	-43.51	-13	Vertical
6679.09	-43.68	-13	Vertical
9962.70	-40.33	-13	Vertical
17823.86	-36.00	-13	Vertical

HSPA+ Mode: (QPSK)
Channel 1312

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2456.63	-53.05	-13	Vertical
2781.59	-51.61	-13	Vertical
3730.78	-44.06	-13	Vertical
6676.81	-43.72	-13	Vertical
9961.85	-39.92	-13	Vertical
17822.59	-35.61	-13	Vertical

Channel 1412

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.82	-53.05	-13	Vertical
2780.35	-51.69	-13	Vertical
3727.19	-43.54	-13	Vertical
6676.80	-43.94	-13	Vertical
9962.82	-40.25	-13	Vertical
17821.85	-36.17	-13	Vertical

Channel 1513

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2456.49	-52.86	-13	Vertical
2780.60	-51.60	-13	Vertical
3728.54	-43.92	-13	Vertical
6679.92	-43.28	-13	Vertical
9962.79	-40.10	-13	Vertical
17823.37	-35.55	-13	Vertical

WCDMA band V

Test result:

WCDMA Mode:

Channel 4132

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1649.82	-52.83	-13	Vertical
1665.18	-51.29	-13	Vertical
2534.10	-43.87	-13	Vertical
2574.93	-42.80	-13	Vertical
8963.85	-39.30	-13	Vertical
9969.23	-35.86	-13	Vertical

Channel 4183

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1648.25	-51.93	-13	Vertical
1664.96	-51.87	-13	Vertical
2534.29	-43.60	-13	Vertical
2576.84	-42.68	-13	Vertical
8965.21	-40.19	-13	Vertical
9970.32	-35.16	-13	Vertical

Channel 4233

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1650.24	-52.10	-13	Vertical
1666.95	-51.30	-13	Vertical
2533.01	-43.97	-13	Vertical
2576.90	-43.04	-13	Vertical
8964.74	-39.21	-13	Vertical
9968.06	-35.42	-13	Vertical

HSDPA/HSUPA Mode:
Channel 4132

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1648.77	-51.99	-13	Vertical
1664.51	-51.46	-13	Vertical
2536.10	-43.59	-13	Vertical
2575.74	-43.21	-13	Vertical
8964.44	-39.25	-13	Vertical
9969.15	-35.27	-13	Vertical

Channel 4183

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1649.90	-52.11	-13	Vertical
1665.98	-51.23	-13	Vertical
2533.05	-43.87	-13	Vertical
2574.93	-43.21	-13	Vertical
8964.94	-39.65	-13	Vertical
9968.99	-35.81	-13	Vertical

Channel 4233

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1650.69	-52.39	-13	Vertical
1665.43	-51.39	-13	Vertical
2535.37	-43.34	-13	Vertical
2573.63	-43.32	-13	Vertical
8965.19	-39.30	-13	Vertical
9970.07	-35.56	-13	Vertical

HSPA+ Mode: (QPSK)
Channel 4132

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1650.24	-52.24	-13	Vertical
1666.70	-51.69	-13	Vertical
2534.95	-44.01	-13	Vertical
2577.00	-42.93	-13	Vertical
8965.07	-39.56	-13	Vertical
9969.89	-35.87	-13	Vertical

Channel 4183

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1649.99	-52.08	-13	Vertical
1665.61	-51.41	-13	Vertical
2535.83	-43.58	-13	Vertical
2576.26	-43.41	-13	Vertical
8962.28	-40.07	-13	Vertical
9968.29	-35.21	-13	Vertical

Channel 4233

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1648.08	-52.86	-13	Vertical
1666.28	-51.28	-13	Vertical
2535.06	-43.50	-13	Vertical
2576.76	-42.96	-13	Vertical
8963.20	-39.41	-13	Vertical
9970.87	-36.03	-13	Vertical

---The end of the test report---