




Test Graph




CH 429000 10M DFT-s-OFDM PI/2 BPSK Full SCS 15KHz 1-18G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	3490.4900	-58.86	-13.00	45.86	-8.44	-47.40	38.96			Horizontal
2	3762.7630	-59.85	-13.00	46.85	-7.87	-47.22	39.35			Horizontal
3	5236.2360	-57.65	-13.00	44.65	-2.54	-43.40	40.86			Horizontal
4	5644.6450	-56.8	-13.00	43.80	-2.03	-42.85	40.82			Horizontal
5	6981.9820	-52.18	-13.00	39.18	3.99	-40.09	44.08			Horizontal
6	7518.5190	-50.47	-13.00	37.47	7.76	-38.24	46.00			Horizontal
7	8727.7280	-50.63	-13.00	37.63	7.68	-39.01	46.69			Horizontal
8	9405.4050	-46.99	-13.00	33.99	12.51	-36.48	48.99			Horizontal
9	10468.4680	-47.11	-13.00	34.11	12.69	-36.33	49.02			Horizontal
10	11279.2790	-43.42	-13.00	30.42	14.70	-34.15	48.85			Horizontal
11	12216.2160	-44.26	-13.00	31.26	18.02	-31.25	49.27			Horizontal
12	13162.1620	-44.07	-13.00	31.07	20.23	-29.49	49.72			Horizontal
13	13963.9640	-43.72	-13.00	30.72	20.96	-28.56	49.52			Horizontal
14	15036.0360	-42.25	-13.00	29.25	20.50	-29.34	49.84			Horizontal
15	15702.7030	-44.05	-13.00	31.05	21.14	-29.81	50.95			Horizontal
16	16909.9100	-41.05	-13.00	28.05	24.77	-27.57	52.34			Horizontal
17	17450.4500	-40.55	-13.00	27.55	23.91	-27.10	51.01			Horizontal



Test Graph




CH 429000 10M DFT-s-OFDM PI/2 BPSK Full SCS 15KHz 1-18G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	3490.4900	-59.93	-13.00	46.93	-8.92	-47.40	38.48			Vertical
2	3762.7630	-58.36	-13.00	45.36	-8.16	-47.22	39.06			Vertical
3	5236.2360	-56.75	-13.00	43.75	-2.87	-43.40	40.53			Vertical
4	5628.6290	-50.55	-13.00	37.55	-2.52	-42.96	40.44			Vertical
5	6981.9820	-52.34	-13.00	39.34	3.83	-40.09	43.92			Vertical
6	7526.5270	-50.74	-13.00	37.74	7.32	-38.31	45.63			Vertical
7	8727.7280	-50.79	-13.00	37.79	7.49	-39.01	46.50			Vertical
8	9405.4050	-45.96	-13.00	32.96	12.56	-36.48	49.04			Vertical
9	10468.4680	-46.43	-13.00	33.43	12.63	-36.33	48.96			Vertical
10	11279.2790	-43.83	-13.00	30.83	14.71	-34.15	48.86			Vertical
11	12216.2160	-44.8	-13.00	31.80	17.60	-31.25	48.85			Vertical
12	13162.1620	-45.11	-13.00	32.11	19.65	-29.49	49.14			Vertical
13	13954.9550	-43.37	-13.00	30.37	21.06	-28.63	49.69			Vertical
14	15045.0450	-43.54	-13.00	30.54	20.38	-29.19	49.57			Vertical
15	15702.7030	-45.55	-13.00	32.55	18.54	-29.81	48.35			Vertical
16	16918.9190	-41.37	-13.00	28.37	23.77	-27.94	51.71			Vertical
17	17450.4500	-41.11	-13.00	28.11	23.06	-27.10	50.16			Vertical



Test Graph




CH 429000 10M DFT-s-OFDM PI/2 BPSK Full SCS 15KHz 30M-1G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	32.9130	-58.28	-13.00	45.28	-10.25	-39.60	29.35			Horizontal
2	49.4190	-59.74	-13.00	46.74	-7.01	-39.46	32.45			Horizontal
3	96.0260	-65.82	-13.00	52.82	-18.01	-38.70	20.69			Horizontal
4	204.7750	-68.14	-13.00	55.14	-14.51	-37.71	23.20			Horizontal
5	348.4780	-66.34	-13.00	53.34	-10.47	-36.99	26.52			Horizontal
6	799.9800	-66.19	-13.00	53.19	-3.49	-34.24	30.75			Horizontal

Test Graph



○ Final Test


CH 429000 10M DFT-s-OFDM PI/2 BPSK Full SCS 15KHz 30M-1G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	37.7680	-61.93	-13.00	48.93	-16.48	-39.56	23.08			Vertical
2	51.3610	-64.57	-13.00	51.57	-15.63	-39.46	23.83			Vertical
3	99.9100	-58.7	-13.00	45.70	-12.46	-38.70	26.24			Vertical
4	146.5170	-61.62	-13.00	48.62	-16.15	-38.63	22.48			Vertical
5	193.1230	-66.95	-13.00	53.95	-15.63	-38.02	22.39			Vertical
6	348.4780	-68.22	-13.00	55.22	-10.29	-36.99	26.70			Vertical



Test Graph




CH 435000 10M DFT-s-OFDM PI/2 BPSK Full SCS 15KHz 1-18G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	3554.5550	-59.94	-13.00	46.94	-8.72	-47.89	39.17			Horizontal
2	3802.8030	-56.92	-13.00	43.92	-6.52	-46.01	39.49			Horizontal
3	5324.3240	-58.13	-13.00	45.13	-2.74	-43.22	40.48			Horizontal
4	5708.7090	-55.94	-13.00	42.94	-1.86	-42.74	40.88			Horizontal
5	7102.1020	-52.67	-13.00	39.67	5.02	-39.77	44.79			Horizontal
6	7598.5990	-51.24	-13.00	38.24	7.29	-37.78	45.07			Horizontal
7	8871.8720	-50.21	-13.00	37.21	7.52	-39.15	46.67			Horizontal
8	9504.5050	-47.04	-13.00	34.04	10.83	-37.36	48.19			Horizontal
9	10657.6580	-45.3	-13.00	32.30	13.76	-34.86	48.62			Horizontal
10	11405.4050	-43.05	-13.00	30.05	15.96	-33.51	49.47			Horizontal
11	12423.4230	-44.48	-13.00	31.48	17.91	-30.81	48.72			Horizontal
12	13306.3060	-44.9	-13.00	31.90	20.57	-29.02	49.59			Horizontal
13	14207.2070	-43.32	-13.00	30.32	21.15	-28.81	49.96			Horizontal
14	15198.1980	-41.73	-13.00	28.73	21.21	-29.15	50.36			Horizontal
15	15972.9730	-42.25	-13.00	29.25	21.67	-29.28	50.95			Horizontal
16	17099.0990	-39.49	-13.00	26.49	24.02	-27.37	51.39			Horizontal
17	17756.7570	-38.16	-13.00	25.16	26.44	-26.48	52.92			Horizontal



Test Graph



○ Final Test


CH 435000 10M DFT-s-OFDM P2/2 BPSK Full SCS 15KHz 1-18G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	3554.5550	-60.71	-13.00	47.71	-9.25	-47.89	38.64			Vertical
2	3802.8030	-57.68	-13.00	44.68	-6.94	-46.01	39.07			Vertical
3	5324.3240	-58.07	-13.00	45.07	-3.13	-43.22	40.09			Vertical
4	5700.7010	-57.19	-13.00	44.19	-2.07	-42.74	40.67			Vertical
5	7102.1020	-52.08	-13.00	39.08	5.12	-39.77	44.89			Vertical
6	7606.6070	-51.02	-13.00	38.02	7.35	-37.81	45.16			Vertical
7	8879.8800	-50.66	-13.00	37.66	7.68	-39.24	46.92			Vertical
8	9495.4950	-47.32	-13.00	34.32	10.99	-37.44	48.43			Vertical
9	10657.6580	-44.64	-13.00	31.64	13.87	-34.86	48.73			Vertical
10	11396.3960	-43.41	-13.00	30.41	15.98	-33.33	49.31			Vertical
11	12423.4230	-45.53	-13.00	32.53	17.12	-30.81	47.93			Vertical
12	13306.3060	-44.83	-13.00	31.83	20.19	-29.02	49.21			Vertical
13	14207.2070	-42.54	-13.00	29.54	21.73	-28.81	50.54			Vertical
14	15198.1980	-44.2	-13.00	31.20	19.95	-29.15	49.10			Vertical
15	15972.9730	-44.44	-13.00	31.44	19.31	-29.28	48.59			Vertical
16	17108.1080	-40.32	-13.00	27.32	23.11	-27.49	50.60			Vertical
17	17756.7570	-38.51	-13.00	25.51	25.54	-26.48	52.02			Vertical



Test Graph




CH 435000 10M DFT-s-OFDM PI/2 BPSK Full SCS 15KHz 30M-1G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	33.8840	-58.3	-13.00	45.30	-9.81	-39.59	29.78			Horizontal
2	40.6810	-58.97	-13.00	45.97	-7.05	-39.53	32.48			Horizontal
3	49.4190	-59.35	-13.00	46.35	-7.01	-39.46	32.45			Horizontal
4	95.0550	-65.39	-13.00	52.39	-18.16	-38.70	20.54			Horizontal
5	205.7460	-68.32	-13.00	55.32	-14.42	-37.68	23.26			Horizontal
6	346.5370	-66.14	-13.00	53.14	-10.69	-37.00	26.31			Horizontal



Test Graph



○ Final Test

CH 435000 10M DFT-s-OFDM PI/2 BPSK Full SCS 15KHz 30M-1G V


Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	37.7680	-62.5	-13.00	49.50	-16.48	-39.56	23.08			Vertical
2	52.3320	-64.06	-13.00	51.06	-15.94	-39.47	23.53			Vertical
3	99.9100	-58.88	-13.00	45.88	-12.46	-38.70	26.24			Vertical
4	146.5170	-62.13	-13.00	49.13	-16.15	-38.63	22.48			Vertical
5	187.2970	-66.66	-13.00	53.66	-15.73	-38.10	22.37			Vertical
6	348.4780	-68.27	-13.00	55.27	-10.29	-36.99	26.70			Vertical



7A_N71

Test Graph



○ Final Test


CH 123900 5M DFT-s-OFDM PI/2 BPSK 1RB_Left SCS 15KHz 1-18G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1326.3260	-57.6	-13.00	44.60	-7.80	-45.28	37.48			Horizontal
2	1998.9990	-60.76	-13.00	47.76	-4.24	-46.27	42.03			Horizontal
3	2509.5100	-46.75	-13.00	33.75	-10.49	-47.19	36.70			NA
4	2627.6280	-32.81	-13.00	19.81	-10.15	-47.18	37.03			NA
5	2667.6680	-60.56	-13.00	47.56	-10.17	-47.34	37.17			Horizontal
6	3324.3240	-60.61	-13.00	47.61	-9.99	-48.05	38.06			Horizontal
7	3996.9970	-59.22	-13.00	46.22	-7.71	-47.33	39.62			Horizontal
8	4657.6580	-56.05	-13.00	43.05	-4.28	-44.98	40.70			Horizontal
9	5024.0240	-56.24	-13.00	43.24	-2.42	-43.83	41.41			Horizontal
10	5324.3240	-58.19	-13.00	45.19	-2.74	-43.22	40.48			Horizontal
11	5990.9910	-57.08	-13.00	44.08	-1.11	-42.56	41.45			Horizontal
12	6657.6580	-54.83	-13.00	41.83	1.28	-41.85	43.13			Horizontal
13	7534.5350	-50.36	-13.00	37.36	7.43	-38.38	45.81			Horizontal
14	10036.0360	-47.98	-13.00	34.98	11.50	-36.82	48.32			Horizontal
15	12558.5590	-45.63	-13.00	32.63	19.05	-29.84	48.89			Horizontal
16	15063.0630	-42.03	-13.00	29.03	20.81	-29.06	49.87			Horizontal
17	17576.5770	-42.62	-13.00	29.62	23.61	-27.32	50.93			Horizontal



Test Graph



○ Final Test


CH 123900 5M DFT-s-OFDM PI/2 BPSK 1RB_Left SCS 15KHz 1-18G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1326.3260	-56.62	-13.00	43.62	-8.94	-45.28	36.34			Vertical
2	1992.9930	-63.03	-13.00	50.03	-10.07	-46.29	36.22			Vertical
3	2509.5100	-51.09	-13.00	38.09	-10.63	-47.19	36.56			NA
4	2627.6280	-41.62	-13.00	28.62	-10.32	-47.18	36.86			NA
5	2661.6620	-61.91	-13.00	48.91	-10.38	-47.32	36.94			Vertical
6	3330.3300	-58	-13.00	45.00	-10.54	-48.05	37.51			Vertical
7	3996.9970	-57.25	-13.00	44.25	-8.15	-47.33	39.18			Vertical
8	4657.6580	-56.54	-13.00	43.54	-4.53	-44.98	40.45			Vertical
9	5018.0180	-56.43	-13.00	43.43	-2.90	-43.83	40.93			Vertical
10	5330.3300	-58.58	-13.00	45.58	-3.06	-43.18	40.12			Vertical
11	5990.9910	-55.77	-13.00	42.77	-1.28	-42.56	41.28			Vertical
12	6651.6520	-55.09	-13.00	42.09	1.36	-41.88	43.24			Vertical
13	7528.5290	-51.46	-13.00	38.46	7.28	-38.33	45.61			Vertical
14	10036.0360	-48.91	-13.00	35.91	11.46	-36.82	48.28			Vertical
15	12549.5500	-46.62	-13.00	33.62	18.26	-29.83	48.09			Vertical
16	15054.0540	-42.7	-13.00	29.70	20.45	-29.09	49.54			Vertical
17	17576.5770	-42.04	-13.00	29.04	23.11	-27.32	50.43			Vertical



Test Graph




CH 123900 5M DFT-s-OFDM PI/2 BPSK 1RB_Left SCS 15KHz 30M-1G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	32.9130	-57.02	-13.00	44.02	-10.25	-39.60	29.35			Horizontal
2	95.0550	-65.99	-13.00	52.99	-18.16	-38.70	20.54			Horizontal
3	204.7750	-68.51	-13.00	55.51	-14.51	-37.71	23.20			Horizontal
4	346.5370	-66.68	-13.00	53.68	-10.69	-37.00	26.31			Horizontal
5	626.1760	-41.51	-13.00	28.51	-5.69	-34.66	28.97			NA
6	665.9860	-29.34	-13.00	16.34	-4.20	-34.39	30.19			NA



Test Graph



○ Final Test


CH 123900 5M DFT-s-OFDM PI/2 BPSK 1RB_Left SCS 15KHz 30M-1G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	37.7680	-60.99	-13.00	47.99	-16.48	-39.56	23.08			Vertical
2	97.9680	-59.08	-13.00	46.08	-13.26	-38.70	25.44			Vertical
3	144.5750	-61.69	-13.00	48.69	-15.84	-38.62	22.78			Vertical
4	342.6530	-68.37	-13.00	55.37	-10.28	-37.01	26.73			Vertical
5	620.3500	-37.1	-13.00	24.10	-5.38	-34.72	29.34			NA
6	659.1890	-30.6	-13.00	17.60	-4.38	-34.40	30.02			NA



Test Graph




○ Final Test

CH 126900 5M DFT-s-OFDM PI/2 BPSK 1RB_Left SCS 15KHz 1-18G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1362.3620	-56.64	-13.00	43.64	-8.11	-45.29	37.18			Horizontal
2	2041.0410	-56.04	-13.00	43.04	-5.93	-46.64	40.71			Horizontal
3	2531.5320	-46.2	-13.00	33.20	-10.64	-47.40	36.76			NA
4	2655.6560	-32.17	-13.00	19.17	-10.18	-47.31	37.13			NA
5	2723.7240	-62.21	-13.00	49.21	-9.84	-47.41	37.57			Horizontal
6	3402.4020	-59.84	-13.00	46.84	-9.16	-47.49	38.33			Horizontal
7	4081.0810	-57.44	-13.00	44.44	-6.87	-46.78	39.91			Horizontal
8	4759.7600	-58.45	-13.00	45.45	-4.88	-45.77	40.89			Horizontal
9	5066.0660	-55.47	-13.00	42.47	-2.36	-43.85	41.49			Horizontal
10	5444.4440	-56.17	-13.00	43.17	-2.16	-42.98	40.82			Horizontal
11	6129.1290	-55.58	-13.00	42.58	-1.02	-42.51	41.49			Horizontal
12	6813.8140	-54.93	-13.00	41.93	1.67	-41.28	42.95			Horizontal
13	7606.6070	-52.18	-13.00	39.18	7.24	-37.81	45.05			Horizontal
14	10144.1440	-48.01	-13.00	35.01	12.14	-36.15	48.29			Horizontal
15	12675.6760	-45.77	-13.00	32.77	19.04	-30.33	49.37			Horizontal
16	15207.2070	-42.91	-13.00	29.91	21.05	-29.35	50.40			Horizontal
17	17747.7480	-38.82	-13.00	25.82	26.41	-26.38	52.79			Horizontal

Test Graph



○ Final Test


CH 126900 5M DFT-s-OFDM PI/2 BPSK 1RB_Left SCS 15KHz 1-18G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1362.3620	-54.95	-13.00	41.95	-8.48	-45.29	36.81			Vertical
2	2039.0390	-62.54	-13.00	49.54	-10.09	-46.62	36.53			Vertical
3	2531.5320	-54.02	-13.00	41.02	-10.78	-47.40	36.62			NA
4	2651.6520	-40.7	-13.00	27.70	-10.37	-47.29	36.92			NA
5	2723.7240	-59.06	-13.00	46.06	-10.12	-47.41	37.29			Vertical
6	3402.4020	-59.68	-13.00	46.68	-9.88	-47.49	37.61			Vertical
7	4081.0810	-58.45	-13.00	45.45	-7.32	-46.78	39.46			Vertical
8	4765.7660	-58.68	-13.00	45.68	-4.84	-45.57	40.73			Vertical
9	5072.0720	-56.21	-13.00	43.21	-2.39	-43.85	41.46			Vertical
10	5444.4440	-56.81	-13.00	43.81	-2.51	-42.98	40.47			Vertical
11	6123.1230	-55.99	-13.00	42.99	-1.10	-42.52	41.42			Vertical
12	6807.8080	-53.76	-13.00	40.76	1.86	-41.32	43.18			Vertical
13	7606.6070	-51.98	-13.00	38.98	7.35	-37.81	45.16			Vertical
14	10144.1440	-48.66	-13.00	35.66	12.16	-36.15	48.31			Vertical
15	12675.6760	-47.01	-13.00	34.01	18.26	-30.33	48.59			Vertical
16	15207.2070	-44.69	-13.00	31.69	19.74	-29.35	49.09			Vertical
17	17747.7480	-38.92	-13.00	25.92	25.49	-26.38	51.87			Vertical



Test Graph




CH 126900 5M DFT-s-OFDM PI/2 BPSK 1RB_Left SCS 15KHz 30M-1G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	33.8840	-57.5	-13.00	44.50	-9.81	-39.59	29.78			Horizontal
2	96.9970	-65.91	-13.00	52.91	-17.86	-38.70	20.84			Horizontal
3	203.8040	-68.31	-13.00	55.31	-14.59	-37.73	23.14			Horizontal
4	349.4490	-65.99	-13.00	52.99	-10.37	-36.99	26.62			Horizontal
5	637.8280	-41.04	-13.00	28.04	-5.49	-34.53	29.04			NA
6	674.7250	-37.94	-13.00	24.94	-4.30	-34.39	30.09			NA

Test Graph




CH 126900 5M DFT-s-OFDM PI/2 BPSK 1RB_Left SCS 15KHz 30M-1G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	36.7970	-62.64	-13.00	49.64	-16.55	-39.57	23.02			Vertical
2	96.9970	-59.06	-13.00	46.06	-13.67	-38.70	25.03			Vertical
3	153.3130	-62.41	-13.00	49.41	-16.80	-38.57	21.77			Vertical
4	340.7110	-67.45	-13.00	54.45	-10.27	-37.01	26.74			Vertical
5	637.8280	-36.32	-13.00	23.32	-5.20	-34.53	29.33			NA
6	680.5510	-35.93	-13.00	22.93	-4.74	-34.39	29.65			NA

Test Graph




CH 129900 5M DFT-s-OFDM PI/2 BPSK 1RB_Left SCS 15KHz 1-18G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1392.3920	-52.95	-13.00	39.95	-8.40	-45.34	36.94			Horizontal
2	2085.0850	-55.64	-13.00	42.64	-7.89	-47.16	39.27			Horizontal
3	2561.5620	-49.76	-13.00	36.76	-10.63	-47.46	36.83			NA
4	2677.6780	-32.11	-13.00	19.11	-10.16	-47.37	37.21			NA
5	2781.7820	-55.68	-13.00	42.68	-9.50	-47.75	38.25			Horizontal
6	3474.4740	-60.17	-13.00	47.17	-8.60	-47.45	38.85			Horizontal
7	4171.1710	-57.36	-13.00	44.36	-7.03	-46.78	39.75			Horizontal
8	4867.8680	-56.74	-13.00	43.74	-3.05	-44.06	41.01			Horizontal
9	5126.1260	-56.26	-13.00	43.26	-2.38	-43.83	41.45			Horizontal
10	5570.5710	-56.89	-13.00	43.89	-2.16	-42.93	40.77			Horizontal
11	6261.2610	-56.26	-13.00	43.26	0.03	-41.92	41.95			Horizontal
12	6957.9580	-52.91	-13.00	39.91	3.43	-40.44	43.87			Horizontal
13	7678.6790	-52.86	-13.00	39.86	6.88	-38.14	45.02			Horizontal
14	10243.2430	-49.56	-13.00	36.56	11.25	-37.30	48.55			Horizontal
15	12801.8020	-47.65	-13.00	34.65	19.15	-30.34	49.49			Horizontal
16	15360.3600	-42.37	-13.00	29.37	22.05	-28.73	50.78			Horizontal
17	17918.9190	-32.56	-13.00	19.56	29.85	-25.61	55.46			Horizontal



Test Graph



○ Final Test


CH 129900 5M DFT-s-OFDM PI/2 BPSK 1RB_Left SCS 15KHz 1-18G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1392.3920	-57.01	-13.00	44.01	-8.13	-45.34	37.21			Vertical
2	2085.0850	-54.4	-13.00	41.40	-10.34	-47.16	36.82			Vertical
3	2559.5600	-53.96	-13.00	40.96	-10.79	-47.48	36.69			NA
4	2675.6760	-42.42	-13.00	29.42	-10.40	-47.37	36.97			NA
5	2781.7820	-59.83	-13.00	46.83	-9.84	-47.75	37.91			Vertical
6	3438.4380	-61.06	-13.00	48.06	-9.55	-47.52	37.97			Vertical
7	4123.1230	-59.35	-13.00	46.35	-7.45	-46.97	39.52			Vertical
8	4813.8140	-57.61	-13.00	44.61	-3.59	-44.33	40.74			Vertical
9	5120.1200	-56.32	-13.00	43.32	-2.28	-43.83	41.55			Vertical
10	5504.5050	-56.75	-13.00	43.75	-2.28	-42.76	40.48			Vertical
11	6195.1950	-56.73	-13.00	43.73	-1.03	-42.32	41.29			Vertical
12	6885.8860	-52.5	-13.00	39.50	3.02	-40.50	43.52			Vertical
13	7678.6790	-52.97	-13.00	39.97	6.92	-38.14	45.06			Vertical
14	10243.2430	-48.67	-13.00	35.67	11.40	-37.30	48.70			Vertical
15	12801.8020	-47.8	-13.00	34.80	18.50	-30.34	48.84			Vertical
16	15342.3420	-43.84	-13.00	30.84	20.27	-28.63	48.90			Vertical
17	17918.9190	-33.76	-13.00	20.76	29.04	-25.61	54.65			Vertical



Test Graph




○ Final Test

CH 129900 5M DFT-s-OFDM PI/2 BPSK 1RB_Left SCS 15KHz 30M-1G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	48.4480	-59.99	-13.00	46.99	-7.02	-39.47	32.45			Horizontal
2	95.0550	-65.68	-13.00	52.68	-18.16	-38.70	20.54			Horizontal
3	213.5140	-64.97	-13.00	51.97	-13.42	-37.56	24.14			Horizontal
4	346.5370	-66.42	-13.00	53.42	-10.69	-37.00	26.31			Horizontal
5	651.4210	-41.27	-13.00	28.27	-4.71	-34.40	29.69			NA
6	693.1730	-35.51	-13.00	22.51	-4.59	-34.38	29.79			NA

Test Graph



○ Final Test


CH 129900 5M DFT-s-OFDM PI/2 BPSK 1RB_Left SCS 15KHz 30M-1G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	37.7680	-61.16	-13.00	48.16	-16.48	-39.56	23.08			Vertical
2	98.9390	-59.36	-13.00	46.36	-12.86	-38.70	25.84			Vertical
3	148.4580	-61.79	-13.00	48.79	-16.47	-38.65	22.18			Vertical
4	338.7690	-67.46	-13.00	54.46	-10.37	-37.02	26.65			Vertical
5	645.5960	-37.79	-13.00	24.79	-4.83	-34.45	29.62			NA
6	695.1150	-31.03	-13.00	18.03	-4.60	-34.38	29.78			NA



Test Graph




CH 125400 20M CP-OFDM QPSK 1RB_Left SCS 15KHz 1-18G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1326.3260	-54.43	-13.00	41.43	-7.80	-45.28	37.48			Horizontal
2	2017.0170	-58.24	-13.00	45.24	-4.93	-46.42	41.49			Horizontal
3	2509.5100	-47.47	-13.00	34.47	-10.49	-47.19	36.70			NA
4	2637.6380	-32.97	-13.00	19.97	-10.16	-47.23	37.07			NA
5	2691.6920	-60.87	-13.00	47.87	-10.16	-47.42	37.26			Horizontal
6	3366.3660	-61.8	-13.00	48.80	-9.67	-47.87	38.20			Horizontal
7	4033.0330	-58.94	-13.00	45.94	-7.16	-46.89	39.73			Horizontal
8	4711.7120	-57.52	-13.00	44.52	-4.18	-45.05	40.87			Horizontal
9	5024.0240	-56.27	-13.00	43.27	-2.42	-43.83	41.41			Horizontal
10	5378.3780	-56.67	-13.00	43.67	-2.21	-43.01	40.80			Horizontal
11	6057.0570	-56.43	-13.00	43.43	-0.97	-42.42	41.45			Horizontal
12	6729.7300	-54.99	-13.00	41.99	1.63	-41.23	42.86			Horizontal
13	7534.5350	-51.05	-13.00	38.05	7.43	-38.38	45.81			Horizontal
14	10045.0450	-47.89	-13.00	34.89	10.83	-37.47	48.30			Horizontal
15	12549.5500	-45.7	-13.00	32.70	19.02	-29.83	48.85			Horizontal
16	15063.0630	-43.05	-13.00	30.05	20.81	-29.06	49.87			Horizontal
17	17567.5680	-41.3	-13.00	28.30	23.60	-27.34	50.94			Horizontal



Test Graph



○ Final Test


CH 125400 20M CP-OFDM QPSK 1RB_Left SCS 15KHz 1-18G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1326.3260	-53.28	-13.00	40.28	-8.94	-45.28	36.34			Vertical
2	2021.0210	-63.38	-13.00	50.38	-10.05	-46.46	36.41			Vertical
3	2509.5100	-50.36	-13.00	37.36	-10.63	-47.19	36.56			NA
4	2621.6220	-41.81	-13.00	28.81	-10.30	-47.15	36.85			NA
5	2693.6940	-62.05	-13.00	49.05	-10.40	-47.42	37.02			Vertical
6	3366.3660	-61.15	-13.00	48.15	-10.32	-47.87	37.55			Vertical
7	4039.0390	-58.92	-13.00	45.92	-7.50	-46.81	39.31			Vertical
8	4711.7120	-57.17	-13.00	44.17	-4.37	-45.05	40.68			Vertical
9	5024.0240	-56.6	-13.00	43.60	-2.84	-43.83	40.99			Vertical
10	5378.3780	-58.02	-13.00	45.02	-2.66	-43.01	40.35			Vertical
11	6057.0570	-55.92	-13.00	42.92	-1.04	-42.42	41.38			Vertical
12	6729.7300	-54.09	-13.00	41.09	1.72	-41.23	42.95			Vertical
13	7528.5290	-50.8	-13.00	37.80	7.28	-38.33	45.61			Vertical
14	10036.0360	-48.41	-13.00	35.41	11.46	-36.82	48.28			Vertical
15	12558.5590	-46.31	-13.00	33.31	18.28	-29.84	48.12			Vertical
16	15063.0630	-42.55	-13.00	29.55	20.45	-29.06	49.51			Vertical
17	17567.5680	-42.49	-13.00	29.49	23.06	-27.34	50.40			Vertical



Test Graph




CH 125400 20M CP-OFDM QPSK 1RB_Left SCS 15KHz 30M-1G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	32.9130	-57.35	-13.00	44.35	-10.25	-39.60	29.35			Horizontal
2	96.0260	-64.96	-13.00	51.96	-18.01	-38.70	20.69			Horizontal
3	190.2100	-68.9	-13.00	55.90	-14.76	-38.09	23.33			Horizontal
4	344.5950	-66.32	-13.00	53.32	-10.89	-37.00	26.11			Horizontal
5	634.9150	-44.73	-13.00	31.73	-5.56	-34.56	29.00			NA
6	682.4920	-34.85	-13.00	21.85	-4.51	-34.39	29.88			NA




Test Graph



CH 125400 20M CP-OFDM QPSK 1RB_Left SCS 15KHz 30M-1G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	36.7970	-62.93	-13.00	49.93	-16.55	-39.57	23.02			Vertical
2	96.9970	-59.31	-13.00	46.31	-13.67	-38.70	25.03			Vertical
3	154.2840	-62.22	-13.00	49.22	-16.82	-38.54	21.72			Vertical
4	188.2680	-66.1	-13.00	53.10	-15.61	-38.10	22.49			Vertical
5	629.0890	-39.87	-13.00	26.87	-5.40	-34.63	29.23			NA
6	669.8700	-35.74	-13.00	22.74	-4.36	-34.39	30.03			NA

Test Graph




CH 126900 20M CP-OFDM QPSK 1RB_Left SCS 15KHz 1-18G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1350.3500	-55.57	-13.00	42.57	-7.99	-45.27	37.28			Horizontal
2	2041.0410	-58.91	-13.00	45.91	-5.93	-46.64	40.71			Horizontal
3	2531.5320	-48.34	-13.00	35.34	-10.64	-47.40	36.76			NA
4	2651.6520	-30.86	-13.00	17.86	-10.17	-47.29	37.12			NA
5	2725.7260	-59.81	-13.00	46.81	-9.81	-47.40	37.59			Horizontal
6	3402.4020	-60.56	-13.00	47.56	-9.16	-47.49	38.33			Horizontal
7	4081.0810	-58.43	-13.00	45.43	-6.87	-46.78	39.91			Horizontal
8	4765.7660	-58.45	-13.00	45.45	-4.68	-45.57	40.89			Horizontal
9	5072.0720	-56.35	-13.00	43.35	-2.35	-43.85	41.50			Horizontal
10	5444.4440	-57.47	-13.00	44.47	-2.16	-42.98	40.82			Horizontal
11	6129.1290	-56.09	-13.00	43.09	-1.02	-42.51	41.49			Horizontal
12	6807.8080	-53.84	-13.00	40.84	1.60	-41.32	42.92			Horizontal
13	7606.6070	-52.01	-13.00	39.01	7.24	-37.81	45.05			Horizontal
14	10144.1440	-47.52	-13.00	34.52	12.14	-36.15	48.29			Horizontal
15	12675.6760	-46.22	-13.00	33.22	19.04	-30.33	49.37			Horizontal
16	15207.2070	-42.69	-13.00	29.69	21.05	-29.35	50.40			Horizontal
17	17747.7480	-37.2	-13.00	24.20	26.41	-26.38	52.79			Horizontal

Test Graph



○ Final Test


CH 126900 20M CP-OFDM QPSK 1RB_Left SCS 15KHz 1-18G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1350.3500	-60	-13.00	47.00	-8.62	-45.27	36.65			Vertical
2	2041.0410	-62.77	-13.00	49.77	-10.10	-46.64	36.54			Vertical
3	2531.5320	-52.93	-13.00	39.93	-10.78	-47.40	36.62			NA
4	2653.6540	-40.86	-13.00	27.86	-10.38	-47.30	36.92			NA
5	2723.7240	-60.57	-13.00	47.57	-10.12	-47.41	37.29			Vertical
6	3402.4020	-61.88	-13.00	48.88	-9.88	-47.49	37.61			Vertical
7	4081.0810	-58.51	-13.00	45.51	-7.32	-46.78	39.46			Vertical
8	4765.7660	-58.23	-13.00	45.23	-4.84	-45.57	40.73			Vertical
9	5072.0720	-55.95	-13.00	42.95	-2.39	-43.85	41.46			Vertical
10	5444.4440	-56.89	-13.00	43.89	-2.51	-42.98	40.47			Vertical
11	6123.1230	-55.96	-13.00	42.96	-1.10	-42.52	41.42			Vertical
12	6801.8020	-54.43	-13.00	41.43	1.80	-41.36	43.16			Vertical
13	7606.6070	-51.4	-13.00	38.40	7.35	-37.81	45.16			Vertical
14	10144.1440	-47.1	-13.00	34.10	12.16	-36.15	48.31			Vertical
15	12675.6760	-46.33	-13.00	33.33	18.26	-30.33	48.59			Vertical
16	15207.2070	-44.42	-13.00	31.42	19.74	-29.35	49.09			Vertical
17	17747.7480	-38.83	-13.00	25.83	25.49	-26.38	51.87			Vertical



Test Graph




CH 126900 20M CP-OFDM QPSK 1RB_Left SCS 15KHz 30M-1G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	33.8840	-57.92	-13.00	44.92	-9.81	-39.59	29.78			Horizontal
2	94.0840	-65.85	-13.00	52.85	-18.32	-38.71	20.39			Horizontal
3	203.8040	-68.53	-13.00	55.53	-14.59	-37.73	23.14			Horizontal
4	347.5080	-66.44	-13.00	53.44	-10.58	-37.00	26.42			Horizontal
5	636.8570	-41.17	-13.00	28.17	-5.51	-34.54	29.03			NA
6	680.5510	-38.1	-13.00	25.10	-4.49	-34.39	29.90			NA



Test Graph




CH 126900 20M CP-OFDM QPSK 1RB_Left SCS 15KHz 30M-1G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	36.7970	-62.1	-13.00	49.10	-16.55	-39.57	23.02			Vertical
2	48.4480	-64.09	-13.00	51.09	-15.38	-39.47	24.09			Vertical
3	96.0260	-59.27	-13.00	46.27	-14.07	-38.70	24.63			Vertical
4	149.4290	-62.31	-13.00	49.31	-16.63	-38.66	22.03			Vertical
5	635.8860	-45.84	-13.00	32.84	-5.25	-34.55	29.30			NA
6	672.7830	-46.02	-13.00	33.02	-4.47	-34.39	29.92			NA



Test Graph




○ Final Test

CH 128400 20M CP-OFDM QPSK 1RB_Left SCS 15KHz 1-18G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1358.3580	-56.21	-13.00	43.21	-8.06	-45.28	37.22			Horizontal
2	2065.0650	-60.25	-13.00	47.25	-6.98	-46.91	39.93			Horizontal
3	2561.5620	-48.67	-13.00	35.67	-10.63	-47.46	36.83			NA
4	2677.6780	-33.41	-13.00	20.41	-10.16	-47.37	37.21			NA
5	2755.7560	-61.06	-13.00	48.06	-9.50	-47.44	37.94			Horizontal
6	3444.4440	-60.26	-13.00	47.26	-8.90	-47.53	38.63			Horizontal
7	4129.1290	-59.39	-13.00	46.39	-7.13	-47.01	39.88			Horizontal
8	4819.8200	-57.47	-13.00	44.47	-3.37	-44.30	40.93			Horizontal
9	5120.1200	-57.01	-13.00	44.01	-2.36	-43.83	41.47			Horizontal
10	5504.5050	-56.42	-13.00	43.42	-2.06	-42.76	40.70			Horizontal
11	6195.1950	-55.83	-13.00	42.83	-0.74	-42.32	41.58			Horizontal
12	6879.8800	-53.39	-13.00	40.39	2.69	-40.59	43.28			Horizontal
13	7528.5290	-51.13	-13.00	38.13	7.55	-38.33	45.88			Horizontal
14	10045.0450	-48.59	-13.00	35.59	10.83	-37.47	48.30			Horizontal
15	12558.5590	-42.82	-13.00	29.82	19.05	-29.84	48.89			Horizontal
16	15063.0630	-42.69	-13.00	29.69	20.81	-29.06	49.87			Horizontal
17	17567.5680	-41.26	-13.00	28.26	23.60	-27.34	50.94			Horizontal

Test Graph



○ Final Test


CH 128400 20M CP-OFDM QPSK 1RB_Left SCS 15KHz 1-18G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1358.3580	-53.86	-13.00	40.86	-8.52	-45.28	36.76			Vertical
2	2067.0670	-63.31	-13.00	50.31	-10.23	-46.93	36.70			Vertical
3	2561.5620	-54.77	-13.00	41.77	-10.76	-47.46	36.70			NA
4	2671.6720	-42.65	-13.00	29.65	-10.40	-47.36	36.96			NA
5	2751.7520	-61.63	-13.00	48.63	-9.80	-47.39	37.59			Vertical
6	3444.4440	-61.48	-13.00	48.48	-9.50	-47.53	38.03			Vertical
7	4129.1290	-59.64	-13.00	46.64	-7.49	-47.01	39.52			Vertical
8	4819.8200	-57.12	-13.00	44.12	-3.56	-44.30	40.74			Vertical
9	5120.1200	-56.77	-13.00	43.77	-2.28	-43.83	41.55			Vertical
10	5504.5050	-57.08	-13.00	44.08	-2.28	-42.76	40.48			Vertical
11	6195.1950	-54.7	-13.00	41.70	-1.03	-42.32	41.29			Vertical
12	6879.8800	-54.1	-13.00	41.10	2.90	-40.59	43.49			Vertical
13	7684.6850	-53.49	-13.00	40.49	6.91	-38.14	45.05			Vertical
14	10243.2430	-47.94	-13.00	34.94	11.40	-37.30	48.70			Vertical
15	12801.8020	-47.56	-13.00	34.56	18.50	-30.34	48.84			Vertical
16	15369.3690	-43.54	-13.00	30.54	20.03	-28.81	48.84			Vertical
17	17918.9190	-32.31	-13.00	19.31	29.04	-25.61	54.65			Vertical



Test Graph




CH 128400 20M CP-OFDM QPSK 1RB_Left SCS 15KHz 30M-1G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	32.9130	-56.4	-13.00	43.40	-10.25	-39.60	29.35			Horizontal
2	95.0550	-65.6	-13.00	52.60	-18.16	-38.70	20.54			Horizontal
3	186.3260	-67.9	-13.00	54.90	-15.70	-38.10	22.40			Horizontal
4	345.5660	-66.74	-13.00	53.74	-10.79	-37.00	26.21			Horizontal
5	637.8280	-44.05	-13.00	31.05	-5.49	-34.53	29.04			NA
6	698.0280	-38.48	-13.00	25.48	-4.57	-34.38	29.81			NA



Test Graph



CH 128400 20M CP-OFDM QPSK 1RB_Left SCS 15KHz 30M-1G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	35.8260	-63.49	-13.00	50.49	-16.61	-39.57	22.96			Vertical
2	96.9970	-59.09	-13.00	46.09	-13.67	-38.70	25.03			Vertical
3	150.4000	-62.56	-13.00	49.56	-16.73	-38.65	21.92			Vertical
4	346.5370	-67.55	-13.00	54.55	-10.29	-37.00	26.71			Vertical
5	633.9440	-40.06	-13.00	27.06	-5.29	-34.57	29.28			NA
6	691.2310	-32.96	-13.00	19.96	-4.71	-34.38	29.67			NA



Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test items	Uncertainty
Output Power	± 2.22 dB
Bandwidth	$\pm 5\%$
Conducted Spurious Emission	± 2.77 dB
Band Edge	± 2.77 dB
Equivalent Isotropic Radiated Power	± 2.22 dB
Radiated Spurious Emissions	± 6 dB

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$



Annex B Testing Laboratory Information

1. Identification of the Responsible Testing Laboratory

Company Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Department:	Morlab Laboratory
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, Guangdong Province, P. R. China
Responsible Test Lab Manager:	Mr. Su Feng
Telephone:	+86 755 36698555
Facsimile:	+86 755 36698525

2. Identification of the Responsible Testing Location

Name:	Shenzhen Morlab Communications Technology Co., Ltd. Morlab Laboratory
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, Guangdong Province, P. R. China

3. Facilities and Accreditations

All measurement facilities used to collect the measurement data are located at FL.3, Building A, FeiYang Science Park, Block 67, BaoAn District, Shenzhen, 518101 P. R. China. The test site is constructed in conformance with the requirements of ANSI C63.10-2013 and CISPR Publication 22; the FCC designation number is CN1192, the test firm registration number is 226174.



4. Test Equipments Utilized

4.1 Conducted Test Equipments

Equipment Name	Serial No.	Type	Manufacturer	Cal. Date	Cal. Due
Power Splitter	NW521	1506A	Weinschel	2020.04.15	2021.04.14
Attenuator 1	(N/A.)	10dB	Resnet	N/A	N/A
Attenuator 2	(N/A.)	3dB	Resnet	N/A	N/A
EXA Signal Analyzer	MY54170556	N9030A	Keysight	2021.01.08	2022.01.07
USB Power Sensor	MY54210011	U2021XA	Agilent	2020.04.01	2021.03.31
System Simulator	6261830572	MT8821C	Anritsu	2020.02.25	2021.02.24
				2021.02.25	2022.02.24
System Simulator	6262012906	MT8000A	Anritsu	2019.10.07	2021.04.06
RF cable (30MHz-26GHz)	CB01	RF01	Morlab	N/A	N/A
Coaxial cable	CB02	RF02	Morlab	N/A	N/A
SMA connector	CN01	RF03	HUBER-SUHNER	N/A	N/A
Temperature Chamber	(N/A)	HUT705P	CHONGQING HANBA EXPERIMENTAL EQUIPMENT CO.,LTD	2020.03.25	2021.03.24
Computer	T430i	Think Pad	Lenovo	N/A	N/A



4.2 Radiated Test Equipments

Equipment Name	Serial No.	Type	Manufacturer	Cal. Date	Cal.Due
System Simulator	6262012906	MT8000A	Anritsu	2019.10.07	2021.04.06
System Simulator	6200995016	MT8820C	Anritsu	2020.10.28	2021.10.27
Receiver	MY54130016	N9038A	Agilent	2020.07.21	2021.07.20
Test Antenna - Bi-Log	9163-519	VULB 9163	Schwarzbeck	2019.05.24	2022.05.23
Test Antenna - Horn	9170C-531	BBHA9170	Schwarzbeck	2019.07.26	2022.07.25
Test Antenna - Horn	01774	BBHA 9120D	Schwarzbeck	2019.07.26	2022.07.25
Coaxial cable (N male) (9KHz-30MHz)	CB04	EMC04	Morlab	N/A	N/A
Coaxial cable (N male) (30MHz-26GHz)	CB02	EMC02	Morlab	N/A	N/A
Coaxial cable(N male) (30MHz-26GHz)	CB03	EMC03	Morlab	N/A	N/A
1-18GHz pre-Amplifier	MA02	TS-PR18	Rohde& Schwarz	2020.07.21	2021.07.20
18-26.5GHz pre-Amplifier	MA03	TS-PR18	Rohde& Schwarz	2020.07.21	2021.07.20
Notch Filter	N/A	WRCGV -LTE B2	Wainwright	2020.07.21	2021.07.20
Notch Filter	N/A	WRCGV -LTE B4	Wainwright	2020.07.21	2021.07.20
Notch Filter	N/A	WRCGV -LTE B5	Wainwright	2020.07.21	2021.07.20
Notch Filter	N/A	WRCGV -LTE B7	Wainwright	2020.07.21	2021.07.20
Notch Filter	N/A	WRCGV -LTE B12	Wainwright	2020.07.21	2021.07.20
Notch Filter	N/A	WRCGV	Wainwright	2020.07.21	2021.07.20



Equipment Name	Serial No.	Type	Manufacturer	Cal. Date	Cal.Due
Notch Filter	N/A	-LTE B17 WRCGV -LTE B19	Wainwright	2020.07.21	2021.07.20
Notch Filter	N/A	WRCGV -LTE B25	Wainwright	2020.07.21	2021.07.20
Notch Filter	N/A	WRCGV -LTE B26	Wainwright	2020.07.21	2021.07.20
Notch Filter	N/A	WRCGV -LTE B30	Wainwright	2020.07.21	2021.07.20
Notch Filter	N/A	WRCGV -LTE 38	Wainwright	2020.07.21	2021.07.20
Notch Filter	N/A	WRCGV -LTE B40	Wainwright	2020.07.21	2021.07.20
Notch Filter	N/A	WRCGV -LTE B41	Wainwright	2020.07.21	2021.07.20
Anechoic Chamber	N/A	9m*6m*6m	CRT	2020.07.21	2021.07.20

————— END OF REPORT —————