



Channel 4132



Channel 4183



Channel 4233


Test Mode: HSPA+



Channel 4132



Channel 4183



3. Emission Bandwidth

WCDMA band V


Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of -26dBc Power (MHz)
Release 99	826.4	4132	4.66
Release 99	836.6	4183	4.66
Release 99	846.6	4233	4.66

Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of -26dBc Power (MHz)
HSDPA	826.4	4132	4.72
HSDPA	836.6	4183	4.73
HSDPA	846.6	4233	4.70


Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of -26dBc Power (MHz)
HSUPA	826.4	4132	4.72
HSUPA	836.6	4183	4.70
HSUPA	846.6	4233	4.65

Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of -26dBc Power (MHz)
HSPA+	826.4	4132	4.67
HSPA+	836.6	4183	4.63
HSPA+	846.6	4233	4.70


WCDMA band V
Test Mode: Release 99



Channel 4132




Channel 4183




Channel 4233


Test Mode: HSDPA



Channel 4132




Channel 4183




Channel 4233


Test Mode: HSPA+



Channel 4132







Channel 4183



Channel 4233


Test Mode: HSPA+



4. Spurious Emissions at antenna terminal


WCDMA band V

Test Mode: Release 99




Note: The signal beyond the limit is the signal transmitted by EUT.

Test Mode: HSDPA



Note: The signal beyond the limit is the signal transmitted by EUT.

Test Mode: HSUPA



Note: The signal beyond the limit is the signal transmitted by EUT.

5. Band Edges Compliance

WCDMA band V

Test Mode: Release 99



Channel 4132



Channel 4233

Test Mode: HSDPA




Channel 4132



Channel 4233

Test Mode: HSUPA




Channel 4132




Channel 4233

Test Mode: HSPA+



Channel 4132



Channel 4233

6. Frequency Stability

WCDMA band V


Mode	Temperature (°C)	Test Result (ppm)@NV		
		Channel 4132	Channel 4183	Channel 4233
Release 99	-20	-0.006	-0.006	0.001
Release 99	-10	-0.007	-0.006	-0.001
Release 99	0	-0.008	-0.003	0.003
Release 99	+10	-0.005	-0.003	0.004
Release 99	+30	-0.005	-0.005	-0.002
Release 99	+40	-0.006	-0.005	-0.002
Release 99	+55	-0.006	-0.005	-0.002
Mode	Voltage	Test Result (ppm)@NT		
		Channel 4132	Channel 4183	Channel 4233
Release 99	LV	-0.007	0.007	0.005
Release 99	HV	0.005	0.002	0.001

Mode	Temperature (°C)	Test Result (ppm)@NV		
		Channel 4132	Channel 4183	Channel 4233
HSDPA	-20	-0.003	-0.001	0.000
HSDPA	-10	0.000	-0.001	0.000
HSDPA	0	-0.003	0.000	0.001
HSDPA	+10	-0.002	-0.001	0.001
HSDPA	+30	-0.003	-0.003	0.000
HSDPA	+40	-0.003	0.001	0.000
HSDPA	+55	-0.003	-0.002	0.000
Mode	Voltage	Test Result (ppm)@NT		
		Channel 4132	Channel 4183	Channel 4233
HSDPA	LV	0.005	-0.001	0.001
HSDPA	HV	-0.002	0.001	0.001


Mode	Temperature (°C)	Test Result (ppm)@NV		
		Channel 4132	Channel 4183	Channel 4233
HSUPA	-20	-0.009	-0.003	0.002
HSUPA	-10	-0.009	0.002	0.001
HSUPA	0	-0.010	-0.001	0.001
HSUPA	+10	-0.009	0.008	0.001
HSUPA	+30	-0.009	-0.002	0.000
HSUPA	+40	-0.010	0.003	-0.001
HSUPA	+55	-0.011	-0.002	-0.001
Mode	Voltage	Test Result (ppm)@NT		
		Channel 4132	Channel 4183	Channel 4233

HSUPA	LV	-0.009	-0.002	0.001
HSUPA	HV	-0.009	-0.001	0.001


7. Peak-Average Ratio
WCDMA band V
Test Mode: Release 99



Channel 4132




Channel 4183




Channel 4233


Test Mode: HSDPA



Channel 4132




Channel 4183




Channel 4233


Test Mode: HSUPA



Channel 4132



Channel 4183



Channel 4233

8. Effective Radiated Power and Effective Isotropic Radiated Power

WCDMA band V

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
Release 99	RMC,12.2kps	826.4	4132	24.68	25.23	0.333
Release 99	RMC,12.2kps	836.6	4183	24.8	25.35	0.343
Release 99	RMC,12.2kps	846.6	4233	24.76	25.31	0.340

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
HSDPA	Subtest1	826.4	4132	23.72	24.27	0.267
HSDPA	Subtest1	836.6	4183	23.12	23.67	0.233
HSDPA	Subtest1	846.6	4233	23.73	24.28	0.268
HSDPA	Subtest2	826.4	4132	23.73	24.28	0.268
HSDPA	Subtest2	836.6	4183	23.12	23.67	0.233
HSDPA	Subtest2	846.6	4233	23.81	24.36	0.273
HSDPA	Subtest3	826.4	4132	23.25	23.80	0.240
HSDPA	Subtest3	836.6	4183	22.61	23.16	0.207
HSDPA	Subtest3	846.6	4233	23.3	23.85	0.243
HSDPA	Subtest4	826.4	4132	23.22	23.77	0.238
HSDPA	Subtest4	836.6	4183	22.62	23.17	0.207
HSDPA	Subtest4	846.6	4233	23.31	23.86	0.243

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
HSUPA	Subtest1	826.4	4132	23.7	24.25	0.266
HSUPA	Subtest1	836.6	4183	23.76	24.31	0.270
HSUPA	Subtest1	846.6	4233	23.74	24.29	0.269
HSUPA	Subtest2	826.4	4132	23.69	24.24	0.265
HSUPA	Subtest2	836.6	4183	23.77	24.32	0.270
HSUPA	Subtest2	846.6	4233	23.7	24.25	0.266
HSUPA	Subtest3	826.4	4132	23.16	23.71	0.235
HSUPA	Subtest3	836.6	4183	23.29	23.84	0.242
HSUPA	Subtest3	846.6	4233	23.21	23.76	0.238
HSUPA	Subtest4	826.4	4132	23.65	24.20	0.263

HSUPA	Subtest4	836.6	4183	23.77	24.32	0.270
HSUPA	Subtest4	846.6	4233	23.71	24.26	0.267
HSUPA	Subtest5	826.4	4132	23.21	23.76	0.238
HSUPA	Subtest5	836.6	4183	23.32	23.87	0.244
HSUPA	Subtest5	846.6	4233	21.91	22.46	0.000

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
HSPA+	QPSK	826.4	4132	23.09	23.64	0.231
HSPA+	QPSK	836.6	4183	23.06	23.61	0.230
HSPA+	QPSK	846.6	4233	23.23	23.78	0.239
HSPA+	16QAM	826.4	4132	23.07	23.62	0.230
HSPA+	16QAM	836.6	4183	22.82	23.37	0.217
HSPA+	16QAM	846.6	4233	23.22	23.77	0.238

APPENDIX B – TEST DATA OF RADIATED EMISSION

Radiated Spurious Emissions

WCDMA band II

Test result:

WCDMA Mode:

Channel 9262

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.91	-52.34	-13	Vertical
2778.06	-51.26	-13	Vertical
3730.21	-43.98	-13	Vertical
6678.25	-43.32	-13	Vertical
9962.02	-39.54	-13	Vertical
17820.87	-36.15	-13	Vertical

Channel 9400

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2456.43	-52.31	-13	Vertical
2779.09	-51.73	-13	Vertical
3731.14	-44.06	-13	Vertical
6680.05	-43.16	-13	Vertical
9962.84	-40.28	-13	Vertical
17822.73	-35.24	-13	Vertical

Channel 9538

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2453.97	-52.66	-13	Vertical
2780.68	-51.67	-13	Vertical
3730.95	-43.44	-13	Vertical
6677.04	-43.91	-13	Vertical
9962.68	-39.95	-13	Vertical
17821.36	-35.64	-13	Vertical

HSDPA/HSUPA Mode:

Channel 9262

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2453.44	-52.36	-13	Vertical
2778.37	-52.02	-13	Vertical
3728.47	-43.88	-13	Vertical
6678.79	-43.26	-13	Vertical
9964.78	-40.23	-13	Vertical

17824.34	-35.72	-13	Vertical
----------	--------	-----	----------

Channel 9400

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2453.78	-53.00	-13	Vertical
2780.72	-51.93	-13	Vertical
3728.16	-44.25	-13	Vertical
6677.51	-43.27	-13	Vertical
9964.68	-40.13	-13	Vertical
17822.35	-35.25	-13	Vertical

Channel 9538

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2453.95	-52.66	-13	Vertical
2780.08	-51.34	-13	Vertical
3728.42	-43.70	-13	Vertical
6677.30	-43.61	-13	Vertical
9962.34	-40.14	-13	Vertical
17820.51	-35.85	-13	Vertical

HSPA+ Mode: (QPSK)

Channel 9262

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2453.44	-52.25	-13	Vertical
2779.18	-51.85	-13	Vertical
3728.11	-43.45	-13	Vertical
6678.39	-43.23	-13	Vertical
9963.71	-39.81	-13	Vertical
17820.76	-35.52	-13	Vertical

Channel 9400

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2452.89	-52.49	-13	Vertical
2780.40	-51.45	-13	Vertical
3728.46	-43.54	-13	Vertical
6678.49	-43.08	-13	Vertical
9964.06	-39.42	-13	Vertical
17822.99	-35.47	-13	Vertical

Channel 9538

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2455.18	-53.02	-13	Vertical
2780.44	-51.34	-13	Vertical
3730.19	-44.29	-13	Vertical
6678.75	-42.98	-13	Vertical
9962.66	-40.12	-13	Vertical
17822.44	-36.03	-13	Vertical

HSPA+ Mode: (16QAM)

Channel 9262

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2455.54	-52.48	-13	Vertical
2778.62	-52.17	-13	Vertical
3727.31	-43.43	-13	Vertical
6676.57	-43.47	-13	Vertical
9965.09	-39.56	-13	Vertical
17824.32	-35.73	-13	Vertical

Channel 9400

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2456.54	-52.58	-13	Vertical
2780.51	-51.29	-13	Vertical
3730.24	-43.42	-13	Vertical
6677.77	-43.50	-13	Vertical
9965.01	-40.19	-13	Vertical
17823.57	-35.47	-13	Vertical

Channel 9538

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2453.89	-52.34	-13	Vertical
2778.36	-51.47	-13	Vertical
3727.70	-44.06	-13	Vertical
6678.08	-43.20	-13	Vertical
9964.79	-40.21	-13	Vertical
17820.81	-36.10	-13	Vertical

DC-HSDPA Mode:
Channel 9262

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2455.51	-52.46	-13	Vertical
2779.95	-52.10	-13	Vertical
3731.10	-43.45	-13	Vertical
6676.05	-43.59	-13	Vertical
9962.68	-39.74	-13	Vertical
17821.23	-35.23	-13	Vertical

Channel 9400

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.30	-52.95	-13	Vertical
2780.40	-52.07	-13	Vertical
3727.76	-44.02	-13	Vertical
6677.40	-43.75	-13	Vertical
9963.43	-40.07	-13	Vertical
17824.04	-35.93	-13	Vertical

Channel 9538

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2456.53	-52.59	-13	Vertical
2780.17	-51.77	-13	Vertical
3729.79	-43.85	-13	Vertical
6677.59	-43.21	-13	Vertical
9964.35	-40.35	-13	Vertical
17823.00	-35.78	-13	Vertical

WCDMA band IV

Test result:

WCDMA Mode:

Channel 1312

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2456.19	-52.76	-13	Vertical
2778.30	-51.67	-13	Vertical
3729.04	-44.08	-13	Vertical
6678.14	-43.10	-13	Vertical
9961.45	-40.02	-13	Vertical
17823.05	-35.39	-13	Vertical

Channel 1412

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2453.33	-52.48	-13	Vertical
2778.47	-51.68	-13	Vertical
3730.19	-43.66	-13	Vertical
6677.80	-43.32	-13	Vertical
9962.63	-39.53	-13	Vertical
17823.60	-35.48	-13	Vertical

Channel 1513

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2455.31	-53.21	-13	Vertical
2780.22	-51.98	-13	Vertical
3729.64	-43.52	-13	Vertical
6677.03	-43.50	-13	Vertical
9962.41	-39.88	-13	Vertical
17823.70	-35.91	-13	Vertical

HSDPA/HSUPA Mode:

Channel 1312

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2453.56	-52.35	-13	Vertical
2781.33	-51.72	-13	Vertical
3727.90	-44.12	-13	Vertical
6676.17	-42.97	-13	Vertical
9962.77	-39.59	-13	Vertical
17822.56	-35.27	-13	Vertical

Channel 1412

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2453.92	-53.16	-13	Vertical
2781.07	-51.99	-13	Vertical
3727.21	-43.58	-13	Vertical
6677.38	-43.42	-13	Vertical
9963.49	-40.19	-13	Vertical
17824.44	-35.88	-13	Vertical

Channel 1513

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2453.35	-52.77	-13	Vertical
2780.34	-51.53	-13	Vertical
3730.73	-43.80	-13	Vertical
6679.65	-43.77	-13	Vertical
9963.42	-39.73	-13	Vertical
17824.08	-36.15	-13	Vertical

HSPA+ Mode: (QPSK)

Channel 1312

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2453.76	-52.23	-13	Vertical
2781.23	-52.19	-13	Vertical
3728.18	-43.66	-13	Vertical
6679.49	-43.35	-13	Vertical
9963.01	-39.54	-13	Vertical
17822.21	-35.41	-13	Vertical

Channel 1412

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2455.93	-52.41	-13	Vertical
2781.25	-52.02	-13	Vertical
3730.57	-43.60	-13	Vertical
6676.99	-43.77	-13	Vertical
9963.50	-39.46	-13	Vertical
17822.89	-35.92	-13	Vertical

Channel 1513

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2456.02	-52.39	-13	Vertical
2780.53	-52.11	-13	Vertical
3728.02	-44.17	-13	Vertical
6679.44	-43.79	-13	Vertical
9961.97	-39.72	-13	Vertical
17820.54	-35.28	-13	Vertical

HSPA+ Mode: (16QAM)

Channel 1312

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.37	-52.67	-13	Vertical
2779.00	-51.53	-13	Vertical
3728.50	-43.56	-13	Vertical
6678.64	-43.61	-13	Vertical
9961.35	-39.40	-13	Vertical
17820.77	-35.23	-13	Vertical

Channel 1412

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2455.47	-53.07	-13	Vertical
2781.67	-52.08	-13	Vertical
3728.86	-43.45	-13	Vertical
6676.48	-43.47	-13	Vertical
9963.24	-40.07	-13	Vertical
17822.75	-35.57	-13	Vertical

Channel 1513

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.01	-52.34	-13	Vertical
2779.50	-52.07	-13	Vertical
3727.51	-43.69	-13	Vertical
6678.73	-43.74	-13	Vertical
9961.54	-39.72	-13	Vertical
17823.38	-36.17	-13	Vertical

DC-HSDPA + Mode:
Channel 1312

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2456.14	-53.02	-13	Vertical
2778.31	-51.51	-13	Vertical
3730.49	-43.65	-13	Vertical
6676.95	-43.41	-13	Vertical
9962.19	-40.07	-13	Vertical
17821.59	-36.11	-13	Vertical

Channel 1412

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2456.55	-52.25	-13	Vertical
2778.49	-51.87	-13	Vertical
3728.69	-44.12	-13	Vertical
6677.42	-43.84	-13	Vertical
9961.40	-40.37	-13	Vertical
17824.00	-35.34	-13	Vertical

Channel 1513

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.30	-52.24	-13	Vertical
2780.45	-51.34	-13	Vertical
3728.18	-44.28	-13	Vertical
6679.07	-43.40	-13	Vertical
9963.86	-40.28	-13	Vertical
17820.59	-35.70	-13	Vertical

WCDMA band V

Test result:

WCDMA Mode:

Channel 4132

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1649.70	-52.15	-13	Vertical
1667.75	-51.64	-13	Vertical
2535.02	-43.35	-13	Vertical
2574.39	-42.89	-13	Vertical
8962.94	-40.10	-13	Vertical
9969.23	-35.41	-13	Vertical

Channel 4183

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1649.58	-52.25	-13	Vertical
1665.27	-51.57	-13	Vertical
2535.34	-43.85	-13	Vertical
2573.71	-43.05	-13	Vertical
8964.09	-39.90	-13	Vertical
9968.41	-36.13	-13	Vertical

Channel 4233

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1646.84	-51.93	-13	Vertical
1665.43	-51.28	-13	Vertical
2532.38	-43.96	-13	Vertical
2574.93	-42.71	-13	Vertical
8965.68	-39.32	-13	Vertical
9969.28	-36.00	-13	Vertical

HSDPA/HSUPA Mode:

Channel 4132

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1648.51	-52.64	-13	Vertical
1664.56	-51.21	-13	Vertical
2535.54	-43.71	-13	Vertical
2576.02	-43.08	-13	Vertical
8963.87	-39.82	-13	Vertical
9969.19	-35.93	-13	Vertical

Channel 4183

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1649.23	-52.56	-13	Vertical
1666.66	-51.87	-13	Vertical
2534.37	-43.66	-13	Vertical
2577.56	-42.72	-13	Vertical
8962.67	-39.73	-13	Vertical
9969.03	-35.24	-13	Vertical

Channel 4233

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1647.62	-51.97	-13	Vertical
1667.75	-51.60	-13	Vertical
2534.63	-43.14	-13	Vertical
2573.78	-43.20	-13	Vertical
8962.49	-39.44	-13	Vertical
9967.94	-35.28	-13	Vertical

HSPA+ Mode: (QPSK)

Channel 4132

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1650.79	-52.63	-13	Vertical
1665.09	-51.94	-13	Vertical
2532.97	-43.25	-13	Vertical
2577.15	-42.81	-13	Vertical
8963.04	-39.65	-13	Vertical
9968.67	-35.20	-13	Vertical

Channel 4183

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1648.73	-52.72	-13	Vertical
1667.69	-51.36	-13	Vertical
2533.44	-43.67	-13	Vertical
2574.26	-42.78	-13	Vertical
8964.07	-39.68	-13	Vertical
9970.08	-35.23	-13	Vertical

Channel 4233

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1650.57	-51.90	-13	Vertical
1666.42	-51.74	-13	Vertical
2532.96	-44.12	-13	Vertical
2573.84	-42.58	-13	Vertical
8964.39	-40.09	-13	Vertical
9969.89	-35.35	-13	Vertical

HSPA+ Mode: (16QAM)

Channel 4132

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1648.39	-52.24	-13	Vertical
1666.83	-51.41	-13	Vertical
2533.99	-43.21	-13	Vertical
2575.02	-43.17	-13	Vertical
8965.07	-40.14	-13	Vertical
9971.39	-35.53	-13	Vertical

Channel 4183

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1650.21	-52.49	-13	Vertical
1668.25	-52.02	-13	Vertical
2533.78	-43.80	-13	Vertical
2576.16	-42.75	-13	Vertical
8965.66	-39.49	-13	Vertical
9971.41	-36.11	-13	Vertical

Channel 4233

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1649.49	-52.34	-13	Vertical
1667.90	-51.48	-13	Vertical
2534.77	-43.23	-13	Vertical
2576.10	-42.69	-13	Vertical
8962.84	-39.34	-13	Vertical
9968.49	-35.29	-13	Vertical

DC-HSDPA+ Mode:
Channel 4132

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1650.51	-52.64	-13	Vertical
1664.95	-51.82	-13	Vertical
2535.36	-43.29	-13	Vertical
2574.18	-43.02	-13	Vertical
8965.05	-40.13	-13	Vertical
9968.74	-35.44	-13	Vertical

Channel 4183

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1647.79	-52.43	-13	Vertical
1667.38	-51.32	-13	Vertical
2534.68	-43.98	-13	Vertical
2575.58	-43.48	-13	Vertical
8963.30	-39.62	-13	Vertical
9968.03	-36.11	-13	Vertical

Channel 4233

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1648.47	-52.59	-13	Vertical
1665.89	-51.76	-13	Vertical
2535.34	-43.34	-13	Vertical
2574.70	-42.93	-13	Vertical
8963.76	-39.63	-13	Vertical
9968.84	-35.92	-13	Vertical

---The end of the test report---