



Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24



Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37



Fig.38




Fig.39




Fig.40




Fig.41




Fig.42



Fig.43



Fig.44




Fig.45




Fig.46




Fig.47




Fig.48



Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54




Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60



Fig.61



Fig.62




Fig.63




Fig.64




Fig.65




Fig.66



Fig.67



Fig.68




Fig.69




Fig.70




Fig.71




Fig.72

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
7	2510	20850	20	1	0	Fig.1
7	2535	21100	20	1	0	Fig.2
7	2560	21350	20	1	0	Fig.3




Fig.1




Fig.2




Fig.3

6 Band Edges Compliance

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
7	2502.5	20775	5	1	0	Fig.1
7	2502.5	20775	5	25	0	Fig.2
7	2567.5	21425	5	1	24	Fig.3
7	2567.5	21425	5	25	0	Fig.4
7	2505	20800	10	1	0	Fig.5
7	2505	20800	10	50	0	Fig.6
7	2565	21400	10	1	49	Fig.7
7	2565	21400	10	50	0	Fig.8
7	2507.5	20825	15	1	0	Fig.9
7	2507.5	20825	15	75	0	Fig.10
7	2562.5	21375	15	1	74	Fig.11
7	2562.5	21375	15	75	0	Fig.12
7	2510	20850	20	1	0	Fig.13
7	2510	20850	20	100	0	Fig.14
7	2560	21350	20	1	99	Fig.15
7	2560	21350	20	100	0	Fig.16




Fig.1




Fig.2




Fig.3



Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9



Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band 7 Low Channel QPSK			
		5M	10M	15M	20M
-20	NV	0.003	0.000	0.000	-0.003
-10	NV	0.000	0.002	-0.395	0.392
0	NV	0.001	0.001	-0.394	-0.002
+10	NV	0.001	0.003	-0.393	0.392
+30	NV	0.398	0.001	-0.397	-0.002
+40	NV	0.001	0.398	-0.396	0.000
+55	NV	0.001	0.003	0.000	-0.003
+20	LV	0.002	0.003	0.000	-0.002
+20	HV	0.000	0.003	0.000	-0.003

Temperature(°C)	Voltage	Test Result (ppm) Band 7 High Channel QPSK			
		5M	10M	15M	20M
-20	NV	-0.003	0.002	-0.001	0.002
-10	NV	0.384	0.001	-0.003	0.001
0	NV	-0.003	0.001	0.000	-0.002
+10	NV	0.384	0.001	-0.004	0.003
+30	NV	-0.004	0.002	0.385	0.000
+40	NV	-0.005	0.000	-0.002	0.387
+55	NV	-0.005	0.001	0.000	-0.001
+20	LV	0.000	0.002	-0.002	0.002
+20	HV	-0.004	-0.001	0.001	-0.001

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	2502.5	20775	5	1	0	21.45	23.30	0.214
16QAM	2502.5	20775	5	1	12	21.35	23.20	0.209
16QAM	2502.5	20775	5	1	24	21.31	23.16	0.207
16QAM	2502.5	20775	5	12	0	20.26	22.11	0.163
16QAM	2502.5	20775	5	12	7	20.27	22.12	0.163
16QAM	2502.5	20775	5	12	13	20.19	22.04	0.160
16QAM	2502.5	20775	5	25	0	20.18	22.03	0.160
16QAM	2535	21100	5	1	0	21.83	23.68	0.233
16QAM	2535	21100	5	1	12	21.56	23.41	0.219
16QAM	2535	21100	5	1	24	21.53	23.38	0.218
16QAM	2535	21100	5	12	0	20.52	22.37	0.173
16QAM	2535	21100	5	12	7	20.52	22.37	0.173
16QAM	2535	21100	5	12	13	20.46	22.31	0.170
16QAM	2535	21100	5	25	0	20.45	22.30	0.170
16QAM	2567.5	21425	5	1	0	21.65	23.50	0.224
16QAM	2567.5	21425	5	1	12	21.60	23.45	0.221
16QAM	2567.5	21425	5	1	24	21.56	23.41	0.219
16QAM	2567.5	21425	5	12	0	20.50	22.35	0.172
16QAM	2567.5	21425	5	12	7	20.49	22.34	0.171
16QAM	2567.5	21425	5	12	13	20.44	22.29	0.169
16QAM	2567.5	21425	5	25	0	20.42	22.27	0.169
64QAM	2502.5	20775	5	1	0	20.12	21.97	0.157
64QAM	2502.5	20775	5	1	12	20.09	21.94	0.156
64QAM	2502.5	20775	5	1	24	20.02	21.87	0.154
64QAM	2502.5	20775	5	12	0	19.22	21.07	0.128
64QAM	2502.5	20775	5	12	7	19.32	21.17	0.131
64QAM	2502.5	20775	5	12	13	19.31	21.16	0.131
64QAM	2502.5	20775	5	25	0	19.25	21.10	0.129
64QAM	2535	21100	5	1	0	20.40	22.25	0.168
64QAM	2535	21100	5	1	12	20.36	22.21	0.166
64QAM	2535	21100	5	1	24	20.34	22.19	0.166
64QAM	2535	21100	5	12	0	19.50	21.35	0.136
64QAM	2535	21100	5	12	7	19.51	21.36	0.137
64QAM	2535	21100	5	12	13	19.49	21.34	0.136
64QAM	2535	21100	5	25	0	19.47	21.32	0.136
64QAM	2567.5	21425	5	1	0	20.29	22.14	0.164
64QAM	2567.5	21425	5	1	12	20.27	22.12	0.163
64QAM	2567.5	21425	5	1	24	20.23	22.08	0.161
64QAM	2567.5	21425	5	12	0	19.47	21.32	0.136
64QAM	2567.5	21425	5	12	7	19.45	21.30	0.135
64QAM	2567.5	21425	5	12	13	19.42	21.27	0.134

64QAM	2567.5	21425	5	25	0	19.43	21.28	0.134
-------	--------	-------	---	----	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2502.5	20775	5	1	0	22.54	24.39	0.275
QPSK	2502.5	20775	5	1	12	22.37	24.22	0.264
QPSK	2502.5	20775	5	1	24	22.32	24.17	0.261
QPSK	2502.5	20775	5	12	0	21.37	23.22	0.210
QPSK	2502.5	20775	5	12	7	21.35	23.20	0.209
QPSK	2502.5	20775	5	12	13	21.34	23.19	0.208
QPSK	2502.5	20775	5	25	0	21.32	23.17	0.207
QPSK	2535	21100	5	1	0	22.50	24.35	0.272
QPSK	2535	21100	5	1	12	22.54	24.39	0.275
QPSK	2535	21100	5	1	24	22.43	24.28	0.268
QPSK	2535	21100	5	12	0	21.47	23.32	0.215
QPSK	2535	21100	5	12	7	21.48	23.33	0.215
QPSK	2535	21100	5	12	13	21.53	23.38	0.218
QPSK	2535	21100	5	25	0	21.54	23.39	0.218
QPSK	2567.5	21425	5	1	0	22.41	24.26	0.267
QPSK	2567.5	21425	5	1	12	22.32	24.17	0.261
QPSK	2567.5	21425	5	1	24	22.29	24.14	0.259
QPSK	2567.5	21425	5	12	0	21.49	23.34	0.216
QPSK	2567.5	21425	5	12	7	21.54	23.39	0.218
QPSK	2567.5	21425	5	12	13	21.47	23.32	0.215
QPSK	2567.5	21425	5	25	0	21.43	23.28	0.213

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	2505	20800	10	1	0	21.99	23.84	0.242
16QAM	2505	20800	10	1	25	21.93	23.78	0.239
16QAM	2505	20800	10	1	49	21.80	23.65	0.232
16QAM	2505	20800	10	25	0	20.46	22.31	0.170
16QAM	2505	20800	10	25	12	20.41	22.26	0.168
16QAM	2505	20800	10	25	25	20.45	22.30	0.170
16QAM	2505	20800	10	50	0	20.42	22.27	0.169
16QAM	2535	21100	10	1	0	21.72	23.57	0.228
16QAM	2535	21100	10	1	25	21.66	23.51	0.224
16QAM	2535	21100	10	1	49	21.63	23.48	0.223
16QAM	2535	21100	10	25	0	20.53	22.38	0.173
16QAM	2535	21100	10	25	12	20.57	22.42	0.175
16QAM	2535	21100	10	25	25	20.56	22.41	0.174
16QAM	2535	21100	10	50	0	20.59	22.44	0.175
16QAM	2565	21400	10	1	0	21.71	23.56	0.227
16QAM	2565	21400	10	1	25	21.55	23.40	0.219
16QAM	2565	21400	10	1	49	21.65	23.50	0.224
16QAM	2565	21400	10	25	0	20.53	22.38	0.173
16QAM	2565	21400	10	25	12	20.52	22.37	0.173
16QAM	2565	21400	10	25	25	20.52	22.37	0.173
16QAM	2565	21400	10	50	0	20.51	22.36	0.172
64QAM	2505	20800	10	1	0	20.22	22.07	0.161
64QAM	2505	20800	10	1	25	20.10	21.95	0.157
64QAM	2505	20800	10	1	49	19.95	21.80	0.151
64QAM	2505	20800	10	25	0	19.49	21.34	0.136
64QAM	2505	20800	10	25	12	19.51	21.36	0.137
64QAM	2505	20800	10	25	25	19.44	21.29	0.135
64QAM	2505	20800	10	50	0	19.48	21.33	0.136
64QAM	2535	21100	10	1	0	20.27	22.12	0.163
64QAM	2535	21100	10	1	25	20.19	22.04	0.160
64QAM	2535	21100	10	1	49	20.17	22.02	0.159
64QAM	2535	21100	10	25	0	19.57	21.42	0.139
64QAM	2535	21100	10	25	12	19.61	21.46	0.140
64QAM	2535	21100	10	25	25	19.51	21.36	0.137
64QAM	2535	21100	10	50	0	19.63	21.48	0.141
64QAM	2565	21400	10	1	0	20.24	22.09	0.162
64QAM	2565	21400	10	1	25	20.24	22.09	0.162
64QAM	2565	21400	10	1	49	20.16	22.01	0.159
64QAM	2565	21400	10	25	0	19.57	21.42	0.139
64QAM	2565	21400	10	25	12	19.62	21.47	0.140
64QAM	2565	21400	10	25	25	19.59	21.44	0.139

64QAM	2565	21400	10	50	0	19.56	21.41	0.138
-------	------	-------	----	----	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2505	20800	10	1	0	22.47	24.32	0.270
QPSK	2505	20800	10	1	25	22.36	24.21	0.264
QPSK	2505	20800	10	1	49	22.22	24.07	0.255
QPSK	2505	20800	10	25	0	21.42	23.27	0.212
QPSK	2505	20800	10	25	12	21.37	23.22	0.210
QPSK	2505	20800	10	25	25	21.38	23.23	0.210
QPSK	2505	20800	10	50	0	21.36	23.21	0.209
QPSK	2535	21100	10	1	0	22.53	24.38	0.274
QPSK	2535	21100	10	1	25	22.51	24.36	0.273
QPSK	2535	21100	10	1	49	22.51	24.36	0.273
QPSK	2535	21100	10	25	0	21.53	23.38	0.218
QPSK	2535	21100	10	25	12	21.54	23.39	0.218
QPSK	2535	21100	10	25	25	21.52	23.37	0.217
QPSK	2535	21100	10	50	0	21.46	23.31	0.214
QPSK	2565	21400	10	1	0	22.51	24.36	0.273
QPSK	2565	21400	10	1	25	22.45	24.30	0.269
QPSK	2565	21400	10	1	49	22.45	24.30	0.269
QPSK	2565	21400	10	25	0	21.48	23.33	0.215
QPSK	2565	21400	10	25	12	21.48	23.33	0.215
QPSK	2565	21400	10	25	25	21.48	23.33	0.215
QPSK	2565	21400	10	50	0	21.45	23.30	0.214

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	2507.5	20825	15	1	0	21.93	23.78	0.239
16QAM	2507.5	20825	15	1	37	21.83	23.68	0.233
16QAM	2507.5	20825	15	1	74	21.69	23.54	0.226
16QAM	2507.5	20825	15	36	0	20.41	22.26	0.168
16QAM	2507.5	20825	15	36	29	20.29	22.14	0.164
16QAM	2507.5	20825	15	36	30	20.26	22.11	0.163
16QAM	2507.5	20825	15	75	0	20.36	22.21	0.166
16QAM	2535	21100	15	1	0	21.73	23.58	0.228
16QAM	2535	21100	15	1	37	21.65	23.50	0.224
16QAM	2535	21100	15	1	74	21.68	23.53	0.225
16QAM	2535	21100	15	36	0	20.56	22.41	0.174
16QAM	2535	21100	15	36	29	20.58	22.43	0.175
16QAM	2535	21100	15	36	30	20.57	22.42	0.175
16QAM	2535	21100	15	75	0	20.55	22.40	0.174
16QAM	2562.5	21375	15	1	0	21.67	23.52	0.225
16QAM	2562.5	21375	15	1	37	21.55	23.40	0.219
16QAM	2562.5	21375	15	1	74	21.56	23.41	0.219
16QAM	2562.5	21375	15	36	0	20.49	22.34	0.171
16QAM	2562.5	21375	15	36	29	20.45	22.30	0.170
16QAM	2562.5	21375	15	36	30	20.44	22.29	0.169
16QAM	2562.5	21375	15	75	0	20.53	22.38	0.173
64QAM	2507.5	20825	15	1	0	20.66	22.51	0.178
64QAM	2507.5	20825	15	1	37	20.52	22.37	0.173
64QAM	2507.5	20825	15	1	74	20.39	22.24	0.167
64QAM	2507.5	20825	15	36	0	19.41	21.26	0.134
64QAM	2507.5	20825	15	36	29	19.24	21.09	0.129
64QAM	2507.5	20825	15	36	30	19.29	21.14	0.130
64QAM	2507.5	20825	15	75	0	19.34	21.19	0.132
64QAM	2535	21100	15	1	0	20.39	22.24	0.167
64QAM	2535	21100	15	1	37	20.29	22.14	0.164
64QAM	2535	21100	15	1	74	20.27	22.12	0.163
64QAM	2535	21100	15	36	0	19.64	21.49	0.141
64QAM	2535	21100	15	36	29	19.63	21.48	0.141
64QAM	2535	21100	15	36	30	19.66	21.51	0.142
64QAM	2535	21100	15	75	0	19.57	21.42	0.139
64QAM	2562.5	21375	15	1	0	20.42	22.27	0.169
64QAM	2562.5	21375	15	1	37	20.25	22.10	0.162
64QAM	2562.5	21375	15	1	74	20.22	22.07	0.161
64QAM	2562.5	21375	15	36	0	19.66	21.51	0.142
64QAM	2562.5	21375	15	36	29	19.53	21.38	0.137
64QAM	2562.5	21375	15	36	30	19.56	21.41	0.138

64QAM	2562.5	21375	15	75	0	19.55	21.40	0.138
-------	--------	-------	----	----	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2507.5	20825	15	1	0	22.42	24.27	0.267
QPSK	2507.5	20825	15	1	37	22.23	24.08	0.256
QPSK	2507.5	20825	15	1	74	22.15	24.00	0.251
QPSK	2507.5	20825	15	36	0	21.40	23.25	0.211
QPSK	2507.5	20825	15	36	29	21.21	23.06	0.202
QPSK	2507.5	20825	15	36	30	21.20	23.05	0.202
QPSK	2507.5	20825	15	75	0	21.30	23.15	0.207
QPSK	2535	21100	15	1	0	22.61	24.46	0.279
QPSK	2535	21100	15	1	37	22.53	24.38	0.274
QPSK	2535	21100	15	1	74	22.44	24.29	0.269
QPSK	2535	21100	15	36	0	21.51	23.36	0.217
QPSK	2535	21100	15	36	29	21.48	23.33	0.215
QPSK	2535	21100	15	36	30	21.53	23.38	0.218
QPSK	2535	21100	15	75	0	21.50	23.35	0.216
QPSK	2562.5	21375	15	1	0	22.58	24.43	0.277
QPSK	2562.5	21375	15	1	37	22.50	24.35	0.272
QPSK	2562.5	21375	15	1	74	22.48	24.33	0.271
QPSK	2562.5	21375	15	36	0	21.47	23.32	0.215
QPSK	2562.5	21375	15	36	29	21.50	23.35	0.216
QPSK	2562.5	21375	15	36	30	21.44	23.29	0.213
QPSK	2562.5	21375	15	75	0	21.47	23.32	0.215

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	2510	20850	20	1	0	21.82	23.67	0.233
16QAM	2510	20850	20	1	49	21.48	23.33	0.215
16QAM	2510	20850	20	1	99	21.49	23.34	0.216
16QAM	2510	20850	20	50	0	20.41	22.26	0.168
16QAM	2510	20850	20	50	24	20.29	22.14	0.164
16QAM	2510	20850	20	50	50	20.23	22.08	0.161
16QAM	2510	20850	20	100	0	20.25	22.10	0.162
16QAM	2535	21100	20	1	0	22.02	23.87	0.244
16QAM	2535	21100	20	1	49	21.82	23.67	0.233
16QAM	2535	21100	20	1	99	21.83	23.68	0.233
16QAM	2535	21100	20	50	0	20.60	22.45	0.176
16QAM	2535	21100	20	50	24	20.58	22.43	0.175
16QAM	2535	21100	20	50	50	20.52	22.37	0.173
16QAM	2535	21100	20	100	0	20.56	22.41	0.174
16QAM	2560	21350	20	1	0	21.92	23.77	0.238
16QAM	2560	21350	20	1	49	21.76	23.61	0.230
16QAM	2560	21350	20	1	99	21.77	23.62	0.230
16QAM	2560	21350	20	50	0	20.60	22.45	0.176
16QAM	2560	21350	20	50	24	20.56	22.41	0.174
16QAM	2560	21350	20	50	50	20.52	22.37	0.173
16QAM	2560	21350	20	100	0	20.55	22.40	0.174
64QAM	2510	20850	20	1	0	20.66	22.51	0.178
64QAM	2510	20850	20	1	49	20.28	22.13	0.163
64QAM	2510	20850	20	1	99	20.31	22.16	0.164
64QAM	2510	20850	20	50	0	19.43	21.28	0.134
64QAM	2510	20850	20	50	24	19.31	21.16	0.131
64QAM	2510	20850	20	50	50	19.25	21.10	0.129
64QAM	2510	20850	20	100	0	19.18	21.03	0.127
64QAM	2535	21100	20	1	0	20.93	22.78	0.190
64QAM	2535	21100	20	1	49	20.72	22.57	0.181
64QAM	2535	21100	20	1	99	20.74	22.59	0.182
64QAM	2535	21100	20	50	0	19.63	21.48	0.141
64QAM	2535	21100	20	50	24	19.58	21.43	0.139
64QAM	2535	21100	20	50	50	19.58	21.43	0.139
64QAM	2535	21100	20	100	0	19.58	21.43	0.139
64QAM	2560	21350	20	1	0	20.86	22.71	0.187
64QAM	2560	21350	20	1	49	20.73	22.58	0.181
64QAM	2560	21350	20	1	99	20.67	22.52	0.179
64QAM	2560	21350	20	50	0	19.65	21.50	0.141
64QAM	2560	21350	20	50	24	19.60	21.45	0.140
64QAM	2560	21350	20	50	50	19.47	21.32	0.136

64QAM	2560	21350	20	100	0	19.58	21.43	0.139
-------	------	-------	----	-----	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2510	20850	20	1	0	22.43	24.28	0.268
QPSK	2510	20850	20	1	49	22.13	23.98	0.250
QPSK	2510	20850	20	1	99	22.12	23.97	0.249
QPSK	2510	20850	20	50	0	21.36	23.21	0.209
QPSK	2510	20850	20	50	24	21.19	23.04	0.201
QPSK	2510	20850	20	50	50	21.14	22.99	0.199
QPSK	2510	20850	20	100	0	21.22	23.07	0.203
QPSK	2535	21100	20	1	0	22.70	24.55	0.285
QPSK	2535	21100	20	1	49	22.47	24.32	0.270
QPSK	2535	21100	20	1	99	22.48	24.33	0.271
QPSK	2535	21100	20	50	0	21.55	23.40	0.219
QPSK	2535	21100	20	50	24	21.55	23.40	0.219
QPSK	2535	21100	20	50	50	21.50	23.35	0.216
QPSK	2535	21100	20	100	0	21.55	23.40	0.219
QPSK	2560	21350	20	1	0	22.58	24.43	0.277
QPSK	2560	21350	20	1	49	22.46	24.31	0.270
QPSK	2560	21350	20	1	99	22.43	24.28	0.268
QPSK	2560	21350	20	50	0	21.52	23.37	0.217
QPSK	2560	21350	20	50	24	21.47	23.32	0.215
QPSK	2560	21350	20	50	50	21.44	23.29	0.213
QPSK	2560	21350	20	100	0	21.47	23.32	0.215