



Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of 99% Power (MHz)
HSPA+	826.4	4132	4.18
HSPA+	836.6	4183	4.17
HSPA+	846.6	4233	4.19


WCDMA band V
Test Mode: Release 99




Test Mode: HSDPA



Channel 4132




Channel 4183




Channel 4233


Test Mode: HSUPA



Channel 4132




Channel 4183




Channel 4233


Test Mode: HSPA+



Channel 4132



Channel 4183



Channel 4233

3. Emission Bandwidth

WCDMA band V


Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of -26dBc Power (MHz)
Release 99	826.4	4132	4.69
Release 99	836.6	4183	4.69
Release 99	846.6	4233	4.68

Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of -26dBc Power (MHz)
HSDPA	826.4	4132	4.67
HSDPA	836.6	4183	4.67
HSDPA	846.6	4233	4.65


Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of -26dBc Power (MHz)
HSUPA	826.4	4132	4.66
HSUPA	836.6	4183	4.66
HSUPA	846.6	4233	4.66

Mode	Carrier frequency (MHz)	Channel No.	Bandwidth of -26dBc Power (MHz)
HSPA+	826.4	4132	4.66
HSPA+	836.6	4183	4.68
HSPA+	846.6	4233	4.68


WCDMA band V
Test Mode: Release 99




Test Mode: HSDPA



Channel 4132




Channel 4183




Channel 4233


Test Mode: HSUPA



Channel 4132




Channel 4183




Channel 4233


Test Mode: HSPA+



Channel 4132




Channel 4183




Channel 4233


4. Spurious Emissions at antenna terminal
WCDMA band V
Test Mode: Release 99



Note: The signal beyond the limit is the signal transmitted by EUT.
Test Mode: HSDPA




Note: The signal beyond the limit is the signal transmitted by EUT.
Test Mode: HSUPA




Note: The signal beyond the limit is the signal transmitted by EUT.

5. Band Edges Compliance
WCDMA band V
Test Mode: Release 99




Channel 4132




Channel 4233

Test Mode: HSDPA




Channel 4132




Channel 4233

Test Mode: HSUPA




Channel 4132



Channel 4233

Test Mode: HSPA+




6. Frequency Stability

WCDMA band V


Test Mode:

Name	Temperature(°C)	Test Result (ppm)@NV		
		Channel 4132	Channel 4183	Channel 4233
Release 99	-10	0.003	-0.005	-0.005
Release 99	0	0.003	0.006	0.006
Release 99	+10	-0.007	-0.002	0.003
Release 99	+20	-0.005	-0.008	0.002
Release 99	+30	0.002	-0.002	-0.006
Release 99	+40	0.003	0.004	-0.006
Release 99	+50	0.004	0.002	-0.001
Release 99	+55	-0.002	0.007	0.001
Name	Voltage	Test Result (ppm)@NT		
		Channel 4132	Channel 4183	Channel 4233
Release 99	LV	-0.003	0.004	-0.005
Release 99	HV	0.006	0.000	0.000


7. Peak-Average Ratio
WCDMA band V
Test Mode: Release 99



Test Mode: HSDPA



Test Mode: HSUPA



8. Effective Radiated Power and Effective Isotropic Radiated Power

WCDMA band V

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
Release 99	RMC,12.2kbps	826.4	4132	23.63	19.98	0.100
Release 99	RMC,12.2kbps	836.6	4183	23.86	20.21	0.105
Release 99	RMC,12.2kbps	846.6	4233	23.41	19.76	0.095
Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
HSDPA	Subtest1	826.4	4132	22.97	19.32	0.086
HSDPA	Subtest1	836.6	4183	22.87	19.22	0.084
HSDPA	Subtest1	846.6	4233	22.71	19.06	0.081
HSDPA	Subtest2	826.4	4132	22.53	18.88	0.077
HSDPA	Subtest2	836.6	4183	22.43	18.78	0.076
HSDPA	Subtest2	846.6	4233	22.27	18.62	0.073
HSDPA	Subtest3	826.4	4132	22.47	18.82	0.076
HSDPA	Subtest3	836.6	4183	22.38	18.73	0.075
HSDPA	Subtest3	846.6	4233	22.21	18.56	0.072
HSDPA	Subtest4	826.4	4132	22.45	18.80	0.076
HSDPA	Subtest4	836.6	4183	22.36	18.71	0.074
HSDPA	Subtest4	846.6	4233	22.22	18.57	0.072
Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
HSUPA	Subtest1	826.4	4132	21.5	17.85	0.061
HSUPA	Subtest1	836.6	4183	21.41	17.76	0.060
HSUPA	Subtest1	846.6	4233	21.25	17.60	0.058
HSUPA	Subtest2	826.4	4132	20.98	17.33	0.054
HSUPA	Subtest2	836.6	4183	20.89	17.24	0.053
HSUPA	Subtest2	846.6	4233	20.75	17.10	0.051
HSUPA	Subtest3	826.4	4132	21.99	18.34	0.068
HSUPA	Subtest3	836.6	4183	21.89	18.24	0.067
HSUPA	Subtest3	846.6	4233	21.74	18.09	0.064
HSUPA	Subtest4	826.4	4132	20.52	16.87	0.049
HSUPA	Subtest4	836.6	4183	20.44	16.79	0.048
HSUPA	Subtest4	846.6	4233	20.28	16.63	0.046
HSUPA	Subtest5	826.4	4132	21.97	18.32	0.068
HSUPA	Subtest5	836.6	4183	21.87	18.22	0.066
HSUPA	Subtest5	846.6	4233	21.72	18.07	0.064

Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
HSPA+	QPSK	826.4	4132	21.48	17.83	0.061
HSPA+	QPSK	836.6	4183	21.41	17.76	0.060
HSPA+	QPSK	846.6	4233	21.17	17.52	0.056
HSPA+	16QAM	826.4	4132	20.99	17.34	0.054
HSPA+	16QAM	836.6	4183	20.94	17.29	0.054
HSPA+	16QAM	846.6	4233	21.28	17.63	0.058
Mode		Carrier frequency (MHz)	Channel No.	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DC-HSDPA	Subtest1	826.4	4132	23.11	19.46	0.088
DC-HSDPA	Subtest1	836.6	4183	22.49	18.84	0.077
DC-HSDPA	Subtest1	846.6	4233	22.9	19.25	0.084
DC-HSDPA	Subtest2	826.4	4132	22.76	19.11	0.081
DC-HSDPA	Subtest2	836.6	4183	22.77	19.12	0.082
DC-HSDPA	Subtest2	846.6	4233	22.68	19.03	0.080
DC-HSDPA	Subtest3	826.4	4132	22.59	18.94	0.078
DC-HSDPA	Subtest3	836.6	4183	22.47	18.82	0.076
DC-HSDPA	Subtest3	846.6	4233	22.42	18.77	0.075
DC-HSDPA	Subtest4	826.4	4132	22.6	18.95	0.079
DC-HSDPA	Subtest4	836.6	4183	22.48	18.83	0.076
DC-HSDPA	Subtest4	846.6	4233	22.41	18.76	0.075

APPENDIX B – TEST DATA OF RADIATED EMISSION

Radiated Spurious Emissions

Note: The worst channel results are reflected in the report.

Note: The scanned graph represents the maximum of both horizontal and vertical polarizations and is not a single horizontal or vertical polarization scan.

WCDMA band II

Test result:

WCDMA Mode:

Channel 9262

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.92	-52.51	-13	Vertical
2781.45	-52.24	-13	Vertical
3730.45	-44.11	-13	Vertical
6678.51	-43.25	-13	Vertical
9964.68	-39.57	-13	Vertical
17823.08	-35.31	-13	Vertical

Channel 9400

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.60	-53.17	-13	Vertical
2780.26	-51.61	-13	Vertical
3729.59	-43.69	-13	Vertical
6679.78	-43.59	-13	Vertical
9963.62	-39.99	-13	Vertical
17823.10	-35.24	-13	Vertical

Channel 9538

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2453.60	-52.70	-13	Vertical
2778.25	-51.27	-13	Vertical
3730.34	-44.21	-13	Vertical
6679.23	-43.36	-13	Vertical
9963.72	-40.12	-13	Vertical
17822.62	-35.51	-13	Vertical

HSDPA/HSUPA Mode:
Channel 9262

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.08	-53.01	-13	Vertical
2779.36	-52.03	-13	Vertical
3729.69	-43.67	-13	Vertical
6676.81	-42.98	-13	Vertical
9962.79	-39.78	-13	Vertical
17823.47	-35.91	-13	Vertical

Channel 9400

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.42	-53.22	-13	Vertical
2781.78	-52.09	-13	Vertical
3727.75	-43.34	-13	Vertical
6679.59	-43.44	-13	Vertical
9964.54	-39.97	-13	Vertical
17822.99	-36.03	-13	Vertical

Channel 9538

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2453.60	-52.83	-13	Vertical
2778.14	-51.40	-13	Vertical
3728.88	-43.36	-13	Vertical
6678.47	-43.91	-13	Vertical
9963.97	-39.60	-13	Vertical
17823.10	-35.55	-13	Vertical

HSPA+ Mode: (QPSK)
Channel 9262

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2453.56	-52.58	-13	Vertical
2779.37	-52.20	-13	Vertical
3727.16	-43.56	-13	Vertical
6678.55	-43.74	-13	Vertical
9964.19	-40.31	-13	Vertical
17821.13	-35.98	-13	Vertical

Channel 9400

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2453.57	-52.67	-13	Vertical
2779.52	-51.62	-13	Vertical
3727.54	-44.06	-13	Vertical
6677.70	-43.05	-13	Vertical
9962.60	-39.53	-13	Vertical
17822.76	-35.68	-13	Vertical

Channel 9538

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2453.78	-52.93	-13	Vertical
2780.28	-51.50	-13	Vertical
3729.44	-43.72	-13	Vertical
6679.32	-43.14	-13	Vertical
9962.18	-40.14	-13	Vertical
17824.30	-35.92	-13	Vertical

HSPA+ Mode: (16QAM)

Channel 9262

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2456.22	-53.13	-13	Vertical
2781.11	-51.42	-13	Vertical
3729.93	-43.94	-13	Vertical
6678.97	-43.35	-13	Vertical
9962.67	-39.68	-13	Vertical
17820.46	-35.61	-13	Vertical

Channel 9400

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2455.53	-52.38	-13	Vertical
2781.91	-51.85	-13	Vertical
3728.43	-44.30	-13	Vertical
6679.37	-43.13	-13	Vertical
9961.66	-39.99	-13	Vertical
17823.05	-35.90	-13	Vertical

Channel 9538

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2456.52	-52.96	-13	Vertical
2780.85	-51.67	-13	Vertical
3728.01	-43.44	-13	Vertical
6677.87	-43.10	-13	Vertical
9963.51	-40.36	-13	Vertical
17821.86	-35.34	-13	Vertical

DC-HSDPA Mode:

Channel 9262

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2456.72	-52.75	-13	Vertical
2780.67	-51.34	-13	Vertical
3731.05	-44.23	-13	Vertical
6678.71	-43.16	-13	Vertical
9962.72	-40.17	-13	Vertical
17822.53	-35.87	-13	Vertical

Channel 9400

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2455.39	-53.11	-13	Vertical
2780.44	-51.91	-13	Vertical
3727.17	-43.91	-13	Vertical
6678.30	-43.17	-13	Vertical
9964.74	-39.65	-13	Vertical
17821.96	-35.31	-13	Vertical

Channel 9538

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2455.22	-52.42	-13	Vertical
2781.77	-52.07	-13	Vertical
3730.22	-43.89	-13	Vertical
6678.50	-43.03	-13	Vertical
9964.27	-39.90	-13	Vertical
17821.05	-35.74	-13	Vertical

WCDMA band IV

Test result:

WCDMA Mode:

Channel 1312

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.80	-52.76	-13	Vertical
2780.33	-51.73	-13	Vertical
3730.93	-43.81	-13	Vertical
6676.31	-43.51	-13	Vertical
9962.65	-39.69	-13	Vertical
17822.62	-35.86	-13	Vertical

Channel 1412

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.70	-53.15	-13	Vertical
2781.47	-51.38	-13	Vertical
3730.96	-43.59	-13	Vertical
6679.47	-43.13	-13	Vertical
9963.14	-39.92	-13	Vertical
17823.25	-35.95	-13	Vertical

Channel 1513

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2455.34	-52.68	-13	Vertical
2780.84	-51.57	-13	Vertical
3727.39	-44.00	-13	Vertical
6676.67	-43.79	-13	Vertical
9962.17	-40.33	-13	Vertical
17824.12	-35.82	-13	Vertical

HSDPA/HSUPA Mode:

Channel 1312

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2456.39	-52.95	-13	Vertical
2778.56	-51.99	-13	Vertical
3730.39	-44.17	-13	Vertical
6676.51	-43.44	-13	Vertical
9962.19	-39.63	-13	Vertical
17821.93	-35.93	-13	Vertical

Channel 1412

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.49	-53.00	-13	Vertical
2780.86	-51.83	-13	Vertical
3727.32	-44.01	-13	Vertical
6676.19	-43.73	-13	Vertical
9961.64	-39.39	-13	Vertical
17820.48	-35.59	-13	Vertical

Channel 1513

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2456.25	-52.95	-13	Vertical
2780.26	-51.74	-13	Vertical
3729.89	-43.62	-13	Vertical
6679.44	-43.68	-13	Vertical
9963.01	-39.75	-13	Vertical
17823.96	-35.29	-13	Vertical

HSPA+ Mode: (QPSK)

Channel 1312

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2456.30	-52.61	-13	Vertical
2779.53	-52.19	-13	Vertical
3728.78	-43.95	-13	Vertical
6679.42	-43.18	-13	Vertical
9964.28	-40.26	-13	Vertical
17821.52	-35.66	-13	Vertical

Channel 1412

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.88	-53.17	-13	Vertical
2778.97	-51.41	-13	Vertical
3728.53	-44.08	-13	Vertical
6676.69	-43.00	-13	Vertical
9964.18	-39.54	-13	Vertical
17821.61	-35.69	-13	Vertical

Channel 1513

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2453.34	-52.83	-13	Vertical
2778.97	-52.19	-13	Vertical
3729.02	-44.08	-13	Vertical
6677.12	-43.48	-13	Vertical
9961.55	-40.26	-13	Vertical
17823.64	-35.89	-13	Vertical

HSPA+ Mode: (16QAM)

Channel 1312

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2455.87	-52.75	-13	Vertical
2779.21	-51.58	-13	Vertical
3729.18	-43.91	-13	Vertical
6676.87	-43.64	-13	Vertical
9962.59	-39.54	-13	Vertical
17823.45	-36.12	-13	Vertical

Channel 1412

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2453.12	-52.78	-13	Vertical
2781.04	-51.81	-13	Vertical
3730.23	-44.07	-13	Vertical
6679.91	-43.69	-13	Vertical
9964.78	-40.36	-13	Vertical
17824.07	-35.32	-13	Vertical

Channel 1513

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2455.02	-52.59	-13	Vertical
2778.25	-52.12	-13	Vertical
3729.65	-43.40	-13	Vertical
6676.60	-43.39	-13	Vertical
9963.59	-40.36	-13	Vertical
17820.79	-36.18	-13	Vertical

DC-HSDPA + Mode:
Channel 1312

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.04	-53.10	-13	Vertical
2779.34	-51.90	-13	Vertical
3729.83	-44.07	-13	Vertical
6678.60	-43.82	-13	Vertical
9963.57	-39.65	-13	Vertical
17821.48	-35.89	-13	Vertical

Channel 1412

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2453.60	-52.28	-13	Vertical
2778.79	-51.26	-13	Vertical
3728.98	-43.49	-13	Vertical
6677.50	-43.74	-13	Vertical
9964.64	-39.57	-13	Vertical
17823.79	-36.03	-13	Vertical

Channel 1513

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2455.86	-52.66	-13	Vertical
2781.50	-51.30	-13	Vertical
3730.65	-44.33	-13	Vertical
6679.57	-43.20	-13	Vertical
9964.72	-39.47	-13	Vertical
17824.16	-36.09	-13	Vertical

WCDMA band V

Test result:

WCDMA Mode:

Channel 4132

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1648.19	-52.04	-13	Vertical
1666.95	-51.14	-13	Vertical
2535.46	-43.53	-13	Vertical
2573.97	-42.87	-13	Vertical
8962.38	-39.67	-13	Vertical
9969.92	-35.24	-13	Vertical

Channel 4183

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1647.92	-52.26	-13	Vertical
1665.20	-51.31	-13	Vertical
2535.78	-43.51	-13	Vertical
2575.70	-42.82	-13	Vertical
8963.91	-39.84	-13	Vertical
9968.42	-35.79	-13	Vertical

Channel 4233

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1648.70	-52.78	-13	Vertical
1666.96	-51.43	-13	Vertical
2533.51	-43.66	-13	Vertical
2574.45	-43.17	-13	Vertical
8962.26	-39.57	-13	Vertical
9970.23	-35.44	-13	Vertical

HSDPA/HSUPA Mode:

Channel 4132

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1648.13	-52.31	-13	Vertical
1665.39	-51.66	-13	Vertical
2534.41	-43.29	-13	Vertical
2574.40	-42.86	-13	Vertical
8965.26	-39.59	-13	Vertical
9968.84	-35.49	-13	Vertical

Channel 4183

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1649.10	-52.47	-13	Vertical
1668.00	-51.94	-13	Vertical
2533.07	-43.66	-13	Vertical
2574.33	-43.34	-13	Vertical
8965.65	-39.61	-13	Vertical
9968.98	-36.11	-13	Vertical

Channel 4233

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1650.24	-52.87	-13	Vertical
1667.18	-51.30	-13	Vertical
2532.49	-43.80	-13	Vertical
2577.42	-43.20	-13	Vertical
8965.63	-39.45	-13	Vertical
9971.42	-35.84	-13	Vertical

HSPA+ Mode: (QPSK)

Channel 4132

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1650.54	-52.18	-13	Vertical
1667.68	-51.80	-13	Vertical
2535.26	-43.87	-13	Vertical
2577.01	-42.95	-13	Vertical
8962.08	-39.66	-13	Vertical
9968.68	-35.38	-13	Vertical

Channel 4183

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1649.64	-52.79	-13	Vertical
1667.44	-51.51	-13	Vertical
2533.57	-43.47	-13	Vertical
2574.94	-43.10	-13	Vertical
8962.31	-39.56	-13	Vertical
9970.02	-35.23	-13	Vertical

Channel 4233

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1650.27	-52.87	-13	Vertical
1668.21	-51.84	-13	Vertical
2536.10	-43.61	-13	Vertical
2574.49	-42.94	-13	Vertical
8965.16	-39.47	-13	Vertical
9967.88	-35.67	-13	Vertical

HSPA+ Mode: (16QAM)

Channel 4132

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1650.12	-51.99	-13	Vertical
1665.07	-51.27	-13	Vertical
2534.22	-43.69	-13	Vertical
2574.00	-43.47	-13	Vertical
8965.01	-40.09	-13	Vertical
9971.21	-35.21	-13	Vertical

Channel 4183

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1649.17	-52.32	-13	Vertical
1665.09	-51.15	-13	Vertical
2532.45	-43.23	-13	Vertical
2573.97	-43.05	-13	Vertical
8965.05	-40.10	-13	Vertical
9971.36	-35.56	-13	Vertical

Channel 4233

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1648.11	-52.15	-13	Vertical
1668.06	-51.15	-13	Vertical
2533.48	-43.29	-13	Vertical
2577.49	-43.01	-13	Vertical
8964.71	-39.45	-13	Vertical
9969.71	-36.09	-13	Vertical

DC-HSDPA+ Mode:
Channel 4132

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1647.37	-52.84	-13	Vertical
1665.53	-51.81	-13	Vertical
2532.92	-43.36	-13	Vertical
2577.43	-43.14	-13	Vertical
8961.94	-39.22	-13	Vertical
9969.11	-35.98	-13	Vertical

Channel 4183

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1648.50	-52.70	-13	Vertical
1666.75	-51.53	-13	Vertical
2534.28	-43.15	-13	Vertical
2576.96	-42.65	-13	Vertical
8965.35	-39.29	-13	Vertical
9970.11	-36.12	-13	Vertical

Channel 4233

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
1650.23	-52.33	-13	Vertical
1667.26	-51.39	-13	Vertical
2535.12	-43.23	-13	Vertical
2577.29	-42.92	-13	Vertical
8962.05	-39.90	-13	Vertical
9967.69	-35.53	-13	Vertical

---The end of the test report---