

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 2

1 RF Power Output

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1850.7	18607	1.4	1	0	22.78
QPSK	1850.7	18607	1.4	1	3	22.77
QPSK	1850.7	18607	1.4	1	5	22.85
QPSK	1850.7	18607	1.4	3	0	23.10
QPSK	1850.7	18607	1.4	3	1	23.10
QPSK	1850.7	18607	1.4	3	3	23.07
QPSK	1850.7	18607	1.4	6	0	21.97
QPSK	1880	18900	1.4	1	0	23.11
QPSK	1880	18900	1.4	1	3	23.19
QPSK	1880	18900	1.4	1	5	23.18
QPSK	1880	18900	1.4	3	0	23.10
QPSK	1880	18900	1.4	3	1	23.15
QPSK	1880	18900	1.4	3	3	23.12
QPSK	1880	18900	1.4	6	0	22.13
QPSK	1909.3	19193	1.4	1	0	23.13
QPSK	1909.3	19193	1.4	1	3	23.22
QPSK	1909.3	19193	1.4	1	5	23.27
QPSK	1909.3	19193	1.4	3	0	22.98
QPSK	1909.3	19193	1.4	3	1	23.00
QPSK	1909.3	19193	1.4	3	3	23.01
QPSK	1909.3	19193	1.4	6	0	21.90

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1850.7	18607	1.4	1	0	22.01
16QAM	1850.7	18607	1.4	1	3	22.01
16QAM	1850.7	18607	1.4	1	5	21.96
16QAM	1850.7	18607	1.4	3	0	22.27
16QAM	1850.7	18607	1.4	3	1	22.38
16QAM	1850.7	18607	1.4	3	3	22.25
16QAM	1850.7	18607	1.4	6	0	20.94
16QAM	1880	18900	1.4	1	0	22.09
16QAM	1880	18900	1.4	1	3	21.77
16QAM	1880	18900	1.4	1	5	21.50
16QAM	1880	18900	1.4	3	0	21.88
16QAM	1880	18900	1.4	3	1	22.09
16QAM	1880	18900	1.4	3	3	21.99
16QAM	1880	18900	1.4	6	0	21.06
16QAM	1909.3	19193	1.4	1	0	22.44
16QAM	1909.3	19193	1.4	1	3	22.49
16QAM	1909.3	19193	1.4	1	5	21.93
16QAM	1909.3	19193	1.4	3	0	22.20
16QAM	1909.3	19193	1.4	3	1	22.08
16QAM	1909.3	19193	1.4	3	3	22.21
16QAM	1909.3	19193	1.4	6	0	21.01
64QAM	1850.7	18607	1.4	1	0	21.00
64QAM	1850.7	18607	1.4	1	3	21.32
64QAM	1850.7	18607	1.4	1	5	21.20
64QAM	1850.7	18607	1.4	3	0	20.79
64QAM	1850.7	18607	1.4	3	1	20.96
64QAM	1850.7	18607	1.4	3	3	21.07
64QAM	1850.7	18607	1.4	6	0	18.10
64QAM	1880	18900	1.4	1	0	21.06
64QAM	1880	18900	1.4	1	3	20.94
64QAM	1880	18900	1.4	1	5	21.23
64QAM	1880	18900	1.4	3	0	21.02
64QAM	1880	18900	1.4	3	1	21.04
64QAM	1880	18900	1.4	3	3	20.97
64QAM	1880	18900	1.4	6	0	18.41
64QAM	1909.3	19193	1.4	1	0	21.24
64QAM	1909.3	19193	1.4	1	3	21.24
64QAM	1909.3	19193	1.4	1	5	20.98
64QAM	1909.3	19193	1.4	3	0	20.98
64QAM	1909.3	19193	1.4	3	1	21.12
64QAM	1909.3	19193	1.4	3	3	20.97
64QAM	1909.3	19193	1.4	6	0	17.72

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1851.5	18615	3	1	0	23.19
QPSK	1851.5	18615	3	1	8	23.28
QPSK	1851.5	18615	3	1	14	23.10
QPSK	1851.5	18615	3	8	0	22.06
QPSK	1851.5	18615	3	8	4	22.13
QPSK	1851.5	18615	3	8	7	21.99
QPSK	1851.5	18615	3	15	0	22.09
QPSK	1880	18900	3	1	0	23.11
QPSK	1880	18900	3	1	8	23.18
QPSK	1880	18900	3	1	14	23.19
QPSK	1880	18900	3	8	0	22.03
QPSK	1880	18900	3	8	4	22.06
QPSK	1880	18900	3	8	7	22.03
QPSK	1880	18900	3	15	0	22.04
QPSK	1908.5	19185	3	1	0	23.07
QPSK	1908.5	19185	3	1	8	23.05
QPSK	1908.5	19185	3	1	14	22.99
QPSK	1908.5	19185	3	8	0	22.02
QPSK	1908.5	19185	3	8	4	21.97
QPSK	1908.5	19185	3	8	7	21.90
QPSK	1908.5	19185	3	15	0	22.01

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1851.5	18615	3	1	0	22.87
16QAM	1851.5	18615	3	1	8	22.69
16QAM	1851.5	18615	3	1	14	22.53
16QAM	1851.5	18615	3	8	0	21.35
16QAM	1851.5	18615	3	8	4	21.35
16QAM	1851.5	18615	3	8	7	21.30
16QAM	1851.5	18615	3	15	0	21.31
16QAM	1880	18900	3	1	0	22.25
16QAM	1880	18900	3	1	8	22.20
16QAM	1880	18900	3	1	14	22.14
16QAM	1880	18900	3	8	0	21.13
16QAM	1880	18900	3	8	4	21.26
16QAM	1880	18900	3	8	7	21.13
16QAM	1880	18900	3	15	0	21.19
16QAM	1908.5	19185	3	1	0	22.57
16QAM	1908.5	19185	3	1	8	22.92
16QAM	1908.5	19185	3	1	14	22.30
16QAM	1908.5	19185	3	8	0	21.08
16QAM	1908.5	19185	3	8	4	21.26
16QAM	1908.5	19185	3	8	7	21.11
16QAM	1908.5	19185	3	15	0	21.14
64QAM	1851.5	18615	3	1	0	21.14
64QAM	1851.5	18615	3	1	8	21.03
64QAM	1851.5	18615	3	1	14	21.27
64QAM	1851.5	18615	3	8	0	18.02
64QAM	1851.5	18615	3	8	4	17.95
64QAM	1851.5	18615	3	8	7	18.07
64QAM	1851.5	18615	3	15	0	18.06
64QAM	1880	18900	3	1	0	20.77
64QAM	1880	18900	3	1	8	20.92
64QAM	1880	18900	3	1	14	20.83
64QAM	1880	18900	3	8	0	18.42
64QAM	1880	18900	3	8	4	18.31
64QAM	1880	18900	3	8	7	18.36
64QAM	1880	18900	3	15	0	18.45
64QAM	1908.5	19185	3	1	0	21.16
64QAM	1908.5	19185	3	1	8	21.01
64QAM	1908.5	19185	3	1	14	21.32
64QAM	1908.5	19185	3	8	0	17.79
64QAM	1908.5	19185	3	8	4	17.88
64QAM	1908.5	19185	3	8	7	17.81
64QAM	1908.5	19185	3	15	0	17.93

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1852.5	18625	5	1	0	23.21
QPSK	1852.5	18625	5	1	12	23.07
QPSK	1852.5	18625	5	1	24	23.07
QPSK	1852.5	18625	5	12	0	22.05
QPSK	1852.5	18625	5	12	7	21.96
QPSK	1852.5	18625	5	12	13	21.98
QPSK	1852.5	18625	5	25	0	22.11
QPSK	1880	18900	5	1	0	23.04
QPSK	1880	18900	5	1	12	23.22
QPSK	1880	18900	5	1	24	23.00
QPSK	1880	18900	5	12	0	22.14
QPSK	1880	18900	5	12	7	22.00
QPSK	1880	18900	5	12	13	22.13
QPSK	1880	18900	5	25	0	22.15
QPSK	1907.5	19175	5	1	0	23.26
QPSK	1907.5	19175	5	1	12	23.21
QPSK	1907.5	19175	5	1	24	23.11
QPSK	1907.5	19175	5	12	0	22.09
QPSK	1907.5	19175	5	12	7	21.98
QPSK	1907.5	19175	5	12	13	22.07
QPSK	1907.5	19175	5	25	0	21.95

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1852.5	18625	5	1	0	22.43
16QAM	1852.5	18625	5	1	12	22.07
16QAM	1852.5	18625	5	1	24	22.06
16QAM	1852.5	18625	5	12	0	21.48
16QAM	1852.5	18625	5	12	7	21.29
16QAM	1852.5	18625	5	12	13	21.27
16QAM	1852.5	18625	5	25	0	21.49
16QAM	1880	18900	5	1	0	22.57
16QAM	1880	18900	5	1	12	22.99
16QAM	1880	18900	5	1	24	23.08
16QAM	1880	18900	5	12	0	21.20
16QAM	1880	18900	5	12	7	21.23
16QAM	1880	18900	5	12	13	21.19
16QAM	1880	18900	5	25	0	21.12
16QAM	1907.5	19175	5	1	0	22.33
16QAM	1907.5	19175	5	1	12	22.24
16QAM	1907.5	19175	5	1	24	21.98
16QAM	1907.5	19175	5	12	0	21.21
16QAM	1907.5	19175	5	12	7	21.23
16QAM	1907.5	19175	5	12	13	21.21
16QAM	1907.5	19175	5	25	0	21.27
64QAM	1852.5	18625	5	1	0	21.66
64QAM	1852.5	18625	5	1	12	21.44
64QAM	1852.5	18625	5	1	24	21.24
64QAM	1852.5	18625	5	12	0	17.89
64QAM	1852.5	18625	5	12	7	18.01
64QAM	1852.5	18625	5	12	13	17.89
64QAM	1852.5	18625	5	25	0	17.88
64QAM	1880	18900	5	1	0	21.35
64QAM	1880	18900	5	1	12	20.92
64QAM	1880	18900	5	1	24	21.18
64QAM	1880	18900	5	12	0	18.45
64QAM	1880	18900	5	12	7	18.44
64QAM	1880	18900	5	12	13	18.25
64QAM	1880	18900	5	25	0	18.25
64QAM	1907.5	19175	5	1	0	21.26
64QAM	1907.5	19175	5	1	12	21.29
64QAM	1907.5	19175	5	1	24	21.33
64QAM	1907.5	19175	5	12	0	17.94
64QAM	1907.5	19175	5	12	7	18.08
64QAM	1907.5	19175	5	12	13	17.86
64QAM	1907.5	19175	5	25	0	17.90

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1855	18650	10	1	0	23.30
QPSK	1855	18650	10	1	25	23.21
QPSK	1855	18650	10	1	49	23.52
QPSK	1855	18650	10	25	0	22.07
QPSK	1855	18650	10	25	12	22.05
QPSK	1855	18650	10	25	25	22.11
QPSK	1855	18650	10	50	0	22.12
QPSK	1880	18900	10	1	0	23.36
QPSK	1880	18900	10	1	25	23.33
QPSK	1880	18900	10	1	49	23.42
QPSK	1880	18900	10	25	0	22.05
QPSK	1880	18900	10	25	12	22.13
QPSK	1880	18900	10	25	25	22.05
QPSK	1880	18900	10	50	0	22.08
QPSK	1905	19150	10	1	0	23.08
QPSK	1905	19150	10	1	25	23.09
QPSK	1905	19150	10	1	49	23.08
QPSK	1905	19150	10	25	0	22.06
QPSK	1905	19150	10	25	12	21.91
QPSK	1905	19150	10	25	25	21.89
QPSK	1905	19150	10	50	0	21.93

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1855	18650	10	1	0	22.72
16QAM	1855	18650	10	1	25	22.51
16QAM	1855	18650	10	1	49	22.06
16QAM	1855	18650	10	25	0	21.50
16QAM	1855	18650	10	25	12	21.39
16QAM	1855	18650	10	25	25	21.47
16QAM	1855	18650	10	50	0	21.26
16QAM	1880	18900	10	1	0	22.02
16QAM	1880	18900	10	1	25	22.12
16QAM	1880	18900	10	1	49	22.56
16QAM	1880	18900	10	25	0	21.35
16QAM	1880	18900	10	25	12	21.43
16QAM	1880	18900	10	25	25	21.38
16QAM	1880	18900	10	50	0	21.30
16QAM	1905	19150	10	1	0	22.61
16QAM	1905	19150	10	1	25	22.54
16QAM	1905	19150	10	1	49	22.72
16QAM	1905	19150	10	25	0	21.12
16QAM	1905	19150	10	25	12	21.10
16QAM	1905	19150	10	25	25	21.17
16QAM	1905	19150	10	50	0	21.26
64QAM	1855	18650	10	1	0	21.57
64QAM	1855	18650	10	1	25	21.43
64QAM	1855	18650	10	1	49	21.51
64QAM	1855	18650	10	25	0	17.81
64QAM	1855	18650	10	25	12	18.09
64QAM	1855	18650	10	25	25	18.43
64QAM	1855	18650	10	50	0	18.27
64QAM	1880	18900	10	1	0	21.33
64QAM	1880	18900	10	1	25	21.60
64QAM	1880	18900	10	1	49	21.45
64QAM	1880	18900	10	25	0	18.42
64QAM	1880	18900	10	25	12	18.49
64QAM	1880	18900	10	25	25	18.72
64QAM	1880	18900	10	50	0	18.60
64QAM	1905	19150	10	1	0	21.31
64QAM	1905	19150	10	1	25	20.84
64QAM	1905	19150	10	1	49	21.14
64QAM	1905	19150	10	25	0	18.70
64QAM	1905	19150	10	25	12	18.50
64QAM	1905	19150	10	25	25	18.38
64QAM	1905	19150	10	50	0	18.59

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1857.5	18675	15	1	0	23.19
QPSK	1857.5	18675	15	1	37	23.26
QPSK	1857.5	18675	15	1	74	23.21
QPSK	1857.5	18675	15	36	0	22.02
QPSK	1857.5	18675	15	36	29	22.21
QPSK	1857.5	18675	15	36	30	22.23
QPSK	1857.5	18675	15	75	0	22.16
QPSK	1880	18900	15	1	0	23.15
QPSK	1880	18900	15	1	37	22.99
QPSK	1880	18900	15	1	74	23.16
QPSK	1880	18900	15	36	0	22.01
QPSK	1880	18900	15	36	29	22.11
QPSK	1880	18900	15	36	30	22.11
QPSK	1880	18900	15	75	0	22.00
QPSK	1902.5	19125	15	1	0	23.34
QPSK	1902.5	19125	15	1	37	23.25
QPSK	1902.5	19125	15	1	74	22.93
QPSK	1902.5	19125	15	36	0	21.96
QPSK	1902.5	19125	15	36	29	21.93
QPSK	1902.5	19125	15	36	30	21.99
QPSK	1902.5	19125	15	75	0	21.98

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1857.5	18675	15	1	0	22.19
16QAM	1857.5	18675	15	1	37	22.22
16QAM	1857.5	18675	15	1	74	22.63
16QAM	1857.5	18675	15	36	0	21.26
16QAM	1857.5	18675	15	36	29	21.33
16QAM	1857.5	18675	15	36	30	21.37
16QAM	1857.5	18675	15	75	0	21.34
16QAM	1880	18900	15	1	0	22.88
16QAM	1880	18900	15	1	37	22.41
16QAM	1880	18900	15	1	74	22.50
16QAM	1880	18900	15	36	0	21.19
16QAM	1880	18900	15	36	29	21.41
16QAM	1880	18900	15	36	30	21.32
16QAM	1880	18900	15	75	0	21.20
16QAM	1902.5	19125	15	1	0	23.16
16QAM	1902.5	19125	15	1	37	22.68
16QAM	1902.5	19125	15	1	74	22.75
16QAM	1902.5	19125	15	36	0	21.05
16QAM	1902.5	19125	15	36	29	21.08
16QAM	1902.5	19125	15	36	30	21.07
16QAM	1902.5	19125	15	75	0	21.19
64QAM	1857.5	18675	15	1	0	21.21
64QAM	1857.5	18675	15	1	37	21.00
64QAM	1857.5	18675	15	1	74	21.11
64QAM	1857.5	18675	15	36	0	18.05
64QAM	1857.5	18675	15	36	29	18.21
64QAM	1857.5	18675	15	36	30	18.31
64QAM	1857.5	18675	15	75	0	18.23
64QAM	1880	18900	15	1	0	21.48
64QAM	1880	18900	15	1	37	21.38
64QAM	1880	18900	15	1	74	21.45
64QAM	1880	18900	15	36	0	18.61
64QAM	1880	18900	15	36	29	18.50
64QAM	1880	18900	15	36	30	18.51
64QAM	1880	18900	15	75	0	18.65
64QAM	1902.5	19125	15	1	0	20.92
64QAM	1902.5	19125	15	1	37	20.94
64QAM	1902.5	19125	15	1	74	20.70
64QAM	1902.5	19125	15	36	0	18.60
64QAM	1902.5	19125	15	36	29	17.85
64QAM	1902.5	19125	15	36	30	17.88
64QAM	1902.5	19125	15	75	0	18.30

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1860	18700	20	1	0	23.37
QPSK	1860	18700	20	1	49	23.37
QPSK	1860	18700	20	1	99	23.49
QPSK	1860	18700	20	50	0	22.17
QPSK	1860	18700	20	50	24	22.13
QPSK	1860	18700	20	50	50	22.25
QPSK	1860	18700	20	100	0	22.21
QPSK	1880	18900	20	1	0	23.21
QPSK	1880	18900	20	1	49	23.28
QPSK	1880	18900	20	1	99	23.25
QPSK	1880	18900	20	50	0	21.99
QPSK	1880	18900	20	50	24	22.01
QPSK	1880	18900	20	50	50	22.04
QPSK	1880	18900	20	100	0	22.07
QPSK	1900	19100	20	1	0	23.09
QPSK	1900	19100	20	1	49	23.08
QPSK	1900	19100	20	1	99	23.08
QPSK	1900	19100	20	50	0	22.15
QPSK	1900	19100	20	50	24	22.11
QPSK	1900	19100	20	50	50	21.98
QPSK	1900	19100	20	100	0	22.14

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1860	18700	20	1	0	22.03
16QAM	1860	18700	20	1	49	21.97
16QAM	1860	18700	20	1	99	22.20
16QAM	1860	18700	20	50	0	21.27
16QAM	1860	18700	20	50	24	21.30
16QAM	1860	18700	20	50	50	21.13
16QAM	1860	18700	20	100	0	21.27
16QAM	1880	18900	20	1	0	21.38
16QAM	1880	18900	20	1	49	21.37
16QAM	1880	18900	20	1	99	21.53
16QAM	1880	18900	20	50	0	21.21
16QAM	1880	18900	20	50	24	21.23
16QAM	1880	18900	20	50	50	21.18
16QAM	1880	18900	20	100	0	21.30
16QAM	1900	19100	20	1	0	22.52
16QAM	1900	19100	20	1	49	22.93
16QAM	1900	19100	20	1	99	23.10
16QAM	1900	19100	20	50	0	21.23
16QAM	1900	19100	20	50	24	21.20
16QAM	1900	19100	20	50	50	21.22
16QAM	1900	19100	20	100	0	21.09
64QAM	1860	18700	20	1	0	21.21
64QAM	1860	18700	20	1	49	21.22
64QAM	1860	18700	20	1	99	21.35
64QAM	1860	18700	20	50	0	18.26
64QAM	1860	18700	20	50	24	18.33
64QAM	1860	18700	20	50	50	18.41
64QAM	1860	18700	20	100	0	18.38
64QAM	1880	18900	20	1	0	20.95
64QAM	1880	18900	20	1	49	20.87
64QAM	1880	18900	20	1	99	21.43
64QAM	1880	18900	20	50	0	18.95
64QAM	1880	18900	20	50	24	18.60
64QAM	1880	18900	20	50	50	18.89
64QAM	1880	18900	20	100	0	18.90
64QAM	1900	19100	20	1	0	21.59
64QAM	1900	19100	20	1	49	20.96
64QAM	1900	19100	20	1	99	21.23
64QAM	1900	19100	20	50	0	19.30
64QAM	1900	19100	20	50	24	18.62
64QAM	1900	19100	20	50	50	18.13
64QAM	1900	19100	20	100	0	18.69

2 Occupied Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	QPSK	1850.7	18607	1.4	6	0	1.08	Fig.1
2	QPSK	1880	18900	1.4	6	0	1.08	Fig.2
2	QPSK	1909.3	19193	1.4	6	0	1.08	Fig.3
2	QPSK	1851.5	18615	3	15	0	2.67	Fig.4
2	QPSK	1880	18900	3	15	0	2.68	Fig.5
2	QPSK	1908.5	19185	3	15	0	2.68	Fig.6
2	QPSK	1852.5	18625	5	25	0	4.46	Fig.7
2	QPSK	1880	18900	5	25	0	4.45	Fig.8
2	QPSK	1907.5	19175	5	25	0	4.45	Fig.9
2	QPSK	1855	18650	10	50	0	8.90	Fig.10
2	QPSK	1880	18900	10	50	0	8.92	Fig.11
2	QPSK	1905	19150	10	50	0	8.93	Fig.12
2	QPSK	1857.5	18675	15	75	0	13.37	Fig.13
2	QPSK	1880	18900	15	75	0	13.38	Fig.14
2	QPSK	1902.5	19125	15	75	0	13.37	Fig.15
2	QPSK	1860	18700	20	100	0	17.84	Fig.16
2	QPSK	1880	18900	20	100	0	17.85	Fig.17
2	QPSK	1900	19100	20	100	0	17.83	Fig.18

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	16QAM	1850.7	18607	1.4	6	0	1.07	Fig.19
2	16QAM	1880	18900	1.4	6	0	1.08	Fig.20
2	16QAM	1909.3	19193	1.4	6	0	1.08	Fig.21
2	16QAM	1851.5	18615	3	15	0	2.67	Fig.22
2	16QAM	1880	18900	3	15	0	2.68	Fig.23
2	16QAM	1908.5	19185	3	15	0	2.67	Fig.24
2	16QAM	1852.5	18625	5	25	0	4.45	Fig.25
2	16QAM	1880	18900	5	25	0	4.45	Fig.26
2	16QAM	1907.5	19175	5	25	0	4.47	Fig.27
2	16QAM	1855	18650	10	50	0	8.91	Fig.28
2	16QAM	1880	18900	10	50	0	8.92	Fig.29
2	16QAM	1905	19150	10	50	0	8.93	Fig.30
2	16QAM	1857.5	18675	15	75	0	13.36	Fig.31
2	16QAM	1880	18900	15	75	0	13.38	Fig.32
2	16QAM	1902.5	19125	15	75	0	13.37	Fig.33
2	16QAM	1860	18700	20	100	0	17.83	Fig.34
2	16QAM	1880	18900	20	100	0	17.86	Fig.35
2	16QAM	1900	19100	20	100	0	17.83	Fig.36

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	64QAM	1850.7	18607	1.4	6	0	1.07	Fig.37
2	64QAM	1880	18900	1.4	6	0	1.08	Fig.38
2	64QAM	1909.3	19193	1.4	6	0	1.07	Fig.39
2	64QAM	1851.5	18615	3	15	0	2.67	Fig.40
2	64QAM	1880	18900	3	15	0	2.68	Fig.41
2	64QAM	1908.5	19185	3	15	0	2.67	Fig.42
2	64QAM	1852.5	18625	5	25	0	4.46	Fig.43
2	64QAM	1880	18900	5	25	0	4.47	Fig.44
2	64QAM	1907.5	19175	5	25	0	4.45	Fig.45
2	64QAM	1855	18650	10	50	0	8.91	Fig.46
2	64QAM	1880	18900	10	50	0	8.93	Fig.47
2	64QAM	1905	19150	10	50	0	8.92	Fig.48
2	64QAM	1857.5	18675	15	75	0	13.37	Fig.49
2	64QAM	1880	18900	15	75	0	13.39	Fig.50
2	64QAM	1902.5	19125	15	75	0	13.37	Fig.51
2	64QAM	1860	18700	20	100	0	17.83	Fig.52
2	64QAM	1880	18900	20	100	0	17.85	Fig.53
2	64QAM	1900	19100	20	100	0	17.81	Fig.54

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18

Test Mode: 16QAM




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

Test Mode: 64QAM




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42