



Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32



Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44



Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51



Fig.52




Fig.53




Fig.54




Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60




Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67



Fig.68




Fig.69




Fig.70




Fig.71




Fig.72

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
7	2510	20850	20	1	0	Fig.1
7	2535	21100	20	1	0	Fig.2
7	2560	21350	20	1	0	Fig.3




Fig.1




Fig.2




Fig.3

6 Band Edges Compliance

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
7	2502.5	20775	5	1	0	Fig.1
7	2502.5	20775	5	25	0	Fig.2
7	2567.5	21425	5	1	24	Fig.3
7	2567.5	21425	5	25	0	Fig.4
7	2505	20800	10	1	0	Fig.5
7	2505	20800	10	50	0	Fig.6
7	2565	21400	10	1	49	Fig.7
7	2565	21400	10	50	0	Fig.8
7	2507.5	20825	15	1	0	Fig.9
7	2507.5	20825	15	75	0	Fig.10
7	2562.5	21375	15	1	74	Fig.11
7	2562.5	21375	15	75	0	Fig.12
7	2510	20850	20	1	0	Fig.13
7	2510	20850	20	100	0	Fig.14
7	2560	21350	20	1	99	Fig.15
7	2560	21350	20	100	0	Fig.16




Fig.1




Fig.2




Fig.3



Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band 7 Low Channel QPSK			
		5M	10M	15M	20M
-20	NV	0.004	-0.004	-0.003	-0.002
-10	NV	0.012	-0.005	0.005	-0.005
0	NV	0.005	-0.015	0.002	-0.003
+10	NV	0.010	0.019	0.001	-0.007
+30	NV	0.002	-0.006	0.000	-0.010
+40	NV	0.008	-0.015	-0.005	-0.003
+55	NV	-0.002	-0.015	-0.010	-0.003
+20	LV	0.015	-0.004	-0.011	-0.009
+20	HV	0.013	-0.005	0.000	-0.002

Temperature(°C)	Voltage	Test Result (ppm) Band 7 High Channel QPSK			
		5M	10M	15M	20M
-20	NV	-0.003	-0.010	0.007	-0.012
-10	NV	-0.007	0.007	0.007	-0.019
0	NV	-0.002	0.009	0.004	-0.016
+10	NV	0.005	0.008	0.000	-0.021
+30	NV	-0.005	-0.003	0.003	-0.011
+40	NV	-0.005	0.006	-0.002	-0.015
+55	NV	0.000	-0.004	0.008	-0.014
+20	LV	0.000	0.002	0.000	-0.019
+20	HV	-0.007	0.008	-0.002	-0.006

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	2502.5	20775	5	1	0	23.00	21.50	0.141
16QAM	2502.5	20775	5	1	12	22.87	21.37	0.137
16QAM	2502.5	20775	5	1	24	22.68	21.18	0.131
16QAM	2502.5	20775	5	12	0	21.69	20.19	0.104
16QAM	2502.5	20775	5	12	7	21.64	20.14	0.103
16QAM	2502.5	20775	5	12	13	21.67	20.17	0.104
16QAM	2502.5	20775	5	25	0	21.85	20.35	0.108
16QAM	2535	21100	5	1	0	24.26	22.76	0.189
16QAM	2535	21100	5	1	12	24.27	22.77	0.189
16QAM	2535	21100	5	1	24	23.50	22.00	0.158
16QAM	2535	21100	5	12	0	22.27	20.77	0.119
16QAM	2535	21100	5	12	7	22.20	20.70	0.117
16QAM	2535	21100	5	12	13	21.26	19.76	0.095
16QAM	2535	21100	5	25	0	22.18	20.68	0.117
16QAM	2567.5	21425	5	1	0	22.86	21.36	0.137
16QAM	2567.5	21425	5	1	12	22.39	20.89	0.123
16QAM	2567.5	21425	5	1	24	22.02	20.52	0.113
16QAM	2567.5	21425	5	12	0	21.09	19.59	0.091
16QAM	2567.5	21425	5	12	7	21.17	19.67	0.093
16QAM	2567.5	21425	5	12	13	20.74	19.24	0.084
16QAM	2567.5	21425	5	25	0	21.21	19.71	0.094
64QAM	2502.5	20775	5	1	0	21.73	20.23	0.105
64QAM	2502.5	20775	5	1	12	21.51	20.01	0.100
64QAM	2502.5	20775	5	1	24	21.53	20.03	0.101
64QAM	2502.5	20775	5	12	0	19.39	17.89	0.062
64QAM	2502.5	20775	5	12	7	19.75	18.25	0.067
64QAM	2502.5	20775	5	12	13	19.78	18.28	0.067
64QAM	2502.5	20775	5	25	0	19.50	18.00	0.063
64QAM	2535	21100	5	1	0	22.50	21.00	0.126
64QAM	2535	21100	5	1	12	22.60	21.10	0.129
64QAM	2535	21100	5	1	24	21.73	20.23	0.105
64QAM	2535	21100	5	12	0	18.55	17.05	0.051
64QAM	2535	21100	5	12	7	18.78	17.28	0.053
64QAM	2535	21100	5	12	13	18.68	17.18	0.052
64QAM	2535	21100	5	25	0	18.64	17.14	0.052
64QAM	2567.5	21425	5	1	0	21.87	20.37	0.109
64QAM	2567.5	21425	5	1	12	21.28	19.78	0.095
64QAM	2567.5	21425	5	1	24	20.91	19.41	0.087
64QAM	2567.5	21425	5	12	0	18.96	17.46	0.056
64QAM	2567.5	21425	5	12	7	19.14	17.64	0.058
64QAM	2567.5	21425	5	12	13	19.04	17.54	0.057

64QAM	2567.5	21425	5	25	0	19.02	17.52	0.056
-------	--------	-------	---	----	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2502.5	20775	5	1	0	24.42	22.92	0.196
QPSK	2502.5	20775	5	1	12	24.13	22.63	0.183
QPSK	2502.5	20775	5	1	24	24.10	22.60	0.182
QPSK	2502.5	20775	5	12	0	23.38	21.88	0.154
QPSK	2502.5	20775	5	12	7	23.22	21.72	0.149
QPSK	2502.5	20775	5	12	13	23.30	21.80	0.151
QPSK	2502.5	20775	5	25	0	23.32	21.82	0.152
QPSK	2535	21100	5	1	0	24.66	23.16	0.207
QPSK	2535	21100	5	1	12	24.75	23.25	0.211
QPSK	2535	21100	5	1	24	23.74	22.24	0.167
QPSK	2535	21100	5	12	0	23.67	22.17	0.165
QPSK	2535	21100	5	12	7	23.77	22.27	0.169
QPSK	2535	21100	5	12	13	22.71	21.21	0.132
QPSK	2535	21100	5	25	0	23.63	22.13	0.163
QPSK	2567.5	21425	5	1	0	24.36	22.86	0.193
QPSK	2567.5	21425	5	1	12	23.91	22.41	0.174
QPSK	2567.5	21425	5	1	24	23.53	22.03	0.160
QPSK	2567.5	21425	5	12	0	22.63	21.13	0.130
QPSK	2567.5	21425	5	12	7	22.77	21.27	0.134
QPSK	2567.5	21425	5	12	13	22.38	20.88	0.122
QPSK	2567.5	21425	5	25	0	22.64	21.14	0.130

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	2505	20800	10	1	0	20.37	18.87	0.077
16QAM	2505	20800	10	1	25	21.22	19.72	0.094
16QAM	2505	20800	10	1	49	23.07	21.57	0.144
16QAM	2505	20800	10	25	0	21.96	20.46	0.111
16QAM	2505	20800	10	25	12	21.74	20.24	0.106
16QAM	2505	20800	10	25	25	21.69	20.19	0.104
16QAM	2505	20800	10	50	0	21.84	20.34	0.108
16QAM	2535	21100	10	1	0	24.05	22.55	0.180
16QAM	2535	21100	10	1	25	24.24	22.74	0.188
16QAM	2535	21100	10	1	49	22.49	20.99	0.126
16QAM	2535	21100	10	25	0	18.57	17.07	0.051
16QAM	2535	21100	10	25	12	22.34	20.84	0.121
16QAM	2535	21100	10	25	25	21.36	19.86	0.097
16QAM	2535	21100	10	50	0	22.43	20.93	0.124
16QAM	2565	21400	10	1	0	22.71	21.21	0.132
16QAM	2565	21400	10	1	25	20.63	19.13	0.082
16QAM	2565	21400	10	1	49	21.12	19.62	0.092
16QAM	2565	21400	10	25	0	21.67	20.17	0.104
16QAM	2565	21400	10	25	12	21.86	20.36	0.109
16QAM	2565	21400	10	25	25	21.26	19.76	0.095
16QAM	2565	21400	10	50	0	21.81	20.31	0.107
64QAM	2505	20800	10	1	0	22.63	21.13	0.130
64QAM	2505	20800	10	1	25	22.35	20.85	0.122
64QAM	2505	20800	10	1	49	22.69	21.19	0.132
64QAM	2505	20800	10	25	0	19.00	17.50	0.056
64QAM	2505	20800	10	25	12	19.44	17.94	0.062
64QAM	2505	20800	10	25	25	19.86	18.36	0.069
64QAM	2505	20800	10	50	0	19.38	17.88	0.061
64QAM	2535	21100	10	1	0	21.88	20.38	0.109
64QAM	2535	21100	10	1	25	21.99	20.49	0.112
64QAM	2535	21100	10	1	49	20.15	18.65	0.073
64QAM	2535	21100	10	25	0	18.72	17.22	0.053
64QAM	2535	21100	10	25	12	18.93	17.43	0.055
64QAM	2535	21100	10	25	25	19.17	17.67	0.058
64QAM	2535	21100	10	50	0	18.93	17.43	0.055
64QAM	2565	21400	10	1	0	21.79	20.29	0.107
64QAM	2565	21400	10	1	25	19.23	17.73	0.059
64QAM	2565	21400	10	1	49	21.57	20.07	0.102
64QAM	2565	21400	10	25	0	19.26	17.76	0.060
64QAM	2565	21400	10	25	12	19.29	17.79	0.060
64QAM	2565	21400	10	25	25	19.40	17.90	0.062
64QAM	2565	21400	10	50	0	19.21	17.71	0.059

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2505	20800	10	1	0	24.67	23.17	0.207
QPSK	2505	20800	10	1	25	24.37	22.87	0.194
QPSK	2505	20800	10	1	49	24.24	22.74	0.188
QPSK	2505	20800	10	25	0	23.29	21.79	0.151
QPSK	2505	20800	10	25	12	23.23	21.73	0.149
QPSK	2505	20800	10	25	25	21.20	19.70	0.093
QPSK	2505	20800	10	50	0	23.35	21.85	0.153
QPSK	2535	21100	10	1	0	22.64	21.14	0.130
QPSK	2535	21100	10	1	25	22.97	21.47	0.140
QPSK	2535	21100	10	1	49	23.23	21.73	0.149
QPSK	2535	21100	10	25	0	20.06	18.56	0.072
QPSK	2535	21100	10	25	12	20.20	18.70	0.074
QPSK	2535	21100	10	25	25	20.51	19.01	0.080
QPSK	2535	21100	10	50	0	23.67	22.17	0.165
QPSK	2565	21400	10	1	0	23.93	22.43	0.175
QPSK	2565	21400	10	1	25	24.27	22.77	0.189
QPSK	2565	21400	10	1	49	21.24	19.74	0.094
QPSK	2565	21400	10	25	0	20.45	18.95	0.079
QPSK	2565	21400	10	25	12	23.29	21.79	0.151
QPSK	2565	21400	10	25	25	20.69	19.19	0.083
QPSK	2565	21400	10	50	0	20.55	19.05	0.080

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	2507.5	20825	15	1	0	20.69	19.19	0.083
16QAM	2507.5	20825	15	1	37	21.55	20.05	0.101
16QAM	2507.5	20825	15	1	74	24.10	22.60	0.182
16QAM	2507.5	20825	15	36	0	21.84	20.34	0.108
16QAM	2507.5	20825	15	36	29	19.88	18.38	0.069
16QAM	2507.5	20825	15	36	30	22.19	20.69	0.117
16QAM	2507.5	20825	15	75	0	21.74	20.24	0.106
16QAM	2535	21100	15	1	0	20.24	18.74	0.075
16QAM	2535	21100	15	1	37	20.39	18.89	0.077
16QAM	2535	21100	15	1	74	21.99	20.49	0.112
16QAM	2535	21100	15	36	0	22.24	20.74	0.119
16QAM	2535	21100	15	36	29	21.48	19.98	0.100
16QAM	2535	21100	15	36	30	21.49	19.99	0.100
16QAM	2535	21100	15	75	0	22.38	20.88	0.122
16QAM	2562.5	21375	15	1	0	21.78	20.28	0.107
16QAM	2562.5	21375	15	1	37	21.01	19.51	0.089
16QAM	2562.5	21375	15	1	74	21.24	19.74	0.094
16QAM	2562.5	21375	15	36	0	21.33	19.83	0.096
16QAM	2562.5	21375	15	36	29	20.05	18.55	0.072
16QAM	2562.5	21375	15	36	30	21.84	20.34	0.108
16QAM	2562.5	21375	15	75	0	21.53	20.03	0.101
64QAM	2507.5	20825	15	1	0	22.62	21.12	0.129
64QAM	2507.5	20825	15	1	37	22.31	20.81	0.121
64QAM	2507.5	20825	15	1	74	22.06	20.56	0.114
64QAM	2507.5	20825	15	36	0	19.30	17.80	0.060
64QAM	2507.5	20825	15	36	29	19.92	18.42	0.070
64QAM	2507.5	20825	15	36	30	19.95	18.45	0.070
64QAM	2507.5	20825	15	75	0	19.60	18.10	0.065
64QAM	2535	21100	15	1	0	21.85	20.35	0.108
64QAM	2535	21100	15	1	37	18.81	17.31	0.054
64QAM	2535	21100	15	1	74	19.86	18.36	0.069
64QAM	2535	21100	15	36	0	18.82	17.32	0.054
64QAM	2535	21100	15	36	29	19.02	17.52	0.056
64QAM	2535	21100	15	36	30	19.02	17.52	0.056
64QAM	2535	21100	15	75	0	18.94	17.44	0.055
64QAM	2562.5	21375	15	1	0	21.93	20.43	0.110
64QAM	2562.5	21375	15	1	37	22.34	20.84	0.121
64QAM	2562.5	21375	15	1	74	21.76	20.26	0.106
64QAM	2562.5	21375	15	36	0	19.61	18.11	0.065
64QAM	2562.5	21375	15	36	29	19.28	17.78	0.060
64QAM	2562.5	21375	15	36	30	19.29	17.79	0.060
64QAM	2562.5	21375	15	75	0	19.51	18.01	0.063

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2507.5	20825	15	1	0	22.70	21.20	0.132
QPSK	2507.5	20825	15	1	37	22.33	20.83	0.121
QPSK	2507.5	20825	15	1	74	24.29	22.79	0.190
QPSK	2507.5	20825	15	36	0	20.57	19.07	0.081
QPSK	2507.5	20825	15	36	29	21.16	19.66	0.092
QPSK	2507.5	20825	15	36	30	21.16	19.66	0.092
QPSK	2507.5	20825	15	75	0	20.95	19.45	0.088
QPSK	2535	21100	15	1	0	22.73	21.23	0.133
QPSK	2535	21100	15	1	37	22.91	21.41	0.138
QPSK	2535	21100	15	1	74	22.82	21.32	0.136
QPSK	2535	21100	15	36	0	20.16	18.66	0.073
QPSK	2535	21100	15	36	29	20.33	18.83	0.076
QPSK	2535	21100	15	36	30	20.37	18.87	0.077
QPSK	2535	21100	15	75	0	23.82	22.32	0.171
QPSK	2562.5	21375	15	1	0	23.54	22.04	0.160
QPSK	2562.5	21375	15	1	37	23.95	22.45	0.176
QPSK	2562.5	21375	15	1	74	23.17	21.67	0.147
QPSK	2562.5	21375	15	36	0	22.79	21.29	0.135
QPSK	2562.5	21375	15	36	29	23.32	21.82	0.152
QPSK	2562.5	21375	15	36	30	20.71	19.21	0.083
QPSK	2562.5	21375	15	75	0	20.87	19.37	0.086

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	2510	20850	20	1	0	20.57	19.07	0.081
16QAM	2510	20850	20	1	49	23.55	22.05	0.160
16QAM	2510	20850	20	1	99	21.50	20.00	0.100
16QAM	2510	20850	20	50	0	21.24	19.74	0.094
16QAM	2510	20850	20	50	24	19.34	17.84	0.061
16QAM	2510	20850	20	50	50	21.75	20.25	0.106
16QAM	2510	20850	20	100	0	22.10	20.60	0.115
16QAM	2535	21100	20	1	0	23.50	22.00	0.158
16QAM	2535	21100	20	1	49	20.52	19.02	0.080
16QAM	2535	21100	20	1	99	21.76	20.26	0.106
16QAM	2535	21100	20	50	0	18.83	17.33	0.054
16QAM	2535	21100	20	50	24	22.40	20.90	0.123
16QAM	2535	21100	20	50	50	20.66	19.16	0.082
16QAM	2535	21100	20	100	0	22.31	20.81	0.121
16QAM	2560	21350	20	1	0	22.58	21.08	0.128
16QAM	2560	21350	20	1	49	21.21	19.71	0.094
16QAM	2560	21350	20	1	99	21.63	20.13	0.103
16QAM	2560	21350	20	50	0	21.12	19.62	0.092
16QAM	2560	21350	20	50	24	21.35	19.85	0.097
16QAM	2560	21350	20	50	50	21.90	20.40	0.110
16QAM	2560	21350	20	100	0	21.38	19.88	0.097
64QAM	2510	20850	20	1	0	18.96	17.46	0.056
64QAM	2510	20850	20	1	49	19.60	18.10	0.065
64QAM	2510	20850	20	1	99	22.64	21.14	0.130
64QAM	2510	20850	20	50	0	19.24	17.74	0.059
64QAM	2510	20850	20	50	24	19.49	17.99	0.063
64QAM	2510	20850	20	50	50	19.76	18.26	0.067
64QAM	2510	20850	20	100	0	19.49	17.99	0.063
64QAM	2535	21100	20	1	0	22.65	21.15	0.130
64QAM	2535	21100	20	1	49	22.99	21.49	0.141
64QAM	2535	21100	20	1	99	21.19	19.69	0.093
64QAM	2535	21100	20	50	0	18.96	17.46	0.056
64QAM	2535	21100	20	50	24	18.94	17.44	0.055
64QAM	2535	21100	20	50	50	19.45	17.95	0.062
64QAM	2535	21100	20	100	0	19.18	17.68	0.059
64QAM	2560	21350	20	1	0	22.00	20.50	0.112
64QAM	2560	21350	20	1	49	21.92	20.42	0.110
64QAM	2560	21350	20	1	99	19.92	18.42	0.070
64QAM	2560	21350	20	50	0	20.21	18.71	0.074
64QAM	2560	21350	20	50	24	19.64	18.14	0.065
64QAM	2560	21350	20	50	50	19.63	18.13	0.065
64QAM	2560	21350	20	100	0	19.93	18.43	0.070

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	2510	20850	20	1	0	22.42	20.92	0.124
QPSK	2510	20850	20	1	49	22.58	21.08	0.128
QPSK	2510	20850	20	1	99	22.17	20.67	0.117
QPSK	2510	20850	20	50	0	20.58	19.08	0.081
QPSK	2510	20850	20	50	24	20.80	19.30	0.085
QPSK	2510	20850	20	50	50	21.07	19.57	0.091
QPSK	2510	20850	20	100	0	20.82	19.32	0.086
QPSK	2535	21100	20	1	0	22.47	20.97	0.125
QPSK	2535	21100	20	1	49	22.82	21.32	0.136
QPSK	2535	21100	20	1	99	23.02	21.52	0.142
QPSK	2535	21100	20	50	0	20.40	18.90	0.078
QPSK	2535	21100	20	50	24	20.31	18.81	0.076
QPSK	2535	21100	20	50	50	22.14	20.64	0.116
QPSK	2535	21100	20	100	0	20.62	19.12	0.082
QPSK	2560	21350	20	1	0	23.30	21.80	0.151
QPSK	2560	21350	20	1	49	21.67	20.17	0.104
QPSK	2560	21350	20	1	99	21.16	19.66	0.092
QPSK	2560	21350	20	50	0	22.71	21.21	0.132
QPSK	2560	21350	20	50	24	21.08	19.58	0.091
QPSK	2560	21350	20	50	50	21.06	19.56	0.090
QPSK	2560	21350	20	100	0	21.38	19.88	0.097

Aggregated BW	Modulation	PCC	SCC	Total Conducted power(dBm)		
				Range		
				Low	Mid	High
10+20	QPSK	1@49	0@0	22.14	22.37	21.01
		1@49	1@0	21.38	21.25	19.99
		25@25	50@0	19.52	20.15	19.03
		50@0	100@0	18.39	18.48	16.54
20+10		1@99	0@0	22.25	22.44	20.96
		1@99	1@0	21.22	21.18	20.01
		50@50	25@0	19.46	20	18.97
15+10		100@0	50@0	18.36	18.64	16.58
		1@74	0@0	22.16	22.43	21.14
		1@74	1@0	21.25	21.22	19.95
		37@38	25@0	19.52	20.01	19.03
15+15		75@0	50@0	18.37	18.46	16.51
		1@74	0@0	22.31	22.45	21.09
		1@74	1@0	21.22	21.16	19.94
		37@38	37@0	19.59	20.13	19.08
15+20		75@0	75@0	18.28	18.46	16.55
	1@74	0@0	22.21	22.42	21.08	
	1@74	1@0	21.4	21.12	19.99	
	37@38	50@0	19.55	20.06	19.14	
20+15	75@0	100@0	18.34	18.53	16.44	
	1@99	0@0	22.13	22.35	21.04	
	1@99	1@0	21.31	21.1	19.81	
	50@50	37@0	19.61	20.18	19.14	
20+20	100@0	75@0	18.35	18.58	16.44	
	1@99	0@0	22.31	22.46	21.15	
	1@99	1@0	21.4	21.26	20.01	
	50@50	50@0	19.65	20.18	19.15	
		100@0	100@0	18.44	18.65	16.59