

Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30



Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36



Fig.37



Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49



Fig.50




Fig.51




Fig.52




Fig.53




Fig.54




Fig.55




Fig.56



Fig.57




Fig.58




Fig.59




Fig.60



Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
26	819	26740	10	1	0	Fig.1
26	819	26740	10	1	0	Fig.2
26	819	26740	10	1	0	Fig.3




Fig.1




Fig.2




Fig.3

6 Band Edges Compliance

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
26	814.7	26697	1.4	1	0	Fig.1
26	814.7	26697	1.4	1	5	Fig.2
26	814.7	26697	1.4	6	0	Fig.3
26	814.7	26697	1.4	6	0	Fig.4
26	823.3	26783	1.4	1	0	Fig.5
26	823.3	26783	1.4	1	5	Fig.6
26	823.3	26783	1.4	6	0	Fig.7
26	823.3	26783	1.4	6	0	Fig.8
26	815.5	26705	3	1	0	Fig.9
26	815.5	26705	3	1	14	Fig.10
26	815.5	26705	3	15	0	Fig.11
26	815.5	26705	3	15	0	Fig.12
26	822.5	26775	3	1	0	Fig.13
26	822.5	26775	3	1	14	Fig.14
26	822.5	26775	3	15	0	Fig.15
26	822.5	26775	3	15	0	Fig.16
26	816.5	26715	5	1	0	Fig.17
26	816.5	26715	5	1	24	Fig.18
26	816.5	26715	5	25	0	Fig.19
26	816.5	26715	5	25	0	Fig.20
26	821.5	26765	5	1	0	Fig.21
26	821.5	26765	5	1	24	Fig.22
26	821.5	26765	5	25	0	Fig.23
26	821.5	26765	5	25	0	Fig.24
26	819	26740	10	1	0	Fig.25
26	819	26740	10	1	49	Fig.26
26	819	26740	10	50	0	Fig.27
26	819	26740	10	50	0	Fig.28
26	819	26740	10	1	0	Fig.29
26	819	26740	10	1	49	Fig.30
26	819	26740	10	50	0	Fig.31
26	819	26740	10	50	0	Fig.32




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17










Fig.18






Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band 26(814-824) Low Channel QPSK			
		1.4M	3M	5M	10M
-10	NV	-0.034	-0.026	-0.024	0.019
0	NV	-0.020	-0.023	-0.059	0.043
+10	NV	-0.037	-0.061	-0.019	-0.055
+30	NV	-0.035	-0.075	-0.053	-0.043
+40	NV	-0.046	-0.036	-0.031	-0.057
+50	NV	-0.025	-0.023	0.025	0.037
+20	LV	0.060	-0.050	-0.038	-0.055
+20	HV	0.007	-0.059	-0.043	-0.058

Temperature(°C)	Voltage	Test Result (ppm) Band 26(814-824) High Channel QPSK			
		1.4M	3M	5M	10M
-10	NV	0.032	-0.016	-0.016	-0.041
0	NV	-0.053	-0.048	-0.041	-0.002
+10	NV	-0.055	-0.034	-0.041	0.014
+30	NV	-0.020	-0.004	-0.058	-0.029
+40	NV	-0.039	-0.041	-0.039	-0.036
+50	NV	0.058	0.039	0.051	0.057
+20	LV	-0.035	-0.027	0.020	0.015
+20	HV	-0.035	-0.019	-0.022	-0.032

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	814.7	26697	1.4	1	0	22.89	17.97	0.063
16QAM	814.7	26697	1.4	1	3	22.82	17.90	0.062
16QAM	814.7	26697	1.4	1	5	22.97	18.05	0.064
16QAM	814.7	26697	1.4	3	0	22.80	17.88	0.061
16QAM	814.7	26697	1.4	3	1	22.77	17.85	0.061
16QAM	814.7	26697	1.4	3	3	22.84	17.92	0.062
16QAM	814.7	26697	1.4	6	0	22.12	17.20	0.052
16QAM	819	26740	1.4	1	0	23.17	18.25	0.067
16QAM	819	26740	1.4	1	3	23.11	18.19	0.066
16QAM	819	26740	1.4	1	5	23.14	18.22	0.066
16QAM	819	26740	1.4	3	0	22.79	17.87	0.061
16QAM	819	26740	1.4	3	1	22.70	17.78	0.060
16QAM	819	26740	1.4	3	3	22.80	17.88	0.061
16QAM	819	26740	1.4	6	0	21.92	17.00	0.050
16QAM	823.3	26783	1.4	1	0	22.38	17.46	0.056
16QAM	823.3	26783	1.4	1	3	22.94	18.02	0.063
16QAM	823.3	26783	1.4	1	5	23.14	18.22	0.066
16QAM	823.3	26783	1.4	3	0	22.30	17.38	0.055
16QAM	823.3	26783	1.4	3	1	22.37	17.45	0.056
16QAM	823.3	26783	1.4	3	3	22.43	17.51	0.056
16QAM	823.3	26783	1.4	6	0	21.62	16.70	0.047
64QAM	814.7	26697	1.4	1	0	21.87	16.95	0.050
64QAM	814.7	26697	1.4	1	3	21.98	17.06	0.051
64QAM	814.7	26697	1.4	1	5	21.89	16.97	0.050
64QAM	814.7	26697	1.4	3	0	21.72	16.80	0.048
64QAM	814.7	26697	1.4	3	1	21.79	16.87	0.049
64QAM	814.7	26697	1.4	3	3	21.75	16.83	0.048
64QAM	814.7	26697	1.4	6	0	19.27	14.35	0.027
64QAM	819	26740	1.4	1	0	21.42	16.50	0.045
64QAM	819	26740	1.4	1	3	21.46	16.54	0.045
64QAM	819	26740	1.4	1	5	21.34	16.42	0.044
64QAM	819	26740	1.4	3	0	21.48	16.56	0.045
64QAM	819	26740	1.4	3	1	21.55	16.63	0.046
64QAM	819	26740	1.4	3	3	21.50	16.58	0.045
64QAM	819	26740	1.4	6	0	19.81	14.89	0.031
64QAM	823.3	26783	1.4	1	0	22.08	17.16	0.052
64QAM	823.3	26783	1.4	1	3	22.53	17.61	0.058
64QAM	823.3	26783	1.4	1	5	22.04	17.12	0.052
64QAM	823.3	26783	1.4	3	0	21.97	17.05	0.051
64QAM	823.3	26783	1.4	3	1	22.03	17.11	0.051
64QAM	823.3	26783	1.4	3	3	22.06	17.14	0.052

64QAM	823.3	26783	1.4	6	0	19.55	14.63	0.029
-------	-------	-------	-----	---	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	814.7	26697	1.4	1	0	23.68	18.76	0.075
QPSK	814.7	26697	1.4	1	3	23.67	18.75	0.075
QPSK	814.7	26697	1.4	1	5	23.57	18.65	0.073
QPSK	814.7	26697	1.4	3	0	23.50	18.58	0.072
QPSK	814.7	26697	1.4	3	1	23.54	18.62	0.073
QPSK	814.7	26697	1.4	3	3	23.57	18.65	0.073
QPSK	814.7	26697	1.4	6	0	22.69	17.77	0.060
QPSK	819	26740	1.4	1	0	23.59	18.67	0.074
QPSK	819	26740	1.4	1	3	23.65	18.73	0.075
QPSK	819	26740	1.4	1	5	23.58	18.66	0.073
QPSK	819	26740	1.4	3	0	23.68	18.76	0.075
QPSK	819	26740	1.4	3	1	23.74	18.82	0.076
QPSK	819	26740	1.4	3	3	23.67	18.75	0.075
QPSK	819	26740	1.4	6	0	22.66	17.74	0.059
QPSK	823.3	26783	1.4	1	0	23.79	18.87	0.077
QPSK	823.3	26783	1.4	1	3	23.41	18.49	0.071
QPSK	823.3	26783	1.4	1	5	23.42	18.50	0.071
QPSK	823.3	26783	1.4	3	0	23.55	18.63	0.073
QPSK	823.3	26783	1.4	3	1	23.59	18.67	0.074
QPSK	823.3	26783	1.4	3	3	23.50	18.58	0.072
QPSK	823.3	26783	1.4	6	0	22.56	17.64	0.058

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	815.5	26705	3	1	0	23.63	18.71	0.074
16QAM	815.5	26705	3	1	8	23.67	18.75	0.075
16QAM	815.5	26705	3	1	14	23.55	18.63	0.073
16QAM	815.5	26705	3	8	0	22.03	17.11	0.051
16QAM	815.5	26705	3	8	4	22.02	17.10	0.051
16QAM	815.5	26705	3	8	7	22.00	17.08	0.051
16QAM	815.5	26705	3	15	0	21.99	17.07	0.051
16QAM	819	26740	3	1	0	23.23	18.31	0.068
16QAM	819	26740	3	1	8	23.11	18.19	0.066
16QAM	819	26740	3	1	14	23.14	18.22	0.066
16QAM	819	26740	3	8	0	21.88	16.96	0.050
16QAM	819	26740	3	8	4	21.94	17.02	0.050
16QAM	819	26740	3	8	7	21.91	16.99	0.050
16QAM	819	26740	3	15	0	21.80	16.88	0.049
16QAM	822.5	26775	3	1	0	22.48	17.56	0.057
16QAM	822.5	26775	3	1	8	22.53	17.61	0.058
16QAM	822.5	26775	3	1	14	22.48	17.56	0.057
16QAM	822.5	26775	3	8	0	21.62	16.70	0.047
16QAM	822.5	26775	3	8	4	21.63	16.71	0.047
16QAM	822.5	26775	3	8	7	21.72	16.80	0.048
16QAM	822.5	26775	3	15	0	21.78	16.86	0.049
64QAM	815.5	26705	3	1	0	22.43	17.51	0.056
64QAM	815.5	26705	3	1	8	22.28	17.36	0.054
64QAM	815.5	26705	3	1	14	22.27	17.35	0.054
64QAM	815.5	26705	3	8	0	19.48	14.56	0.029
64QAM	815.5	26705	3	8	4	19.61	14.69	0.029
64QAM	815.5	26705	3	8	7	19.64	14.72	0.030
64QAM	815.5	26705	3	15	0	19.49	14.57	0.029
64QAM	819	26740	3	1	0	21.35	16.43	0.044
64QAM	819	26740	3	1	8	21.39	16.47	0.044
64QAM	819	26740	3	1	14	21.38	16.46	0.044
64QAM	819	26740	3	8	0	19.51	14.59	0.029
64QAM	819	26740	3	8	4	19.58	14.66	0.029
64QAM	819	26740	3	8	7	19.56	14.64	0.029
64QAM	819	26740	3	15	0	19.58	14.66	0.029
64QAM	822.5	26775	3	1	0	22.63	17.71	0.059
64QAM	822.5	26775	3	1	8	22.67	17.75	0.060
64QAM	822.5	26775	3	1	14	22.18	17.26	0.053
64QAM	822.5	26775	3	8	0	19.56	14.64	0.029
64QAM	822.5	26775	3	8	4	19.58	14.66	0.029
64QAM	822.5	26775	3	8	7	19.51	14.59	0.029
64QAM	822.5	26775	3	15	0	19.64	14.72	0.030

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	815.5	26705	3	1	0	23.59	18.67	0.074
QPSK	815.5	26705	3	1	8	23.61	18.69	0.074
QPSK	815.5	26705	3	1	14	23.68	18.76	0.075
QPSK	815.5	26705	3	8	0	22.61	17.69	0.059
QPSK	815.5	26705	3	8	4	22.73	17.81	0.060
QPSK	815.5	26705	3	8	7	22.74	17.82	0.061
QPSK	815.5	26705	3	15	0	22.69	17.77	0.060
QPSK	819	26740	3	1	0	23.65	18.73	0.075
QPSK	819	26740	3	1	8	23.64	18.72	0.074
QPSK	819	26740	3	1	14	23.56	18.64	0.073
QPSK	819	26740	3	8	0	22.61	17.69	0.059
QPSK	819	26740	3	8	4	22.67	17.75	0.060
QPSK	819	26740	3	8	7	22.64	17.72	0.059
QPSK	819	26740	3	15	0	22.62	17.70	0.059
QPSK	822.5	26775	3	1	0	23.69	18.77	0.075
QPSK	822.5	26775	3	1	8	23.72	18.80	0.076
QPSK	822.5	26775	3	1	14	23.75	18.83	0.076
QPSK	822.5	26775	3	8	0	22.62	17.70	0.059
QPSK	822.5	26775	3	8	4	22.63	17.71	0.059
QPSK	822.5	26775	3	8	7	22.56	17.64	0.058
QPSK	822.5	26775	3	15	0	22.60	17.68	0.059

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	816.5	26715	5	1	0	22.41	17.49	0.056
16QAM	816.5	26715	5	1	12	22.47	17.55	0.057
16QAM	816.5	26715	5	1	24	22.36	17.44	0.055
16QAM	816.5	26715	5	12	0	21.78	16.86	0.049
16QAM	816.5	26715	5	12	7	21.72	16.80	0.048
16QAM	816.5	26715	5	12	13	21.64	16.72	0.047
16QAM	816.5	26715	5	25	0	21.91	16.99	0.050
16QAM	819	26740	5	1	0	23.31	18.39	0.069
16QAM	819	26740	5	1	12	23.28	18.36	0.069
16QAM	819	26740	5	1	24	23.29	18.37	0.069
16QAM	819	26740	5	12	0	21.71	16.79	0.048
16QAM	819	26740	5	12	7	21.74	16.82	0.048
16QAM	819	26740	5	12	13	21.70	16.78	0.048
16QAM	819	26740	5	25	0	21.64	16.72	0.047
16QAM	821.5	26765	5	1	0	22.53	17.61	0.058
16QAM	821.5	26765	5	1	12	22.40	17.48	0.056
16QAM	821.5	26765	5	1	24	22.48	17.56	0.057
16QAM	821.5	26765	5	12	0	21.73	16.81	0.048
16QAM	821.5	26765	5	12	7	21.68	16.76	0.047
16QAM	821.5	26765	5	12	13	21.66	16.74	0.047
16QAM	821.5	26765	5	25	0	21.73	16.81	0.048
64QAM	816.5	26715	5	1	0	21.54	16.62	0.046
64QAM	816.5	26715	5	1	12	21.55	16.63	0.046
64QAM	816.5	26715	5	1	24	21.61	16.69	0.047
64QAM	816.5	26715	5	12	0	19.41	14.49	0.028
64QAM	816.5	26715	5	12	7	19.70	14.78	0.030
64QAM	816.5	26715	5	12	13	19.65	14.73	0.030
64QAM	816.5	26715	5	25	0	19.46	14.54	0.028
64QAM	819	26740	5	1	0	22.94	18.02	0.063
64QAM	819	26740	5	1	12	22.90	17.98	0.063
64QAM	819	26740	5	1	24	22.90	17.98	0.063
64QAM	819	26740	5	12	0	19.34	14.42	0.028
64QAM	819	26740	5	12	7	19.56	14.64	0.029
64QAM	819	26740	5	12	13	19.41	14.49	0.028
64QAM	819	26740	5	25	0	19.40	14.48	0.028
64QAM	821.5	26765	5	1	0	21.62	16.70	0.047
64QAM	821.5	26765	5	1	12	21.61	16.69	0.047
64QAM	821.5	26765	5	1	24	21.57	16.65	0.046
64QAM	821.5	26765	5	12	0	19.61	14.69	0.029
64QAM	821.5	26765	5	12	7	19.73	14.81	0.030
64QAM	821.5	26765	5	12	13	19.51	14.59	0.029
64QAM	821.5	26765	5	25	0	19.58	14.66	0.029

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	816.5	26715	5	1	0	23.70	18.78	0.076
QPSK	816.5	26715	5	1	12	23.57	18.65	0.073
QPSK	816.5	26715	5	1	24	23.64	18.72	0.074
QPSK	816.5	26715	5	12	0	22.72	17.80	0.060
QPSK	816.5	26715	5	12	7	22.72	17.80	0.060
QPSK	816.5	26715	5	12	13	22.65	17.73	0.059
QPSK	816.5	26715	5	25	0	22.56	17.64	0.058
QPSK	819	26740	5	1	0	23.52	18.60	0.072
QPSK	819	26740	5	1	12	23.61	18.69	0.074
QPSK	819	26740	5	1	24	23.54	18.62	0.073
QPSK	819	26740	5	12	0	22.59	17.67	0.058
QPSK	819	26740	5	12	7	22.65	17.73	0.059
QPSK	819	26740	5	12	13	22.62	17.70	0.059
QPSK	819	26740	5	25	0	22.60	17.68	0.059
QPSK	821.5	26765	5	1	0	23.83	18.91	0.078
QPSK	821.5	26765	5	1	12	23.75	18.83	0.076
QPSK	821.5	26765	5	1	24	23.70	18.78	0.076
QPSK	821.5	26765	5	12	0	22.62	17.70	0.059
QPSK	821.5	26765	5	12	7	22.57	17.65	0.058
QPSK	821.5	26765	5	12	13	22.52	17.60	0.058
QPSK	821.5	26765	5	25	0	22.58	17.66	0.058

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	819	26740	10	1	0	22.78	17.86	0.061
16QAM	819	26740	10	1	25	22.73	17.81	0.060
16QAM	819	26740	10	1	49	22.76	17.84	0.061
16QAM	819	26740	10	25	0	21.71	16.79	0.048
16QAM	819	26740	10	25	12	21.79	16.87	0.049
16QAM	819	26740	10	25	25	21.76	16.84	0.048
16QAM	819	26740	10	50	0	21.78	16.86	0.049
16QAM	819	26740	10	1	0	-999.00	-1003.92	0.000
16QAM	819	26740	10	1	25	22.58	17.66	0.058
16QAM	819	26740	10	1	49	22.40	17.48	0.056
16QAM	819	26740	10	25	0	21.83	16.91	0.049
16QAM	819	26740	10	25	12	21.90	16.98	0.050
16QAM	819	26740	10	25	25	21.86	16.94	0.049
16QAM	819	26740	10	50	0	21.80	16.88	0.049
16QAM	819	26740	10	1	0	23.17	18.25	0.067
16QAM	819	26740	10	1	25	23.13	18.21	0.066
16QAM	819	26740	10	1	49	22.54	17.62	0.058
16QAM	819	26740	10	25	0	21.86	16.94	0.049
16QAM	819	26740	10	25	12	21.83	16.91	0.049
16QAM	819	26740	10	25	25	21.78	16.86	0.049
16QAM	819	26740	10	50	0	21.77	16.85	0.048
64QAM	819	26740	10	1	0	22.40	17.48	0.056
64QAM	819	26740	10	1	25	22.34	17.42	0.055
64QAM	819	26740	10	1	49	22.29	17.37	0.055
64QAM	819	26740	10	25	0	19.39	14.47	0.028
64QAM	819	26740	10	25	12	19.64	14.72	0.030
64QAM	819	26740	10	25	25	19.76	14.84	0.030
64QAM	819	26740	10	50	0	19.56	14.64	0.029
64QAM	819	26740	10	1	0	22.73	17.81	0.060
64QAM	819	26740	10	1	25	22.67	17.75	0.060
64QAM	819	26740	10	1	49	22.71	17.79	0.060
64QAM	819	26740	10	25	0	19.47	14.55	0.029
64QAM	819	26740	10	25	12	19.72	14.80	0.030
64QAM	819	26740	10	25	25	19.82	14.90	0.031
64QAM	819	26740	10	50	0	19.58	14.66	0.029
64QAM	819	26740	10	1	0	22.24	17.32	0.054
64QAM	819	26740	10	1	25	22.18	17.26	0.053
64QAM	819	26740	10	1	49	22.12	17.20	0.052
64QAM	819	26740	10	25	0	19.42	14.50	0.028
64QAM	819	26740	10	25	12	19.67	14.75	0.030
64QAM	819	26740	10	25	25	19.79	14.87	0.031
64QAM	819	26740	10	50	0	19.54	14.62	0.029

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	819	26740	10	1	0	23.91	18.99	0.079
QPSK	819	26740	10	1	25	23.81	18.89	0.077
QPSK	819	26740	10	1	49	23.75	18.83	0.076
QPSK	819	26740	10	25	0	22.65	17.73	0.059
QPSK	819	26740	10	25	12	22.71	17.79	0.060
QPSK	819	26740	10	25	25	22.58	17.66	0.058
QPSK	819	26740	10	50	0	22.56	17.64	0.058
QPSK	819	26740	10	1	0	23.80	18.88	0.077
QPSK	819	26740	10	1	25	23.81	18.89	0.077
QPSK	819	26740	10	1	49	23.71	18.79	0.076
QPSK	819	26740	10	25	0	22.64	17.72	0.059
QPSK	819	26740	10	25	12	22.70	17.78	0.060
QPSK	819	26740	10	25	25	22.57	17.65	0.058
QPSK	819	26740	10	50	0	22.66	17.74	0.059
QPSK	819	26740	10	1	0	23.76	18.84	0.077
QPSK	819	26740	10	1	25	23.80	18.88	0.077
QPSK	819	26740	10	1	49	23.77	18.85	0.077
QPSK	819	26740	10	25	0	22.67	17.75	0.060
QPSK	819	26740	10	25	12	22.61	17.69	0.059
QPSK	819	26740	10	25	25	22.59	17.67	0.058
QPSK	819	26740	10	50	0	22.69	17.77	0.060