

Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20

## 7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band 26(824-849) Low Channel QPSK				
		1.4M	3M	5M	10M	15M
-10	NV	-0.052	-0.038	0.029	0.018	-0.004
0	NV	-0.057	-0.045	-0.036	-0.019	-0.032
+10	NV	-0.008	-0.059	-0.041	-0.039	-0.036
+30	NV	-0.060	-0.081	-0.055	-0.022	-0.051
+40	NV	-0.014	-0.009	-0.052	-0.038	-0.043
+50	NV	-0.032	0.008	0.030	0.088	0.046
+20	LV	0.056	-0.019	-0.022	-0.047	-0.050
+20	HV	0.051	0.019	-0.049	-0.015	0.023

Temperature(°C)	Voltage	Test Result (ppm) Band 26(824-849) High Channel QPSK				
		1.4M	3M	5M	10M	15M
-10	NV	-0.023	-0.044	-0.050	-0.051	-0.028
0	NV	-0.040	-0.036	-0.031	-0.023	-0.025
+10	NV	-0.058	-0.014	-0.037	-0.039	-0.040
+30	NV	-0.052	-0.040	-0.053	-0.024	-0.056
+40	NV	-0.056	-0.046	-0.009	-0.035	-0.019
+50	NV	0.011	0.052	0.029	0.048	0.057
+20	LV	-0.035	-0.042	-0.013	-0.041	-0.027
+20	HV	-0.033	-0.041	-0.016	-0.036	-0.006

### 8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	824.7	26797	1.4	1	0	22.85	17.93	0.062
16QAM	824.7	26797	1.4	1	3	22.85	17.93	0.062
16QAM	824.7	26797	1.4	1	5	22.81	17.89	0.062
16QAM	824.7	26797	1.4	3	0	22.88	17.96	0.063
16QAM	824.7	26797	1.4	3	1	22.89	17.97	0.063
16QAM	824.7	26797	1.4	3	3	22.83	17.91	0.062
16QAM	824.7	26797	1.4	6	0	21.86	16.94	0.049
16QAM	836.5	26915	1.4	1	0	23.04	18.12	0.065
16QAM	836.5	26915	1.4	1	3	23.07	18.15	0.065
16QAM	836.5	26915	1.4	1	5	23.10	18.18	0.066
16QAM	836.5	26915	1.4	3	0	22.86	17.94	0.062
16QAM	836.5	26915	1.4	3	1	22.81	17.89	0.062
16QAM	836.5	26915	1.4	3	3	22.85	17.93	0.062
16QAM	836.5	26915	1.4	6	0	21.99	17.07	0.051
16QAM	848.3	27033	1.4	1	0	22.44	17.52	0.056
16QAM	848.3	27033	1.4	1	3	22.80	17.88	0.061
16QAM	848.3	27033	1.4	1	5	22.84	17.92	0.062
16QAM	848.3	27033	1.4	3	0	22.19	17.27	0.053
16QAM	848.3	27033	1.4	3	1	22.19	17.27	0.053
16QAM	848.3	27033	1.4	3	3	22.22	17.30	0.054
16QAM	848.3	27033	1.4	6	0	21.65	16.73	0.047
64QAM	824.7	26797	1.4	1	0	21.77	16.85	0.048
64QAM	824.7	26797	1.4	1	3	21.79	16.87	0.049
64QAM	824.7	26797	1.4	1	5	21.71	16.79	0.048
64QAM	824.7	26797	1.4	3	0	21.83	16.91	0.049
64QAM	824.7	26797	1.4	3	1	21.79	16.87	0.049
64QAM	824.7	26797	1.4	3	3	21.73	16.81	0.048
64QAM	824.7	26797	1.4	6	0	19.76	14.84	0.030
64QAM	836.5	26915	1.4	1	0	21.45	16.53	0.045
64QAM	836.5	26915	1.4	1	3	21.48	16.56	0.045
64QAM	836.5	26915	1.4	1	5	21.41	16.49	0.045
64QAM	836.5	26915	1.4	3	0	21.65	16.73	0.047
64QAM	836.5	26915	1.4	3	1	21.56	16.64	0.046
64QAM	836.5	26915	1.4	3	3	21.49	16.57	0.045
64QAM	836.5	26915	1.4	6	0	19.87	14.95	0.031
64QAM	848.3	27033	1.4	1	0	22.23	17.31	0.054
64QAM	848.3	27033	1.4	1	3	22.65	17.73	0.059
64QAM	848.3	27033	1.4	1	5	22.07	17.15	0.052
64QAM	848.3	27033	1.4	3	0	22.21	17.29	0.054
64QAM	848.3	27033	1.4	3	1	22.21	17.29	0.054
64QAM	848.3	27033	1.4	3	3	22.12	17.20	0.052

64QAM	848.3	27033	1.4	6	0	19.06	14.14	0.026
-------	-------	-------	-----	---	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	824.7	26797	1.4	1	0	23.49	18.57	0.072
QPSK	824.7	26797	1.4	1	3	23.53	18.61	0.073
QPSK	824.7	26797	1.4	1	5	23.51	18.59	0.072
QPSK	824.7	26797	1.4	3	0	23.56	18.64	0.073
QPSK	824.7	26797	1.4	3	1	23.47	18.55	0.072
QPSK	824.7	26797	1.4	3	3	23.46	18.54	0.071
QPSK	824.7	26797	1.4	6	0	22.53	17.61	0.058
QPSK	836.5	26915	1.4	1	0	23.65	18.73	0.075
QPSK	836.5	26915	1.4	1	3	23.72	18.80	0.076
QPSK	836.5	26915	1.4	1	5	23.72	18.80	0.076
QPSK	836.5	26915	1.4	3	0	23.64	18.72	0.074
QPSK	836.5	26915	1.4	3	1	23.54	18.62	0.073
QPSK	836.5	26915	1.4	3	3	23.60	18.68	0.074
QPSK	836.5	26915	1.4	6	0	22.72	17.80	0.060
QPSK	848.3	27033	1.4	1	0	23.88	18.96	0.079
QPSK	848.3	27033	1.4	1	3	23.55	18.63	0.073
QPSK	848.3	27033	1.4	1	5	23.49	18.57	0.072
QPSK	848.3	27033	1.4	3	0	23.54	18.62	0.073
QPSK	848.3	27033	1.4	3	1	23.53	18.61	0.073
QPSK	848.3	27033	1.4	3	3	23.47	18.55	0.072
QPSK	848.3	27033	1.4	6	0	22.59	17.67	0.058

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	825.5	26805	3	1	0	23.51	18.59	0.072
16QAM	825.5	26805	3	1	8	23.52	18.60	0.072
16QAM	825.5	26805	3	1	14	22.64	17.72	0.059
16QAM	825.5	26805	3	8	0	21.69	16.77	0.048
16QAM	825.5	26805	3	8	4	21.68	16.76	0.047
16QAM	825.5	26805	3	8	7	21.75	16.83	0.048
16QAM	825.5	26805	3	15	0	21.69	16.77	0.048
16QAM	836.5	26915	3	1	0	23.18	18.26	0.067
16QAM	836.5	26915	3	1	8	23.19	18.27	0.067
16QAM	836.5	26915	3	1	14	23.07	18.15	0.065
16QAM	836.5	26915	3	8	0	21.67	16.75	0.047
16QAM	836.5	26915	3	8	4	21.74	16.82	0.048
16QAM	836.5	26915	3	8	7	21.68	16.76	0.047
16QAM	836.5	26915	3	15	0	21.89	16.97	0.050
16QAM	847.5	27025	3	1	0	22.41	17.49	0.056
16QAM	847.5	27025	3	1	8	22.42	17.50	0.056
16QAM	847.5	27025	3	1	14	22.47	17.55	0.057
16QAM	847.5	27025	3	8	0	21.59	16.67	0.046
16QAM	847.5	27025	3	8	4	21.53	16.61	0.046
16QAM	847.5	27025	3	8	7	21.72	16.80	0.048
16QAM	847.5	27025	3	15	0	21.76	16.84	0.048
64QAM	825.5	26805	3	1	0	22.21	17.29	0.054
64QAM	825.5	26805	3	1	8	22.22	17.30	0.054
64QAM	825.5	26805	3	1	14	22.29	17.37	0.055
64QAM	825.5	26805	3	8	0	19.86	14.94	0.031
64QAM	825.5	26805	3	8	4	19.86	14.94	0.031
64QAM	825.5	26805	3	8	7	19.78	14.86	0.031
64QAM	825.5	26805	3	15	0	19.75	14.83	0.030
64QAM	836.5	26915	3	1	0	21.40	16.48	0.044
64QAM	836.5	26915	3	1	8	21.38	16.46	0.044
64QAM	836.5	26915	3	1	14	21.48	16.56	0.045
64QAM	836.5	26915	3	8	0	19.57	14.65	0.029
64QAM	836.5	26915	3	8	4	19.61	14.69	0.029
64QAM	836.5	26915	3	8	7	19.57	14.65	0.029
64QAM	836.5	26915	3	15	0	19.61	14.69	0.029
64QAM	847.5	27025	3	1	0	22.30	17.38	0.055
64QAM	847.5	27025	3	1	8	22.25	17.33	0.054
64QAM	847.5	27025	3	1	14	22.11	17.19	0.052
64QAM	847.5	27025	3	8	0	19.38	14.46	0.028
64QAM	847.5	27025	3	8	4	19.24	14.32	0.027
64QAM	847.5	27025	3	8	7	19.04	14.12	0.026
64QAM	847.5	27025	3	15	0	19.34	14.42	0.028

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	825.5	26805	3	1	0	23.63	18.71	0.074
QPSK	825.5	26805	3	1	8	23.69	18.77	0.075
QPSK	825.5	26805	3	1	14	23.66	18.74	0.075
QPSK	825.5	26805	3	8	0	22.57	17.65	0.058
QPSK	825.5	26805	3	8	4	22.57	17.65	0.058
QPSK	825.5	26805	3	8	7	22.63	17.71	0.059
QPSK	825.5	26805	3	15	0	22.55	17.63	0.058
QPSK	836.5	26915	3	1	0	23.72	18.80	0.076
QPSK	836.5	26915	3	1	8	23.80	18.88	0.077
QPSK	836.5	26915	3	1	14	23.67	18.75	0.075
QPSK	836.5	26915	3	8	0	22.58	17.66	0.058
QPSK	836.5	26915	3	8	4	22.60	17.68	0.059
QPSK	836.5	26915	3	8	7	22.54	17.62	0.058
QPSK	836.5	26915	3	15	0	22.56	17.64	0.058
QPSK	847.5	27025	3	1	0	23.83	18.91	0.078
QPSK	847.5	27025	3	1	8	23.96	19.04	0.080
QPSK	847.5	27025	3	1	14	23.82	18.90	0.078
QPSK	847.5	27025	3	8	0	22.54	17.62	0.058
QPSK	847.5	27025	3	8	4	22.46	17.54	0.057
QPSK	847.5	27025	3	8	7	22.48	17.56	0.057
QPSK	847.5	27025	3	15	0	22.47	17.55	0.057

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	826.5	26815	5	1	0	22.43	17.51	0.056
16QAM	826.5	26815	5	1	12	22.36	17.44	0.055
16QAM	826.5	26815	5	1	24	22.24	17.32	0.054
16QAM	826.5	26815	5	12	0	21.72	16.80	0.048
16QAM	826.5	26815	5	12	7	21.77	16.85	0.048
16QAM	826.5	26815	5	12	13	21.70	16.78	0.048
16QAM	826.5	26815	5	25	0	21.79	16.87	0.049
16QAM	836.5	26915	5	1	0	22.70	17.78	0.060
16QAM	836.5	26915	5	1	12	22.58	17.66	0.058
16QAM	836.5	26915	5	1	24	22.68	17.76	0.060
16QAM	836.5	26915	5	12	0	21.52	16.60	0.046
16QAM	836.5	26915	5	12	7	21.47	16.55	0.045
16QAM	836.5	26915	5	12	13	21.54	16.62	0.046
16QAM	836.5	26915	5	25	0	21.64	16.72	0.047
16QAM	846.5	27015	5	1	0	22.52	17.60	0.058
16QAM	846.5	27015	5	1	12	22.43	17.51	0.056
16QAM	846.5	27015	5	1	24	22.44	17.52	0.056
16QAM	846.5	27015	5	12	0	21.59	16.67	0.046
16QAM	846.5	27015	5	12	7	21.67	16.75	0.047
16QAM	846.5	27015	5	12	13	21.63	16.71	0.047
16QAM	846.5	27015	5	25	0	21.76	16.84	0.048
64QAM	826.5	26815	5	1	0	21.25	16.33	0.043
64QAM	826.5	26815	5	1	12	21.27	16.35	0.043
64QAM	826.5	26815	5	1	24	21.23	16.31	0.043
64QAM	826.5	26815	5	12	0	19.66	14.74	0.030
64QAM	826.5	26815	5	12	7	19.73	14.81	0.030
64QAM	826.5	26815	5	12	13	19.51	14.59	0.029
64QAM	826.5	26815	5	25	0	19.52	14.60	0.029
64QAM	836.5	26915	5	1	0	22.80	17.88	0.061
64QAM	836.5	26915	5	1	12	22.73	17.81	0.060
64QAM	836.5	26915	5	1	24	22.79	17.87	0.061
64QAM	836.5	26915	5	12	0	19.39	14.47	0.028
64QAM	836.5	26915	5	12	7	19.53	14.61	0.029
64QAM	836.5	26915	5	12	13	19.36	14.44	0.028
64QAM	836.5	26915	5	25	0	19.41	14.49	0.028
64QAM	846.5	27015	5	1	0	21.57	16.65	0.046
64QAM	846.5	27015	5	1	12	21.64	16.72	0.047
64QAM	846.5	27015	5	1	24	21.61	16.69	0.047
64QAM	846.5	27015	5	12	0	19.62	14.70	0.030
64QAM	846.5	27015	5	12	7	19.58	14.66	0.029
64QAM	846.5	27015	5	12	13	19.17	14.25	0.027
64QAM	846.5	27015	5	25	0	19.43	14.51	0.028



Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	826.5	26815	5	1	0	23.76	18.84	0.077
QPSK	826.5	26815	5	1	12	23.62	18.70	0.074
QPSK	826.5	26815	5	1	24	23.59	18.67	0.074
QPSK	826.5	26815	5	12	0	22.57	17.65	0.058
QPSK	826.5	26815	5	12	7	22.70	17.78	0.060
QPSK	826.5	26815	5	12	13	22.62	17.70	0.059
QPSK	826.5	26815	5	25	0	22.72	17.80	0.060
QPSK	836.5	26915	5	1	0	23.44	18.52	0.071
QPSK	836.5	26915	5	1	12	23.46	18.54	0.071
QPSK	836.5	26915	5	1	24	23.53	18.61	0.073
QPSK	836.5	26915	5	12	0	22.61	17.69	0.059
QPSK	836.5	26915	5	12	7	22.58	17.66	0.058
QPSK	836.5	26915	5	12	13	22.54	17.62	0.058
QPSK	836.5	26915	5	25	0	22.58	17.66	0.058
QPSK	846.5	27015	5	1	0	23.76	18.84	0.077
QPSK	846.5	27015	5	1	12	23.71	18.79	0.076
QPSK	846.5	27015	5	1	24	23.73	18.81	0.076
QPSK	846.5	27015	5	12	0	22.60	17.68	0.059
QPSK	846.5	27015	5	12	7	22.66	17.74	0.059
QPSK	846.5	27015	5	12	13	22.53	17.61	0.058
QPSK	846.5	27015	5	25	0	22.53	17.61	0.058

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	829	26840	10	1	0	22.73	17.81	0.060
16QAM	829	26840	10	1	25	22.74	17.82	0.061
16QAM	829	26840	10	1	49	22.81	17.89	0.062
16QAM	829	26840	10	25	0	21.69	16.77	0.048
16QAM	829	26840	10	25	12	21.68	16.76	0.047
16QAM	829	26840	10	25	25	21.72	16.80	0.048
16QAM	829	26840	10	50	0	21.72	16.80	0.048
16QAM	836.5	26915	10	1	0	23.32	18.40	0.069
16QAM	836.5	26915	10	1	25	23.33	18.41	0.069
16QAM	836.5	26915	10	1	49	23.11	18.19	0.066
16QAM	836.5	26915	10	25	0	21.77	16.85	0.048
16QAM	836.5	26915	10	25	12	21.78	16.86	0.049
16QAM	836.5	26915	10	25	25	21.75	16.83	0.048
16QAM	836.5	26915	10	50	0	21.68	16.76	0.047
16QAM	844	26990	10	1	0	22.88	17.96	0.063
16QAM	844	26990	10	1	25	22.85	17.93	0.062
16QAM	844	26990	10	1	49	22.88	17.96	0.063
16QAM	844	26990	10	25	0	21.83	16.91	0.049
16QAM	844	26990	10	25	12	21.78	16.86	0.049
16QAM	844	26990	10	25	25	21.84	16.92	0.049
16QAM	844	26990	10	50	0	21.72	16.80	0.048
64QAM	829	26840	10	1	0	22.35	17.43	0.055
64QAM	829	26840	10	1	25	22.37	17.45	0.056
64QAM	829	26840	10	1	49	22.27	17.35	0.054
64QAM	829	26840	10	25	0	19.78	14.86	0.031
64QAM	829	26840	10	25	12	19.78	14.86	0.031
64QAM	829	26840	10	25	25	19.83	14.91	0.031
64QAM	829	26840	10	50	0	19.78	14.86	0.031
64QAM	836.5	26915	10	1	0	21.37	16.45	0.044
64QAM	836.5	26915	10	1	25	21.46	16.54	0.045
64QAM	836.5	26915	10	1	49	21.48	16.56	0.045
64QAM	836.5	26915	10	25	0	19.59	14.67	0.029
64QAM	836.5	26915	10	25	12	19.67	14.75	0.030
64QAM	836.5	26915	10	25	25	19.73	14.81	0.030
64QAM	836.5	26915	10	50	0	19.67	14.75	0.030
64QAM	844	26990	10	1	0	21.86	16.94	0.049
64QAM	844	26990	10	1	25	21.87	16.95	0.050
64QAM	844	26990	10	1	49	21.94	17.02	0.050
64QAM	844	26990	10	25	0	19.82	14.90	0.031
64QAM	844	26990	10	25	12	19.80	14.88	0.031
64QAM	844	26990	10	25	25	19.63	14.71	0.030
64QAM	844	26990	10	50	0	19.66	14.74	0.030

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	829	26840	10	1	0	23.68	18.76	0.075
QPSK	829	26840	10	1	25	23.62	18.70	0.074
QPSK	829	26840	10	1	49	23.56	18.64	0.073
QPSK	829	26840	10	25	0	22.60	17.68	0.059
QPSK	829	26840	10	25	12	22.58	17.66	0.058
QPSK	829	26840	10	25	25	22.64	17.72	0.059
QPSK	829	26840	10	50	0	22.63	17.71	0.059
QPSK	836.5	26915	10	1	0	23.78	18.86	0.077
QPSK	836.5	26915	10	1	25	23.74	18.82	0.076
QPSK	836.5	26915	10	1	49	23.72	18.80	0.076
QPSK	836.5	26915	10	25	0	22.55	17.63	0.058
QPSK	836.5	26915	10	25	12	22.59	17.67	0.058
QPSK	836.5	26915	10	25	25	22.51	17.59	0.057
QPSK	836.5	26915	10	50	0	22.60	17.68	0.059
QPSK	844	26990	10	1	0	23.41	18.49	0.071
QPSK	844	26990	10	1	25	23.48	18.56	0.072
QPSK	844	26990	10	1	49	23.57	18.65	0.073
QPSK	844	26990	10	25	0	22.55	17.63	0.058
QPSK	844	26990	10	25	12	22.49	17.57	0.057
QPSK	844	26990	10	25	25	22.65	17.73	0.059
QPSK	844	26990	10	50	0	22.43	17.51	0.056

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	831.5	26865	15	1	0	22.78	17.86	0.061
16QAM	831.5	26865	15	1	37	22.74	17.82	0.061
16QAM	831.5	26865	15	1	74	22.80	17.88	0.061
16QAM	831.5	26865	15	36	0	21.74	16.82	0.048
16QAM	831.5	26865	15	36	29	21.70	16.78	0.048
16QAM	831.5	26865	15	36	30	21.70	16.78	0.048
16QAM	831.5	26865	15	75	0	21.77	16.85	0.048
16QAM	836.5	26915	15	1	0	22.77	17.85	0.061
16QAM	836.5	26915	15	1	37	22.74	17.82	0.061
16QAM	836.5	26915	15	1	74	22.66	17.74	0.059
16QAM	836.5	26915	15	36	0	21.82	16.90	0.049
16QAM	836.5	26915	15	36	29	21.67	16.75	0.047
16QAM	836.5	26915	15	36	30	21.67	16.75	0.047
16QAM	836.5	26915	15	75	0	21.76	16.84	0.048
16QAM	841.5	26965	15	1	0	23.37	18.45	0.070
16QAM	841.5	26965	15	1	37	23.24	18.32	0.068
16QAM	841.5	26965	15	1	74	23.27	18.35	0.068
16QAM	841.5	26965	15	36	0	21.74	16.82	0.048
16QAM	841.5	26965	15	36	29	21.73	16.81	0.048
16QAM	841.5	26965	15	36	30	21.73	16.81	0.048
16QAM	841.5	26965	15	75	0	21.70	16.78	0.048
64QAM	831.5	26865	15	1	0	22.31	17.39	0.055
64QAM	831.5	26865	15	1	37	22.31	17.39	0.055
64QAM	831.5	26865	15	1	74	22.32	17.40	0.055
64QAM	831.5	26865	15	36	0	19.78	14.86	0.031
64QAM	831.5	26865	15	36	29	19.59	14.67	0.029
64QAM	831.5	26865	15	36	30	19.60	14.68	0.029
64QAM	831.5	26865	15	75	0	19.69	14.77	0.030
64QAM	836.5	26915	15	1	0	22.38	17.46	0.056
64QAM	836.5	26915	15	1	37	22.26	17.34	0.054
64QAM	836.5	26915	15	1	74	22.33	17.41	0.055
64QAM	836.5	26915	15	36	0	19.71	14.79	0.030
64QAM	836.5	26915	15	36	29	19.57	14.65	0.029
64QAM	836.5	26915	15	36	30	19.57	14.65	0.029
64QAM	836.5	26915	15	75	0	19.63	14.71	0.030
64QAM	841.5	26965	15	1	0	21.30	16.38	0.043
64QAM	841.5	26965	15	1	37	21.48	16.56	0.045
64QAM	841.5	26965	15	1	74	21.47	16.55	0.045
64QAM	841.5	26965	15	36	0	19.66	14.74	0.030
64QAM	841.5	26965	15	36	29	19.39	14.47	0.028
64QAM	841.5	26965	15	36	30	19.39	14.47	0.028
64QAM	841.5	26965	15	75	0	19.43	14.51	0.028

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	831.5	26865	15	1	0	23.71	18.79	0.076
QPSK	831.5	26865	15	1	37	23.53	18.61	0.073
QPSK	831.5	26865	15	1	74	23.57	18.65	0.073
QPSK	831.5	26865	15	36	0	22.55	17.63	0.058
QPSK	831.5	26865	15	36	29	22.58	17.66	0.058
QPSK	831.5	26865	15	36	30	22.58	17.66	0.058
QPSK	831.5	26865	15	75	0	22.53	17.61	0.058
QPSK	836.5	26915	15	1	0	23.58	18.66	0.073
QPSK	836.5	26915	15	1	37	23.52	18.60	0.072
QPSK	836.5	26915	15	1	74	23.47	18.55	0.072
QPSK	836.5	26915	15	36	0	22.47	17.55	0.057
QPSK	836.5	26915	15	36	29	22.56	17.64	0.058
QPSK	836.5	26915	15	36	30	22.55	17.63	0.058
QPSK	836.5	26915	15	75	0	22.62	17.70	0.059
QPSK	841.5	26965	15	1	0	23.64	18.72	0.074
QPSK	841.5	26965	15	1	37	23.62	18.70	0.074
QPSK	841.5	26965	15	1	74	23.77	18.85	0.077
QPSK	841.5	26965	15	36	0	22.54	17.62	0.058
QPSK	841.5	26965	15	36	29	22.58	17.66	0.058
QPSK	841.5	26965	15	36	30	22.57	17.65	0.058
QPSK	841.5	26965	15	75	0	22.66	17.74	0.059