

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 2

1 RF Power Output

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1850.7	18607	1.4	1	0	20.21
QPSK	1850.7	18607	1.4	1	3	23.44
QPSK	1850.7	18607	1.4	1	5	23.27
QPSK	1850.7	18607	1.4	3	0	23.41
QPSK	1850.7	18607	1.4	3	1	23.43
QPSK	1850.7	18607	1.4	3	3	23.40
QPSK	1850.7	18607	1.4	6	0	22.35
QPSK	1880	18900	1.4	1	0	21.63
QPSK	1880	18900	1.4	1	3	21.88
QPSK	1880	18900	1.4	1	5	21.80
QPSK	1880	18900	1.4	3	0	21.64
QPSK	1880	18900	1.4	3	1	21.56
QPSK	1880	18900	1.4	3	3	21.52
QPSK	1880	18900	1.4	6	0	20.64
QPSK	1909.3	19193	1.4	1	0	22.11
QPSK	1909.3	19193	1.4	1	3	21.97
QPSK	1909.3	19193	1.4	1	5	22.00
QPSK	1909.3	19193	1.4	3	0	21.87
QPSK	1909.3	19193	1.4	3	1	21.79
QPSK	1909.3	19193	1.4	3	3	21.86
QPSK	1909.3	19193	1.4	6	0	20.83

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1850.7	18607	1.4	1	0	22.74
16QAM	1850.7	18607	1.4	1	3	23.16
16QAM	1850.7	18607	1.4	1	5	22.27
16QAM	1850.7	18607	1.4	3	0	22.59
16QAM	1850.7	18607	1.4	3	1	22.59
16QAM	1850.7	18607	1.4	3	3	22.69
16QAM	1850.7	18607	1.4	6	0	21.22
16QAM	1880	18900	1.4	1	0	20.46
16QAM	1880	18900	1.4	1	3	20.31
16QAM	1880	18900	1.4	1	5	20.20
16QAM	1880	18900	1.4	3	0	20.58
16QAM	1880	18900	1.4	3	1	20.54
16QAM	1880	18900	1.4	3	3	20.45
16QAM	1880	18900	1.4	6	0	19.42
16QAM	1909.3	19193	1.4	1	0	21.11
16QAM	1909.3	19193	1.4	1	3	21.72
16QAM	1909.3	19193	1.4	1	5	21.25

16QAM	1909.3	19193	1.4	3	0	21.00
16QAM	1909.3	19193	1.4	3	1	21.12
16QAM	1909.3	19193	1.4	3	3	20.89
16QAM	1909.3	19193	1.4	6	0	19.60
64QAM	1850.7	18607	1.4	1	0	21.54
64QAM	1850.7	18607	1.4	1	3	21.72
64QAM	1850.7	18607	1.4	1	5	21.24
64QAM	1850.7	18607	1.4	3	0	21.12
64QAM	1850.7	18607	1.4	3	1	21.50
64QAM	1850.7	18607	1.4	3	3	21.11
64QAM	1850.7	18607	1.4	6	0	19.71
64QAM	1880	18900	1.4	1	0	19.81
64QAM	1880	18900	1.4	1	3	19.19
64QAM	1880	18900	1.4	1	5	19.75
64QAM	1880	18900	1.4	3	0	19.58
64QAM	1880	18900	1.4	3	1	19.49
64QAM	1880	18900	1.4	3	3	19.36
64QAM	1880	18900	1.4	6	0	17.33
64QAM	1909.3	19193	1.4	1	0	19.45
64QAM	1909.3	19193	1.4	1	3	19.97
64QAM	1909.3	19193	1.4	1	5	20.10
64QAM	1909.3	19193	1.4	3	0	19.64
64QAM	1909.3	19193	1.4	3	1	19.71
64QAM	1909.3	19193	1.4	3	3	19.67
64QAM	1909.3	19193	1.4	6	0	17.37

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1851.5	18615	3	1	0	21.74
QPSK	1851.5	18615	3	1	8	21.76
QPSK	1851.5	18615	3	1	14	21.58
QPSK	1851.5	18615	3	8	0	20.71
QPSK	1851.5	18615	3	8	4	20.79
QPSK	1851.5	18615	3	8	7	20.78
QPSK	1851.5	18615	3	15	0	20.77
QPSK	1880	18900	3	1	0	21.68
QPSK	1880	18900	3	1	8	21.76
QPSK	1880	18900	3	1	14	21.67
QPSK	1880	18900	3	8	0	20.59
QPSK	1880	18900	3	8	4	20.68
QPSK	1880	18900	3	8	7	20.66
QPSK	1880	18900	3	15	0	20.65
QPSK	1908.5	19185	3	1	0	21.89
QPSK	1908.5	19185	3	1	8	22.00
QPSK	1908.5	19185	3	1	14	22.10
QPSK	1908.5	19185	3	8	0	20.73

QPSK	1908.5	19185	3	8	4	20.79
QPSK	1908.5	19185	3	8	7	20.72
QPSK	1908.5	19185	3	15	0	20.73

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1851.5	18615	3	1	0	21.60
16QAM	1851.5	18615	3	1	8	21.22
16QAM	1851.5	18615	3	1	14	21.08
16QAM	1851.5	18615	3	8	0	19.84
16QAM	1851.5	18615	3	8	4	19.89
16QAM	1851.5	18615	3	8	7	19.91
16QAM	1851.5	18615	3	15	0	19.82
16QAM	1880	18900	3	1	0	20.51
16QAM	1880	18900	3	1	8	20.94
16QAM	1880	18900	3	1	14	20.62
16QAM	1880	18900	3	8	0	19.58
16QAM	1880	18900	3	8	4	19.99
16QAM	1880	18900	3	8	7	19.57
16QAM	1880	18900	3	15	0	19.49
16QAM	1908.5	19185	3	1	0	21.61
16QAM	1908.5	19185	3	1	8	21.21
16QAM	1908.5	19185	3	1	14	21.16
16QAM	1908.5	19185	3	8	0	20.31
16QAM	1908.5	19185	3	8	4	19.90
16QAM	1908.5	19185	3	8	7	19.83
16QAM	1908.5	19185	3	15	0	19.87
64QAM	1851.5	18615	3	1	0	20.11
64QAM	1851.5	18615	3	1	8	19.59
64QAM	1851.5	18615	3	1	14	20.06
64QAM	1851.5	18615	3	8	0	17.92
64QAM	1851.5	18615	3	8	4	17.84
64QAM	1851.5	18615	3	8	7	17.96
64QAM	1851.5	18615	3	15	0	17.84
64QAM	1880	18900	3	1	0	19.52
64QAM	1880	18900	3	1	8	19.07
64QAM	1880	18900	3	1	14	19.84
64QAM	1880	18900	3	8	0	17.35
64QAM	1880	18900	3	8	4	17.45
64QAM	1880	18900	3	8	7	17.42
64QAM	1880	18900	3	15	0	17.50
64QAM	1908.5	19185	3	1	0	20.72
64QAM	1908.5	19185	3	1	8	19.84
64QAM	1908.5	19185	3	1	14	19.68
64QAM	1908.5	19185	3	8	0	17.33
64QAM	1908.5	19185	3	8	4	17.36

64QAM	1908.5	19185	3	8	7	17.40
64QAM	1908.5	19185	3	15	0	17.40

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1852.5	18625	5	1	0	21.81
QPSK	1852.5	18625	5	1	12	21.95
QPSK	1852.5	18625	5	1	24	21.81
QPSK	1852.5	18625	5	12	0	20.66
QPSK	1852.5	18625	5	12	7	20.76
QPSK	1852.5	18625	5	12	13	20.71
QPSK	1852.5	18625	5	25	0	20.66
QPSK	1880	18900	5	1	0	21.86
QPSK	1880	18900	5	1	12	21.86
QPSK	1880	18900	5	1	24	21.42
QPSK	1880	18900	5	12	0	20.68
QPSK	1880	18900	5	12	7	20.66
QPSK	1880	18900	5	12	13	20.67
QPSK	1880	18900	5	25	0	20.64
QPSK	1907.5	19175	5	1	0	21.71
QPSK	1907.5	19175	5	1	12	21.76
QPSK	1907.5	19175	5	1	24	21.89
QPSK	1907.5	19175	5	12	0	20.90
QPSK	1907.5	19175	5	12	7	20.84
QPSK	1907.5	19175	5	12	13	20.82
QPSK	1907.5	19175	5	25	0	20.69

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1852.5	18625	5	1	0	21.15
16QAM	1852.5	18625	5	1	12	21.07
16QAM	1852.5	18625	5	1	24	21.44
16QAM	1852.5	18625	5	12	0	19.80
16QAM	1852.5	18625	5	12	7	19.88
16QAM	1852.5	18625	5	12	13	19.78
16QAM	1852.5	18625	5	25	0	19.99
16QAM	1880	18900	5	1	0	20.94
16QAM	1880	18900	5	1	12	21.08
16QAM	1880	18900	5	1	24	21.23
16QAM	1880	18900	5	12	0	19.72
16QAM	1880	18900	5	12	7	19.64
16QAM	1880	18900	5	12	13	19.77
16QAM	1880	18900	5	25	0	19.53
16QAM	1907.5	19175	5	1	0	21.26
16QAM	1907.5	19175	5	1	12	21.31
16QAM	1907.5	19175	5	1	24	21.24

16QAM	1907.5	19175	5	12	0	20.37
16QAM	1907.5	19175	5	12	7	20.43
16QAM	1907.5	19175	5	12	13	19.89
16QAM	1907.5	19175	5	25	0	20.26
64QAM	1852.5	18625	5	1	0	19.75
64QAM	1852.5	18625	5	1	12	20.09
64QAM	1852.5	18625	5	1	24	20.06
64QAM	1852.5	18625	5	12	0	17.79
64QAM	1852.5	18625	5	12	7	17.99
64QAM	1852.5	18625	5	12	13	18.03
64QAM	1852.5	18625	5	25	0	17.95
64QAM	1880	18900	5	1	0	20.13
64QAM	1880	18900	5	1	12	19.15
64QAM	1880	18900	5	1	24	19.75
64QAM	1880	18900	5	12	0	17.39
64QAM	1880	18900	5	12	7	17.61
64QAM	1880	18900	5	12	13	17.57
64QAM	1880	18900	5	25	0	17.46
64QAM	1907.5	19175	5	1	0	20.16
64QAM	1907.5	19175	5	1	12	20.22
64QAM	1907.5	19175	5	1	24	19.94
64QAM	1907.5	19175	5	12	0	17.34
64QAM	1907.5	19175	5	12	7	17.36
64QAM	1907.5	19175	5	12	13	17.30
64QAM	1907.5	19175	5	25	0	17.33

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1855	18650	10	1	0	21.64
QPSK	1855	18650	10	1	25	21.60
QPSK	1855	18650	10	1	49	21.68
QPSK	1855	18650	10	25	0	20.87
QPSK	1855	18650	10	25	12	20.74
QPSK	1855	18650	10	25	25	20.77
QPSK	1855	18650	10	50	0	20.85
QPSK	1880	18900	10	1	0	21.67
QPSK	1880	18900	10	1	25	21.66
QPSK	1880	18900	10	1	49	21.67
QPSK	1880	18900	10	25	0	20.69
QPSK	1880	18900	10	25	12	20.69
QPSK	1880	18900	10	25	25	20.62
QPSK	1880	18900	10	50	0	20.57
QPSK	1905	19150	10	1	0	21.95
QPSK	1905	19150	10	1	25	22.06
QPSK	1905	19150	10	1	49	22.11
QPSK	1905	19150	10	25	0	20.72

QPSK	1905	19150	10	25	12	20.86
QPSK	1905	19150	10	25	25	20.79
QPSK	1905	19150	10	50	0	20.90

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1855	18650	10	1	0	21.37
16QAM	1855	18650	10	1	25	21.60
16QAM	1855	18650	10	1	49	21.20
16QAM	1855	18650	10	25	0	19.91
16QAM	1855	18650	10	25	12	20.03
16QAM	1855	18650	10	25	25	19.93
16QAM	1855	18650	10	50	0	19.80
16QAM	1880	18900	10	1	0	21.18
16QAM	1880	18900	10	1	25	20.70
16QAM	1880	18900	10	1	49	20.88
16QAM	1880	18900	10	25	0	20.23
16QAM	1880	18900	10	25	12	19.67
16QAM	1880	18900	10	25	25	19.68
16QAM	1880	18900	10	50	0	19.87
16QAM	1905	19150	10	1	0	20.99
16QAM	1905	19150	10	1	25	20.88
16QAM	1905	19150	10	1	49	21.03
16QAM	1905	19150	10	25	0	20.01
16QAM	1905	19150	10	25	12	20.02
16QAM	1905	19150	10	25	25	20.56
16QAM	1905	19150	10	50	0	19.88
64QAM	1855	18650	10	1	0	19.37
64QAM	1855	18650	10	1	25	19.73
64QAM	1855	18650	10	1	49	19.80
64QAM	1855	18650	10	25	0	17.99
64QAM	1855	18650	10	25	12	18.22
64QAM	1855	18650	10	25	25	18.67
64QAM	1855	18650	10	50	0	18.45
64QAM	1880	18900	10	1	0	19.83
64QAM	1880	18900	10	1	25	20.16
64QAM	1880	18900	10	1	49	19.53
64QAM	1880	18900	10	25	0	17.64
64QAM	1880	18900	10	25	12	17.62
64QAM	1880	18900	10	25	25	18.06
64QAM	1880	18900	10	50	0	17.79
64QAM	1905	19150	10	1	0	20.79
64QAM	1905	19150	10	1	25	19.18
64QAM	1905	19150	10	1	49	20.16
64QAM	1905	19150	10	25	0	18.06
64QAM	1905	19150	10	25	12	17.89

64QAM	1905	19150	10	25	25	17.86
64QAM	1905	19150	10	50	0	17.98

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1857.5	18675	15	1	0	21.68
QPSK	1857.5	18675	15	1	37	21.70
QPSK	1857.5	18675	15	1	74	21.82
QPSK	1857.5	18675	15	36	0	20.57
QPSK	1857.5	18675	15	36	29	20.69
QPSK	1857.5	18675	15	36	30	20.73
QPSK	1857.5	18675	15	75	0	20.67
QPSK	1880	18900	15	1	0	21.59
QPSK	1880	18900	15	1	37	21.57
QPSK	1880	18900	15	1	74	21.65
QPSK	1880	18900	15	36	0	20.75
QPSK	1880	18900	15	36	29	20.60
QPSK	1880	18900	15	36	30	20.62
QPSK	1880	18900	15	75	0	20.67
QPSK	1902.5	19125	15	1	0	21.75
QPSK	1902.5	19125	15	1	37	22.10
QPSK	1902.5	19125	15	1	74	22.13
QPSK	1902.5	19125	15	36	0	20.87
QPSK	1902.5	19125	15	36	29	20.92
QPSK	1902.5	19125	15	36	30	20.85
QPSK	1902.5	19125	15	75	0	20.74

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1857.5	18675	15	1	0	21.12
16QAM	1857.5	18675	15	1	37	21.02
16QAM	1857.5	18675	15	1	74	21.21
16QAM	1857.5	18675	15	36	0	19.62
16QAM	1857.5	18675	15	36	29	19.97
16QAM	1857.5	18675	15	36	30	19.85
16QAM	1857.5	18675	15	75	0	19.79
16QAM	1880	18900	15	1	0	21.20
16QAM	1880	18900	15	1	37	21.20
16QAM	1880	18900	15	1	74	21.41
16QAM	1880	18900	15	36	0	19.98
16QAM	1880	18900	15	36	29	19.80
16QAM	1880	18900	15	36	30	19.57
16QAM	1880	18900	15	75	0	19.66
16QAM	1902.5	19125	15	1	0	20.93
16QAM	1902.5	19125	15	1	37	21.73
16QAM	1902.5	19125	15	1	74	21.76

16QAM	1902.5	19125	15	36	0	20.03
16QAM	1902.5	19125	15	36	29	19.78
16QAM	1902.5	19125	15	36	30	19.90
16QAM	1902.5	19125	15	75	0	19.93
64QAM	1857.5	18675	15	1	0	19.72
64QAM	1857.5	18675	15	1	37	19.89
64QAM	1857.5	18675	15	1	74	20.02
64QAM	1857.5	18675	15	36	0	18.21
64QAM	1857.5	18675	15	36	29	18.46
64QAM	1857.5	18675	15	36	30	18.49
64QAM	1857.5	18675	15	75	0	18.37
64QAM	1880	18900	15	1	0	19.65
64QAM	1880	18900	15	1	37	19.51
64QAM	1880	18900	15	1	74	20.24
64QAM	1880	18900	15	36	0	17.72
64QAM	1880	18900	15	36	29	17.77
64QAM	1880	18900	15	36	30	17.80
64QAM	1880	18900	15	75	0	17.81
64QAM	1902.5	19125	15	1	0	20.45
64QAM	1902.5	19125	15	1	37	18.97
64QAM	1902.5	19125	15	1	74	19.84
64QAM	1902.5	19125	15	36	0	18.27
64QAM	1902.5	19125	15	36	29	17.52
64QAM	1902.5	19125	15	36	30	17.50
64QAM	1902.5	19125	15	75	0	17.85

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1860	18700	20	1	0	22.00
QPSK	1860	18700	20	1	49	22.11
QPSK	1860	18700	20	1	99	22.01
QPSK	1860	18700	20	50	0	20.67
QPSK	1860	18700	20	50	24	20.62
QPSK	1860	18700	20	50	50	20.93
QPSK	1860	18700	20	100	0	20.74
QPSK	1880	18900	20	1	0	22.04
QPSK	1880	18900	20	1	49	21.99
QPSK	1880	18900	20	1	99	22.22
QPSK	1880	18900	20	50	0	20.54
QPSK	1880	18900	20	50	24	20.57
QPSK	1880	18900	20	50	50	20.89
QPSK	1880	18900	20	100	0	20.44
QPSK	1900	19100	20	1	0	21.60
QPSK	1900	19100	20	1	49	21.81
QPSK	1900	19100	20	1	99	21.77
QPSK	1900	19100	20	50	0	20.60

QPSK	1900	19100	20	50	24	20.67
QPSK	1900	19100	20	50	50	20.90
QPSK	1900	19100	20	100	0	20.73

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1860	18700	20	1	0	21.57
16QAM	1860	18700	20	1	49	21.02
16QAM	1860	18700	20	1	99	20.82
16QAM	1860	18700	20	50	0	19.77
16QAM	1860	18700	20	50	24	19.91
16QAM	1860	18700	20	50	50	19.79
16QAM	1860	18700	20	100	0	19.83
16QAM	1880	18900	20	1	0	20.24
16QAM	1880	18900	20	1	49	20.44
16QAM	1880	18900	20	1	99	20.96
16QAM	1880	18900	20	50	0	19.64
16QAM	1880	18900	20	50	24	19.66
16QAM	1880	18900	20	50	50	19.90
16QAM	1880	18900	20	100	0	19.73
16QAM	1900	19100	20	1	0	21.48
16QAM	1900	19100	20	1	49	21.32
16QAM	1900	19100	20	1	99	21.26
16QAM	1900	19100	20	50	0	20.00
16QAM	1900	19100	20	50	24	19.67
16QAM	1900	19100	20	50	50	19.84
16QAM	1900	19100	20	100	0	19.92
64QAM	1860	18700	20	1	0	20.61
64QAM	1860	18700	20	1	49	19.94
64QAM	1860	18700	20	1	99	20.21
64QAM	1860	18700	20	50	0	18.33
64QAM	1860	18700	20	50	24	18.34
64QAM	1860	18700	20	50	50	18.50
64QAM	1860	18700	20	100	0	18.43
64QAM	1880	18900	20	1	0	20.12
64QAM	1880	18900	20	1	49	19.18
64QAM	1880	18900	20	1	99	19.44
64QAM	1880	18900	20	50	0	18.11
64QAM	1880	18900	20	50	24	17.78
64QAM	1880	18900	20	50	50	18.33
64QAM	1880	18900	20	100	0	18.20
64QAM	1900	19100	20	1	0	19.81
64QAM	1900	19100	20	1	49	19.70
64QAM	1900	19100	20	1	99	19.88
64QAM	1900	19100	20	50	0	18.78
64QAM	1900	19100	20	50	24	18.24

64QAM	1900	19100	20	50	50	17.72
64QAM	1900	19100	20	100	0	18.29


2 Occupied Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	QPSK	1850.7	18607	1.4	6	0	1.080	Fig.1
2	QPSK	1880	18900	1.4	6	0	1.070	Fig.2
2	QPSK	1909.3	19193	1.4	6	0	1.080	Fig.3
2	QPSK	1851.5	18615	3	15	0	2.680	Fig.4
2	QPSK	1880	18900	3	15	0	2.680	Fig.5
2	QPSK	1908.5	19185	3	15	0	2.670	Fig.6
2	QPSK	1852.5	18625	5	25	0	4.460	Fig.7
2	QPSK	1880	18900	5	25	0	4.460	Fig.8
2	QPSK	1907.5	19175	5	25	0	4.450	Fig.9
2	QPSK	1855	18650	10	50	0	8.910	Fig.10
2	QPSK	1880	18900	10	50	0	8.930	Fig.11
2	QPSK	1905	19150	10	50	0	8.920	Fig.12
2	QPSK	1857.5	18675	15	75	0	13.370	Fig.13
2	QPSK	1880	18900	15	75	0	13.380	Fig.14
2	QPSK	1902.5	19125	15	75	0	13.380	Fig.15
2	QPSK	1860	18700	20	100	0	17.850	Fig.16
2	QPSK	1880	18900	20	100	0	17.870	Fig.17
2	QPSK	1900	19100	20	100	0	17.830	Fig.18

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	16QAM	1850.7	18607	1.4	6	0	1.070	Fig.19
2	16QAM	1880	18900	1.4	6	0	1.070	Fig.20
2	16QAM	1909.3	19193	1.4	6	0	1.070	Fig.21
2	16QAM	1851.5	18615	3	15	0	2.680	Fig.22
2	16QAM	1880	18900	3	15	0	2.680	Fig.23
2	16QAM	1908.5	19185	3	15	0	2.670	Fig.24
2	16QAM	1852.5	18625	5	25	0	4.450	Fig.25
2	16QAM	1880	18900	5	25	0	4.460	Fig.26
2	16QAM	1907.5	19175	5	25	0	4.450	Fig.27
2	16QAM	1855	18650	10	50	0	8.910	Fig.28
2	16QAM	1880	18900	10	50	0	8.910	Fig.29
2	16QAM	1905	19150	10	50	0	8.920	Fig.30
2	16QAM	1857.5	18675	15	75	0	13.370	Fig.31
2	16QAM	1880	18900	15	75	0	13.380	Fig.32
2	16QAM	1902.5	19125	15	75	0	13.370	Fig.33
2	16QAM	1860	18700	20	100	0	17.810	Fig.34
2	16QAM	1880	18900	20	100	0	17.860	Fig.35
2	16QAM	1900	19100	20	100	0	17.840	Fig.36

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	64QAM	1850.7	18607	1.4	6	0	1.070	Fig.37
2	64QAM	1880	18900	1.4	6	0	1.070	Fig.38
2	64QAM	1909.3	19193	1.4	6	0	1.070	Fig.39
2	64QAM	1851.5	18615	3	15	0	2.670	Fig.40
2	64QAM	1880	18900	3	15	0	2.680	Fig.41
2	64QAM	1908.5	19185	3	15	0	2.680	Fig.42
2	64QAM	1852.5	18625	5	25	0	4.440	Fig.43
2	64QAM	1880	18900	5	25	0	4.460	Fig.44
2	64QAM	1907.5	19175	5	25	0	4.450	Fig.45
2	64QAM	1855	18650	10	50	0	8.910	Fig.46
2	64QAM	1880	18900	10	50	0	8.920	Fig.47
2	64QAM	1905	19150	10	50	0	8.930	Fig.48
2	64QAM	1857.5	18675	15	75	0	13.360	Fig.49
2	64QAM	1880	18900	15	75	0	13.370	Fig.50
2	64QAM	1902.5	19125	15	75	0	13.360	Fig.51
2	64QAM	1860	18700	20	100	0	17.850	Fig.52
2	64QAM	1880	18900	20	100	0	17.870	Fig.53
2	64QAM	1900	19100	20	100	0	17.830	Fig.54

Test Mode: QPSK






Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18

Test Mode: 16QAM




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

Test Mode: 64QAM




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44