

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 2

1 RF Power Output

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1850.7	18607	1.4	1	0	23.97
QPSK	1850.7	18607	1.4	1	3	23.31
QPSK	1850.7	18607	1.4	1	5	23.30
QPSK	1850.7	18607	1.4	3	0	23.36
QPSK	1850.7	18607	1.4	3	1	23.44
QPSK	1850.7	18607	1.4	3	3	23.36
QPSK	1850.7	18607	1.4	6	0	22.44
QPSK	1880	18900	1.4	1	0	23.49
QPSK	1880	18900	1.4	1	3	23.35
QPSK	1880	18900	1.4	1	5	23.49
QPSK	1880	18900	1.4	3	0	23.39
QPSK	1880	18900	1.4	3	1	23.45
QPSK	1880	18900	1.4	3	3	23.45
QPSK	1880	18900	1.4	6	0	22.35
QPSK	1909.3	19193	1.4	1	0	23.53
QPSK	1909.3	19193	1.4	1	3	23.36
QPSK	1909.3	19193	1.4	1	5	23.42
QPSK	1909.3	19193	1.4	3	0	23.22
QPSK	1909.3	19193	1.4	3	1	23.26
QPSK	1909.3	19193	1.4	3	3	23.18
QPSK	1909.3	19193	1.4	6	0	22.23

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1850.7	18607	1.4	1	0	23.03
16QAM	1850.7	18607	1.4	1	3	22.56
16QAM	1850.7	18607	1.4	1	5	22.73
16QAM	1850.7	18607	1.4	3	0	22.59
16QAM	1850.7	18607	1.4	3	1	22.60
16QAM	1850.7	18607	1.4	3	3	22.60
16QAM	1850.7	18607	1.4	6	0	21.29
16QAM	1880	18900	1.4	1	0	22.30
16QAM	1880	18900	1.4	1	3	22.06
16QAM	1880	18900	1.4	1	5	22.09
16QAM	1880	18900	1.4	3	0	22.49
16QAM	1880	18900	1.4	3	1	22.56
16QAM	1880	18900	1.4	3	3	22.23
16QAM	1880	18900	1.4	6	0	21.05
16QAM	1909.3	19193	1.4	1	0	22.71
16QAM	1909.3	19193	1.4	1	3	22.69
16QAM	1909.3	19193	1.4	1	5	22.57
16QAM	1909.3	19193	1.4	3	0	22.60
16QAM	1909.3	19193	1.4	3	1	22.63
16QAM	1909.3	19193	1.4	3	3	22.61
16QAM	1909.3	19193	1.4	6	0	20.79
64QAM	1850.7	18607	1.4	1	0	21.65
64QAM	1850.7	18607	1.4	1	3	21.42
64QAM	1850.7	18607	1.4	1	5	21.30
64QAM	1850.7	18607	1.4	3	0	21.28
64QAM	1850.7	18607	1.4	3	1	21.30
64QAM	1850.7	18607	1.4	3	3	21.25
64QAM	1850.7	18607	1.4	6	0	20.56
64QAM	1880	18900	1.4	1	0	20.99
64QAM	1880	18900	1.4	1	3	21.24
64QAM	1880	18900	1.4	1	5	21.65
64QAM	1880	18900	1.4	3	0	21.36
64QAM	1880	18900	1.4	3	1	21.31
64QAM	1880	18900	1.4	3	3	20.99
64QAM	1880	18900	1.4	6	0	20.45
64QAM	1909.3	19193	1.4	1	0	21.56
64QAM	1909.3	19193	1.4	1	3	21.49
64QAM	1909.3	19193	1.4	1	5	21.09
64QAM	1909.3	19193	1.4	3	0	21.09
64QAM	1909.3	19193	1.4	3	1	21.02
64QAM	1909.3	19193	1.4	3	3	21.26
64QAM	1909.3	19193	1.4	6	0	20.53

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1851.5	18615	3	1	0	23.43
QPSK	1851.5	18615	3	1	8	23.64
QPSK	1851.5	18615	3	1	14	23.39
QPSK	1851.5	18615	3	8	0	22.45
QPSK	1851.5	18615	3	8	4	22.37
QPSK	1851.5	18615	3	8	7	22.13
QPSK	1851.5	18615	3	15	0	22.13
QPSK	1880	18900	3	1	0	23.64
QPSK	1880	18900	3	1	8	23.52
QPSK	1880	18900	3	1	14	23.44
QPSK	1880	18900	3	8	0	22.31
QPSK	1880	18900	3	8	4	22.37
QPSK	1880	18900	3	8	7	22.33
QPSK	1880	18900	3	15	0	22.31
QPSK	1908.5	19185	3	1	0	23.17
QPSK	1908.5	19185	3	1	8	23.28
QPSK	1908.5	19185	3	1	14	23.06
QPSK	1908.5	19185	3	8	0	22.25
QPSK	1908.5	19185	3	8	4	22.22
QPSK	1908.5	19185	3	8	7	22.17
QPSK	1908.5	19185	3	15	0	22.26

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1851.5	18615	3	1	0	22.41
16QAM	1851.5	18615	3	1	8	23.05
16QAM	1851.5	18615	3	1	14	22.96
16QAM	1851.5	18615	3	8	0	21.48
16QAM	1851.5	18615	3	8	4	21.65
16QAM	1851.5	18615	3	8	7	21.49
16QAM	1851.5	18615	3	15	0	21.50
16QAM	1880	18900	3	1	0	22.82
16QAM	1880	18900	3	1	8	22.62
16QAM	1880	18900	3	1	14	22.46
16QAM	1880	18900	3	8	0	21.32
16QAM	1880	18900	3	8	4	21.65
16QAM	1880	18900	3	8	7	21.42
16QAM	1880	18900	3	15	0	21.68
16QAM	1908.5	19185	3	1	0	23.23
16QAM	1908.5	19185	3	1	8	22.63
16QAM	1908.5	19185	3	1	14	22.54
16QAM	1908.5	19185	3	8	0	21.54
16QAM	1908.5	19185	3	8	4	21.36
16QAM	1908.5	19185	3	8	7	21.48
16QAM	1908.5	19185	3	15	0	21.36
64QAM	1851.5	18615	3	1	0	21.25
64QAM	1851.5	18615	3	1	8	21.72
64QAM	1851.5	18615	3	1	14	21.19
64QAM	1851.5	18615	3	8	0	20.63
64QAM	1851.5	18615	3	8	4	20.52
64QAM	1851.5	18615	3	8	7	20.34
64QAM	1851.5	18615	3	15	0	20.72
64QAM	1880	18900	3	1	0	21.28
64QAM	1880	18900	3	1	8	21.23
64QAM	1880	18900	3	1	14	21.20
64QAM	1880	18900	3	8	0	20.38
64QAM	1880	18900	3	8	4	20.49
64QAM	1880	18900	3	8	7	20.36
64QAM	1880	18900	3	15	0	20.46
64QAM	1908.5	19185	3	1	0	21.42
64QAM	1908.5	19185	3	1	8	21.36
64QAM	1908.5	19185	3	1	14	21.43
64QAM	1908.5	19185	3	8	0	20.21
64QAM	1908.5	19185	3	8	4	20.36
64QAM	1908.5	19185	3	8	7	20.23
64QAM	1908.5	19185	3	15	0	20.34

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1852.5	18625	5	1	0	23.46
QPSK	1852.5	18625	5	1	12	23.30
QPSK	1852.5	18625	5	1	24	23.38
QPSK	1852.5	18625	5	12	0	22.24
QPSK	1852.5	18625	5	12	7	22.17
QPSK	1852.5	18625	5	12	13	22.27
QPSK	1852.5	18625	5	25	0	22.28
QPSK	1880	18900	5	1	0	23.18
QPSK	1880	18900	5	1	12	23.37
QPSK	1880	18900	5	1	24	23.17
QPSK	1880	18900	5	12	0	22.46
QPSK	1880	18900	5	12	7	22.48
QPSK	1880	18900	5	12	13	22.43
QPSK	1880	18900	5	25	0	22.32
QPSK	1907.5	19175	5	1	0	23.42
QPSK	1907.5	19175	5	1	12	23.52
QPSK	1907.5	19175	5	1	24	23.46
QPSK	1907.5	19175	5	12	0	22.28
QPSK	1907.5	19175	5	12	7	22.18
QPSK	1907.5	19175	5	12	13	22.30
QPSK	1907.5	19175	5	25	0	22.29

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1852.5	18625	5	1	0	23.04
16QAM	1852.5	18625	5	1	12	22.63
16QAM	1852.5	18625	5	1	24	23.08
16QAM	1852.5	18625	5	12	0	21.50
16QAM	1852.5	18625	5	12	7	21.39
16QAM	1852.5	18625	5	12	13	21.42
16QAM	1852.5	18625	5	25	0	21.20
16QAM	1880	18900	5	1	0	22.74
16QAM	1880	18900	5	1	12	23.25
16QAM	1880	18900	5	1	24	22.84
16QAM	1880	18900	5	12	0	21.61
16QAM	1880	18900	5	12	7	21.67
16QAM	1880	18900	5	12	13	21.45
16QAM	1880	18900	5	25	0	21.40
16QAM	1907.5	19175	5	1	0	22.76
16QAM	1907.5	19175	5	1	12	22.99
16QAM	1907.5	19175	5	1	24	22.56
16QAM	1907.5	19175	5	12	0	21.42
16QAM	1907.5	19175	5	12	7	21.23
16QAM	1907.5	19175	5	12	13	21.47
16QAM	1907.5	19175	5	25	0	21.20
64QAM	1852.5	18625	5	1	0	21.82
64QAM	1852.5	18625	5	1	12	21.60
64QAM	1852.5	18625	5	1	24	21.15
64QAM	1852.5	18625	5	12	0	20.38
64QAM	1852.5	18625	5	12	7	20.30
64QAM	1852.5	18625	5	12	13	20.34
64QAM	1852.5	18625	5	25	0	20.33
64QAM	1880	18900	5	1	0	21.64
64QAM	1880	18900	5	1	12	21.19
64QAM	1880	18900	5	1	24	21.34
64QAM	1880	18900	5	12	0	20.38
64QAM	1880	18900	5	12	7	20.50
64QAM	1880	18900	5	12	13	20.61
64QAM	1880	18900	5	25	0	20.38
64QAM	1907.5	19175	5	1	0	21.55
64QAM	1907.5	19175	5	1	12	21.26
64QAM	1907.5	19175	5	1	24	21.02
64QAM	1907.5	19175	5	12	0	20.32
64QAM	1907.5	19175	5	12	7	20.23
64QAM	1907.5	19175	5	12	13	20.40
64QAM	1907.5	19175	5	25	0	20.11

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1855	18650	10	1	0	23.53
QPSK	1855	18650	10	1	25	23.40
QPSK	1855	18650	10	1	49	23.31
QPSK	1855	18650	10	25	0	22.28
QPSK	1855	18650	10	25	12	22.31
QPSK	1855	18650	10	25	25	22.33
QPSK	1855	18650	10	50	0	22.16
QPSK	1880	18900	10	1	0	23.70
QPSK	1880	18900	10	1	25	23.73
QPSK	1880	18900	10	1	49	23.73
QPSK	1880	18900	10	25	0	22.22
QPSK	1880	18900	10	25	12	22.30
QPSK	1880	18900	10	25	25	22.42
QPSK	1880	18900	10	50	0	22.33
QPSK	1905	19150	10	1	0	23.28
QPSK	1905	19150	10	1	25	23.37
QPSK	1905	19150	10	1	49	23.26
QPSK	1905	19150	10	25	0	22.20
QPSK	1905	19150	10	25	12	22.25
QPSK	1905	19150	10	25	25	22.16
QPSK	1905	19150	10	50	0	22.28

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1855	18650	10	1	0	22.91
16QAM	1855	18650	10	1	25	22.98
16QAM	1855	18650	10	1	49	22.83
16QAM	1855	18650	10	25	0	21.31
16QAM	1855	18650	10	25	12	21.32
16QAM	1855	18650	10	25	25	21.36
16QAM	1855	18650	10	50	0	21.33
16QAM	1880	18900	10	1	0	22.51
16QAM	1880	18900	10	1	25	22.53
16QAM	1880	18900	10	1	49	22.60
16QAM	1880	18900	10	25	0	21.60
16QAM	1880	18900	10	25	12	21.65
16QAM	1880	18900	10	25	25	21.58
16QAM	1880	18900	10	50	0	21.44
16QAM	1905	19150	10	1	0	22.64
16QAM	1905	19150	10	1	25	22.76
16QAM	1905	19150	10	1	49	22.87
16QAM	1905	19150	10	25	0	21.36
16QAM	1905	19150	10	25	12	21.25
16QAM	1905	19150	10	25	25	21.29
16QAM	1905	19150	10	50	0	21.34
64QAM	1855	18650	10	1	0	21.62
64QAM	1855	18650	10	1	25	21.46
64QAM	1855	18650	10	1	49	21.76
64QAM	1855	18650	10	25	0	20.35
64QAM	1855	18650	10	25	12	20.26
64QAM	1855	18650	10	25	25	20.36
64QAM	1855	18650	10	50	0	20.28
64QAM	1880	18900	10	1	0	21.77
64QAM	1880	18900	10	1	25	21.66
64QAM	1880	18900	10	1	49	21.46
64QAM	1880	18900	10	25	0	20.77
64QAM	1880	18900	10	25	12	20.37
64QAM	1880	18900	10	25	25	20.54
64QAM	1880	18900	10	50	0	20.50
64QAM	1905	19150	10	1	0	21.60
64QAM	1905	19150	10	1	25	21.54
64QAM	1905	19150	10	1	49	21.11
64QAM	1905	19150	10	25	0	20.31
64QAM	1905	19150	10	25	12	20.18
64QAM	1905	19150	10	25	25	20.57
64QAM	1905	19150	10	50	0	20.43

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1857.5	18675	15	1	0	23.43
QPSK	1857.5	18675	15	1	37	23.31
QPSK	1857.5	18675	15	1	74	23.33
QPSK	1857.5	18675	15	36	0	22.18
QPSK	1857.5	18675	15	36	29	22.26
QPSK	1857.5	18675	15	36	30	22.27
QPSK	1857.5	18675	15	75	0	22.21
QPSK	1880	18900	15	1	0	23.20
QPSK	1880	18900	15	1	37	23.28
QPSK	1880	18900	15	1	74	23.45
QPSK	1880	18900	15	36	0	22.26
QPSK	1880	18900	15	36	29	22.31
QPSK	1880	18900	15	36	30	22.32
QPSK	1880	18900	15	75	0	22.35
QPSK	1902.5	19125	15	1	0	23.35
QPSK	1902.5	19125	15	1	37	23.18
QPSK	1902.5	19125	15	1	74	23.24
QPSK	1902.5	19125	15	36	0	22.29
QPSK	1902.5	19125	15	36	29	22.25
QPSK	1902.5	19125	15	36	30	22.23
QPSK	1902.5	19125	15	75	0	22.26

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1857.5	18675	15	1	0	22.73
16QAM	1857.5	18675	15	1	37	22.52
16QAM	1857.5	18675	15	1	74	22.63
16QAM	1857.5	18675	15	36	0	21.51
16QAM	1857.5	18675	15	36	29	21.44
16QAM	1857.5	18675	15	36	30	21.48
16QAM	1857.5	18675	15	75	0	21.31
16QAM	1880	18900	15	1	0	22.87
16QAM	1880	18900	15	1	37	23.09
16QAM	1880	18900	15	1	74	23.14
16QAM	1880	18900	15	36	0	21.36
16QAM	1880	18900	15	36	29	21.40
16QAM	1880	18900	15	36	30	21.42
16QAM	1880	18900	15	75	0	21.55
16QAM	1902.5	19125	15	1	0	22.89
16QAM	1902.5	19125	15	1	37	22.74
16QAM	1902.5	19125	15	1	74	22.62
16QAM	1902.5	19125	15	36	0	21.31
16QAM	1902.5	19125	15	36	29	21.24
16QAM	1902.5	19125	15	36	30	21.33
16QAM	1902.5	19125	15	75	0	21.42
64QAM	1857.5	18675	15	1	0	21.91
64QAM	1857.5	18675	15	1	37	21.46
64QAM	1857.5	18675	15	1	74	21.83
64QAM	1857.5	18675	15	36	0	20.81
64QAM	1857.5	18675	15	36	29	20.75
64QAM	1857.5	18675	15	36	30	20.97
64QAM	1857.5	18675	15	75	0	20.49
64QAM	1880	18900	15	1	0	21.51
64QAM	1880	18900	15	1	37	21.38
64QAM	1880	18900	15	1	74	21.61
64QAM	1880	18900	15	36	0	20.48
64QAM	1880	18900	15	36	29	20.55
64QAM	1880	18900	15	36	30	20.54
64QAM	1880	18900	15	75	0	20.50
64QAM	1902.5	19125	15	1	0	21.18
64QAM	1902.5	19125	15	1	37	21.21
64QAM	1902.5	19125	15	1	74	21.34
64QAM	1902.5	19125	15	36	0	20.52
64QAM	1902.5	19125	15	36	29	20.51
64QAM	1902.5	19125	15	36	30	20.49
64QAM	1902.5	19125	15	75	0	20.33

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1860	18700	20	1	0	23.66
QPSK	1860	18700	20	1	49	23.66
QPSK	1860	18700	20	1	99	23.64
QPSK	1860	18700	20	50	0	22.23
QPSK	1860	18700	20	50	24	22.37
QPSK	1860	18700	20	50	50	22.22
QPSK	1860	18700	20	100	0	22.34
QPSK	1880	18900	20	1	0	23.38
QPSK	1880	18900	20	1	49	23.39
QPSK	1880	18900	20	1	99	23.68
QPSK	1880	18900	20	50	0	22.46
QPSK	1880	18900	20	50	24	22.46
QPSK	1880	18900	20	50	50	22.49
QPSK	1880	18900	20	100	0	22.44
QPSK	1900	19100	20	1	0	23.37
QPSK	1900	19100	20	1	49	23.38
QPSK	1900	19100	20	1	99	23.20
QPSK	1900	19100	20	50	0	22.17
QPSK	1900	19100	20	50	24	22.08
QPSK	1900	19100	20	50	50	22.26
QPSK	1900	19100	20	100	0	22.34

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1860	18700	20	1	0	22.89
16QAM	1860	18700	20	1	49	22.72
16QAM	1860	18700	20	1	99	22.96
16QAM	1860	18700	20	50	0	21.26
16QAM	1860	18700	20	50	24	21.39
16QAM	1860	18700	20	50	50	21.30
16QAM	1860	18700	20	100	0	21.32
16QAM	1880	18900	20	1	0	22.05
16QAM	1880	18900	20	1	49	22.38
16QAM	1880	18900	20	1	99	22.00
16QAM	1880	18900	20	50	0	21.49
16QAM	1880	18900	20	50	24	21.42
16QAM	1880	18900	20	50	50	21.44
16QAM	1880	18900	20	100	0	21.58
16QAM	1900	19100	20	1	0	22.50
16QAM	1900	19100	20	1	49	22.68
16QAM	1900	19100	20	1	99	22.86
16QAM	1900	19100	20	50	0	21.38
16QAM	1900	19100	20	50	24	21.41
16QAM	1900	19100	20	50	50	21.30
16QAM	1900	19100	20	100	0	21.33
64QAM	1860	18700	20	1	0	22.06
64QAM	1860	18700	20	1	49	21.77
64QAM	1860	18700	20	1	99	21.85
64QAM	1860	18700	20	50	0	20.32
64QAM	1860	18700	20	50	24	20.96
64QAM	1860	18700	20	50	50	20.68
64QAM	1860	18700	20	100	0	20.84
64QAM	1880	18900	20	1	0	21.25
64QAM	1880	18900	20	1	49	21.34
64QAM	1880	18900	20	1	99	21.44
64QAM	1880	18900	20	50	0	20.56
64QAM	1880	18900	20	50	24	20.53
64QAM	1880	18900	20	50	50	20.63
64QAM	1880	18900	20	100	0	20.44
64QAM	1900	19100	20	1	0	21.60
64QAM	1900	19100	20	1	49	21.39
64QAM	1900	19100	20	1	99	21.50
64QAM	1900	19100	20	50	0	20.47
64QAM	1900	19100	20	50	24	20.49
64QAM	1900	19100	20	50	50	20.33
64QAM	1900	19100	20	100	0	20.40

2 Occupied Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	QPSK	1850.7	18607	1.4	6	0	1.070	Fig.1
2	QPSK	1880	18900	1.4	6	0	1.080	Fig.2
2	QPSK	1909.3	19193	1.4	6	0	1.080	Fig.3
2	QPSK	1851.5	18615	3	15	0	2.670	Fig.4
2	QPSK	1880	18900	3	15	0	2.680	Fig.5
2	QPSK	1908.5	19185	3	15	0	2.670	Fig.6
2	QPSK	1852.5	18625	5	25	0	4.460	Fig.7
2	QPSK	1880	18900	5	25	0	4.460	Fig.8
2	QPSK	1907.5	19175	5	25	0	4.460	Fig.9
2	QPSK	1855	18650	10	50	0	8.920	Fig.10
2	QPSK	1880	18900	10	50	0	8.930	Fig.11
2	QPSK	1905	19150	10	50	0	8.910	Fig.12
2	QPSK	1857.5	18675	15	75	0	13.380	Fig.13
2	QPSK	1880	18900	15	75	0	13.370	Fig.14
2	QPSK	1902.5	19125	15	75	0	13.380	Fig.15
2	QPSK	1860	18700	20	100	0	17.860	Fig.16
2	QPSK	1880	18900	20	100	0	17.860	Fig.17
2	QPSK	1900	19100	20	100	0	17.860	Fig.18

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	16QAM	1850.7	18607	1.4	6	0	1.070	Fig.19
2	16QAM	1880	18900	1.4	6	0	1.080	Fig.20
2	16QAM	1909.3	19193	1.4	6	0	1.070	Fig.21
2	16QAM	1851.5	18615	3	15	0	2.670	Fig.22
2	16QAM	1880	18900	3	15	0	2.670	Fig.23
2	16QAM	1908.5	19185	3	15	0	2.680	Fig.24
2	16QAM	1852.5	18625	5	25	0	4.460	Fig.25
2	16QAM	1880	18900	5	25	0	4.450	Fig.26
2	16QAM	1907.5	19175	5	25	0	4.430	Fig.27
2	16QAM	1855	18650	10	50	0	8.920	Fig.28
2	16QAM	1880	18900	10	50	0	8.900	Fig.29
2	16QAM	1905	19150	10	50	0	8.910	Fig.30
2	16QAM	1857.5	18675	15	75	0	13.380	Fig.31
2	16QAM	1880	18900	15	75	0	13.370	Fig.32
2	16QAM	1902.5	19125	15	75	0	13.380	Fig.33
2	16QAM	1860	18700	20	100	0	17.850	Fig.34
2	16QAM	1880	18900	20	100	0	17.850	Fig.35
2	16QAM	1900	19100	20	100	0	17.830	Fig.36

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	64QAM	1850.7	18607	1.4	6	0	1.070	Fig.37
2	64QAM	1880	18900	1.4	6	0	1.080	Fig.38
2	64QAM	1909.3	19193	1.4	6	0	1.080	Fig.39
2	64QAM	1851.5	18615	3	15	0	2.670	Fig.40
2	64QAM	1880	18900	3	15	0	2.680	Fig.41
2	64QAM	1908.5	19185	3	15	0	2.680	Fig.42
2	64QAM	1852.5	18625	5	25	0	4.460	Fig.43
2	64QAM	1880	18900	5	25	0	4.450	Fig.44
2	64QAM	1907.5	19175	5	25	0	4.440	Fig.45
2	64QAM	1855	18650	10	50	0	8.920	Fig.46
2	64QAM	1880	18900	10	50	0	8.930	Fig.47
2	64QAM	1905	19150	10	50	0	8.910	Fig.48
2	64QAM	1857.5	18675	15	75	0	13.370	Fig.49
2	64QAM	1880	18900	15	75	0	13.370	Fig.50
2	64QAM	1902.5	19125	15	75	0	13.360	Fig.51
2	64QAM	1860	18700	20	100	0	17.860	Fig.52
2	64QAM	1880	18900	20	100	0	17.870	Fig.53
2	64QAM	1900	19100	20	100	0	17.870	Fig.54

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18

Test Mode: 16QAM




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

Test Mode: 64QAM




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42