

Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20

## 7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band 26(824-849) Low Channel QPSK				
		1.4M	3M	5M	10M	15M
-30	NV	0.016	0.004	0.009	0.029	-0.008
-20	NV	0.031	0.006	0.007	0.006	-0.006
-10	NV	0.015	0.007	0.022	0.017	0.000
0	NV	0.021	0.009	0.016	0.011	0.008
5	NV	0.012	0.012	0.012	-0.047	0.006
+5	NV	0.024	0.006	0.031	0.016	-0.004
+10	NV	0.015	0.019	0.016	0.013	0.010
+20	NV	0.021	0.018	0.005	0.017	0.006
+30	NV	0.020	0.018	0.020	-0.043	0.009
+40	NV	0.017	0.015	0.026	0.025	0.002
+50	NV	-0.020	0.007	0.014	0.011	-0.010
+20	LV	0.011	-0.005	0.023	0.014	-0.005
+20	HV	0.020	0.026	-0.005	0.012	0.014

Temperature(°C)	Voltage	Test Result (ppm) Band 26(824-849) High Channel QPSK				
		1.4M	3M	5M	10M	15M
-30	NV	-0.025	-0.024	-0.045	-0.012	-0.009
-20	NV	-0.013	-0.007	-0.007	-0.013	-0.019
-10	NV	-0.016	-0.033	0.008	0.009	-0.027
0	NV	-0.028	-0.005	0.005	-0.021	0.006
5	NV	-0.020	0.002	0.004	0.022	-0.011
+5	NV	0.009	-0.048	-0.002	-0.008	0.005
+10	NV	-0.020	0.005	0.003	-0.006	-0.017
+20	NV	-0.013	0.008	0.016	0.002	-0.028
+30	NV	-0.017	0.002	-0.006	0.005	0.005
+40	NV	-0.019	-0.006	0.004	0.000	-0.013
+50	NV	0.011	0.004	0.006	-0.011	0.007
+20	LV	-0.013	-0.045	0.005	-0.008	-0.002
+20	HV	-0.054	-0.003	0.004	-0.005	-0.011

### 8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	824.7	26797	1.4	1	0	23.81	19.16	0.082
QPSK	824.7	26797	1.4	1	3	23.76	19.11	0.081
QPSK	824.7	26797	1.4	1	5	24.13	19.48	0.089
QPSK	824.7	26797	1.4	3	0	23.27	18.62	0.073
QPSK	824.7	26797	1.4	3	1	23.34	18.69	0.074
QPSK	824.7	26797	1.4	3	3	23.23	18.58	0.072
QPSK	824.7	26797	1.4	6	0	21.02	16.37	0.043
QPSK	836.5	26915	1.4	1	0	24.08	19.43	0.088
QPSK	836.5	26915	1.4	1	3	23.81	19.16	0.082
QPSK	836.5	26915	1.4	1	5	23.84	19.19	0.083
QPSK	836.5	26915	1.4	3	0	23.37	18.72	0.074
QPSK	836.5	26915	1.4	3	1	23.11	18.46	0.070
QPSK	836.5	26915	1.4	3	3	23.35	18.70	0.074
QPSK	836.5	26915	1.4	6	0	21.69	17.04	0.051
QPSK	848.3	27033	1.4	1	0	23.73	19.08	0.081
QPSK	848.3	27033	1.4	1	3	23.88	19.23	0.084
QPSK	848.3	27033	1.4	1	5	23.86	19.21	0.083
QPSK	848.3	27033	1.4	3	0	23.18	18.53	0.071
QPSK	848.3	27033	1.4	3	1	23.24	18.59	0.072
QPSK	848.3	27033	1.4	3	3	23.23	18.58	0.072
QPSK	848.3	27033	1.4	6	0	21.17	16.52	0.045

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	824.7	26797	1.4	1	0	22.56	17.91	0.062
16QAM	824.7	26797	1.4	1	3	23.06	18.41	0.069
16QAM	824.7	26797	1.4	1	5	22.95	18.30	0.068
16QAM	824.7	26797	1.4	3	0	22.31	17.66	0.058
16QAM	824.7	26797	1.4	3	1	22.40	17.75	0.060
16QAM	824.7	26797	1.4	3	3	22.49	17.84	0.061
16QAM	824.7	26797	1.4	6	0	21.14	16.49	0.045
16QAM	836.5	26915	1.4	1	0	22.98	18.33	0.068
16QAM	836.5	26915	1.4	1	3	23.50	18.85	0.077
16QAM	836.5	26915	1.4	1	5	23.40	18.75	0.075
16QAM	836.5	26915	1.4	3	0	22.66	18.01	0.063
16QAM	836.5	26915	1.4	3	1	22.63	17.98	0.063
16QAM	836.5	26915	1.4	3	3	22.50	17.85	0.061
16QAM	836.5	26915	1.4	6	0	20.98	16.33	0.043
16QAM	848.3	27033	1.4	1	0	22.64	17.99	0.063
16QAM	848.3	27033	1.4	1	3	23.62	18.97	0.079
16QAM	848.3	27033	1.4	1	5	22.70	18.05	0.064
16QAM	848.3	27033	1.4	3	0	22.53	17.88	0.061
16QAM	848.3	27033	1.4	3	1	22.42	17.77	0.060

16QAM	848.3	27033	1.4	3	3	22.56	17.91	0.062
16QAM	848.3	27033	1.4	6	0	20.99	16.34	0.043
64QAM	824.7	26797	1.4	1	0	21.88	17.23	0.053
64QAM	824.7	26797	1.4	1	3	21.86	17.21	0.053
64QAM	824.7	26797	1.4	1	5	21.87	17.22	0.053
64QAM	824.7	26797	1.4	3	0	21.02	16.37	0.043
64QAM	824.7	26797	1.4	3	1	21.17	16.52	0.045
64QAM	824.7	26797	1.4	3	3	21.21	16.56	0.045
64QAM	824.7	26797	1.4	6	0	21.00	16.35	0.043
64QAM	836.5	26915	1.4	1	0	21.64	16.99	0.050
64QAM	836.5	26915	1.4	1	3	22.14	17.49	0.056
64QAM	836.5	26915	1.4	1	5	22.04	17.39	0.055
64QAM	836.5	26915	1.4	3	0	21.18	16.53	0.045
64QAM	836.5	26915	1.4	3	1	21.17	16.52	0.045
64QAM	836.5	26915	1.4	3	3	21.17	16.52	0.045
64QAM	836.5	26915	1.4	6	0	20.38	15.73	0.037
64QAM	848.3	27033	1.4	1	0	21.66	17.01	0.050
64QAM	848.3	27033	1.4	1	3	21.70	17.05	0.051
64QAM	848.3	27033	1.4	1	5	21.90	17.25	0.053
64QAM	848.3	27033	1.4	3	0	21.07	16.42	0.044
64QAM	848.3	27033	1.4	3	1	20.96	16.31	0.043
64QAM	848.3	27033	1.4	3	3	21.11	16.46	0.044
64QAM	848.3	27033	1.4	6	0	20.05	15.40	0.035

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
QPSK	825.5	26805	3	1	0	23.57	18.92	0.078
QPSK	825.5	26805	3	1	8	23.48	18.83	0.076
QPSK	825.5	26805	3	1	14	23.54	18.89	0.077
QPSK	825.5	26805	3	8	0	21.01	16.36	0.043
QPSK	825.5	26805	3	8	4	20.96	16.31	0.043
QPSK	825.5	26805	3	8	7	21.56	16.91	0.049
QPSK	825.5	26805	3	15	0	21.07	16.42	0.044
QPSK	836.5	26915	3	1	0	23.76	19.11	0.081
QPSK	836.5	26915	3	1	8	23.91	19.26	0.084
QPSK	836.5	26915	3	1	14	23.83	19.18	0.083
QPSK	836.5	26915	3	8	0	21.19	16.54	0.045
QPSK	836.5	26915	3	8	4	21.41	16.76	0.047
QPSK	836.5	26915	3	8	7	21.15	16.50	0.045
QPSK	836.5	26915	3	15	0	21.26	16.61	0.046
QPSK	847.5	27025	3	1	0	23.52	18.87	0.077
QPSK	847.5	27025	3	1	8	23.39	18.74	0.075
QPSK	847.5	27025	3	1	14	23.45	18.80	0.076
QPSK	847.5	27025	3	8	0	21.02	16.37	0.043
QPSK	847.5	27025	3	8	4	20.97	16.32	0.043
QPSK	847.5	27025	3	8	7	21.17	16.52	0.045

QPSK	847.5	27025	3	15	0	21.09	16.44	0.044
------	-------	-------	---	----	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
16QAM	825.5	26805	3	1	0	22.95	18.30	0.068
16QAM	825.5	26805	3	1	8	22.79	18.14	0.065
16QAM	825.5	26805	3	1	14	22.40	17.75	0.060
16QAM	825.5	26805	3	8	0	21.10	16.45	0.044
16QAM	825.5	26805	3	8	4	20.96	16.31	0.043
16QAM	825.5	26805	3	8	7	21.78	17.13	0.052
16QAM	825.5	26805	3	15	0	20.93	16.28	0.042
16QAM	836.5	26915	3	1	0	22.85	18.20	0.066
16QAM	836.5	26915	3	1	8	23.19	18.54	0.071
16QAM	836.5	26915	3	1	14	23.24	18.59	0.072
16QAM	836.5	26915	3	8	0	21.00	16.35	0.043
16QAM	836.5	26915	3	8	4	21.26	16.61	0.046
16QAM	836.5	26915	3	8	7	21.56	16.91	0.049
16QAM	836.5	26915	3	15	0	21.37	16.72	0.047
16QAM	847.5	27025	3	1	0	22.94	18.29	0.067
16QAM	847.5	27025	3	1	8	22.75	18.10	0.065
16QAM	847.5	27025	3	1	14	22.79	18.14	0.065
16QAM	847.5	27025	3	8	0	21.25	16.60	0.046
16QAM	847.5	27025	3	8	4	21.15	16.50	0.045
16QAM	847.5	27025	3	8	7	21.44	16.79	0.048
16QAM	847.5	27025	3	15	0	21.22	16.57	0.045
64QAM	825.5	26805	3	1	0	21.56	16.91	0.049
64QAM	825.5	26805	3	1	8	21.06	16.41	0.044
64QAM	825.5	26805	3	1	14	22.02	17.37	0.055
64QAM	825.5	26805	3	8	0	20.61	15.96	0.039
64QAM	825.5	26805	3	8	4	20.60	15.95	0.039
64QAM	825.5	26805	3	8	7	20.34	15.69	0.037
64QAM	825.5	26805	3	15	0	20.74	16.09	0.041
64QAM	836.5	26915	3	1	0	21.77	17.12	0.052
64QAM	836.5	26915	3	1	8	22.32	17.67	0.058
64QAM	836.5	26915	3	1	14	21.83	17.18	0.052
64QAM	836.5	26915	3	8	0	21.17	16.52	0.045
64QAM	836.5	26915	3	8	4	20.19	15.54	0.036
64QAM	836.5	26915	3	8	7	20.69	16.04	0.040
64QAM	836.5	26915	3	15	0	20.24	15.59	0.036
64QAM	847.5	27025	3	1	0	22.00	17.35	0.054
64QAM	847.5	27025	3	1	8	22.15	17.50	0.056
64QAM	847.5	27025	3	1	14	22.69	18.04	0.064
64QAM	847.5	27025	3	8	0	20.85	16.20	0.042
64QAM	847.5	27025	3	8	4	20.54	15.89	0.039
64QAM	847.5	27025	3	8	7	20.44	15.79	0.038
64QAM	847.5	27025	3	15	0	20.88	16.23	0.042

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	826.5	26815	5	1	0	23.83	19.18	0.083
QPSK	826.5	26815	5	1	12	23.92	19.27	0.085
QPSK	826.5	26815	5	1	24	23.78	19.13	0.082
QPSK	826.5	26815	5	12	0	21.10	16.45	0.044
QPSK	826.5	26815	5	12	7	21.42	16.77	0.048
QPSK	826.5	26815	5	12	13	21.56	16.91	0.049
QPSK	826.5	26815	5	25	0	21.51	16.86	0.049
QPSK	836.5	26915	5	1	0	24.07	19.42	0.087
QPSK	836.5	26915	5	1	12	24.07	19.42	0.087
QPSK	836.5	26915	5	1	24	23.92	19.27	0.085
QPSK	836.5	26915	5	12	0	21.25	16.60	0.046
QPSK	836.5	26915	5	12	7	21.43	16.78	0.048
QPSK	836.5	26915	5	12	13	21.35	16.70	0.047
QPSK	836.5	26915	5	25	0	21.46	16.81	0.048
QPSK	846.5	27015	5	1	0	23.80	19.15	0.082
QPSK	846.5	27015	5	1	12	23.78	19.13	0.082
QPSK	846.5	27015	5	1	24	23.91	19.26	0.084
QPSK	846.5	27015	5	12	0	21.18	16.53	0.045
QPSK	846.5	27015	5	12	7	21.11	16.46	0.044
QPSK	846.5	27015	5	12	13	20.84	16.19	0.042
QPSK	846.5	27015	5	25	0	20.99	16.34	0.043

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	826.5	26815	5	1	0	22.94	18.29	0.067
16QAM	826.5	26815	5	1	12	23.07	18.42	0.070
16QAM	826.5	26815	5	1	24	23.33	18.68	0.074
16QAM	826.5	26815	5	12	0	21.06	16.41	0.044
16QAM	826.5	26815	5	12	7	21.67	17.02	0.050
16QAM	826.5	26815	5	12	13	21.53	16.88	0.049
16QAM	826.5	26815	5	25	0	21.53	16.88	0.049
16QAM	836.5	26915	5	1	0	23.13	18.48	0.070
16QAM	836.5	26915	5	1	12	23.80	19.15	0.082
16QAM	836.5	26915	5	1	24	23.54	18.89	0.077
16QAM	836.5	26915	5	12	0	21.19	16.54	0.045
16QAM	836.5	26915	5	12	7	21.35	16.70	0.047
16QAM	836.5	26915	5	12	13	21.45	16.80	0.048
16QAM	836.5	26915	5	25	0	21.26	16.61	0.046
16QAM	846.5	27015	5	1	0	22.63	17.98	0.063
16QAM	846.5	27015	5	1	12	22.58	17.93	0.062
16QAM	846.5	27015	5	1	24	22.89	18.24	0.067
16QAM	846.5	27015	5	12	0	20.99	16.34	0.043
16QAM	846.5	27015	5	12	7	21.10	16.45	0.044



16QAM	846.5	27015	5	12	13	20.94	16.29	0.043
16QAM	846.5	27015	5	25	0	21.28	16.63	0.046
64QAM	826.5	26815	5	1	0	21.87	17.22	0.053
64QAM	826.5	26815	5	1	12	22.23	17.58	0.057
64QAM	826.5	26815	5	1	24	21.74	17.09	0.051
64QAM	826.5	26815	5	12	0	20.50	15.85	0.038
64QAM	826.5	26815	5	12	7	20.46	15.81	0.038
64QAM	826.5	26815	5	12	13	20.57	15.92	0.039
64QAM	826.5	26815	5	25	0	20.57	15.92	0.039
64QAM	836.5	26915	5	1	0	21.66	17.01	0.050
64QAM	836.5	26915	5	1	12	22.05	17.40	0.055
64QAM	836.5	26915	5	1	24	21.58	16.93	0.049
64QAM	836.5	26915	5	12	0	20.72	16.07	0.040
64QAM	836.5	26915	5	12	7	20.35	15.70	0.037
64QAM	836.5	26915	5	12	13	20.33	15.68	0.037
64QAM	836.5	26915	5	25	0	20.33	15.68	0.037
64QAM	846.5	27015	5	1	0	21.90	17.25	0.053
64QAM	846.5	27015	5	1	12	21.89	17.24	0.053
64QAM	846.5	27015	5	1	24	22.21	17.56	0.057
64QAM	846.5	27015	5	12	0	20.70	16.05	0.040
64QAM	846.5	27015	5	12	7	20.58	15.93	0.039
64QAM	846.5	27015	5	12	13	20.25	15.60	0.036
64QAM	846.5	27015	5	25	0	20.60	15.95	0.039
Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
QPSK	829	26840	10	1	0	23.96	19.31	0.085
QPSK	829	26840	10	1	25	23.85	19.20	0.083
QPSK	829	26840	10	1	49	23.73	19.08	0.081
QPSK	829	26840	10	25	0	21.93	17.28	0.053
QPSK	829	26840	10	25	12	21.70	17.05	0.051
QPSK	829	26840	10	25	25	21.60	16.95	0.050
QPSK	829	26840	10	50	0	21.67	17.02	0.050
QPSK	836.5	26915	10	1	0	24.02	19.37	0.086
QPSK	836.5	26915	10	1	25	24.07	19.42	0.087
QPSK	836.5	26915	10	1	49	24.07	19.42	0.087
QPSK	836.5	26915	10	25	0	21.77	17.12	0.052
QPSK	836.5	26915	10	25	12	21.81	17.16	0.052
QPSK	836.5	26915	10	25	25	21.76	17.11	0.051
QPSK	836.5	26915	10	50	0	22.00	17.35	0.054
QPSK	844	26990	10	1	0	23.87	19.22	0.084
QPSK	844	26990	10	1	25	23.95	19.30	0.085
QPSK	844	26990	10	1	49	23.91	19.26	0.084
QPSK	844	26990	10	25	0	21.66	17.01	0.050
QPSK	844	26990	10	25	12	21.64	16.99	0.050
QPSK	844	26990	10	25	25	21.44	16.79	0.048
QPSK	844	26990	10	50	0	21.64	16.99	0.050

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
16QAM	829	26840	10	1	0	22.79	18.14	0.065
16QAM	829	26840	10	1	25	23.13	18.48	0.070
16QAM	829	26840	10	1	49	23.04	18.39	0.069
16QAM	829	26840	10	25	0	22.08	17.43	0.055
16QAM	829	26840	10	25	12	21.47	16.82	0.048
16QAM	829	26840	10	25	25	21.80	17.15	0.052
16QAM	829	26840	10	50	0	21.68	17.03	0.050
16QAM	836.5	26915	10	1	0	22.68	18.03	0.064
16QAM	836.5	26915	10	1	25	22.91	18.26	0.067
16QAM	836.5	26915	10	1	49	22.85	18.20	0.066
16QAM	836.5	26915	10	25	0	21.93	17.28	0.053
16QAM	836.5	26915	10	25	12	22.29	17.64	0.058
16QAM	836.5	26915	10	25	25	22.13	17.48	0.056
16QAM	836.5	26915	10	50	0	21.80	17.15	0.052
16QAM	844	26990	10	1	0	23.26	18.61	0.073
16QAM	844	26990	10	1	25	22.94	18.29	0.067
16QAM	844	26990	10	1	49	23.43	18.78	0.076
16QAM	844	26990	10	25	0	21.65	17.00	0.050
16QAM	844	26990	10	25	12	21.52	16.87	0.049
16QAM	844	26990	10	25	25	21.48	16.83	0.048
16QAM	844	26990	10	50	0	21.69	17.04	0.051
64QAM	829	26840	10	1	0	21.59	16.94	0.049
64QAM	829	26840	10	1	25	21.82	17.17	0.052
64QAM	829	26840	10	1	49	21.14	16.49	0.045
64QAM	829	26840	10	25	0	20.93	16.28	0.042
64QAM	829	26840	10	25	12	20.33	15.68	0.037
64QAM	829	26840	10	25	25	21.18	16.53	0.045
64QAM	829	26840	10	50	0	20.76	16.11	0.041
64QAM	836.5	26915	10	1	0	21.98	17.33	0.054
64QAM	836.5	26915	10	1	25	21.39	16.74	0.047
64QAM	836.5	26915	10	1	49	22.03	17.38	0.055
64QAM	836.5	26915	10	25	0	21.02	16.37	0.043
64QAM	836.5	26915	10	25	12	21.06	16.41	0.044
64QAM	836.5	26915	10	25	25	21.10	16.45	0.044
64QAM	836.5	26915	10	50	0	20.53	15.88	0.039
64QAM	844	26990	10	1	0	21.67	17.02	0.050
64QAM	844	26990	10	1	25	21.40	16.75	0.047
64QAM	844	26990	10	1	49	21.48	16.83	0.048
64QAM	844	26990	10	25	0	21.05	16.40	0.044
64QAM	844	26990	10	25	12	21.13	16.48	0.044
64QAM	844	26990	10	25	25	21.08	16.43	0.044
64QAM	844	26990	10	50	0	21.40	16.75	0.047
Modulation	Carrier frequency	UL Channel	BW	RB Size	RB Offset	Conducted power	ERP/EIRP	ERP/EIRP

	(MHz)					(dBm)	(dBm)	(W)
QPSK	831.5	26865	15	1	0	23.75	19.10	0.081
QPSK	831.5	26865	15	1	37	23.73	19.08	0.081
QPSK	831.5	26865	15	1	74	23.79	19.14	0.082
QPSK	831.5	26865	15	36	0	21.65	17.00	0.050
QPSK	831.5	26865	15	36	29	21.76	17.11	0.051
QPSK	831.5	26865	15	36	30	21.80	17.15	0.052
QPSK	831.5	26865	15	75	0	21.82	17.17	0.052
QPSK	836.5	26915	15	1	0	23.77	19.12	0.082
QPSK	836.5	26915	15	1	37	23.83	19.18	0.083
QPSK	836.5	26915	15	1	74	23.88	19.23	0.084
QPSK	836.5	26915	15	36	0	21.87	17.22	0.053
QPSK	836.5	26915	15	36	29	21.93	17.28	0.053
QPSK	836.5	26915	15	36	30	21.69	17.04	0.051
QPSK	836.5	26915	15	75	0	21.89	17.24	0.053
QPSK	841.5	26965	15	1	0	23.79	19.14	0.082
QPSK	841.5	26965	15	1	37	23.91	19.26	0.084
QPSK	841.5	26965	15	1	74	23.78	19.13	0.082
QPSK	841.5	26965	15	36	0	21.72	17.07	0.051
QPSK	841.5	26965	15	36	29	21.70	17.05	0.051
QPSK	841.5	26965	15	36	30	21.71	17.06	0.051
QPSK	841.5	26965	15	75	0	21.75	17.10	0.051
Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
16QAM	831.5	26865	15	1	0	22.98	18.33	0.068
16QAM	831.5	26865	15	1	37	23.41	18.76	0.075
16QAM	831.5	26865	15	1	74	22.82	18.17	0.066
16QAM	831.5	26865	15	36	0	21.66	17.01	0.050
16QAM	831.5	26865	15	36	29	21.78	17.13	0.052
16QAM	831.5	26865	15	36	30	21.84	17.19	0.052
16QAM	831.5	26865	15	75	0	21.86	17.21	0.053
16QAM	836.5	26915	15	1	0	22.95	18.30	0.068
16QAM	836.5	26915	15	1	37	23.33	18.68	0.074
16QAM	836.5	26915	15	1	74	23.17	18.52	0.071
16QAM	836.5	26915	15	36	0	21.88	17.23	0.053
16QAM	836.5	26915	15	36	29	21.77	17.12	0.052
16QAM	836.5	26915	15	36	30	21.78	17.13	0.052
16QAM	836.5	26915	15	75	0	21.92	17.27	0.053
16QAM	841.5	26965	15	1	0	22.78	18.13	0.065
16QAM	841.5	26965	15	1	37	23.10	18.45	0.070
16QAM	841.5	26965	15	1	74	23.51	18.86	0.077
16QAM	841.5	26965	15	36	0	21.73	17.08	0.051
16QAM	841.5	26965	15	36	29	21.77	17.12	0.052
16QAM	841.5	26965	15	36	30	21.72	17.07	0.051
16QAM	841.5	26965	15	75	0	21.90	17.25	0.053
64QAM	831.5	26865	15	1	0	21.34	16.69	0.047

64QAM	831.5	26865	15	1	37	21.64	16.99	0.050
64QAM	831.5	26865	15	1	74	22.38	17.73	0.059
64QAM	831.5	26865	15	36	0	20.57	15.92	0.039
64QAM	831.5	26865	15	36	29	20.86	16.21	0.042
64QAM	831.5	26865	15	36	30	20.88	16.23	0.042
64QAM	831.5	26865	15	75	0	21.30	16.65	0.046
64QAM	836.5	26915	15	1	0	21.79	17.14	0.052
64QAM	836.5	26915	15	1	37	22.07	17.42	0.055
64QAM	836.5	26915	15	1	74	21.97	17.32	0.054
64QAM	836.5	26915	15	36	0	20.86	16.21	0.042
64QAM	836.5	26915	15	36	29	21.15	16.50	0.045
64QAM	836.5	26915	15	36	30	20.81	16.16	0.041
64QAM	836.5	26915	15	75	0	21.24	16.59	0.046
64QAM	841.5	26965	15	1	0	21.56	16.91	0.049
64QAM	841.5	26965	15	1	37	21.70	17.05	0.051
64QAM	841.5	26965	15	1	74	21.53	16.88	0.049
64QAM	841.5	26965	15	36	0	21.28	16.63	0.046
64QAM	841.5	26965	15	36	29	21.39	16.74	0.047
64QAM	841.5	26965	15	36	30	21.21	16.56	0.045
64QAM	841.5	26965	15	75	0	21.25	16.60	0.046