

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 2

1 RF Power Output

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1850.7	18607	1.4	1	0	23.77
QPSK	1850.7	18607	1.4	1	3	23.83
QPSK	1850.7	18607	1.4	1	5	23.64
QPSK	1850.7	18607	1.4	3	0	23.85
QPSK	1850.7	18607	1.4	3	1	23.79
QPSK	1850.7	18607	1.4	3	3	23.75
QPSK	1850.7	18607	1.4	6	0	22.73
QPSK	1880	18900	1.4	1	0	23.69
QPSK	1880	18900	1.4	1	3	23.70
QPSK	1880	18900	1.4	1	5	23.63
QPSK	1880	18900	1.4	3	0	23.67
QPSK	1880	18900	1.4	3	1	23.82
QPSK	1880	18900	1.4	3	3	23.71
QPSK	1880	18900	1.4	6	0	22.68
QPSK	1909.3	19193	1.4	1	0	23.40
QPSK	1909.3	19193	1.4	1	3	23.45
QPSK	1909.3	19193	1.4	1	5	23.24
QPSK	1909.3	19193	1.4	3	0	23.48
QPSK	1909.3	19193	1.4	3	1	23.49
QPSK	1909.3	19193	1.4	3	3	23.42
QPSK	1909.3	19193	1.4	6	0	22.47

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1850.7	18607	1.4	1	0	22.78
16QAM	1850.7	18607	1.4	1	3	22.99
16QAM	1850.7	18607	1.4	1	5	22.65
16QAM	1850.7	18607	1.4	3	0	22.79
16QAM	1850.7	18607	1.4	3	1	22.83
16QAM	1850.7	18607	1.4	3	3	22.67
16QAM	1850.7	18607	1.4	6	0	21.82
16QAM	1880	18900	1.4	1	0	22.51
16QAM	1880	18900	1.4	1	3	22.99
16QAM	1880	18900	1.4	1	5	22.46
16QAM	1880	18900	1.4	3	0	22.83
16QAM	1880	18900	1.4	3	1	22.99
16QAM	1880	18900	1.4	3	3	22.61
16QAM	1880	18900	1.4	6	0	21.92
16QAM	1909.3	19193	1.4	1	0	22.81
16QAM	1909.3	19193	1.4	1	3	23.21
16QAM	1909.3	19193	1.4	1	5	22.52
16QAM	1909.3	19193	1.4	3	0	22.46
16QAM	1909.3	19193	1.4	3	1	22.48
16QAM	1909.3	19193	1.4	3	3	22.24
16QAM	1909.3	19193	1.4	6	0	21.61
64QAM	1850.7	18607	1.4	1	0	22.01
64QAM	1850.7	18607	1.4	1	3	21.90
64QAM	1850.7	18607	1.4	1	5	21.62
64QAM	1850.7	18607	1.4	3	0	21.69
64QAM	1850.7	18607	1.4	3	1	21.90
64QAM	1850.7	18607	1.4	3	3	21.69
64QAM	1850.7	18607	1.4	6	0	20.83
64QAM	1880	18900	1.4	1	0	21.65
64QAM	1880	18900	1.4	1	3	22.05
64QAM	1880	18900	1.4	1	5	21.72
64QAM	1880	18900	1.4	3	0	21.82
64QAM	1880	18900	1.4	3	1	21.74
64QAM	1880	18900	1.4	3	3	21.91
64QAM	1880	18900	1.4	6	0	20.73
64QAM	1909.3	19193	1.4	1	0	21.59
64QAM	1909.3	19193	1.4	1	3	21.61
64QAM	1909.3	19193	1.4	1	5	21.58
64QAM	1909.3	19193	1.4	3	0	21.56
64QAM	1909.3	19193	1.4	3	1	21.39
64QAM	1909.3	19193	1.4	3	3	21.47
64QAM	1909.3	19193	1.4	6	0	20.35

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1851.5	18615	3	1	0	23.76
QPSK	1851.5	18615	3	1	8	23.72
QPSK	1851.5	18615	3	1	14	23.79
QPSK	1851.5	18615	3	8	0	22.81
QPSK	1851.5	18615	3	8	4	22.88
QPSK	1851.5	18615	3	8	7	22.83
QPSK	1851.5	18615	3	15	0	22.82
QPSK	1880	18900	3	1	0	23.73
QPSK	1880	18900	3	1	8	23.92
QPSK	1880	18900	3	1	14	23.73
QPSK	1880	18900	3	8	0	22.81
QPSK	1880	18900	3	8	4	22.79
QPSK	1880	18900	3	8	7	22.66
QPSK	1880	18900	3	15	0	22.73
QPSK	1908.5	19185	3	1	0	23.39
QPSK	1908.5	19185	3	1	8	23.43
QPSK	1908.5	19185	3	1	14	23.39
QPSK	1908.5	19185	3	8	0	22.46
QPSK	1908.5	19185	3	8	4	22.56
QPSK	1908.5	19185	3	8	7	22.39
QPSK	1908.5	19185	3	15	0	22.52

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1851.5	18615	3	1	0	23.04
16QAM	1851.5	18615	3	1	8	23.01
16QAM	1851.5	18615	3	1	14	22.83
16QAM	1851.5	18615	3	8	0	21.78
16QAM	1851.5	18615	3	8	4	21.87
16QAM	1851.5	18615	3	8	7	21.76
16QAM	1851.5	18615	3	15	0	21.73
16QAM	1880	18900	3	1	0	22.92
16QAM	1880	18900	3	1	8	23.02
16QAM	1880	18900	3	1	14	23.15
16QAM	1880	18900	3	8	0	21.77
16QAM	1880	18900	3	8	4	21.86
16QAM	1880	18900	3	8	7	21.79
16QAM	1880	18900	3	15	0	21.91
16QAM	1908.5	19185	3	1	0	22.52
16QAM	1908.5	19185	3	1	8	22.42
16QAM	1908.5	19185	3	1	14	23.01
16QAM	1908.5	19185	3	8	0	21.40
16QAM	1908.5	19185	3	8	4	21.40
16QAM	1908.5	19185	3	8	7	21.57
16QAM	1908.5	19185	3	15	0	21.51
64QAM	1851.5	18615	3	1	0	21.95
64QAM	1851.5	18615	3	1	8	21.98
64QAM	1851.5	18615	3	1	14	22.12
64QAM	1851.5	18615	3	8	0	20.92
64QAM	1851.5	18615	3	8	4	21.01
64QAM	1851.5	18615	3	8	7	20.92
64QAM	1851.5	18615	3	15	0	20.91
64QAM	1880	18900	3	1	0	21.95
64QAM	1880	18900	3	1	8	21.78
64QAM	1880	18900	3	1	14	22.09
64QAM	1880	18900	3	8	0	20.78
64QAM	1880	18900	3	8	4	20.88
64QAM	1880	18900	3	8	7	20.81
64QAM	1880	18900	3	15	0	20.72
64QAM	1908.5	19185	3	1	0	21.38
64QAM	1908.5	19185	3	1	8	21.85
64QAM	1908.5	19185	3	1	14	21.55
64QAM	1908.5	19185	3	8	0	20.62
64QAM	1908.5	19185	3	8	4	20.69
64QAM	1908.5	19185	3	8	7	20.36
64QAM	1908.5	19185	3	15	0	20.62

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1852.5	18625	5	1	0	23.66
QPSK	1852.5	18625	5	1	12	23.83
QPSK	1852.5	18625	5	1	24	23.55
QPSK	1852.5	18625	5	12	0	22.68
QPSK	1852.5	18625	5	12	7	22.88
QPSK	1852.5	18625	5	12	13	22.84
QPSK	1852.5	18625	5	25	0	22.86
QPSK	1880	18900	5	1	0	23.60
QPSK	1880	18900	5	1	12	23.94
QPSK	1880	18900	5	1	24	23.59
QPSK	1880	18900	5	12	0	22.74
QPSK	1880	18900	5	12	7	22.82
QPSK	1880	18900	5	12	13	22.68
QPSK	1880	18900	5	25	0	22.73
QPSK	1907.5	19175	5	1	0	23.35
QPSK	1907.5	19175	5	1	12	23.83
QPSK	1907.5	19175	5	1	24	23.28
QPSK	1907.5	19175	5	12	0	22.56
QPSK	1907.5	19175	5	12	7	22.50
QPSK	1907.5	19175	5	12	13	22.37
QPSK	1907.5	19175	5	25	0	22.53

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1852.5	18625	5	1	0	22.89
16QAM	1852.5	18625	5	1	12	23.18
16QAM	1852.5	18625	5	1	24	22.94
16QAM	1852.5	18625	5	12	0	21.75
16QAM	1852.5	18625	5	12	7	21.65
16QAM	1852.5	18625	5	12	13	21.88
16QAM	1852.5	18625	5	25	0	21.79
16QAM	1880	18900	5	1	0	22.54
16QAM	1880	18900	5	1	12	22.90
16QAM	1880	18900	5	1	24	23.09
16QAM	1880	18900	5	12	0	21.73
16QAM	1880	18900	5	12	7	21.77
16QAM	1880	18900	5	12	13	21.85
16QAM	1880	18900	5	25	0	21.80
16QAM	1907.5	19175	5	1	0	22.82
16QAM	1907.5	19175	5	1	12	22.69
16QAM	1907.5	19175	5	1	24	22.56
16QAM	1907.5	19175	5	12	0	21.65
16QAM	1907.5	19175	5	12	7	21.51
16QAM	1907.5	19175	5	12	13	21.50
16QAM	1907.5	19175	5	25	0	21.44
64QAM	1852.5	18625	5	1	0	21.90
64QAM	1852.5	18625	5	1	12	21.99
64QAM	1852.5	18625	5	1	24	21.75
64QAM	1852.5	18625	5	12	0	20.74
64QAM	1852.5	18625	5	12	7	20.82
64QAM	1852.5	18625	5	12	13	20.86
64QAM	1852.5	18625	5	25	0	20.83
64QAM	1880	18900	5	1	0	21.55
64QAM	1880	18900	5	1	12	21.85
64QAM	1880	18900	5	1	24	21.74
64QAM	1880	18900	5	12	0	20.87
64QAM	1880	18900	5	12	7	20.96
64QAM	1880	18900	5	12	13	20.76
64QAM	1880	18900	5	25	0	20.89
64QAM	1907.5	19175	5	1	0	21.26
64QAM	1907.5	19175	5	1	12	21.98
64QAM	1907.5	19175	5	1	24	21.57
64QAM	1907.5	19175	5	12	0	20.54
64QAM	1907.5	19175	5	12	7	20.73
64QAM	1907.5	19175	5	12	13	20.65
64QAM	1907.5	19175	5	25	0	20.59

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1855	18650	10	1	0	23.75
QPSK	1855	18650	10	1	25	23.82
QPSK	1855	18650	10	1	49	23.63
QPSK	1855	18650	10	25	0	22.72
QPSK	1855	18650	10	25	12	22.70
QPSK	1855	18650	10	25	25	22.91
QPSK	1855	18650	10	50	0	22.78
QPSK	1880	18900	10	1	0	23.94
QPSK	1880	18900	10	1	25	23.91
QPSK	1880	18900	10	1	49	23.59
QPSK	1880	18900	10	25	0	22.84
QPSK	1880	18900	10	25	12	22.71
QPSK	1880	18900	10	25	25	22.73
QPSK	1880	18900	10	50	0	22.79
QPSK	1905	19150	10	1	0	23.40
QPSK	1905	19150	10	1	25	23.80
QPSK	1905	19150	10	1	49	23.43
QPSK	1905	19150	10	25	0	22.55
QPSK	1905	19150	10	25	12	22.56
QPSK	1905	19150	10	25	25	22.43
QPSK	1905	19150	10	50	0	22.48

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1855	18650	10	1	0	22.92
16QAM	1855	18650	10	1	25	23.36
16QAM	1855	18650	10	1	49	22.78
16QAM	1855	18650	10	25	0	21.66
16QAM	1855	18650	10	25	12	21.86
16QAM	1855	18650	10	25	25	21.73
16QAM	1855	18650	10	50	0	21.78
16QAM	1880	18900	10	1	0	22.93
16QAM	1880	18900	10	1	25	22.91
16QAM	1880	18900	10	1	49	23.33
16QAM	1880	18900	10	25	0	21.73
16QAM	1880	18900	10	25	12	21.73
16QAM	1880	18900	10	25	25	21.67
16QAM	1880	18900	10	50	0	21.70
16QAM	1905	19150	10	1	0	22.67
16QAM	1905	19150	10	1	25	22.28
16QAM	1905	19150	10	1	49	22.65
16QAM	1905	19150	10	25	0	21.65
16QAM	1905	19150	10	25	12	21.50
16QAM	1905	19150	10	25	25	21.44
16QAM	1905	19150	10	50	0	21.61
64QAM	1855	18650	10	1	0	22.09
64QAM	1855	18650	10	1	25	21.56
64QAM	1855	18650	10	1	49	21.61
64QAM	1855	18650	10	25	0	20.63
64QAM	1855	18650	10	25	12	20.93
64QAM	1855	18650	10	25	25	20.86
64QAM	1855	18650	10	50	0	20.89
64QAM	1880	18900	10	1	0	21.78
64QAM	1880	18900	10	1	25	21.82
64QAM	1880	18900	10	1	49	21.94
64QAM	1880	18900	10	25	0	20.79
64QAM	1880	18900	10	25	12	20.74
64QAM	1880	18900	10	25	25	20.80
64QAM	1880	18900	10	50	0	20.75
64QAM	1905	19150	10	1	0	21.73
64QAM	1905	19150	10	1	25	21.63
64QAM	1905	19150	10	1	49	21.50
64QAM	1905	19150	10	25	0	20.74
64QAM	1905	19150	10	25	12	20.71
64QAM	1905	19150	10	25	25	20.52
64QAM	1905	19150	10	50	0	20.60

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1857.5	18675	15	1	0	23.78
QPSK	1857.5	18675	15	1	37	23.83
QPSK	1857.5	18675	15	1	74	23.57
QPSK	1857.5	18675	15	36	0	22.67
QPSK	1857.5	18675	15	36	29	22.78
QPSK	1857.5	18675	15	36	30	22.81
QPSK	1857.5	18675	15	75	0	22.72
QPSK	1880	18900	15	1	0	23.73
QPSK	1880	18900	15	1	37	23.71
QPSK	1880	18900	15	1	74	23.61
QPSK	1880	18900	15	36	0	22.78
QPSK	1880	18900	15	36	29	22.85
QPSK	1880	18900	15	36	30	22.73
QPSK	1880	18900	15	75	0	22.76
QPSK	1902.5	19125	15	1	0	23.47
QPSK	1902.5	19125	15	1	37	23.45
QPSK	1902.5	19125	15	1	74	23.50
QPSK	1902.5	19125	15	36	0	22.62
QPSK	1902.5	19125	15	36	29	22.55
QPSK	1902.5	19125	15	36	30	22.52
QPSK	1902.5	19125	15	75	0	22.64

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1857.5	18675	15	1	0	22.95
16QAM	1857.5	18675	15	1	37	23.11
16QAM	1857.5	18675	15	1	74	23.03
16QAM	1857.5	18675	15	36	0	21.62
16QAM	1857.5	18675	15	36	29	21.81
16QAM	1857.5	18675	15	36	30	21.77
16QAM	1857.5	18675	15	75	0	21.82
16QAM	1880	18900	15	1	0	23.09
16QAM	1880	18900	15	1	37	23.38
16QAM	1880	18900	15	1	74	22.85
16QAM	1880	18900	15	36	0	21.88
16QAM	1880	18900	15	36	29	21.85
16QAM	1880	18900	15	36	30	21.83
16QAM	1880	18900	15	75	0	21.71
16QAM	1902.5	19125	15	1	0	22.19
16QAM	1902.5	19125	15	1	37	22.87
16QAM	1902.5	19125	15	1	74	22.60
16QAM	1902.5	19125	15	36	0	21.68
16QAM	1902.5	19125	15	36	29	21.59
16QAM	1902.5	19125	15	36	30	21.60
16QAM	1902.5	19125	15	75	0	21.64
64QAM	1857.5	18675	15	1	0	21.90
64QAM	1857.5	18675	15	1	37	21.60
64QAM	1857.5	18675	15	1	74	21.99
64QAM	1857.5	18675	15	36	0	20.82
64QAM	1857.5	18675	15	36	29	20.76
64QAM	1857.5	18675	15	36	30	20.83
64QAM	1857.5	18675	15	75	0	20.80
64QAM	1880	18900	15	1	0	21.74
64QAM	1880	18900	15	1	37	22.25
64QAM	1880	18900	15	1	74	21.74
64QAM	1880	18900	15	36	0	20.79
64QAM	1880	18900	15	36	29	20.82
64QAM	1880	18900	15	36	30	20.75
64QAM	1880	18900	15	75	0	20.76
64QAM	1902.5	19125	15	1	0	21.30
64QAM	1902.5	19125	15	1	37	21.45
64QAM	1902.5	19125	15	1	74	21.78
64QAM	1902.5	19125	15	36	0	20.66
64QAM	1902.5	19125	15	36	29	20.68
64QAM	1902.5	19125	15	36	30	20.57
64QAM	1902.5	19125	15	75	0	20.58

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1860	18700	20	1	0	23.52
QPSK	1860	18700	20	1	49	23.96
QPSK	1860	18700	20	1	99	23.54
QPSK	1860	18700	20	50	0	22.72
QPSK	1860	18700	20	50	24	22.83
QPSK	1860	18700	20	50	50	22.87
QPSK	1860	18700	20	100	0	22.68
QPSK	1880	18900	20	1	0	23.54
QPSK	1880	18900	20	1	49	23.85
QPSK	1880	18900	20	1	99	23.49
QPSK	1880	18900	20	50	0	22.89
QPSK	1880	18900	20	50	24	22.76
QPSK	1880	18900	20	50	50	22.71
QPSK	1880	18900	20	100	0	22.69
QPSK	1900	19100	20	1	0	23.34
QPSK	1900	19100	20	1	49	23.64
QPSK	1900	19100	20	1	99	23.36
QPSK	1900	19100	20	50	0	22.60
QPSK	1900	19100	20	50	24	22.66
QPSK	1900	19100	20	50	50	22.53
QPSK	1900	19100	20	100	0	22.58

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1860	18700	20	1	0	22.46
16QAM	1860	18700	20	1	49	22.61
16QAM	1860	18700	20	1	99	22.49
16QAM	1860	18700	20	50	0	21.53
16QAM	1860	18700	20	50	24	21.78
16QAM	1860	18700	20	50	50	21.78
16QAM	1860	18700	20	100	0	21.67
16QAM	1880	18900	20	1	0	22.75
16QAM	1880	18900	20	1	49	23.09
16QAM	1880	18900	20	1	99	22.33
16QAM	1880	18900	20	50	0	21.78
16QAM	1880	18900	20	50	24	21.80
16QAM	1880	18900	20	50	50	21.74
16QAM	1880	18900	20	100	0	21.82
16QAM	1900	19100	20	1	0	22.96
16QAM	1900	19100	20	1	49	22.69
16QAM	1900	19100	20	1	99	22.67
16QAM	1900	19100	20	50	0	21.65
16QAM	1900	19100	20	50	24	21.59
16QAM	1900	19100	20	50	50	21.42
16QAM	1900	19100	20	100	0	21.52
64QAM	1860	18700	20	1	0	21.79
64QAM	1860	18700	20	1	49	21.69
64QAM	1860	18700	20	1	99	21.75
64QAM	1860	18700	20	50	0	20.68
64QAM	1860	18700	20	50	24	20.82
64QAM	1860	18700	20	50	50	20.79
64QAM	1860	18700	20	100	0	20.74
64QAM	1880	18900	20	1	0	21.25
64QAM	1880	18900	20	1	49	22.07
64QAM	1880	18900	20	1	99	21.79
64QAM	1880	18900	20	50	0	20.83
64QAM	1880	18900	20	50	24	20.75
64QAM	1880	18900	20	50	50	20.71
64QAM	1880	18900	20	100	0	20.77
64QAM	1900	19100	20	1	0	21.03
64QAM	1900	19100	20	1	49	21.79
64QAM	1900	19100	20	1	99	21.35
64QAM	1900	19100	20	50	0	20.74
64QAM	1900	19100	20	50	24	20.70
64QAM	1900	19100	20	50	50	20.51
64QAM	1900	19100	20	100	0	20.58


2 Occupied Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	QPSK	1850.7	18607	1.4	6	0	1.080	Fig.1
2	QPSK	1880	18900	1.4	6	0	1.080	Fig.2
2	QPSK	1909.3	19193	1.4	6	0	1.070	Fig.3
2	QPSK	1851.5	18615	3	15	0	2.680	Fig.4
2	QPSK	1880	18900	3	15	0	2.670	Fig.5
2	QPSK	1908.5	19185	3	15	0	2.670	Fig.6
2	QPSK	1852.5	18625	5	25	0	4.470	Fig.7
2	QPSK	1880	18900	5	25	0	4.460	Fig.8
2	QPSK	1907.5	19175	5	25	0	4.460	Fig.9
2	QPSK	1855	18650	10	50	0	8.910	Fig.10
2	QPSK	1880	18900	10	50	0	8.920	Fig.11
2	QPSK	1905	19150	10	50	0	8.920	Fig.12
2	QPSK	1857.5	18675	15	75	0	13.350	Fig.13
2	QPSK	1880	18900	15	75	0	13.390	Fig.14
2	QPSK	1902.5	19125	15	75	0	13.360	Fig.15
2	QPSK	1860	18700	20	100	0	17.810	Fig.16
2	QPSK	1880	18900	20	100	0	17.850	Fig.17
2	QPSK	1900	19100	20	100	0	17.820	Fig.18

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	16QAM	1850.7	18607	1.4	6	0	1.080	Fig.19
2	16QAM	1880	18900	1.4	6	0	1.080	Fig.20
2	16QAM	1909.3	19193	1.4	6	0	1.080	Fig.21
2	16QAM	1851.5	18615	3	15	0	2.670	Fig.22
2	16QAM	1880	18900	3	15	0	2.680	Fig.23
2	16QAM	1908.5	19185	3	15	0	2.670	Fig.24
2	16QAM	1852.5	18625	5	25	0	4.450	Fig.25
2	16QAM	1880	18900	5	25	0	4.460	Fig.26
2	16QAM	1907.5	19175	5	25	0	4.470	Fig.27
2	16QAM	1855	18650	10	50	0	8.910	Fig.28
2	16QAM	1880	18900	10	50	0	8.910	Fig.29
2	16QAM	1905	19150	10	50	0	8.920	Fig.30
2	16QAM	1857.5	18675	15	75	0	13.350	Fig.31
2	16QAM	1880	18900	15	75	0	13.390	Fig.32
2	16QAM	1902.5	19125	15	75	0	13.380	Fig.33
2	16QAM	1860	18700	20	100	0	17.810	Fig.34
2	16QAM	1880	18900	20	100	0	17.830	Fig.35
2	16QAM	1900	19100	20	100	0	17.830	Fig.36

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	64QAM	1850.7	18607	1.4	6	0	1.070	Fig.37
2	64QAM	1880	18900	1.4	6	0	1.080	Fig.38
2	64QAM	1909.3	19193	1.4	6	0	1.070	Fig.39
2	64QAM	1851.5	18615	3	15	0	2.670	Fig.40
2	64QAM	1880	18900	3	15	0	2.680	Fig.41
2	64QAM	1908.5	19185	3	15	0	2.670	Fig.42
2	64QAM	1852.5	18625	5	25	0	4.460	Fig.43
2	64QAM	1880	18900	5	25	0	4.470	Fig.44
2	64QAM	1907.5	19175	5	25	0	4.450	Fig.45
2	64QAM	1855	18650	10	50	0	8.930	Fig.46
2	64QAM	1880	18900	10	50	0	8.920	Fig.47
2	64QAM	1905	19150	10	50	0	8.920	Fig.48
2	64QAM	1857.5	18675	15	75	0	13.360	Fig.49
2	64QAM	1880	18900	15	75	0	13.390	Fig.50
2	64QAM	1902.5	19125	15	75	0	13.380	Fig.51
2	64QAM	1860	18700	20	100	0	17.800	Fig.52
2	64QAM	1880	18900	20	100	0	17.850	Fig.53
2	64QAM	1900	19100	20	100	0	17.850	Fig.54

Test Mode: QPSK






Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18

Test Mode: 16QAM




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

Test Mode: 64QAM




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44