



Test Mode: 802.11ax HE80(26T)

Carrier frequency (MHz)	Correction Factor(dB)	Power Density (dBm) Chain1	Power Density (dBm) Chain2	Power Density (dBm) MIMO
5775	0.055	7.05	5.19	9.22

Test Mode: 802.11ax HE80 Chain1




Test Mode: 802.11ax HE80 Chain2




Test Mode: 802.11ax HE80(52T)

Carrier frequency (MHz)	Correction Factor(dB)	Power Density (dBm) Chain1	Power Density (dBm) Chain2	Power Density (dBm) MIMO
5775	0.055	4.22	2.44	6.43

Test Mode: 802.11ax HE80 Chain1




Test Mode: 802.11ax HE80 Chain2




Test Mode: 802.11ax HE80(106T)

Carrier frequency (MHz)	Correction Factor(dB)	Power Density (dBm) Chain1	Power Density (dBm) Chain2	Power Density (dBm) MIMO
5775	0.055	1.06	-0.20	3.49

Test Mode: 802.11ax HE80 Chain1




Test Mode: 802.11ax HE80 Chain2




Test Mode: 802.11ax HE80(242T)

Carrier frequency (MHz)	Correction Factor(dB)	Power Density (dBm) Chain1	Power Density (dBm) Chain2	Power Density (dBm) MIMO
5775	0.055	-1.94	-3.78	0.25

Test Mode: 802.11ax HE80 Chain1




Test Mode: 802.11ax HE80 Chain2




Test Mode: 802.11ax HE80(484T)

Carrier frequency (MHz)	Correction Factor(dB)	Power Density (dBm) Chain1	Power Density (dBm) Chain2	Power Density (dBm) MIMO
5775	0.055	-4.94	-6.81	-2.76

Test Mode: 802.11ax HE80 Chain1




Test Mode: 802.11ax HE80 Chain2




Test Mode: 802.11ax HE80(996T)

Carrier frequency (MHz)	Correction Factor(dB)	Power Density (dBm) Chain1	Power Density (dBm) Chain2	Power Density (dBm) MIMO
5775	0.055	-7.65	-9.48	-5.45

Test Mode: 802.11ax HE80 Chain1



Test Mode: 802.11ax HE80 Chain2



Frequency Stability

U-NII-3

Mode	Data Rate	Ant	Center Frequency (MHz)	Measured Frequency (MHz)	Frequency Stability (ppm)	Voltage (V)	Temperature (°C)
802.11a	6Mbps	Chain1	5745	5745.027231	4.74	NV	-20
			5745	5744.99707	-0.51	NV	-10
			5745	5744.988855	-1.94	NV	0
			5745	5744.993623	-1.11	NV	+10
			5745	5745.023899	4.16	HV	+20
			5745	5744.985235	-2.57	LV	+20
			5745	5744.992187	-1.36	NV	+20
			5745	5744.995232	-0.83	NV	+30
			5745	5745.020854	3.63	NV	+40
			5745	5744.987936	-2.1	NV	+50
802.11a	6Mbps	Chain2	5745	5745.00339	0.59	NV	-20
			5745	5744.998449	-0.27	NV	-10
			5745	5745.007296	1.27	NV	0
			5745	5744.99661	-0.59	NV	+10
			5745	5745.021831	3.8	HV	+20
			5745	5744.97386	-4.55	LV	+20
			5745	5745.000172	0.03	NV	+20
			5745	5744.980237	-3.44	NV	+30
			5745	5745.026197	4.56	NV	+40
			5745	5744.99144	-1.49	NV	+50