

## APPENDIX A – TEST DATA OF CONDUCTED EMISSION

### LTE Band 2

#### 1 RF Power Output

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1850.7	18607	1.4	1	0	22.68
QPSK	1850.7	18607	1.4	1	3	22.85
QPSK	1850.7	18607	1.4	1	5	22.82
QPSK	1850.7	18607	1.4	3	0	22.87
QPSK	1850.7	18607	1.4	3	1	22.93
QPSK	1850.7	18607	1.4	3	3	22.92
QPSK	1850.7	18607	1.4	6	0	21.82
QPSK	1880	18900	1.4	1	0	22.85
QPSK	1880	18900	1.4	1	3	23.02
QPSK	1880	18900	1.4	1	5	22.91
QPSK	1880	18900	1.4	3	0	22.91
QPSK	1880	18900	1.4	3	1	22.93
QPSK	1880	18900	1.4	3	3	22.96
QPSK	1880	18900	1.4	6	0	21.98
QPSK	1909.3	19193	1.4	1	0	22.45
QPSK	1909.3	19193	1.4	1	3	22.58
QPSK	1909.3	19193	1.4	1	5	22.51
QPSK	1909.3	19193	1.4	3	0	22.48
QPSK	1909.3	19193	1.4	3	1	22.60
QPSK	1909.3	19193	1.4	3	3	22.60
QPSK	1909.3	19193	1.4	6	0	21.46

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1850.7	18607	1.4	1	0	21.88
16QAM	1850.7	18607	1.4	1	3	22.16
16QAM	1850.7	18607	1.4	1	5	22.01
16QAM	1850.7	18607	1.4	3	0	21.92
16QAM	1850.7	18607	1.4	3	1	21.97
16QAM	1850.7	18607	1.4	3	3	21.82
16QAM	1850.7	18607	1.4	6	0	21.04
16QAM	1880	18900	1.4	1	0	22.18
16QAM	1880	18900	1.4	1	3	22.77
16QAM	1880	18900	1.4	1	5	21.93
16QAM	1880	18900	1.4	3	0	21.82
16QAM	1880	18900	1.4	3	1	22.05
16QAM	1880	18900	1.4	3	3	21.84
16QAM	1880	18900	1.4	6	0	20.94
16QAM	1909.3	19193	1.4	1	0	22.04
16QAM	1909.3	19193	1.4	1	3	22.13
16QAM	1909.3	19193	1.4	1	5	21.62
16QAM	1909.3	19193	1.4	3	0	21.43
16QAM	1909.3	19193	1.4	3	1	21.60
16QAM	1909.3	19193	1.4	3	3	21.56
16QAM	1909.3	19193	1.4	6	0	20.60
64QAM	1850.7	18607	1.4	1	0	20.53
64QAM	1850.7	18607	1.4	1	3	21.11
64QAM	1850.7	18607	1.4	1	5	20.87
64QAM	1850.7	18607	1.4	3	0	20.84
64QAM	1850.7	18607	1.4	3	1	21.22
64QAM	1850.7	18607	1.4	3	3	21.00
64QAM	1850.7	18607	1.4	6	0	19.90
64QAM	1880	18900	1.4	1	0	21.20
64QAM	1880	18900	1.4	1	3	21.08
64QAM	1880	18900	1.4	1	5	21.17
64QAM	1880	18900	1.4	3	0	21.08
64QAM	1880	18900	1.4	3	1	21.25
64QAM	1880	18900	1.4	3	3	21.04
64QAM	1880	18900	1.4	6	0	19.94
64QAM	1909.3	19193	1.4	1	0	20.52
64QAM	1909.3	19193	1.4	1	3	20.48
64QAM	1909.3	19193	1.4	1	5	20.41
64QAM	1909.3	19193	1.4	3	0	20.84
64QAM	1909.3	19193	1.4	3	1	20.93
64QAM	1909.3	19193	1.4	3	3	20.58
64QAM	1909.3	19193	1.4	6	0	19.52

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1851.5	18615	3	1	0	22.73
QPSK	1851.5	18615	3	1	8	22.89
QPSK	1851.5	18615	3	1	14	22.85
QPSK	1851.5	18615	3	8	0	21.89
QPSK	1851.5	18615	3	8	4	21.95
QPSK	1851.5	18615	3	8	7	21.87
QPSK	1851.5	18615	3	15	0	21.83
QPSK	1880	18900	3	1	0	22.98
QPSK	1880	18900	3	1	8	22.85
QPSK	1880	18900	3	1	14	22.79
QPSK	1880	18900	3	8	0	21.96
QPSK	1880	18900	3	8	4	22.00
QPSK	1880	18900	3	8	7	22.00
QPSK	1880	18900	3	15	0	21.86
QPSK	1908.5	19185	3	1	0	22.42
QPSK	1908.5	19185	3	1	8	22.36
QPSK	1908.5	19185	3	1	14	22.40
QPSK	1908.5	19185	3	8	0	21.44
QPSK	1908.5	19185	3	8	4	21.58
QPSK	1908.5	19185	3	8	7	21.46
QPSK	1908.5	19185	3	15	0	21.49

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1851.5	18615	3	1	0	22.49
16QAM	1851.5	18615	3	1	8	22.23
16QAM	1851.5	18615	3	1	14	21.82
16QAM	1851.5	18615	3	8	0	20.76
16QAM	1851.5	18615	3	8	4	20.87
16QAM	1851.5	18615	3	8	7	20.93
16QAM	1851.5	18615	3	15	0	20.85
16QAM	1880	18900	3	1	0	22.01
16QAM	1880	18900	3	1	8	22.30
16QAM	1880	18900	3	1	14	21.92
16QAM	1880	18900	3	8	0	21.01
16QAM	1880	18900	3	8	4	21.07
16QAM	1880	18900	3	8	7	20.93
16QAM	1880	18900	3	15	0	20.93
16QAM	1908.5	19185	3	1	0	22.07
16QAM	1908.5	19185	3	1	8	21.75
16QAM	1908.5	19185	3	1	14	21.82
16QAM	1908.5	19185	3	8	0	20.48
16QAM	1908.5	19185	3	8	4	20.57
16QAM	1908.5	19185	3	8	7	20.52
16QAM	1908.5	19185	3	15	0	20.43
64QAM	1851.5	18615	3	1	0	21.06
64QAM	1851.5	18615	3	1	8	21.03
64QAM	1851.5	18615	3	1	14	20.99
64QAM	1851.5	18615	3	8	0	19.85
64QAM	1851.5	18615	3	8	4	19.97
64QAM	1851.5	18615	3	8	7	20.03
64QAM	1851.5	18615	3	15	0	19.71
64QAM	1880	18900	3	1	0	21.31
64QAM	1880	18900	3	1	8	21.31
64QAM	1880	18900	3	1	14	21.07
64QAM	1880	18900	3	8	0	19.94
64QAM	1880	18900	3	8	4	20.07
64QAM	1880	18900	3	8	7	19.98
64QAM	1880	18900	3	15	0	20.03
64QAM	1908.5	19185	3	1	0	20.34
64QAM	1908.5	19185	3	1	8	20.48
64QAM	1908.5	19185	3	1	14	20.56
64QAM	1908.5	19185	3	8	0	19.46
64QAM	1908.5	19185	3	8	4	19.61
64QAM	1908.5	19185	3	8	7	19.50
64QAM	1908.5	19185	3	15	0	19.28

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1852.5	18625	5	1	0	22.70
QPSK	1852.5	18625	5	1	12	22.81
QPSK	1852.5	18625	5	1	24	22.66
QPSK	1852.5	18625	5	12	0	21.86
QPSK	1852.5	18625	5	12	7	21.98
QPSK	1852.5	18625	5	12	13	21.85
QPSK	1852.5	18625	5	25	0	21.93
QPSK	1880	18900	5	1	0	22.78
QPSK	1880	18900	5	1	12	22.93
QPSK	1880	18900	5	1	24	22.82
QPSK	1880	18900	5	12	0	21.89
QPSK	1880	18900	5	12	7	21.98
QPSK	1880	18900	5	12	13	21.92
QPSK	1880	18900	5	25	0	21.98
QPSK	1907.5	19175	5	1	0	22.33
QPSK	1907.5	19175	5	1	12	22.66
QPSK	1907.5	19175	5	1	24	22.43
QPSK	1907.5	19175	5	12	0	21.50
QPSK	1907.5	19175	5	12	7	21.49
QPSK	1907.5	19175	5	12	13	21.50
QPSK	1907.5	19175	5	25	0	21.52

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1852.5	18625	5	1	0	21.53
16QAM	1852.5	18625	5	1	12	22.07
16QAM	1852.5	18625	5	1	24	21.72
16QAM	1852.5	18625	5	12	0	20.75
16QAM	1852.5	18625	5	12	7	20.95
16QAM	1852.5	18625	5	12	13	20.87
16QAM	1852.5	18625	5	25	0	20.88
16QAM	1880	18900	5	1	0	22.37
16QAM	1880	18900	5	1	12	22.24
16QAM	1880	18900	5	1	24	22.25
16QAM	1880	18900	5	12	0	20.85
16QAM	1880	18900	5	12	7	21.02
16QAM	1880	18900	5	12	13	20.87
16QAM	1880	18900	5	25	0	21.03
16QAM	1907.5	19175	5	1	0	21.53
16QAM	1907.5	19175	5	1	12	21.89
16QAM	1907.5	19175	5	1	24	21.60
16QAM	1907.5	19175	5	12	0	20.54
16QAM	1907.5	19175	5	12	7	20.52
16QAM	1907.5	19175	5	12	13	20.50
16QAM	1907.5	19175	5	25	0	20.45
64QAM	1852.5	18625	5	1	0	21.01
64QAM	1852.5	18625	5	1	12	21.40
64QAM	1852.5	18625	5	1	24	21.11
64QAM	1852.5	18625	5	12	0	19.78
64QAM	1852.5	18625	5	12	7	19.97
64QAM	1852.5	18625	5	12	13	19.88
64QAM	1852.5	18625	5	25	0	19.85
64QAM	1880	18900	5	1	0	20.83
64QAM	1880	18900	5	1	12	20.99
64QAM	1880	18900	5	1	24	20.95
64QAM	1880	18900	5	12	0	20.02
64QAM	1880	18900	5	12	7	20.11
64QAM	1880	18900	5	12	13	20.11
64QAM	1880	18900	5	25	0	19.96
64QAM	1907.5	19175	5	1	0	20.38
64QAM	1907.5	19175	5	1	12	20.94
64QAM	1907.5	19175	5	1	24	20.37
64QAM	1907.5	19175	5	12	0	19.55
64QAM	1907.5	19175	5	12	7	19.59
64QAM	1907.5	19175	5	12	13	19.55
64QAM	1907.5	19175	5	25	0	19.42

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1855	18650	10	1	0	22.79
QPSK	1855	18650	10	1	25	22.75
QPSK	1855	18650	10	1	49	22.91
QPSK	1855	18650	10	25	0	21.90
QPSK	1855	18650	10	25	12	21.83
QPSK	1855	18650	10	25	25	21.92
QPSK	1855	18650	10	50	0	21.95
QPSK	1880	18900	10	1	0	23.01
QPSK	1880	18900	10	1	25	22.99
QPSK	1880	18900	10	1	49	22.84
QPSK	1880	18900	10	25	0	21.96
QPSK	1880	18900	10	25	12	22.02
QPSK	1880	18900	10	25	25	21.96
QPSK	1880	18900	10	50	0	21.94
QPSK	1905	19150	10	1	0	22.42
QPSK	1905	19150	10	1	25	22.36
QPSK	1905	19150	10	1	49	22.35
QPSK	1905	19150	10	25	0	21.54
QPSK	1905	19150	10	25	12	21.52
QPSK	1905	19150	10	25	25	21.33
QPSK	1905	19150	10	50	0	21.41

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1855	18650	10	1	0	21.74
16QAM	1855	18650	10	1	25	22.31
16QAM	1855	18650	10	1	49	22.01
16QAM	1855	18650	10	25	0	20.79
16QAM	1855	18650	10	25	12	20.86
16QAM	1855	18650	10	25	25	21.03
16QAM	1855	18650	10	50	0	20.89
16QAM	1880	18900	10	1	0	22.15
16QAM	1880	18900	10	1	25	22.40
16QAM	1880	18900	10	1	49	21.64
16QAM	1880	18900	10	25	0	21.03
16QAM	1880	18900	10	25	12	21.07
16QAM	1880	18900	10	25	25	20.88
16QAM	1880	18900	10	50	0	21.03
16QAM	1905	19150	10	1	0	21.89
16QAM	1905	19150	10	1	25	21.69
16QAM	1905	19150	10	1	49	21.47
16QAM	1905	19150	10	25	0	20.62
16QAM	1905	19150	10	25	12	20.58
16QAM	1905	19150	10	25	25	20.43
16QAM	1905	19150	10	50	0	20.50
64QAM	1855	18650	10	1	0	20.77
64QAM	1855	18650	10	1	25	21.17
64QAM	1855	18650	10	1	49	21.09
64QAM	1855	18650	10	25	0	19.92
64QAM	1855	18650	10	25	12	19.88
64QAM	1855	18650	10	25	25	19.97
64QAM	1855	18650	10	50	0	20.00
64QAM	1880	18900	10	1	0	20.93
64QAM	1880	18900	10	1	25	21.42
64QAM	1880	18900	10	1	49	21.25
64QAM	1880	18900	10	25	0	19.99
64QAM	1880	18900	10	25	12	20.07
64QAM	1880	18900	10	25	25	19.89
64QAM	1880	18900	10	50	0	20.02
64QAM	1905	19150	10	1	0	20.74
64QAM	1905	19150	10	1	25	20.62
64QAM	1905	19150	10	1	49	20.60
64QAM	1905	19150	10	25	0	19.54
64QAM	1905	19150	10	25	12	19.56
64QAM	1905	19150	10	25	25	19.42
64QAM	1905	19150	10	50	0	19.43

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1857.5	18675	15	1	0	22.70
QPSK	1857.5	18675	15	1	37	23.04
QPSK	1857.5	18675	15	1	74	22.79
QPSK	1857.5	18675	15	36	0	21.78
QPSK	1857.5	18675	15	36	29	21.94
QPSK	1857.5	18675	15	36	30	21.93
QPSK	1857.5	18675	15	75	0	21.86
QPSK	1880	18900	15	1	0	22.97
QPSK	1880	18900	15	1	37	22.88
QPSK	1880	18900	15	1	74	22.76
QPSK	1880	18900	15	36	0	22.02
QPSK	1880	18900	15	36	29	21.95
QPSK	1880	18900	15	36	30	21.98
QPSK	1880	18900	15	75	0	21.90
QPSK	1902.5	19125	15	1	0	22.57
QPSK	1902.5	19125	15	1	37	22.68
QPSK	1902.5	19125	15	1	74	22.47
QPSK	1902.5	19125	15	36	0	21.59
QPSK	1902.5	19125	15	36	29	21.48
QPSK	1902.5	19125	15	36	30	21.50
QPSK	1902.5	19125	15	75	0	21.43

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1857.5	18675	15	1	0	22.28
16QAM	1857.5	18675	15	1	37	22.26
16QAM	1857.5	18675	15	1	74	22.30
16QAM	1857.5	18675	15	36	0	20.73
16QAM	1857.5	18675	15	36	29	20.92
16QAM	1857.5	18675	15	36	30	20.95
16QAM	1857.5	18675	15	75	0	20.87
16QAM	1880	18900	15	1	0	22.17
16QAM	1880	18900	15	1	37	22.30
16QAM	1880	18900	15	1	74	21.69
16QAM	1880	18900	15	36	0	21.01
16QAM	1880	18900	15	36	29	20.94
16QAM	1880	18900	15	36	30	20.97
16QAM	1880	18900	15	75	0	20.89
16QAM	1902.5	19125	15	1	0	21.55
16QAM	1902.5	19125	15	1	37	22.23
16QAM	1902.5	19125	15	1	74	21.70
16QAM	1902.5	19125	15	36	0	20.60
16QAM	1902.5	19125	15	36	29	20.52
16QAM	1902.5	19125	15	36	30	20.48
16QAM	1902.5	19125	15	75	0	20.54
64QAM	1857.5	18675	15	1	0	20.74
64QAM	1857.5	18675	15	1	37	21.05
64QAM	1857.5	18675	15	1	74	21.17
64QAM	1857.5	18675	15	36	0	19.82
64QAM	1857.5	18675	15	36	29	20.01
64QAM	1857.5	18675	15	36	30	20.01
64QAM	1857.5	18675	15	75	0	19.99
64QAM	1880	18900	15	1	0	20.99
64QAM	1880	18900	15	1	37	21.16
64QAM	1880	18900	15	1	74	20.50
64QAM	1880	18900	15	36	0	19.92
64QAM	1880	18900	15	36	29	19.95
64QAM	1880	18900	15	36	30	19.84
64QAM	1880	18900	15	75	0	19.93
64QAM	1902.5	19125	15	1	0	20.85
64QAM	1902.5	19125	15	1	37	20.75
64QAM	1902.5	19125	15	1	74	20.55
64QAM	1902.5	19125	15	36	0	19.64
64QAM	1902.5	19125	15	36	29	19.53
64QAM	1902.5	19125	15	36	30	19.40
64QAM	1902.5	19125	15	75	0	19.47

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1860	18700	20	1	0	22.68
QPSK	1860	18700	20	1	49	22.87
QPSK	1860	18700	20	1	99	22.94
QPSK	1860	18700	20	50	0	21.78
QPSK	1860	18700	20	50	24	21.96
QPSK	1860	18700	20	50	50	21.96
QPSK	1860	18700	20	100	0	21.95
QPSK	1880	18900	20	1	0	22.79
QPSK	1880	18900	20	1	49	22.94
QPSK	1880	18900	20	1	99	22.61
QPSK	1880	18900	20	50	0	22.05
QPSK	1880	18900	20	50	24	21.94
QPSK	1880	18900	20	50	50	21.94
QPSK	1880	18900	20	100	0	21.96
QPSK	1900	19100	20	1	0	22.53
QPSK	1900	19100	20	1	49	22.65
QPSK	1900	19100	20	1	99	22.33
QPSK	1900	19100	20	50	0	21.74
QPSK	1900	19100	20	50	24	21.66
QPSK	1900	19100	20	50	50	21.45
QPSK	1900	19100	20	100	0	21.57

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1860	18700	20	1	0	22.41
16QAM	1860	18700	20	1	49	22.39
16QAM	1860	18700	20	1	99	21.59
16QAM	1860	18700	20	50	0	20.82
16QAM	1860	18700	20	50	24	20.98
16QAM	1860	18700	20	50	50	20.91
16QAM	1860	18700	20	100	0	20.78
16QAM	1880	18900	20	1	0	21.65
16QAM	1880	18900	20	1	49	21.99
16QAM	1880	18900	20	1	99	22.05
16QAM	1880	18900	20	50	0	20.96
16QAM	1880	18900	20	50	24	21.06
16QAM	1880	18900	20	50	50	20.95
16QAM	1880	18900	20	100	0	20.95
16QAM	1900	19100	20	1	0	21.76
16QAM	1900	19100	20	1	49	21.55
16QAM	1900	19100	20	1	99	21.51
16QAM	1900	19100	20	50	0	20.61
16QAM	1900	19100	20	50	24	20.67
16QAM	1900	19100	20	50	50	20.37
16QAM	1900	19100	20	100	0	20.48
64QAM	1860	18700	20	1	0	20.84
64QAM	1860	18700	20	1	49	21.00
64QAM	1860	18700	20	1	99	21.09
64QAM	1860	18700	20	50	0	19.71
64QAM	1860	18700	20	50	24	20.00
64QAM	1860	18700	20	50	50	19.97
64QAM	1860	18700	20	100	0	19.83
64QAM	1880	18900	20	1	0	20.83
64QAM	1880	18900	20	1	49	21.40
64QAM	1880	18900	20	1	99	20.62
64QAM	1880	18900	20	50	0	20.06
64QAM	1880	18900	20	50	24	19.91
64QAM	1880	18900	20	50	50	19.94
64QAM	1880	18900	20	100	0	19.98
64QAM	1900	19100	20	1	0	20.71
64QAM	1900	19100	20	1	49	20.51
64QAM	1900	19100	20	1	99	20.48
64QAM	1900	19100	20	50	0	19.67
64QAM	1900	19100	20	50	24	19.70
64QAM	1900	19100	20	50	50	19.37
64QAM	1900	19100	20	100	0	19.56

## 2 Occupied Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	QPSK	1850.7	18607	1.4	6	0	1.070	Fig.1
2	QPSK	1880	18900	1.4	6	0	1.080	Fig.2
2	QPSK	1909.3	19193	1.4	6	0	1.080	Fig.3
2	QPSK	1851.5	18615	3	15	0	2.670	Fig.4
2	QPSK	1880	18900	3	15	0	2.670	Fig.5
2	QPSK	1908.5	19185	3	15	0	2.670	Fig.6
2	QPSK	1852.5	18625	5	25	0	4.470	Fig.7
2	QPSK	1880	18900	5	25	0	4.460	Fig.8
2	QPSK	1907.5	19175	5	25	0	4.460	Fig.9
2	QPSK	1855	18650	10	50	0	8.920	Fig.10
2	QPSK	1880	18900	10	50	0	8.910	Fig.11
2	QPSK	1905	19150	10	50	0	8.920	Fig.12
2	QPSK	1857.5	18675	15	75	0	13.360	Fig.13
2	QPSK	1880	18900	15	75	0	13.370	Fig.14
2	QPSK	1902.5	19125	15	75	0	13.380	Fig.15
2	QPSK	1860	18700	20	100	0	17.760	Fig.16
2	QPSK	1880	18900	20	100	0	17.860	Fig.17
2	QPSK	1900	19100	20	100	0	17.800	Fig.18

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	16QAM	1850.7	18607	1.4	6	0	1.070	Fig.19
2	16QAM	1880	18900	1.4	6	0	1.070	Fig.20
2	16QAM	1909.3	19193	1.4	6	0	1.080	Fig.21
2	16QAM	1851.5	18615	3	15	0	2.670	Fig.22
2	16QAM	1880	18900	3	15	0	2.670	Fig.23
2	16QAM	1908.5	19185	3	15	0	2.680	Fig.24
2	16QAM	1852.5	18625	5	25	0	4.470	Fig.25
2	16QAM	1880	18900	5	25	0	4.460	Fig.26
2	16QAM	1907.5	19175	5	25	0	4.450	Fig.27
2	16QAM	1855	18650	10	50	0	8.930	Fig.28
2	16QAM	1880	18900	10	50	0	8.920	Fig.29
2	16QAM	1905	19150	10	50	0	8.890	Fig.30
2	16QAM	1857.5	18675	15	75	0	13.370	Fig.31
2	16QAM	1880	18900	15	75	0	13.380	Fig.32
2	16QAM	1902.5	19125	15	75	0	13.360	Fig.33
2	16QAM	1860	18700	20	100	0	17.810	Fig.34
2	16QAM	1880	18900	20	100	0	17.850	Fig.35
2	16QAM	1900	19100	20	100	0	17.820	Fig.36

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	64QAM	1850.7	18607	1.4	6	0	1.070	Fig.37
2	64QAM	1880	18900	1.4	6	0	1.070	Fig.38
2	64QAM	1909.3	19193	1.4	6	0	1.070	Fig.39
2	64QAM	1851.5	18615	3	15	0	2.670	Fig.40
2	64QAM	1880	18900	3	15	0	2.660	Fig.41
2	64QAM	1908.5	19185	3	15	0	2.680	Fig.42
2	64QAM	1852.5	18625	5	25	0	4.460	Fig.43
2	64QAM	1880	18900	5	25	0	4.460	Fig.44
2	64QAM	1907.5	19175	5	25	0	4.460	Fig.45
2	64QAM	1855	18650	10	50	0	8.930	Fig.46
2	64QAM	1880	18900	10	50	0	8.920	Fig.47
2	64QAM	1905	19150	10	50	0	8.900	Fig.48
2	64QAM	1857.5	18675	15	75	0	13.370	Fig.49
2	64QAM	1880	18900	15	75	0	13.380	Fig.50
2	64QAM	1902.5	19125	15	75	0	13.340	Fig.51
2	64QAM	1860	18700	20	100	0	17.820	Fig.52
2	64QAM	1880	18900	20	100	0	17.850	Fig.53
2	64QAM	1900	19100	20	100	0	17.820	Fig.54

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18

Test Mode: 16QAM




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

Test Mode: 64QAM




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42