




Fig.61




Fig.62




Fig.63




Fig.64




Fig.65



Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71
















Fig.72








Fig.85




Fig.86




Fig.87




Fig.88




Fig.89




Fig.90

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
26	831.5	26865	15	1	0	Fig.1
26	836.5	26915	15	1	0	Fig.2
26	841.5	26965	15	1	0	Fig.3




Fig.1




Fig.2










Fig.3

6 Band Edges Compliance

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
26	QPSK	824.7	26797	1.4	1	0	Fig.1
26	QPSK	824.7	26797	1.4	6	0	Fig.2
26	QPSK	848.3	27033	1.4	1	5	Fig.3
26	QPSK	848.3	27033	1.4	6	0	Fig.4
26	QPSK	825.5	26805	3	1	0	Fig.5
26	QPSK	825.5	26805	3	15	0	Fig.6
26	QPSK	847.5	27025	3	1	14	Fig.7
26	QPSK	847.5	27025	3	15	0	Fig.8
26	QPSK	826.5	26815	5	1	0	Fig.9
26	QPSK	826.5	26815	5	25	0	Fig.10
26	QPSK	846.5	27015	5	1	24	Fig.11
26	QPSK	846.5	27015	5	25	0	Fig.12
26	QPSK	829	26840	10	1	0	Fig.13
26	QPSK	829	26840	10	50	0	Fig.14
26	QPSK	844	26990	10	1	49	Fig.15
26	QPSK	844	26990	10	50	0	Fig.16
26	QPSK	831.5	26865	15	1	0	Fig.17
26	QPSK	831.5	26865	15	75	0	Fig.18
26	QPSK	841.5	26965	15	1	74	Fig.19
26	QPSK	841.5	26965	15	75	0	Fig.20

Test Mode: QPSK






Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20

7 Frequency Stability

Temperature (°C)	Voltage	Test Result (ppm) Band 26(824-849) Low Channel QPSK				
		1.4M	3M	5M	10M	15M
-10	NV	-0.004	0.002	0.000	-0.004	-0.006
0	NV	-0.003	-0.010	-0.015	0.004	-0.004
+10	NV	-0.005	-0.004	-0.004	-0.006	-0.005
+20	NV	-0.008	0.001	-0.017	-0.001	-0.009
+30	NV	0.008	0.011	0.004	0.003	0.005
+40	NV	0.008	0.006	0.009	0.009	0.008
+55	LV	0.006	0.015	0.006	0.017	0.005

Temperature (°C)	Voltage	Test Result (ppm) Band 26(824-849) High Channel QPSK				
		1.4M	3M	5M	10M	15M
-10	NV	-0.006	-0.004	0.006	-0.001	0.002
0	NV	0.001	-0.013	-0.001	-0.019	-0.010
+10	NV	-0.005	0.016	0.005	-0.009	-0.008
+20	NV	-0.004	0.010	-0.019	-0.001	-0.006
+30	NV	0.009	0.007	0.009	0.002	0.008
+40	NV	0.005	0.010	0.010	0.009	0.009
+55	LV	0.003	0.007	0.009	0.009	0.014

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	824.7	26797	1.4	1	0	23.89	19.19	0.083
16QAM	824.7	26797	1.4	1	3	23.89	19.19	0.083
16QAM	824.7	26797	1.4	1	5	23.71	19.01	0.080
16QAM	824.7	26797	1.4	3	0	23.10	18.40	0.069
16QAM	824.7	26797	1.4	3	1	23.50	18.80	0.076
16QAM	824.7	26797	1.4	3	3	23.40	18.70	0.074
16QAM	824.7	26797	1.4	6	0	22.57	17.87	0.061
16QAM	836.5	26915	1.4	1	0	22.88	18.18	0.066
16QAM	836.5	26915	1.4	1	3	23.55	18.85	0.077
16QAM	836.5	26915	1.4	1	5	23.63	18.93	0.078
16QAM	836.5	26915	1.4	3	0	22.99	18.29	0.067
16QAM	836.5	26915	1.4	3	1	22.99	18.29	0.067
16QAM	836.5	26915	1.4	3	3	22.94	18.24	0.067
16QAM	836.5	26915	1.4	6	0	22.50	17.80	0.060
16QAM	848.3	27033	1.4	1	0	23.38	18.68	0.074
16QAM	848.3	27033	1.4	1	3	23.34	18.64	0.073
16QAM	848.3	27033	1.4	1	5	23.31	18.61	0.073
16QAM	848.3	27033	1.4	3	0	22.98	18.28	0.067
16QAM	848.3	27033	1.4	3	1	22.83	18.13	0.065
16QAM	848.3	27033	1.4	3	3	22.97	18.27	0.067
16QAM	848.3	27033	1.4	6	0	22.41	17.71	0.059
64QAM	824.7	26797	1.4	1	0	21.98	17.28	0.053
64QAM	824.7	26797	1.4	1	3	22.06	17.36	0.054
64QAM	824.7	26797	1.4	1	5	22.11	17.41	0.055
64QAM	824.7	26797	1.4	3	0	22.12	17.42	0.055
64QAM	824.7	26797	1.4	3	1	22.06	17.36	0.054
64QAM	824.7	26797	1.4	3	3	22.13	17.43	0.055
64QAM	824.7	26797	1.4	6	0	21.25	16.55	0.045
64QAM	836.5	26915	1.4	1	0	22.63	17.93	0.062
64QAM	836.5	26915	1.4	1	3	22.67	17.97	0.063
64QAM	836.5	26915	1.4	1	5	22.67	17.97	0.063
64QAM	836.5	26915	1.4	3	0	22.68	17.98	0.063
64QAM	836.5	26915	1.4	3	1	22.59	17.89	0.062
64QAM	836.5	26915	1.4	3	3	22.66	17.96	0.063
64QAM	836.5	26915	1.4	6	0	21.19	16.49	0.045
64QAM	848.3	27033	1.4	1	0	22.72	18.02	0.063
64QAM	848.3	27033	1.4	1	3	22.62	17.92	0.062
64QAM	848.3	27033	1.4	1	5	22.67	17.97	0.063
64QAM	848.3	27033	1.4	3	0	22.79	18.09	0.064
64QAM	848.3	27033	1.4	3	1	22.79	18.09	0.064
64QAM	848.3	27033	1.4	3	3	22.73	18.03	0.064
64QAM	848.3	27033	1.4	6	0	21.14	16.44	0.044

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	824.7	26797	1.4	1	0	24.10	19.40	0.087
QPSK	824.7	26797	1.4	1	3	24.05	19.35	0.086
QPSK	824.7	26797	1.4	1	5	24.13	19.43	0.088
QPSK	824.7	26797	1.4	3	0	23.83	19.13	0.082
QPSK	824.7	26797	1.4	3	1	23.86	19.16	0.082
QPSK	824.7	26797	1.4	3	3	23.91	19.21	0.083
QPSK	824.7	26797	1.4	6	0	23.42	18.72	0.074
QPSK	836.5	26915	1.4	1	0	23.63	18.93	0.078
QPSK	836.5	26915	1.4	1	3	23.72	19.02	0.080
QPSK	836.5	26915	1.4	1	5	23.77	19.07	0.081
QPSK	836.5	26915	1.4	3	0	23.74	19.04	0.080
QPSK	836.5	26915	1.4	3	1	23.75	19.05	0.080
QPSK	836.5	26915	1.4	3	3	23.72	19.02	0.080
QPSK	836.5	26915	1.4	6	0	23.38	18.68	0.074
QPSK	848.3	27033	1.4	1	0	23.86	19.16	0.082
QPSK	848.3	27033	1.4	1	3	23.74	19.04	0.080
QPSK	848.3	27033	1.4	1	5	23.80	19.10	0.081
QPSK	848.3	27033	1.4	3	0	23.85	19.15	0.082
QPSK	848.3	27033	1.4	3	1	23.68	18.98	0.079
QPSK	848.3	27033	1.4	3	3	23.68	18.98	0.079
QPSK	848.3	27033	1.4	6	0	23.29	18.59	0.072

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	825.5	26805	3	1	0	24.21	19.51	0.089
16QAM	825.5	26805	3	1	8	24.11	19.41	0.087
16QAM	825.5	26805	3	1	14	24.15	19.45	0.088
16QAM	825.5	26805	3	8	0	22.39	17.69	0.059
16QAM	825.5	26805	3	8	4	22.45	17.75	0.060
16QAM	825.5	26805	3	8	7	22.56	17.86	0.061
16QAM	825.5	26805	3	15	0	22.42	17.72	0.059
16QAM	836.5	26915	3	1	0	23.22	18.52	0.071
16QAM	836.5	26915	3	1	8	23.16	18.46	0.070
16QAM	836.5	26915	3	1	14	23.22	18.52	0.071
16QAM	836.5	26915	3	8	0	22.23	17.53	0.057
16QAM	836.5	26915	3	8	4	22.28	17.58	0.057
16QAM	836.5	26915	3	8	7	22.29	17.59	0.057
16QAM	836.5	26915	3	15	0	22.35	17.65	0.058
16QAM	847.5	27025	3	1	0	24.07	19.37	0.086
16QAM	847.5	27025	3	1	8	24.16	19.46	0.088
16QAM	847.5	27025	3	1	14	24.00	19.30	0.085
16QAM	847.5	27025	3	8	0	22.56	17.86	0.061
16QAM	847.5	27025	3	8	4	22.56	17.86	0.061
16QAM	847.5	27025	3	8	7	22.48	17.78	0.060
16QAM	847.5	27025	3	15	0	22.45	17.75	0.060
64QAM	825.5	26805	3	1	0	22.89	18.19	0.066
64QAM	825.5	26805	3	1	8	22.69	17.99	0.063
64QAM	825.5	26805	3	1	14	22.82	18.12	0.065
64QAM	825.5	26805	3	8	0	21.15	16.45	0.044
64QAM	825.5	26805	3	8	4	21.20	16.50	0.045
64QAM	825.5	26805	3	8	7	21.21	16.51	0.045
64QAM	825.5	26805	3	15	0	21.20	16.50	0.045
64QAM	836.5	26915	3	1	0	22.85	18.15	0.065
64QAM	836.5	26915	3	1	8	22.69	17.99	0.063
64QAM	836.5	26915	3	1	14	22.70	18.00	0.063
64QAM	836.5	26915	3	8	0	21.06	16.36	0.043
64QAM	836.5	26915	3	8	4	21.30	16.60	0.046
64QAM	836.5	26915	3	8	7	21.39	16.69	0.047
64QAM	836.5	26915	3	15	0	21.39	16.69	0.047
64QAM	847.5	27025	3	1	0	22.92	18.22	0.066
64QAM	847.5	27025	3	1	8	22.76	18.06	0.064
64QAM	847.5	27025	3	1	14	22.82	18.12	0.065
64QAM	847.5	27025	3	8	0	21.58	16.88	0.049
64QAM	847.5	27025	3	8	4	21.80	17.10	0.051
64QAM	847.5	27025	3	8	7	21.07	16.37	0.043
64QAM	847.5	27025	3	15	0	21.77	17.07	0.051

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	825.5	26805	3	1	0	24.02	19.32	0.086
QPSK	825.5	26805	3	1	8	23.91	19.21	0.083
QPSK	825.5	26805	3	1	14	23.92	19.22	0.084
QPSK	825.5	26805	3	8	0	23.36	18.66	0.073
QPSK	825.5	26805	3	8	4	23.34	18.64	0.073
QPSK	825.5	26805	3	8	7	23.29	18.59	0.072
QPSK	825.5	26805	3	15	0	23.35	18.65	0.073
QPSK	836.5	26915	3	1	0	23.83	19.13	0.082
QPSK	836.5	26915	3	1	8	23.96	19.26	0.084
QPSK	836.5	26915	3	1	14	23.84	19.14	0.082
QPSK	836.5	26915	3	8	0	23.19	18.49	0.071
QPSK	836.5	26915	3	8	4	23.24	18.54	0.071
QPSK	836.5	26915	3	8	7	23.33	18.63	0.073
QPSK	836.5	26915	3	15	0	23.33	18.63	0.073
QPSK	847.5	27025	3	1	0	23.92	19.22	0.084
QPSK	847.5	27025	3	1	8	23.86	19.16	0.082
QPSK	847.5	27025	3	1	14	23.88	19.18	0.083
QPSK	847.5	27025	3	8	0	23.40	18.70	0.074
QPSK	847.5	27025	3	8	4	23.39	18.69	0.074
QPSK	847.5	27025	3	8	7	23.31	18.61	0.073
QPSK	847.5	27025	3	15	0	23.42	18.72	0.074

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	826.5	26815	5	1	0	22.89	18.19	0.066
16QAM	826.5	26815	5	1	12	22.73	18.03	0.064
16QAM	826.5	26815	5	1	24	22.65	17.95	0.062
16QAM	826.5	26815	5	12	0	22.21	17.51	0.056
16QAM	826.5	26815	5	12	7	22.13	17.43	0.055
16QAM	826.5	26815	5	12	13	22.01	17.31	0.054
16QAM	826.5	26815	5	25	0	22.53	17.83	0.061
16QAM	836.5	26915	5	1	0	22.86	18.16	0.065
16QAM	836.5	26915	5	1	12	22.90	18.20	0.066
16QAM	836.5	26915	5	1	24	22.84	18.14	0.065
16QAM	836.5	26915	5	12	0	22.39	17.69	0.059
16QAM	836.5	26915	5	12	7	22.55	17.85	0.061
16QAM	836.5	26915	5	12	13	22.65	17.95	0.062
16QAM	836.5	26915	5	25	0	22.46	17.76	0.060
16QAM	846.5	27015	5	1	0	22.89	18.19	0.066
16QAM	846.5	27015	5	1	12	22.96	18.26	0.067
16QAM	846.5	27015	5	1	24	22.75	18.05	0.064
16QAM	846.5	27015	5	12	0	22.52	17.82	0.061
16QAM	846.5	27015	5	12	7	22.17	17.47	0.056
16QAM	846.5	27015	5	12	13	22.17	17.47	0.056
16QAM	846.5	27015	5	25	0	22.47	17.77	0.060
64QAM	826.5	26815	5	1	0	21.98	17.28	0.053
64QAM	826.5	26815	5	1	12	22.01	17.31	0.054
64QAM	826.5	26815	5	1	24	21.99	17.29	0.054
64QAM	826.5	26815	5	12	0	21.28	16.58	0.045
64QAM	826.5	26815	5	12	7	21.46	16.76	0.047
64QAM	826.5	26815	5	12	13	21.58	16.88	0.049
64QAM	826.5	26815	5	25	0	21.36	16.66	0.046
64QAM	836.5	26915	5	1	0	21.79	17.09	0.051
64QAM	836.5	26915	5	1	12	21.98	17.28	0.053
64QAM	836.5	26915	5	1	24	21.96	17.26	0.053
64QAM	836.5	26915	5	12	0	21.18	16.48	0.044
64QAM	836.5	26915	5	12	7	21.40	16.70	0.047
64QAM	836.5	26915	5	12	13	21.49	16.79	0.048
64QAM	836.5	26915	5	25	0	21.37	16.67	0.046
64QAM	846.5	27015	5	1	0	22.47	17.77	0.060
64QAM	846.5	27015	5	1	12	21.98	17.28	0.053
64QAM	846.5	27015	5	1	24	22.02	17.32	0.054
64QAM	846.5	27015	5	12	0	21.84	17.14	0.052
64QAM	846.5	27015	5	12	7	21.87	17.17	0.052
64QAM	846.5	27015	5	12	13	22.00	17.30	0.054
64QAM	846.5	27015	5	25	0	21.98	17.28	0.053

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	826.5	26815	5	1	0	23.89	19.19	0.083
QPSK	826.5	26815	5	1	12	23.91	19.21	0.083
QPSK	826.5	26815	5	1	24	23.80	19.10	0.081
QPSK	826.5	26815	5	12	0	23.35	18.65	0.073
QPSK	826.5	26815	5	12	7	23.26	18.56	0.072
QPSK	826.5	26815	5	12	13	23.28	18.58	0.072
QPSK	826.5	26815	5	25	0	23.25	18.55	0.072
QPSK	836.5	26915	5	1	0	23.72	19.02	0.080
QPSK	836.5	26915	5	1	12	23.73	19.03	0.080
QPSK	836.5	26915	5	1	24	23.76	19.06	0.081
QPSK	836.5	26915	5	12	0	23.35	18.65	0.073
QPSK	836.5	26915	5	12	7	23.36	18.66	0.073
QPSK	836.5	26915	5	12	13	23.36	18.66	0.073
QPSK	836.5	26915	5	25	0	23.36	18.66	0.073
QPSK	846.5	27015	5	1	0	24.05	19.35	0.086
QPSK	846.5	27015	5	1	12	23.98	19.28	0.085
QPSK	846.5	27015	5	1	24	23.87	19.17	0.083
QPSK	846.5	27015	5	12	0	23.39	18.69	0.074
QPSK	846.5	27015	5	12	7	23.44	18.74	0.075
QPSK	846.5	27015	5	12	13	23.39	18.69	0.074
QPSK	846.5	27015	5	25	0	23.43	18.73	0.075

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	829	26840	10	1	0	23.62	18.92	0.078
16QAM	829	26840	10	1	25	23.44	18.74	0.075
16QAM	829	26840	10	1	49	23.26	18.56	0.072
16QAM	829	26840	10	25	0	22.64	17.94	0.062
16QAM	829	26840	10	25	12	22.49	17.79	0.060
16QAM	829	26840	10	25	25	22.37	17.67	0.058
16QAM	829	26840	10	50	0	22.21	17.51	0.056
16QAM	836.5	26915	10	1	0	24.10	19.40	0.087
16QAM	836.5	26915	10	1	25	24.22	19.52	0.090
16QAM	836.5	26915	10	1	49	24.11	19.41	0.087
16QAM	836.5	26915	10	25	0	22.34	17.64	0.058
16QAM	836.5	26915	10	25	12	22.49	17.79	0.060
16QAM	836.5	26915	10	25	25	22.25	17.55	0.057
16QAM	836.5	26915	10	50	0	22.30	17.60	0.058
16QAM	844	26990	10	1	0	24.13	19.43	0.088
16QAM	844	26990	10	1	25	24.04	19.34	0.086
16QAM	844	26990	10	1	49	24.08	19.38	0.087
16QAM	844	26990	10	25	0	22.44	17.74	0.059
16QAM	844	26990	10	25	12	22.24	17.54	0.057
16QAM	844	26990	10	25	25	22.34	17.64	0.058
16QAM	844	26990	10	50	0	22.33	17.63	0.058
64QAM	829	26840	10	1	0	22.33	17.63	0.058
64QAM	829	26840	10	1	25	22.70	18.00	0.063
64QAM	829	26840	10	1	49	22.37	17.67	0.058
64QAM	829	26840	10	25	0	21.33	16.63	0.046
64QAM	829	26840	10	25	12	21.40	16.70	0.047
64QAM	829	26840	10	25	25	21.67	16.97	0.050
64QAM	829	26840	10	50	0	21.44	16.74	0.047
64QAM	836.5	26915	10	1	0	22.81	18.11	0.065
64QAM	836.5	26915	10	1	25	22.92	18.22	0.066
64QAM	836.5	26915	10	1	49	22.99	18.29	0.067
64QAM	836.5	26915	10	25	0	21.26	16.56	0.045
64QAM	836.5	26915	10	25	12	21.39	16.69	0.047
64QAM	836.5	26915	10	25	25	21.77	17.07	0.051
64QAM	836.5	26915	10	50	0	21.39	16.69	0.047
64QAM	844	26990	10	1	0	22.75	18.05	0.064
64QAM	844	26990	10	1	25	22.87	18.17	0.066
64QAM	844	26990	10	1	49	23.01	18.31	0.068
64QAM	844	26990	10	25	0	21.77	17.07	0.051
64QAM	844	26990	10	25	12	21.31	16.61	0.046
64QAM	844	26990	10	25	25	21.72	17.02	0.050
64QAM	844	26990	10	50	0	21.38	16.68	0.047

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	829	26840	10	1	0	23.93	19.23	0.084
QPSK	829	26840	10	1	25	23.76	19.06	0.081
QPSK	829	26840	10	1	49	23.57	18.87	0.077
QPSK	829	26840	10	25	0	23.34	18.64	0.073
QPSK	829	26840	10	25	12	23.28	18.58	0.072
QPSK	829	26840	10	25	25	23.21	18.51	0.071
QPSK	829	26840	10	50	0	23.37	18.67	0.074
QPSK	836.5	26915	10	1	0	23.89	19.19	0.083
QPSK	836.5	26915	10	1	25	24.09	19.39	0.087
QPSK	836.5	26915	10	1	49	23.85	19.15	0.082
QPSK	836.5	26915	10	25	0	23.26	18.56	0.072
QPSK	836.5	26915	10	25	12	23.27	18.57	0.072
QPSK	836.5	26915	10	25	25	23.25	18.55	0.072
QPSK	836.5	26915	10	50	0	23.29	18.59	0.072
QPSK	844	26990	10	1	0	23.89	19.19	0.083
QPSK	844	26990	10	1	25	23.72	19.02	0.080
QPSK	844	26990	10	1	49	23.86	19.16	0.082
QPSK	844	26990	10	25	0	23.32	18.62	0.073
QPSK	844	26990	10	25	12	23.26	18.56	0.072
QPSK	844	26990	10	25	25	23.48	18.78	0.076
QPSK	844	26990	10	50	0	23.27	18.57	0.072

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	831.5	26865	15	1	0	23.41	18.71	0.074
16QAM	831.5	26865	15	1	37	23.24	18.54	0.071
16QAM	831.5	26865	15	1	74	23.32	18.62	0.073
16QAM	831.5	26865	15	36	0	22.50	17.80	0.060
16QAM	831.5	26865	15	36	29	22.13	17.43	0.055
16QAM	831.5	26865	15	36	30	22.36	17.66	0.058
16QAM	831.5	26865	15	75	0	22.47	17.77	0.060
16QAM	836.5	26915	15	1	0	23.30	18.60	0.072
16QAM	836.5	26915	15	1	37	23.30	18.60	0.072
16QAM	836.5	26915	15	1	74	23.31	18.61	0.073
16QAM	836.5	26915	15	36	0	22.14	17.44	0.055
16QAM	836.5	26915	15	36	29	22.17	17.47	0.056
16QAM	836.5	26915	15	36	30	22.18	17.48	0.056
16QAM	836.5	26915	15	75	0	22.32	17.62	0.058
16QAM	841.5	26965	15	1	0	24.22	19.52	0.090
16QAM	841.5	26965	15	1	37	24.15	19.45	0.088
16QAM	841.5	26965	15	1	74	23.99	19.29	0.085
16QAM	841.5	26965	15	36	0	22.23	17.53	0.057
16QAM	841.5	26965	15	36	29	22.32	17.62	0.058
16QAM	841.5	26965	15	36	30	22.26	17.56	0.057
16QAM	841.5	26965	15	75	0	22.40	17.70	0.059
64QAM	831.5	26865	15	1	0	22.86	18.16	0.065
64QAM	831.5	26865	15	1	37	22.67	17.97	0.063
64QAM	831.5	26865	15	1	74	22.76	18.06	0.064
64QAM	831.5	26865	15	36	0	21.28	16.58	0.045
64QAM	831.5	26865	15	36	29	21.18	16.48	0.044
64QAM	831.5	26865	15	36	30	21.10	16.40	0.044
64QAM	831.5	26865	15	75	0	21.83	17.13	0.052
64QAM	836.5	26915	15	1	0	22.99	18.29	0.067
64QAM	836.5	26915	15	1	37	22.71	18.01	0.063
64QAM	836.5	26915	15	1	74	22.93	18.23	0.067
64QAM	836.5	26915	15	36	0	21.22	16.52	0.045
64QAM	836.5	26915	15	36	29	21.76	17.06	0.051
64QAM	836.5	26915	15	36	30	21.77	17.07	0.051
64QAM	836.5	26915	15	75	0	21.35	16.65	0.046
64QAM	841.5	26965	15	1	0	22.93	18.23	0.067
64QAM	841.5	26965	15	1	37	22.79	18.09	0.064
64QAM	841.5	26965	15	1	74	22.81	18.11	0.065
64QAM	841.5	26965	15	36	0	21.82	17.12	0.052
64QAM	841.5	26965	15	36	29	21.35	16.65	0.046
64QAM	841.5	26965	15	36	30	21.47	16.77	0.048
64QAM	841.5	26965	15	75	0	21.86	17.16	0.052

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	831.5	26865	15	1	0	23.92	19.22	0.084
QPSK	831.5	26865	15	1	37	23.63	18.93	0.078
QPSK	831.5	26865	15	1	74	23.80	19.10	0.081
QPSK	831.5	26865	15	36	0	23.24	18.54	0.071
QPSK	831.5	26865	15	36	29	23.23	18.53	0.071
QPSK	831.5	26865	15	36	30	23.23	18.53	0.071
QPSK	831.5	26865	15	75	0	23.18	18.48	0.070
QPSK	836.5	26915	15	1	0	23.74	19.04	0.080
QPSK	836.5	26915	15	1	37	23.85	19.15	0.082
QPSK	836.5	26915	15	1	74	23.76	19.06	0.081
QPSK	836.5	26915	15	36	0	23.17	18.47	0.070
QPSK	836.5	26915	15	36	29	23.25	18.55	0.072
QPSK	836.5	26915	15	36	30	23.25	18.55	0.072
QPSK	836.5	26915	15	75	0	23.35	18.65	0.073
QPSK	841.5	26965	15	1	0	23.89	19.19	0.083
QPSK	841.5	26965	15	1	37	23.82	19.12	0.082
QPSK	841.5	26965	15	1	74	23.91	19.21	0.083
QPSK	841.5	26965	15	36	0	23.34	18.64	0.073
QPSK	841.5	26965	15	36	29	23.28	18.58	0.072
QPSK	841.5	26965	15	36	30	23.27	18.57	0.072
QPSK	841.5	26965	15	75	0	23.26	18.56	0.072