

Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60



Fig.61




Fig.62




Fig.63




Fig.64




Fig.65



Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72




Fig.73




Fig.74




Fig.75




Fig.76




Fig.77




Fig.78




Fig.79



Fig.80




Fig.81




Fig.82




Fig.83



Fig.84




Fig.85



Fig.86




Fig.87




Fig.88




Fig.89




Fig.90

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
26	831.5	26865	15	1	0	Fig.1
26	836.5	26915	15	1	0	Fig.2
26	841.5	26965	15	1	0	Fig.3




Fig.1




Fig.2




Fig.3

6 Band Edges Compliance

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
26	QPSK	824.7	26797	1.4	1	0	Fig.1
26	QPSK	824.7	26797	1.4	6	0	Fig.2
26	QPSK	848.3	27033	1.4	1	5	Fig.3
26	QPSK	848.3	27033	1.4	6	0	Fig.4
26	QPSK	825.5	26805	3	1	0	Fig.5
26	QPSK	825.5	26805	3	15	0	Fig.6
26	QPSK	847.5	27025	3	1	14	Fig.7
26	QPSK	847.5	27025	3	15	0	Fig.8
26	QPSK	826.5	26815	5	1	0	Fig.9
26	QPSK	826.5	26815	5	25	0	Fig.10
26	QPSK	846.5	27015	5	1	24	Fig.11
26	QPSK	846.5	27015	5	25	0	Fig.12
26	QPSK	829	26840	10	1	0	Fig.13
26	QPSK	829	26840	10	50	0	Fig.14
26	QPSK	844	26990	10	1	49	Fig.15
26	QPSK	844	26990	10	50	0	Fig.16
26	QPSK	831.5	26865	15	1	0	Fig.17
26	QPSK	831.5	26865	15	75	0	Fig.18
26	QPSK	841.5	26965	15	1	74	Fig.19
26	QPSK	841.5	26965	15	75	0	Fig.20

Test Mode: QPSK



Fig.1




Fig.2




Fig.3



Fig.4




Fig.5










Fig.6






Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band 26(824-849) Low Channel QPSK				
		1.4M	3M	5M	10M	15M
-10	NV	-0.019	-0.005	-0.019	-0.008	-0.015
0	NV	-0.010	-0.028	-0.026	-0.033	-0.009
+10	NV	-0.005	-0.017	-0.013	-0.022	-0.001
+30	NV	-0.026	-0.038	0.008	0.015	0.012
+40	NV	0.006	-0.032	-0.039	-0.037	0.004
+55	NV	0.001	0.018	0.011	-0.049	0.014
+20	LV	-0.052	-0.023	-0.003	-0.042	-0.016
+20	HV	-0.053	-0.041	-0.016	-0.029	-0.020

Temperature(°C)	Voltage	Test Result (ppm) Band 26(824-849) High Channel QPSK				
		1.4M	3M	5M	10M	15M
-10	NV	0.009	-0.011	-0.009	0.010	-0.010
0	NV	-0.015	-0.011	-0.005	-0.019	0.004
+10	NV	0.007	-0.023	-0.026	0.012	-0.018
+30	NV	-0.035	-0.027	-0.043	-0.049	-0.018
+40	NV	-0.027	-0.061	-0.052	-0.041	-0.005
+55	NV	-0.022	-0.033	-0.023	-0.018	-0.023
+20	LV	-0.039	-0.042	-0.046	-0.050	-0.041
+20	HV	-0.050	-0.035	-0.021	-0.050	0.012

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	824.7	26797	1.4	1	0	23.65	18.10	0.065
16QAM	824.7	26797	1.4	1	3	23.73	18.18	0.066
16QAM	824.7	26797	1.4	1	5	23.70	18.15	0.065
16QAM	824.7	26797	1.4	3	0	23.28	17.73	0.059
16QAM	824.7	26797	1.4	3	1	23.35	17.80	0.060
16QAM	824.7	26797	1.4	3	3	23.15	17.60	0.058
16QAM	824.7	26797	1.4	6	0	22.22	16.67	0.046
16QAM	836.5	26915	1.4	1	0	23.61	18.06	0.064
16QAM	836.5	26915	1.4	1	3	23.59	18.04	0.064
16QAM	836.5	26915	1.4	1	5	23.57	18.02	0.063
16QAM	836.5	26915	1.4	3	0	23.20	17.65	0.058
16QAM	836.5	26915	1.4	3	1	23.26	17.71	0.059
16QAM	836.5	26915	1.4	3	3	23.18	17.63	0.058
16QAM	836.5	26915	1.4	6	0	22.10	16.55	0.045
16QAM	848.3	27033	1.4	1	0	23.33	17.78	0.060
16QAM	848.3	27033	1.4	1	3	23.38	17.83	0.061
16QAM	848.3	27033	1.4	1	5	23.45	17.90	0.062
16QAM	848.3	27033	1.4	3	0	22.85	17.30	0.054
16QAM	848.3	27033	1.4	3	1	22.95	17.40	0.055
16QAM	848.3	27033	1.4	3	3	22.94	17.39	0.055
16QAM	848.3	27033	1.4	6	0	22.02	16.47	0.044
64QAM	824.7	26797	1.4	1	0	23.44	17.89	0.062
64QAM	824.7	26797	1.4	1	3	22.53	16.98	0.050
64QAM	824.7	26797	1.4	1	5	22.58	17.03	0.050
64QAM	824.7	26797	1.4	3	0	22.42	16.87	0.049
64QAM	824.7	26797	1.4	3	1	22.27	16.72	0.047
64QAM	824.7	26797	1.4	3	3	22.34	16.79	0.048
64QAM	824.7	26797	1.4	6	0	21.54	15.99	0.040
64QAM	836.5	26915	1.4	1	0	22.44	16.89	0.049
64QAM	836.5	26915	1.4	1	3	22.47	16.92	0.049
64QAM	836.5	26915	1.4	1	5	22.50	16.95	0.050
64QAM	836.5	26915	1.4	3	0	22.18	16.63	0.046
64QAM	836.5	26915	1.4	3	1	22.02	16.47	0.044
64QAM	836.5	26915	1.4	3	3	22.15	16.60	0.046
64QAM	836.5	26915	1.4	6	0	20.96	15.41	0.035
64QAM	848.3	27033	1.4	1	0	22.43	16.88	0.049
64QAM	848.3	27033	1.4	1	3	22.37	16.82	0.048
64QAM	848.3	27033	1.4	1	5	22.45	16.90	0.049
64QAM	848.3	27033	1.4	3	0	22.03	16.48	0.044
64QAM	848.3	27033	1.4	3	1	21.76	16.21	0.042
64QAM	848.3	27033	1.4	3	3	21.94	16.39	0.044
64QAM	848.3	27033	1.4	6	0	20.73	15.18	0.033

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	824.7	26797	1.4	1	0	24.05	18.50	0.071
QPSK	824.7	26797	1.4	1	3	23.96	18.41	0.069
QPSK	824.7	26797	1.4	1	5	23.90	18.35	0.068
QPSK	824.7	26797	1.4	3	0	23.52	17.97	0.063
QPSK	824.7	26797	1.4	3	1	23.53	17.98	0.063
QPSK	824.7	26797	1.4	3	3	23.50	17.95	0.062
QPSK	824.7	26797	1.4	6	0	23.09	17.54	0.057
QPSK	836.5	26915	1.4	1	0	23.87	18.32	0.068
QPSK	836.5	26915	1.4	1	3	23.79	18.24	0.067
QPSK	836.5	26915	1.4	1	5	23.83	18.28	0.067
QPSK	836.5	26915	1.4	3	0	23.35	17.80	0.060
QPSK	836.5	26915	1.4	3	1	23.39	17.84	0.061
QPSK	836.5	26915	1.4	3	3	23.47	17.92	0.062
QPSK	836.5	26915	1.4	6	0	22.97	17.42	0.055
QPSK	848.3	27033	1.4	1	0	23.90	18.35	0.068
QPSK	848.3	27033	1.4	1	3	23.82	18.27	0.067
QPSK	848.3	27033	1.4	1	5	23.80	18.25	0.067
QPSK	848.3	27033	1.4	3	0	23.35	17.80	0.060
QPSK	848.3	27033	1.4	3	1	23.35	17.80	0.060
QPSK	848.3	27033	1.4	3	3	23.26	17.71	0.059
QPSK	848.3	27033	1.4	6	0	22.73	17.18	0.052

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	825.5	26805	3	1	0	24.14	18.59	0.072
16QAM	825.5	26805	3	1	8	24.19	18.64	0.073
16QAM	825.5	26805	3	1	14	24.13	18.58	0.072
16QAM	825.5	26805	3	8	0	22.22	16.67	0.046
16QAM	825.5	26805	3	8	4	22.14	16.59	0.046
16QAM	825.5	26805	3	8	7	22.31	16.76	0.047
16QAM	825.5	26805	3	15	0	21.93	16.38	0.043
16QAM	836.5	26915	3	1	0	23.36	17.81	0.060
16QAM	836.5	26915	3	1	8	23.20	17.65	0.058
16QAM	836.5	26915	3	1	14	23.24	17.69	0.059
16QAM	836.5	26915	3	8	0	21.97	16.42	0.044
16QAM	836.5	26915	3	8	4	21.82	16.27	0.042
16QAM	836.5	26915	3	8	7	22.12	16.57	0.045
16QAM	836.5	26915	3	15	0	21.95	16.40	0.044
16QAM	847.5	27025	3	1	0	23.42	17.87	0.061
16QAM	847.5	27025	3	1	8	23.42	17.87	0.061
16QAM	847.5	27025	3	1	14	23.40	17.85	0.061
16QAM	847.5	27025	3	8	0	21.97	16.42	0.044
16QAM	847.5	27025	3	8	4	21.61	16.06	0.040
16QAM	847.5	27025	3	8	7	21.85	16.30	0.043
16QAM	847.5	27025	3	15	0	21.89	16.34	0.043
64QAM	825.5	26805	3	1	0	22.98	17.43	0.055
64QAM	825.5	26805	3	1	8	22.88	17.33	0.054
64QAM	825.5	26805	3	1	14	23.01	17.46	0.056
64QAM	825.5	26805	3	8	0	20.90	15.35	0.034
64QAM	825.5	26805	3	8	4	20.91	15.36	0.034
64QAM	825.5	26805	3	8	7	20.94	15.39	0.035
64QAM	825.5	26805	3	15	0	20.96	15.41	0.035
64QAM	836.5	26915	3	1	0	22.99	17.44	0.055
64QAM	836.5	26915	3	1	8	22.87	17.32	0.054
64QAM	836.5	26915	3	1	14	22.84	17.29	0.054
64QAM	836.5	26915	3	8	0	20.89	15.34	0.034
64QAM	836.5	26915	3	8	4	20.83	15.28	0.034
64QAM	836.5	26915	3	8	7	20.79	15.24	0.033
64QAM	836.5	26915	3	15	0	20.79	15.24	0.033
64QAM	847.5	27025	3	1	0	22.78	17.23	0.053
64QAM	847.5	27025	3	1	8	22.78	17.23	0.053
64QAM	847.5	27025	3	1	14	22.80	17.25	0.053
64QAM	847.5	27025	3	8	0	20.76	15.21	0.033
64QAM	847.5	27025	3	8	4	20.74	15.19	0.033
64QAM	847.5	27025	3	8	7	20.79	15.24	0.033
64QAM	847.5	27025	3	15	0	20.80	15.25	0.033

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	825.5	26805	3	1	0	23.89	18.34	0.068
QPSK	825.5	26805	3	1	8	23.91	18.36	0.069
QPSK	825.5	26805	3	1	14	23.96	18.41	0.069
QPSK	825.5	26805	3	8	0	22.93	17.38	0.055
QPSK	825.5	26805	3	8	4	22.86	17.31	0.054
QPSK	825.5	26805	3	8	7	22.97	17.42	0.055
QPSK	825.5	26805	3	15	0	22.81	17.26	0.053
QPSK	836.5	26915	3	1	0	23.83	18.28	0.067
QPSK	836.5	26915	3	1	8	23.81	18.26	0.067
QPSK	836.5	26915	3	1	14	23.83	18.28	0.067
QPSK	836.5	26915	3	8	0	22.90	17.35	0.054
QPSK	836.5	26915	3	8	4	22.76	17.21	0.053
QPSK	836.5	26915	3	8	7	22.70	17.15	0.052
QPSK	836.5	26915	3	15	0	22.74	17.19	0.052
QPSK	847.5	27025	3	1	0	23.93	18.38	0.069
QPSK	847.5	27025	3	1	8	23.85	18.30	0.068
QPSK	847.5	27025	3	1	14	23.85	18.30	0.068
QPSK	847.5	27025	3	8	0	22.81	17.26	0.053
QPSK	847.5	27025	3	8	4	22.77	17.22	0.053
QPSK	847.5	27025	3	8	7	22.75	17.20	0.052
QPSK	847.5	27025	3	15	0	22.85	17.30	0.054

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	826.5	26815	5	1	0	23.15	17.60	0.058
16QAM	826.5	26815	5	1	12	23.10	17.55	0.057
16QAM	826.5	26815	5	1	24	23.17	17.62	0.058
16QAM	826.5	26815	5	12	0	22.01	16.46	0.044
16QAM	826.5	26815	5	12	7	22.01	16.46	0.044
16QAM	826.5	26815	5	12	13	22.00	16.45	0.044
16QAM	826.5	26815	5	25	0	22.17	16.62	0.046
16QAM	836.5	26915	5	1	0	22.87	17.32	0.054
16QAM	836.5	26915	5	1	12	22.79	17.24	0.053
16QAM	836.5	26915	5	1	24	22.70	17.15	0.052
16QAM	836.5	26915	5	12	0	21.80	16.25	0.042
16QAM	836.5	26915	5	12	7	21.70	16.15	0.041
16QAM	836.5	26915	5	12	13	21.64	16.09	0.041
16QAM	836.5	26915	5	25	0	21.95	16.40	0.044
16QAM	846.5	27015	5	1	0	23.03	17.48	0.056
16QAM	846.5	27015	5	1	12	23.00	17.45	0.056
16QAM	846.5	27015	5	1	24	22.91	17.36	0.054
16QAM	846.5	27015	5	12	0	21.93	16.38	0.043
16QAM	846.5	27015	5	12	7	21.91	16.36	0.043
16QAM	846.5	27015	5	12	13	21.98	16.43	0.044
16QAM	846.5	27015	5	25	0	22.06	16.51	0.045
64QAM	826.5	26815	5	1	0	22.19	16.64	0.046
64QAM	826.5	26815	5	1	12	22.14	16.59	0.046
64QAM	826.5	26815	5	1	24	22.10	16.55	0.045
64QAM	826.5	26815	5	12	0	21.07	15.52	0.036
64QAM	826.5	26815	5	12	7	21.05	15.50	0.035
64QAM	826.5	26815	5	12	13	21.06	15.51	0.036
64QAM	826.5	26815	5	25	0	21.14	15.59	0.036
64QAM	836.5	26915	5	1	0	22.02	16.47	0.044
64QAM	836.5	26915	5	1	12	21.88	16.33	0.043
64QAM	836.5	26915	5	1	24	21.99	16.44	0.044
64QAM	836.5	26915	5	12	0	21.01	15.46	0.035
64QAM	836.5	26915	5	12	7	20.84	15.29	0.034
64QAM	836.5	26915	5	12	13	20.92	15.37	0.034
64QAM	836.5	26915	5	25	0	20.95	15.40	0.035
64QAM	846.5	27015	5	1	0	22.03	16.48	0.044
64QAM	846.5	27015	5	1	12	22.04	16.49	0.045
64QAM	846.5	27015	5	1	24	22.08	16.53	0.045
64QAM	846.5	27015	5	12	0	20.85	15.30	0.034
64QAM	846.5	27015	5	12	7	20.98	15.43	0.035
64QAM	846.5	27015	5	12	13	20.92	15.37	0.034
64QAM	846.5	27015	5	25	0	21.06	15.51	0.036

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	826.5	26815	5	1	0	23.99	18.44	0.070
QPSK	826.5	26815	5	1	12	24.07	18.52	0.071
QPSK	826.5	26815	5	1	24	23.98	18.43	0.070
QPSK	826.5	26815	5	12	0	23.05	17.50	0.056
QPSK	826.5	26815	5	12	7	23.02	17.47	0.056
QPSK	826.5	26815	5	12	13	23.02	17.47	0.056
QPSK	826.5	26815	5	25	0	23.06	17.51	0.056
QPSK	836.5	26915	5	1	0	23.93	18.38	0.069
QPSK	836.5	26915	5	1	12	23.87	18.32	0.068
QPSK	836.5	26915	5	1	24	23.56	18.01	0.063
QPSK	836.5	26915	5	12	0	22.81	17.26	0.053
QPSK	836.5	26915	5	12	7	22.78	17.23	0.053
QPSK	836.5	26915	5	12	13	22.76	17.21	0.053
QPSK	836.5	26915	5	25	0	22.80	17.25	0.053
QPSK	846.5	27015	5	1	0	23.92	18.37	0.069
QPSK	846.5	27015	5	1	12	23.95	18.40	0.069
QPSK	846.5	27015	5	1	24	23.92	18.37	0.069
QPSK	846.5	27015	5	12	0	22.86	17.31	0.054
QPSK	846.5	27015	5	12	7	22.83	17.28	0.053
QPSK	846.5	27015	5	12	13	22.83	17.28	0.053
QPSK	846.5	27015	5	25	0	22.79	17.24	0.053

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	829	26840	10	1	0	23.54	17.99	0.063
16QAM	829	26840	10	1	25	23.59	18.04	0.064
16QAM	829	26840	10	1	49	23.59	18.04	0.064
16QAM	829	26840	10	25	0	22.56	17.01	0.050
16QAM	829	26840	10	25	12	22.48	16.93	0.049
16QAM	829	26840	10	25	25	22.43	16.88	0.049
16QAM	829	26840	10	50	0	22.53	16.98	0.050
16QAM	836.5	26915	10	1	0	23.62	18.07	0.064
16QAM	836.5	26915	10	1	25	23.42	17.87	0.061
16QAM	836.5	26915	10	1	49	23.33	17.78	0.060
16QAM	836.5	26915	10	25	0	22.41	16.86	0.049
16QAM	836.5	26915	10	25	12	22.48	16.93	0.049
16QAM	836.5	26915	10	25	25	22.24	16.69	0.047
16QAM	836.5	26915	10	50	0	22.38	16.83	0.048
16QAM	844	26990	10	1	0	23.25	17.70	0.059
16QAM	844	26990	10	1	25	23.19	17.64	0.058
16QAM	844	26990	10	1	49	23.30	17.75	0.060
16QAM	844	26990	10	25	0	22.48	16.93	0.049
16QAM	844	26990	10	25	12	22.45	16.90	0.049
16QAM	844	26990	10	25	25	22.50	16.95	0.050
16QAM	844	26990	10	50	0	22.40	16.85	0.048
64QAM	829	26840	10	1	0	23.16	17.61	0.058
64QAM	829	26840	10	1	25	23.08	17.53	0.057
64QAM	829	26840	10	1	49	23.01	17.46	0.056
64QAM	829	26840	10	25	0	21.47	15.92	0.039
64QAM	829	26840	10	25	12	21.87	16.32	0.043
64QAM	829	26840	10	25	25	21.93	16.38	0.043
64QAM	829	26840	10	50	0	21.87	16.32	0.043
64QAM	836.5	26915	10	1	0	23.03	17.48	0.056
64QAM	836.5	26915	10	1	25	22.86	17.31	0.054
64QAM	836.5	26915	10	1	49	22.74	17.19	0.052
64QAM	836.5	26915	10	25	0	21.36	15.81	0.038
64QAM	836.5	26915	10	25	12	21.37	15.82	0.038
64QAM	836.5	26915	10	25	25	21.73	16.18	0.041
64QAM	836.5	26915	10	50	0	21.45	15.90	0.039
64QAM	844	26990	10	1	0	23.17	17.62	0.058
64QAM	844	26990	10	1	25	23.32	17.77	0.060
64QAM	844	26990	10	1	49	23.29	17.74	0.059
64QAM	844	26990	10	25	0	21.77	16.22	0.042
64QAM	844	26990	10	25	12	21.50	15.95	0.039
64QAM	844	26990	10	25	25	21.51	15.96	0.039
64QAM	844	26990	10	50	0	21.41	15.86	0.039

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	829	26840	10	1	0	24.00	18.45	0.070
QPSK	829	26840	10	1	25	24.06	18.51	0.071
QPSK	829	26840	10	1	49	23.92	18.37	0.069
QPSK	829	26840	10	25	0	23.56	18.01	0.063
QPSK	829	26840	10	25	12	23.50	17.95	0.062
QPSK	829	26840	10	25	25	23.47	17.92	0.062
QPSK	829	26840	10	50	0	23.53	17.98	0.063
QPSK	836.5	26915	10	1	0	24.02	18.47	0.070
QPSK	836.5	26915	10	1	25	23.84	18.29	0.067
QPSK	836.5	26915	10	1	49	23.75	18.20	0.066
QPSK	836.5	26915	10	25	0	23.32	17.77	0.060
QPSK	836.5	26915	10	25	12	23.23	17.68	0.059
QPSK	836.5	26915	10	25	25	23.28	17.73	0.059
QPSK	836.5	26915	10	50	0	23.30	17.75	0.060
QPSK	844	26990	10	1	0	24.07	18.52	0.071
QPSK	844	26990	10	1	25	23.84	18.29	0.067
QPSK	844	26990	10	1	49	23.98	18.43	0.070
QPSK	844	26990	10	25	0	23.39	17.84	0.061
QPSK	844	26990	10	25	12	23.32	17.77	0.060
QPSK	844	26990	10	25	25	23.37	17.82	0.061
QPSK	844	26990	10	50	0	23.34	17.79	0.060

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	831.5	26865	15	1	0	24.40	18.85	0.077
16QAM	831.5	26865	15	1	37	24.45	18.90	0.078
16QAM	831.5	26865	15	1	74	24.13	18.58	0.072
16QAM	831.5	26865	15	36	0	22.58	17.03	0.050
16QAM	831.5	26865	15	36	29	22.50	16.95	0.050
16QAM	831.5	26865	15	36	30	22.52	16.97	0.050
16QAM	831.5	26865	15	75	0	22.57	17.02	0.050
16QAM	836.5	26915	15	1	0	24.26	18.71	0.074
16QAM	836.5	26915	15	1	37	24.31	18.76	0.075
16QAM	836.5	26915	15	1	74	24.06	18.51	0.071
16QAM	836.5	26915	15	36	0	22.43	16.88	0.049
16QAM	836.5	26915	15	36	29	22.31	16.76	0.047
16QAM	836.5	26915	15	36	30	22.31	16.76	0.047
16QAM	836.5	26915	15	75	0	22.41	16.86	0.049
16QAM	841.5	26965	15	1	0	24.21	18.66	0.073
16QAM	841.5	26965	15	1	37	24.01	18.46	0.070
16QAM	841.5	26965	15	1	74	24.22	18.67	0.074
16QAM	841.5	26965	15	36	0	22.26	16.71	0.047
16QAM	841.5	26965	15	36	29	22.12	16.57	0.045
16QAM	841.5	26965	15	36	30	22.12	16.57	0.045
16QAM	841.5	26965	15	75	0	22.22	16.67	0.046
64QAM	831.5	26865	15	1	0	23.07	17.52	0.056
64QAM	831.5	26865	15	1	37	23.18	17.63	0.058
64QAM	831.5	26865	15	1	74	22.90	17.35	0.054
64QAM	831.5	26865	15	36	0	21.95	16.40	0.044
64QAM	831.5	26865	15	36	29	21.88	16.33	0.043
64QAM	831.5	26865	15	36	30	21.85	16.30	0.043
64QAM	831.5	26865	15	75	0	21.87	16.32	0.043
64QAM	836.5	26915	15	1	0	23.10	17.55	0.057
64QAM	836.5	26915	15	1	37	23.00	17.45	0.056
64QAM	836.5	26915	15	1	74	22.65	17.10	0.051
64QAM	836.5	26915	15	36	0	21.87	16.32	0.043
64QAM	836.5	26915	15	36	29	21.73	16.18	0.041
64QAM	836.5	26915	15	36	30	21.74	16.19	0.042
64QAM	836.5	26915	15	75	0	21.33	15.78	0.038
64QAM	841.5	26965	15	1	0	22.96	17.41	0.055
64QAM	841.5	26965	15	1	37	22.78	17.23	0.053
64QAM	841.5	26965	15	1	74	22.97	17.42	0.055
64QAM	841.5	26965	15	36	0	21.68	16.13	0.041
64QAM	841.5	26965	15	36	29	21.56	16.01	0.040
64QAM	841.5	26965	15	36	30	21.56	16.01	0.040
64QAM	841.5	26965	15	75	0	21.15	15.60	0.036

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	831.5	26865	15	1	0	24.04	18.49	0.071
QPSK	831.5	26865	15	1	37	23.96	18.41	0.069
QPSK	831.5	26865	15	1	74	23.76	18.21	0.066
QPSK	831.5	26865	15	36	0	23.56	18.01	0.063
QPSK	831.5	26865	15	36	29	23.36	17.81	0.060
QPSK	831.5	26865	15	36	30	23.37	17.82	0.061
QPSK	831.5	26865	15	75	0	23.31	17.76	0.060
QPSK	836.5	26915	15	1	0	24.02	18.47	0.070
QPSK	836.5	26915	15	1	37	23.84	18.29	0.067
QPSK	836.5	26915	15	1	74	23.50	17.95	0.062
QPSK	836.5	26915	15	36	0	23.46	17.91	0.062
QPSK	836.5	26915	15	36	29	23.20	17.65	0.058
QPSK	836.5	26915	15	36	30	23.20	17.65	0.058
QPSK	836.5	26915	15	75	0	23.28	17.73	0.059
QPSK	841.5	26965	15	1	0	23.85	18.30	0.068
QPSK	841.5	26965	15	1	37	23.52	17.97	0.063
QPSK	841.5	26965	15	1	74	23.83	18.28	0.067
QPSK	841.5	26965	15	36	0	23.31	17.76	0.060
QPSK	841.5	26965	15	36	29	23.15	17.60	0.058
QPSK	841.5	26965	15	36	30	22.99	17.44	0.055
QPSK	841.5	26965	15	75	0	23.26	17.71	0.059