

### Appendix A.5: Test Results of Radiated Spurious Emissions


Note:

- 1) This testing was carried out on SISO mode and MIMO mode, but only the worst case (MIMO mode ANT2+3) was presented in this report.
- 2) This testing was carried out on different modulations, but only the worst case was presented in this report.
- 3) Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

#### 30MHz - 1GHz (Worst case)

### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_1.4M_5788.5MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
64.285769	26.38	40.00	13.62	100.0	H	181.0	-20.2
94.355769	25.51	43.50	17.99	100.0	H	262.0	-20.2
139.871154	31.00	43.50	12.50	100.0	H	76.0	-22.6
178.783077	37.46	43.50	6.04	100.0	H	220.0	-20.9
231.498846	31.67	46.00	14.33	100.0	H	66.0	-18.4
299.995769	28.55	46.00	17.45	100.0	H	0.0	-16.6
375.021539	35.50	46.00	10.50	100.0	H	329.0	-14.7

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M\_5788.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
44.550000	22.81	40.00	17.19	100.0	V	241.0	-19.2
60.480385	31.67	40.00	8.33	100.0	V	133.0	-19.4
127.783462	24.88	43.50	18.62	100.0	V	175.0	-21.9
176.843077	27.26	43.50	16.24	100.0	V	258.0	-21.1
275.484615	26.42	46.00	19.58	100.0	V	312.0	-17.2
375.021539	37.98	46.00	8.02	100.0	V	141.0	-14.7
816.110385	25.24	46.00	20.76	100.0	V	141.0	-6.4

### Final Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

**1GHz - 18GHz**

Note: The highest waveform in the figure is 5.8G SDR Fundamental.

**EUT Information**

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G 1.4M 5728.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



**Critical\_Freqs**


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1196.000000	47.00	---	74.00	27.00	150.0	H	181.0	1.7
1196.000000	---	35.63	54.00	18.37	150.0	H	181.0	1.7
2516.500000	50.97	---	74.00	23.03	150.0	H	355.0	8.5
2516.500000	---	40.81	54.00	13.19	150.0	H	355.0	8.5
5416.000000	---	46.29	54.00	7.71	150.0	H	7.0	13.5
5416.500000	56.39	---	74.00	17.61	150.0	H	2.0	13.5

**Final\_Result**

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M\_5728.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1331.500000	44.17	---	74.00	29.83	150.0	V	94.0	2.7
1332.500000	---	34.40	54.00	19.60	150.0	V	243.0	2.7
2985.500000	---	41.92	54.00	12.08	150.0	V	312.0	9.4
2986.500000	55.43	---	74.00	18.57	150.0	V	236.0	9.4
5416.000000	63.17	---	74.00	10.83	150.0	V	323.0	13.5

### Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5416.333333	51.47	54.00	2.53	148.0	V	1.0	13.5

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M\_5728.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11473.125000	46.71	---	74.00	27.29	150.0	H	356.0	13.6
11505.575000	---	37.94	54.00	16.06	150.0	H	122.0	13.7

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M\_5728.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11379.708333	47.40	---	74.00	26.60	150.0	V	117.0	12.6
11418.550000	---	37.76	54.00	16.24	150.0	V	1.0	13.0

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M\_5788.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1184.500000	45.14	---	74.00	28.86	150.0	H	176.0	1.7
1197.000000	---	34.95	54.00	19.05	150.0	H	327.0	1.7
2521.500000	---	40.58	54.00	13.42	150.0	H	37.0	8.5
2538.000000	51.82	---	74.00	22.18	150.0	H	73.0	8.6
5522.500000	57.07	---	68.20	11.13	150.0	H	356.0	13.7

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M\_5788.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1194.500000	45.04	---	74.00	28.96	150.0	V	269.0	1.7
1195.500000	---	35.64	54.00	18.36	150.0	V	269.0	1.7
2993.000000	54.36	---	74.00	19.64	150.0	V	31.0	9.4
3002.000000	---	41.45	54.00	12.55	150.0	V	309.0	9.4
5415.500000	64.52	---	74.00	9.48	150.0	V	315.0	13.5


### Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5372.566667	51.74	54.00	2.26	145.0	V	47.0	13.4



### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M\_5788.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11794.675000	47.83	---	74.00	26.17	150.0	H	350.0	13.4
11805.000000	---	39.43	54.00	14.57	150.0	H	217.0	13.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M\_5788.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11755.341667	---	38.94	54.00	15.06	150.0	V	35.0	13.3
11764.683333	47.81	---	74.00	26.19	150.0	V	35.0	13.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M\_5846.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1195.000000	46.13	---	74.00	27.87	150.0	H	221.0	1.7
1198.000000	---	35.29	54.00	18.71	150.0	H	175.0	1.7
2986.500000	56.54	---	74.00	17.46	150.0	H	209.0	9.4
3067.000000	---	42.04	54.00	11.96	150.0	H	190.0	9.5
5421.500000	57.11	---	74.00	16.89	150.0	H	3.0	13.5
5454.500000	---	46.21	54.00	7.79	150.0	H	257.0	13.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M\_5846.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1196.000000	45.01	---	74.00	28.99	150.0	V	33.0	1.7
1197.000000	---	34.07	54.00	19.93	150.0	V	272.0	1.7
2971.000000	---	41.46	54.00	12.54	150.0	V	167.0	9.3
2989.500000	53.71	---	74.00	20.29	150.0	V	217.0	9.4
5430.500000	63.63	---	74.00	10.37	150.0	V	53.0	13.5

### Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5430.572222	50.89	54.00	3.11	145.0	V	48.0	13.5

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M\_5846.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11781.400000	---	38.76	54.00	15.24	150.0	H	86.0	13.4
11788.283333	48.02	---	74.00	25.98	150.0	H	286.0	13.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M\_5846.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11719.941667	48.61	---	74.00	25.39	150.0	V	121.0	13.3
11807.458333	---	39.28	54.00	14.72	150.0	V	206.0	13.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M CA\_5730.12MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1188.000000	43.93	---	74.00	30.07	150.0	H	299.0	1.7
1195.500000	---	34.11	54.00	19.89	150.0	H	159.0	1.7
2547.500000	---	41.06	54.00	12.94	150.0	H	0.0	8.7
2564.500000	51.40	---	74.00	22.60	150.0	H	321.0	8.6
5418.500000	55.91	---	74.00	18.09	150.0	H	8.0	13.5
5418.500000	---	46.48	54.00	7.52	150.0	H	8.0	13.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M CA\_5730.12MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1197.500000	46.10	---	74.00	27.90	150.0	V	330.0	1.7
1198.000000	---	34.70	54.00	19.30	150.0	V	330.0	1.7
2532.500000	---	41.26	54.00	12.74	150.0	V	178.0	8.6
2543.000000	51.13	---	74.00	22.87	150.0	V	227.0	8.7
5417.500000	63.61	---	74.00	10.39	150.0	V	1.0	13.5


### Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5418.230556	51.91	54.00	2.09	148.0	V	54.0	13.5



### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M CA\_5730.12MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11406.750000	47.77	---	74.00	26.23	150.0	H	155.0	12.9
11482.466667	---	37.69	54.00	16.31	150.0	H	131.0	13.7

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M CA\_5730.12MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11720.925000	49.11	---	74.00	24.89	150.0	V	220.0	13.3
11779.433333	---	38.94	54.00	15.06	150.0	V	243.0	13.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M CA\_5790.12MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1197.500000	---	33.99	54.00	20.01	150.0	H	0.0	1.7
1199.500000	44.98	---	74.00	29.02	150.0	H	0.0	1.7
2464.500000	50.95	---	74.00	23.05	150.0	H	173.0	8.4
2497.500000	---	40.81	54.00	13.19	150.0	H	126.0	8.4
5401.500000	58.51	---	74.00	15.49	150.0	H	5.0	13.5
5418.000000	---	45.94	54.00	8.06	150.0	H	344.0	13.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M CA\_5790.12MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1196.500000	45.08	---	74.00	28.92	150.0	V	259.0	1.7
1196.500000	---	34.89	54.00	19.11	150.0	V	259.0	1.7
2982.500000	---	41.49	54.00	12.51	150.0	V	309.0	9.3
2994.000000	54.44	---	74.00	19.56	150.0	V	235.0	9.4
5426.000000	63.27	---	74.00	10.73	150.0	V	318.0	13.5

### Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5374.388889	49.60	54.00	4.40	148.0	V	326.0	13.4

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M CA\_5790.12MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11733.708333	---	39.45	54.00	14.55	150.0	H	34.0	13.3
11751.408333	47.73	---	74.00	26.27	150.0	H	0.0	13.3

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M CA\_5790.12MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11648.650000	---	38.68	54.00	15.32	150.0	V	239.0	13.3
11717.483333	47.33	---	74.00	26.67	150.0	V	338.0	13.3

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M CA\_5848.12MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1196.000000	43.94	---	74.00	30.06	150.0	H	338.0	1.7
1196.500000	---	35.15	54.00	18.85	150.0	H	345.0	1.7
3073.500000	---	42.38	54.00	11.62	150.0	H	24.0	9.5
3131.000000	53.05	---	74.00	20.95	150.0	H	1.0	9.6
5452.500000	---	46.44	54.00	7.56	150.0	H	8.0	13.5
5460.000000	57.75	---	74.00	16.25	150.0	H	351.0	13.6

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M CA\_5848.12MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1194.000000	45.66	---	74.00	28.34	150.0	V	340.0	1.7
1196.500000	---	34.87	54.00	19.13	150.0	V	326.0	1.7
2999.000000	54.16	---	74.00	19.84	150.0	V	286.0	9.4
3001.000000	---	42.34	54.00	11.66	150.0	V	312.0	9.4
5535.500000	64.17	---	68.20	4.03	150.0	V	0.0	13.8


### Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5432.069444	49.87	54.00	4.13	151.0	V	296.0	13.5



### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M CA\_5848.12MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11388.558333	46.95	---	74.00	27.05	150.0	H	0.0	12.7
11402.325000	---	38.31	54.00	15.69	150.0	H	22.0	12.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M CA\_5848.12MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11787.791667	47.97	---	74.00	26.03	150.0	V	264.0	13.4
11787.791667	---	39.21	54.00	14.79	150.0	V	264.0	13.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_3M\_5727.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1194.500000	---	34.45	54.00	19.55	150.0	H	180.0	1.7
1196.000000	44.48	---	74.00	29.52	150.0	H	0.0	1.7
3104.500000	---	42.61	54.00	11.39	150.0	H	278.0	9.6
3151.000000	52.72	---	74.00	21.28	150.0	H	230.0	9.5
5415.500000	---	46.28	54.00	7.72	150.0	H	345.0	13.5
5416.000000	56.05	---	74.00	17.95	150.0	H	97.0	13.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_3M\_5727.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1194.500000	45.91	---	74.00	28.09	150.0	V	58.0	1.7
1194.500000	---	33.78	54.00	20.22	150.0	V	58.0	1.7
2997.500000	55.41	---	74.00	18.59	150.0	V	209.0	9.4
3007.000000	---	41.82	54.00	12.18	150.0	V	0.0	9.4
5416.000000	62.31	---	74.00	11.69	150.0	V	349.0	13.5

### Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5415.605556	50.93	54.00	3.07	145.0	V	326.0	13.5

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_3M\_5727.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11785.333333	---	39.07	54.00	14.93	150.0	H	299.0	13.4
11802.541667	47.62	---	74.00	26.38	150.0	H	273.0	13.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_3M\_5727.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11482.958333	47.33	---	74.00	26.67	150.0	V	82.0	13.7
11517.866667	---	38.40	54.00	15.60	150.0	V	328.0	13.6

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_3M\_5787.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1197.000000	---	34.67	54.00	19.33	150.0	H	0.0	1.7
1198.500000	45.44	---	74.00	28.56	150.0	H	343.0	1.7
2974.500000	---	41.86	54.00	12.14	150.0	H	330.0	9.3
2989.000000	55.61	---	74.00	18.39	150.0	H	58.0	9.4
5440.500000	---	46.09	54.00	7.91	150.0	H	358.0	13.5
5443.500000	56.56	---	74.00	17.44	150.0	H	342.0	13.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_3M\_5787.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1196.000000	44.41	---	74.00	29.59	150.0	V	73.0	1.7
1200.500000	---	34.70	54.00	19.30	150.0	V	260.0	1.7
2842.000000	---	40.88	54.00	13.12	150.0	V	260.0	9.0
2842.500000	52.49	---	74.00	21.51	150.0	V	54.0	9.0
5447.500000	62.01	---	74.00	11.99	150.0	V	348.0	13.5


### Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5418.319444	48.53	54.00	5.47	145.0	V	313.0	13.5



### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_3M\_5787.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11448.050000	---	37.87	54.00	16.13	150.0	H	132.0	13.3
11470.175000	46.79	---	74.00	27.21	150.0	H	23.0	13.6

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_3M\_5787.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11763.700000	47.81	---	74.00	26.19	150.0	V	97.0	13.4
11784.350000	---	39.36	54.00	14.64	150.0	V	158.0	13.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_3M\_5844.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1197.000000	49.00	---	74.00	25.00	150.0	H	160.0	1.7
1197.000000	---	38.49	54.00	15.51	150.0	H	160.0	1.7
2516.500000	51.43	---	74.00	22.57	150.0	H	173.0	8.5
2561.000000	---	40.59	54.00	13.42	150.0	H	120.0	8.6
5428.500000	57.83	---	74.00	16.17	150.0	H	359.0	13.5
5428.500000	---	45.88	54.00	8.12	150.0	H	359.0	13.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_3M\_5844.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



## Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1197.000000	45.43	---	74.00	28.57	150.0	V	309.0	1.7
1197.000000	---	35.23	54.00	18.77	150.0	V	309.0	1.7
2495.000000	---	40.88	54.00	13.12	150.0	V	333.0	8.4
2516.500000	50.97	---	74.00	23.03	150.0	V	15.0	8.5
5531.500000	64.52	---	68.20	3.68	150.0	V	0.0	13.8

## Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5428.677778	50.59	54.00	3.41	149.0	V	349.0	13.5

### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_3M_5844.5MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11767.633333	48.42	---	74.00	25.58	150.0	H	157.0	13.4
11789.758333	---	39.42	54.00	14.58	150.0	H	0.0	13.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_3M_5844.5MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11450.508333	---	37.90	54.00	16.10	150.0	V	277.0	13.4
11509.016667	47.44	---	74.00	26.56	150.0	V	313.0	13.7

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_3M\_CA\_5730.2MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1195.000000	44.17	---	74.00	29.83	150.0	H	222.0	1.7
1197.500000	---	35.33	54.00	18.67	150.0	H	229.0	1.7
2983.000000	52.91	---	74.00	21.09	150.0	H	5.0	9.3
3006.500000	---	41.84	54.00	12.16	150.0	H	16.0	9.4
5417.500000	56.13	---	74.00	17.87	150.0	H	0.0	13.5
5417.500000	---	46.37	54.00	7.63	150.0	H	0.0	13.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_3M CA_5730.2MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



## Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1194.500000	49.74	---	74.00	24.26	150.0	V	258.0	1.7
1194.500000	---	35.33	54.00	18.67	150.0	V	258.0	1.7
2972.500000	---	41.85	54.00	12.15	150.0	V	191.0	9.3
2991.000000	53.96	---	74.00	20.04	150.0	V	218.0	9.4
5419.500000	64.45	---	74.00	9.55	150.0	V	314.0	13.5


## Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5418.458333	50.90	54.00	3.10	150.0	V	339.0	13.5



### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_3M CA\_5730.2MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11658.483333	---	38.73	54.00	15.27	150.0	H	300.0	13.3
11685.525000	47.58	---	74.00	26.43	150.0	H	328.0	13.3

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_3M CA\_5730.2MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11799.100000	47.97	---	74.00	26.03	150.0	V	0.0	13.4
11800.575000	---	39.21	54.00	14.79	150.0	V	0.0	13.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_3M_CA_5790.2MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1176.500000	45.17	---	74.00	28.83	150.0	H	41.0	1.7
1197.000000	---	34.94	54.00	19.06	150.0	H	0.0	1.7
2972.000000	---	41.96	54.00	12.04	150.0	H	246.0	9.3
2996.500000	53.53	---	74.00	20.47	150.0	H	204.0	9.4
5424.000000	57.17	---	74.00	16.83	150.0	H	0.0	13.5
5450.000000	---	46.09	54.00	7.91	150.0	H	352.0	13.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_3M CA\_5790.2MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



## Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1195.000000	---	35.66	54.00	18.34	150.0	V	304.0	1.7
1196.000000	44.52	---	74.00	29.48	150.0	V	334.0	1.7
2997.000000	54.00	---	74.00	20.00	150.0	V	243.0	9.4
3005.500000	---	41.75	54.00	12.25	150.0	V	202.0	9.4
5408.500000	63.20	---	74.00	10.80	150.0	V	353.0	13.5

## Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5405.244444	49.32	54.00	4.68	151.0	V	315.0	13.5

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_3M CA\_5790.2MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11761.733333	48.57	---	74.00	25.43	150.0	H	92.0	13.4
11787.791667	---	39.74	54.00	14.26	150.0	H	296.0	13.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_3M CA\_5790.2MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11759.275000	---	39.42	54.00	14.58	150.0	V	163.0	13.4
11800.083333	48.58	---	74.00	25.42	150.0	V	1.0	13.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_3M\_CA\_5847.2MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1193.500000	45.12	---	74.00	28.88	150.0	H	333.0	1.7
1194.000000	---	35.19	54.00	18.81	150.0	H	333.0	1.7
2994.000000	55.99	---	74.00	18.01	150.0	H	197.0	9.4
3001.000000	---	42.02	54.00	11.98	150.0	H	54.0	9.4
5451.500000	56.69	---	74.00	17.31	150.0	H	351.0	13.5
5455.000000	---	46.65	54.00	7.35	150.0	H	351.0	13.6

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_3M CA\_5847.2MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



## Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1194.000000	44.91	---	74.00	29.09	150.0	V	256.0	1.7
1195.000000	---	35.80	54.00	18.20	150.0	V	248.0	1.7
2503.500000	---	41.13	54.00	12.87	150.0	V	225.0	8.4
2508.000000	51.15	---	74.00	22.85	150.0	V	153.0	8.4
5412.000000	64.63	---	74.00	9.37	150.0	V	319.0	13.5


## Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5407.872222	50.81	54.00	3.19	145.0	V	318.0	13.5



### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_3M\_CA\_5847.2MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11745.508333	47.99	---	74.00	26.01	150.0	H	71.0	13.3
11754.358333	---	38.95	54.00	15.05	150.0	H	0.0	13.3

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_3M CA\_5847.2MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11789.758333	---	38.94	54.00	15.06	150.0	V	58.0	13.4
11793.691667	47.78	---	74.00	26.22	150.0	V	46.0	13.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_10M\_5787.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1249.000000	---	33.73	54.00	20.27	150.0	H	57.0	2.5
1254.000000	44.39	---	74.00	29.61	150.0	H	57.0	2.5
3742.000000	54.44	---	74.00	19.56	150.0	H	180.0	10.9
3775.500000	---	43.93	54.00	10.07	150.0	H	186.0	11.1

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_10M\_5787.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1197.000000	---	35.25	54.00	18.75	150.0	V	269.0	1.7
1197.500000	45.72	---	74.00	28.28	150.0	V	269.0	1.7
2981.500000	---	41.84	54.00	12.16	150.0	V	58.0	9.3
2987.500000	55.15	---	74.00	18.85	150.0	V	153.0	9.4
5398.000000	---	44.03	54.00	9.97	150.0	V	353.0	13.4
5473.500000	55.07	---	68.20	13.13	150.0	V	357.0	13.6

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_10M_5787.5MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11462.800000	---	38.13	54.00	15.87	150.0	H	4.0	13.5
11519.833333	47.56	---	74.00	26.45	150.0	H	111.0	13.6

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_10M_5787.5MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11768.125000	---	38.86	54.00	15.14	150.0	V	359.0	13.4
11781.400000	48.47	---	74.00	25.53	150.0	V	120.0	13.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_20M_5787.5MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1994.500000	50.72	---	74.00	23.28	150.0	H	248.0	6.8
1996.500000	---	40.38	54.00	13.62	150.0	H	0.0	6.8
3960.000000	55.31	---	74.00	18.69	150.0	H	90.0	11.7
3962.000000	---	44.50	54.00	9.50	150.0	H	101.0	11.7

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_20M_5787.5MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1196.500000	46.89	---	74.00	27.11	150.0	V	303.0	1.7
1196.500000	---	35.66	54.00	18.34	150.0	V	303.0	1.7
2997.500000	57.16	---	74.00	16.84	150.0	V	296.0	9.4
3115.000000	---	42.39	54.00	11.61	150.0	V	312.0	9.6
5416.000000	---	43.90	54.00	10.10	150.0	V	319.0	13.5
5426.500000	54.28	---	74.00	19.72	150.0	V	359.0	13.5


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_20M_5787.5MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11432.808333	47.92	---	74.00	26.08	150.0	H	359.0	13.2
11532.125000	---	38.11	54.00	15.89	150.0	H	138.0	13.6

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_20M\_5787.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11571.458333	---	38.16	54.00	15.84	150.0	V	22.0	13.4
11575.391667	47.87	---	74.00	26.13	150.0	V	301.0	13.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_40M\_5787.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1195.500000	50.17	---	74.00	23.83	150.0	H	341.0	1.7
1195.500000	---	37.52	54.00	16.48	150.0	H	341.0	1.7
2996.500000	56.63	---	74.00	17.37	150.0	H	219.0	9.4
3047.500000	---	42.31	54.00	11.69	150.0	H	8.0	9.5
5424.500000	56.84	---	74.00	17.16	150.0	H	145.0	13.5
5442.500000	---	43.80	54.00	10.20	150.0	H	302.0	13.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_40M\_5787.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1196.000000	45.65	---	74.00	28.35	150.0	V	271.0	1.7
1196.000000	---	35.76	54.00	18.24	150.0	V	271.0	1.7
2993.000000	55.21	---	74.00	18.79	150.0	V	14.0	9.4
3068.000000	---	42.62	54.00	11.38	150.0	V	1.0	9.5
5409.500000	56.97	---	74.00	17.03	150.0	V	356.0	13.5
5416.500000	---	46.28	54.00	7.72	150.0	V	324.0	13.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_40M_5787.5MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11757.308333	---	39.33	54.00	14.67	150.0	H	51.0	13.4
11772.550000	48.32	---	74.00	25.68	150.0	H	147.0	13.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_40M\_5787.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11748.458333	47.64	---	74.00	26.36	150.0	V	255.0	13.3
11777.958333	---	39.97	54.00	14.03	150.0	V	255.0	13.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### Co-location Mode


Note: It verified that there are no evident unwanted emissions found in Co-location mode, thus no records for it.

## Appendix A.6: Test Results of Radiated Emissions in Restricted Bands

5.8G SDR, 1.4MHz BW

### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_1.4M_5728.5MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5643.633333	56.14	68.20	12.06	150.0	H	354.0	13.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_1.4M_5728.5MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5649.194445	61.62	68.20	6.58	150.0	V	348.0	13.8


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_1.4M\_5846.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5967.458333	57.37	68.20	10.83	150.0	H	333.0	14.9

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_1.4M_5846.5MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5995.722222	59.32	68.20	8.88	150.0	V	0.0	15.0


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_1.4M CA_5730.12MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5639.600000	61.48	68.20	6.72	150.0	V	0.0	13.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_1.4M CA_5848.12MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5992.131944	57.28	68.20	10.92	150.0	H	147.0	15.0

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_1.4M CA_5848.12MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5952.562500	60.42	68.20	7.78	150.0	V	349.0	14.8


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_3M_5727.5MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5601.772222	61.70	68.20	6.50	150.0	V	0.0	13.8


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_3M_5844.5MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5964.937500	57.51	68.20	10.69	150.0	H	293.0	14.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_3M_5844.5MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5932.930556	59.17	68.20	9.03	150.0	V	32.0	14.7


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_3M CA\_5730.2MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5637.522222	62.01	68.20	6.19	150.0	V	6.0	13.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_3M CA_5847.2MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5966.159722	57.18	68.20	11.02	150.0	H	79.0	14.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_3M CA_5847.2MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5957.604167	59.12	68.20	9.08	150.0	V	24.0	14.8


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_10M_5730.5MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5633.244445	54.18	68.20	14.02	150.0	V	0.0	13.8


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5938.736111	54.53	68.20	13.67	150.0	H	119.0	14.7

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5979.145833	55.12	68.20	13.08	150.0	V	0.0	14.9


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

**5.8G SDR, 20MHz BW**

**EUT Information**

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



**Critical Freqs**


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5644.244445	52.41	68.20	15.79	150.0	H	219.0	13.8

**Final Result**

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5640.272222	54.29	68.20	13.91	150.0	V	305.0	13.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_20M\_5839.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5985.409722	54.35	68.20	13.85	150.0	H	147.0	14.9

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_20M\_5839.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5996.180556	55.65	68.20	12.55	150.0	V	359.0	15.0


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_40M_5745.5MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5605.194445	54.50	68.20	13.70	150.0	V	1.0	13.8


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_40M\_5750.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5648.461111	54.29	68.20	13.91	150.0	V	1.0	13.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_40M\_5755.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5613.872222	54.40	68.20	13.80	150.0	V	12.0	13.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_40M\_5814.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5958.062500	54.12	68.20	14.08	150.0	V	285.0	14.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_40M_5819.5MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5974.944445	54.35	68.20	13.85	150.0	V	311.0	14.9

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK 2  
 Model: DOCK-02  
 Test Mode: SDR 5.8G\_40M\_5829.5MHz  
 Order No/Sample No: 168435965/A003614135-001  
 Test Voltage: 120V/60Hz  
 Remark: Temp 24 Humi:50%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5990.069444	54.67	68.20	13.53	150.0	H	116.0	15.0

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK 2
Model:	DOCK-02
Test Mode:	SDR 5.8G_40M_5829.5MHz
Order No/Sample No:	168435965/A003614135-001
Test Voltage:	120V/60Hz
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5941.944445	55.03	68.20	13.17	150.0	V	0.0	14.7


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### Appendix A.7: Test Results of Conducted Emission on AC Mains

#### EUT Information

EUT Name	DJI DOCK 2
Order Number:	168435965(P01152360)
Model:	DOCK-02
Test Mode:	SDR 5.8G
Test Voltage:	AC 120V/60Hz
Test Standard:	FCC Part 15
Test By./Review By:	Soloman Wu/ Gary Chen
Tem./Hum./Pressure:	23.2°C/51.8%/101kPa
Remark:	SR1



#### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Line	Corr. (dB)
0.162000	50.39	---	65.36	14.97	L1	9.7
0.162000	---	48.02	55.36	7.34	L1	9.7
0.226000	42.45	---	62.60	20.15	L1	9.8
0.226000	---	37.28	52.60	15.32	L1	9.8
1.020000	40.84	---	56.00	15.16	L1	9.7
1.020000	---	39.34	46.00	6.66	L1	9.7
8.858500	49.76	---	60.00	10.24	L1	9.9
8.858500	---	42.33	50.00	7.67	L1	9.9
15.214500	---	49.41	50.00	0.59	L1	10.1
15.222500	58.88	---	60.00	1.12	L1	10.1
22.824000	46.66	---	60.00	13.34	L1	10.6
22.824000	---	36.55	50.00	13.45	L1	10.6

#### Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
8.858500	47.23	---	60.00	12.77	1000.0	9.000	L1	9.9
8.858500	---	41.18	50.00	8.82	1000.0	9.000	L1	9.9
15.214500	---	48.90	50.00	1.10	1000.0	9.000	L1	10.1
15.222500	53.75	---	60.00	6.25	1000.0	9.000	L1	10.1

### EUT Information

EUT Name	DJI DOCK 2
Order Number:	168435965(P01152360)
Model:	DOCK-02
Test Mode:	SDR 5.8G
Test Voltage:	AC 120V/60Hz
Test Standard:	FCC Part 15
Test By:/Review By:	Soloman Wu/ Gary Chen
Tem./Hum./Pressure:	23.2°C/51.8%/101kPa
Remark:	SR1



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Line	Corr. (dB)
0.162000	---	53.78	55.36	1.58	N	9.8
0.162000	56.15	---	65.36	9.21	N	9.8
0.226000	---	38.95	52.60	13.65	N	9.7
0.226000	43.63	---	62.60	18.97	N	9.7
0.916000	---	39.78	46.00	6.22	N	9.6
0.916000	42.07	---	56.00	13.93	N	9.6
1.132000	---	38.79	46.00	7.21	N	9.7
1.132000	42.29	---	56.00	13.71	N	9.7
10.388000	---	38.58	50.00	11.42	N	10.1
10.388000	46.99	---	60.00	13.01	N	10.1
15.102500	---	49.92	50.00	0.08	N	10.1
15.102500	58.97	---	60.00	1.03	N	10.1

### Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.162000	53.24	---	65.36	12.12	1000.0	9.000	N	9.8
0.162000	---	52.55	55.36	2.81	1000.0	9.000	N	9.8
15.102500	---	48.76	50.00	1.24	1000.0	9.000	N	10.1
15.102500	54.75	---	60.00	5.25	1000.0	9.000	N	10.1