


### Appendix A.5: Test Results of Radiated Spurious Emissions

Note: Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

#### 30MHz - 1GHz (Worst case)

#### EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_1.4M_2435.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



#### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
66.971923	17.54	40.00	22.46	100.0	H	317.0	-21.1
94.990000	28.22	43.50	15.28	100.0	H	0.0	-20.1
125.171923	35.22	43.50	8.28	100.0	H	321.0	-21.7
186.356539	38.69	43.50	4.81	100.0	H	339.0	-20.2
302.831154	30.38	46.00	15.62	100.0	H	330.0	-16.6
360.247692	31.99	46.00	14.01	100.0	H	317.0	-14.9
417.403077	29.76	46.00	16.24	100.0	H	317.0	-13.8

#### Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_1.4M\_2435.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
43.542692	29.90	40.00	10.10	100.0	V	325.0	-19.5
64.136539	29.59	40.00	10.41	100.0	V	0.0	-20.2
109.689231	30.99	43.50	12.51	100.0	V	315.0	-19.4
186.431154	37.79	43.50	5.71	100.0	V	315.0	-20.2
361.255000	30.59	46.00	15.41	100.0	V	0.0	-14.9
719.632692	27.66	46.00	18.34	100.0	V	0.0	-8.1
960.043462	32.09	54.00	21.91	100.0	V	0.0	-4.7

### Final Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

**1GHz - 18GHz**

Note: The highest waveform in the figure is 2.4GHz SDR Fundamental.

**EUT Information**

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_1.4M_2435.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



**Critical Freqs**


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4870.500000	50.95	---	74.00	23.05	100.0	H	176.0	11.8
4870.500000	---	41.31	54.00	12.69	100.0	H	176.0	11.8

**Final Result**

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_1.4M\_2435.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4871.000000	52.47	---	74.00	21.53	100.0	V	143.0	11.8
4871.000000	---	40.96	54.00	13.04	100.0	V	143.0	11.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_1.4M\_2435.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7328.375000	43.85	---	74.00	30.15	100.0	H	0.0	8.1
7335.258333	---	33.58	54.00	20.42	100.0	H	286.0	8.1

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_1.4M\_2435.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7305.758333	---	34.02	54.00	19.98	100.0	V	319.0	8.3
7321.000000	42.47	---	74.00	31.53	100.0	V	230.0	8.2

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_1.4M CA\_2437.12MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4874.000000	---	41.10	54.00	12.90	100.0	H	205.0	11.8
4874.500000	50.72	---	74.00	23.28	100.0	H	187.0	11.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_1.4M CA\_2437.12MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4873.500000	---	40.99	54.00	13.01	100.0	V	145.0	11.8
4874.500000	52.28	---	74.00	21.72	100.0	V	151.0	11.8


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_1.4M CA\_2437.12MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7293.958333	41.67	---	74.00	32.33	100.0	H	213.0	8.3
7328.866667	---	34.32	54.00	19.68	100.0	H	262.0	8.1

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_1.4M CA\_2437.12MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7309.691667	---	33.26	54.00	20.74	100.0	V	354.0	8.2
7312.641667	42.52	---	74.00	31.48	100.0	V	159.0	8.2

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_3M\_2434.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4867.500000	51.90	---	74.00	22.10	100.0	H	182.0	11.8
4869.500000	---	42.15	54.00	11.85	100.0	H	182.0	11.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_3M\_2434.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4868.500000	53.35	---	74.00	20.65	100.0	V	146.0	11.8
4869.000000	---	41.48	54.00	12.52	100.0	V	146.0	11.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_3M\_2434.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7255.116667	---	34.76	54.00	19.24	100.0	H	152.0	8.5
7292.975000	42.95	---	74.00	31.05	100.0	H	354.0	8.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_3M\_2434.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7294.450000	42.38	---	74.00	31.62	100.0	V	20.0	8.3
7324.933333	---	33.50	54.00	20.50	100.0	V	127.0	8.2

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_3M CA\_2437.2MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4874.000000	52.58	---	74.00	21.42	100.0	H	202.0	11.8
4874.000000	---	40.76	54.00	13.24	100.0	H	202.0	11.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_3M CA\_2437.2MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4873.500000	---	40.70	54.00	13.30	100.0	V	128.0	11.8
4875.000000	52.25	---	74.00	21.75	100.0	V	128.0	11.8


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_3M CA\_2437.2MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7317.558333	---	33.12	54.00	20.88	100.0	H	224.0	8.2
7329.358333	42.43	---	74.00	31.57	100.0	H	247.0	8.1

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_3M CA\_2437.2MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7288.550000	42.52	---	74.00	31.48	100.0	V	1.0	8.4
7327.391667	---	32.88	54.00	21.12	100.0	V	58.0	8.1

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_10M_2436.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



## Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1197.370000	46.68	---	74.00	27.32	100.0	H	212.0	1.1
1197.370000	---	38.16	54.00	15.84	100.0	H	212.0	1.1
4863.500000	51.48	---	74.00	22.52	100.0	H	97.0	11.8
4898.500000	---	39.85	54.00	14.15	100.0	H	274.0	11.8

## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_10M_2436.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



## Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1223.890000	---	39.35	54.00	14.65	100.0	V	208.0	1.5
1224.230000	46.95	---	74.00	27.05	100.0	V	208.0	1.5
4871.000000	---	39.43	54.00	14.57	100.0	V	49.0	11.8
4890.500000	50.69	---	74.00	23.31	100.0	V	44.0	11.8

## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_10M\_2436.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7309.200000	42.25	---	74.00	31.75	100.0	H	59.0	8.2
7333.783333	---	33.72	54.00	20.28	100.0	H	124.0	8.1

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_10M\_2436.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7308.708333	---	33.30	54.00	20.70	100.0	V	44.0	8.2
7338.208333	42.41	---	74.00	31.59	100.0	V	188.0	8.1

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_20M\_2441.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1193.800000	---	39.07	54.00	14.93	100.0	H	359.0	1.1
1197.880000	46.59	---	74.00	27.41	100.0	H	359.0	1.1
4855.000000	---	39.49	54.00	14.51	100.0	H	20.0	11.8
4898.000000	50.95	---	74.00	23.05	100.0	H	111.0	11.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_20M_2441.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



## Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1201.790000	53.06	---	74.00	20.94	100.0	V	233.0	1.2
1204.340000	---	38.50	54.00	15.50	100.0	V	233.0	1.2
4854.000000	---	39.57	54.00	14.43	100.0	V	141.0	11.8
4875.500000	50.45	---	74.00	23.55	100.0	V	147.0	11.8


## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_20M\_2441.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7323.950000	42.37	---	74.00	31.63	100.0	H	325.0	8.2
7333.291667	---	34.01	54.00	19.99	100.0	H	300.0	8.1

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_20M\_2441.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7320.508333	---	33.26	54.00	20.74	100.0	V	289.0	8.2
7330.833333	42.58	---	74.00	31.42	100.0	V	0.0	8.1

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_40M_2437.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



## Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4857.000000	---	39.53	54.00	14.47	100.0	H	154.0	11.8
4876.000000	50.10	---	74.00	23.90	100.0	H	327.0	11.8

## Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_40M_2437.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



## Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1201.960000	51.09	---	74.00	22.91	100.0	V	216.0	1.2
1201.960000	---	38.26	54.00	15.74	100.0	V	216.0	1.2
4857.500000	---	39.57	54.00	14.43	100.0	V	151.0	11.8
4860.500000	50.41	---	74.00	23.59	100.0	V	315.0	11.8

## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_40M\_2437.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7310.675000	42.21	---	74.00	31.79	100.0	H	71.0	8.2
7313.133333	---	33.43	54.00	20.57	100.0	H	47.0	8.2

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_40M\_2437.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7306.250000	42.09	---	74.00	31.91	100.0	V	334.0	8.3
7319.033333	---	33.88	54.00	20.12	100.0	V	186.0	8.2

### Final\_Result


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## Appendix A.6: Test Results of Radiated Emissions in Restricted Bands

2.4GHz SDR, 1.4MHz BW

### EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_1.4M_2409.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2362.400000	---	44.13	54.00	9.87	100.0	H	220.0	6.9
2370.100000	52.71	---	74.00	21.29	100.0	H	4.0	6.9

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_1.4M_2409.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2387.600000	58.17	---	74.00	15.83	100.0	V	223.0	7.0
2387.600000	---	49.66	54.00	4.34	100.0	V	223.0	7.0


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



## EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_1.4M_2463.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



## Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.700000	---	45.25	54.00	8.75	100.0	H	244.0	7.4
2485.000000	54.11	---	74.00	19.89	100.0	H	252.0	7.4

## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_1.4M\_2463.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.800000	60.48	---	74.00	13.52	100.0	V	104.0	7.4


### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.251300	50.55	54.00	3.45	105.0	V	229.0	7.4

2.4GHz SDR, 1.4MHz BW CA mode

EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_1.4M CA\_2411.12MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2368.100000	52.58	---	74.00	21.42	100.0	H	0.0	6.9
2370.300000	---	43.55	54.00	10.45	100.0	H	203.0	6.9

Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_1.4M CA_2411.12MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.100000	57.56	---	74.00	16.44	100.0	V	211.0	7.0
2389.700000	---	49.85	54.00	4.15	100.0	V	192.0	7.0

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_1.4M CA\_2465.12MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.000000	---	47.08	54.00	6.92	100.0	H	235.0	7.4
2485.100000	53.84	---	74.00	20.16	100.0	H	235.0	7.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_1.4M CA\_2465.12MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.600000	60.41	---	74.00	13.59	100.0	V	235.0	7.4


### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.820450	50.67	54.00	3.33	105.0	V	125.0	7.4

**2.4GHz SDR, 3MHz BW**

**EUT Information**

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_3M\_2410.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



**Critical\_Freqs**


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2355.000000	---	44.88	54.00	9.12	100.0	H	144.0	6.9
2372.700000	53.09	---	74.00	20.91	100.0	H	153.0	6.9

**Final\_Result**

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_3M_2410.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.500000	58.16	---	74.00	15.84	100.0	V	135.0	7.0
2390.000000	---	49.35	54.00	4.65	100.0	V	242.0	7.0


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_3M_2461.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.400000	53.31	---	74.00	20.69	100.0	H	257.0	7.4
2484.500000	---	45.67	54.00	8.33	100.0	H	239.0	7.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_3M\_2461.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.900000	59.37	---	74.00	14.63	100.0	V	220.0	7.4
2484.800000	---	50.57	54.00	3.43	100.0	V	129.0	7.4


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

**2.4GHz SDR, 3MHz BW CA mode**

**EUT Information**

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_3M CA\_2413.2MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



**Critical\_Freqs**


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2361.100000	---	44.31	54.00	9.69	100.0	H	358.0	6.9
2361.300000	52.24	---	74.00	21.76	100.0	H	0.0	6.9

**Final\_Result**

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_3M CA\_2413.2MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



## Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.100000	---	49.53	54.00	4.47	100.0	V	130.0	7.0
2389.300000	57.68	---	74.00	16.32	100.0	V	139.0	7.0

## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_3M CA\_2464.2MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.900000	---	46.64	54.00	7.36	100.0	H	263.0	7.4
2485.000000	54.07	---	74.00	19.93	100.0	H	271.0	7.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_3M CA_2464.2MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.60000	61.44	---	74.00	12.56	100.0	V	154.0	7.4


### Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.478750	51.62	54.00	2.38	105.0	V	139.0	7.4

### 2.4GHz SDR, 10MHz BW

### EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_10M_2405.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2374.200000	---	39.43	54.00	14.57	100.0	H	184.0	6.9
2375.800000	49.04	---	74.00	24.96	100.0	H	19.0	6.9

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_10M_2405.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.300000	51.52	---	74.00	22.48	100.0	V	138.0	7.0
2389.300000	---	43.80	54.00	10.20	100.0	V	138.0	7.0


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_10M\_2406.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.500000	---	42.95	54.00	11.05	100.0	V	131.0	7.0
2389.800000	50.80	---	74.00	23.20	100.0	V	209.0	7.0

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_10M_2407.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



## Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2385.400000	50.34	---	74.00	23.66	100.0	V	138.0	7.0
2388.600000	---	42.42	54.00	11.58	100.0	V	202.0	7.0

## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_10M\_2467.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.200000	---	40.73	54.00	13.27	100.0	H	252.0	7.4
2485.300000	49.80	---	74.00	24.20	100.0	H	25.0	7.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_10M\_2467.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.000000	---	45.02	54.00	8.98	100.0	V	127.0	7.4
2485.100000	53.44	---	74.00	20.56	100.0	V	135.0	7.4


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

**2.4GHz SDR, 20MHz BW**

**EUT Information**

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_20M_2410.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



**Critical\_Freqs**


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2378.000000	---	39.92	54.00	14.08	100.0	H	283.0	6.9
2378.100000	48.73	---	74.00	25.27	100.0	H	193.0	6.9

**Final\_Result**

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_20M\_2410.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.400000	---	42.57	54.00	11.43	100.0	V	130.0	7.0
2388.600000	49.53	---	74.00	24.47	100.0	V	213.0	7.0

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_20M\_2412.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.100000	---	42.01	54.00	11.99	100.0	V	218.0	7.0
2389.700000	50.50	---	74.00	23.50	100.0	V	136.0	7.0

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_20M_2415.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



## Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.000000	50.74	---	74.00	23.26	100.0	V	224.0	7.0
2389.500000	---	41.41	54.00	12.59	100.0	V	153.0	7.0


## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_20M_2455.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2487.000000	---	44.62	54.00	9.38	100.0	V	160.0	7.4
2487.000000	51.98	---	74.00	22.02	100.0	V	160.0	7.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_20M_2458.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.100000	---	43.87	54.00	10.13	100.0	V	138.0	7.4
2487.500000	51.76	---	74.00	22.24	100.0	V	130.0	7.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_20M_2462.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



## Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.600000	---	47.00	54.00	7.00	100.0	V	139.0	7.4
2484.600000	56.37	---	74.00	17.63	100.0	V	120.0	7.4

## Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_20M\_2472.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.900000	---	40.54	54.00	13.46	100.0	H	185.0	7.4
2487.200000	49.85	---	74.00	24.15	100.0	H	323.0	7.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_20M_2472.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



## Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.600000	57.61	---	74.00	16.39	100.0	V	122.0	7.4
2484.000000	---	47.19	54.00	6.81	100.0	V	179.0	7.4


## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### 2.4GHz SDR, 40MHz BW

## EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_40M_2422.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



## Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2373.800000	---	40.20	54.00	13.80	100.0	H	137.0	6.9
2374.500000	49.07	---	74.00	24.93	100.0	H	254.0	6.9

## Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_40M\_2422.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.500000	51.06	---	74.00	22.94	100.0	V	209.0	7.0
2389.700000	---	43.69	54.00	10.31	100.0	V	148.0	7.0

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_40M\_2430.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.200000	51.85	---	74.00	22.15	100.0	V	183.0	7.0
2390.000000	---	44.05	54.00	9.95	100.0	V	138.0	7.0


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name:	DJI DOCK
Model:	DOCK-01
Test Mode:	SDR 2.4G_40M_2431.5MHz
Order No/Sample No:	168386953/A003433343-002
Test Voltage:	120V/60Hz
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.500000	---	44.73	54.00	9.27	100.0	V	129.0	7.0
2389.900000	54.51	---	74.00	19.49	100.0	V	129.0	7.0

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_40M\_2440.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.800000	52.36	---	74.00	21.64	100.0	V	216.0	7.4
2486.400000	---	44.65	54.00	9.35	100.0	V	121.0	7.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_40M\_2445.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.200000	---	44.36	54.00	9.64	100.0	V	126.0	7.4
2484.400000	52.63	---	74.00	21.37	100.0	V	145.0	7.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_40M\_2452.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.700000	---	41.45	54.00	12.55	100.0	H	359.0	7.4
2486.600000	49.59	---	74.00	24.41	100.0	H	347.0	7.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI DOCK  
 Model: DOCK-01  
 Test Mode: SDR 2.4G\_40M\_2452.5MHz  
 Order No/Sample No: 168386953/A003433343-002  
 Test Voltage: 120V/60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.500000	---	46.88	54.00	7.12	100.0	V	139.0	7.4
2485.100000	55.22	---	74.00	18.78	100.0	V	148.0	7.4


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## Appendix A.7: Test Results of Conducted Emission on AC Mains

### EUT Information

EUT Name:	DJI DOCK
Order Number:	168386953
Model:	DOCK-01
Test Mode:	Normal operation
Test Voltage:	AC 120V/60Hz
Test By./Review By:	Charlie Zha/Gary Chen
Standard:	FCC Part 15
Tem./Hum./Pressure:	23.0°C/50.8%/101kPa
Remark:	SR1




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Line	Corr. (dB)
0.194000	43.95	---	63.86	19.91	L1	9.8
0.194000	---	37.89	53.86	15.97	L1	9.8
0.330000	39.92	---	59.45	19.53	L1	10.0
0.330000	---	31.20	49.45	18.25	L1	10.0
1.624000	41.55	---	56.00	14.45	L1	9.9
1.676000	---	28.24	46.00	17.76	L1	9.9
6.896000	44.82	---	60.00	15.18	L1	10.1
7.064000	---	37.36	50.00	12.64	L1	10.1
10.080000	54.30	---	60.00	5.70	L1	10.1
10.080000	---	46.32	50.00	3.68	L1	10.1
28.316000	53.65	---	60.00	6.35	L1	10.9
28.444000	---	45.34	50.00	4.66	L1	10.9

## EUT Information

EUT Name:	DJI DOCK
Order Number:	168386953
Model:	DOCK-01
Test Mode:	Normal operation
Test Voltage:	AC 120V/60Hz
Test By:/Review By:	Charlie Zha/Gary Chen
Standard:	FCC Part 15
Tem./Hum./Pressure:	23.0°C/50.8%/101kPa
Remark:	SR1



## Critical Freqs

Frequency (MHz)	MaxPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Line	Corr. (dB)
0.194000	---	37.01	53.86	16.85	N	9.7
0.194000	44.00	---	63.86	19.86	N	9.7
0.254000	---	32.38	51.63	19.25	N	9.7
0.254000	40.23	---	61.63	21.40	N	9.7
0.354000	45.04	---	58.87	13.83	N	9.8
0.358000	---	32.20	48.78	16.57	N	9.8
1.732000	39.60	---	56.00	16.40	N	9.9
1.780000	---	24.46	46.00	21.54	N	9.9
10.208000	52.75	---	60.00	7.25	N	10.2
10.208000	---	44.58	50.00	5.42	N	10.2
28.636000	---	43.50	50.00	6.50	N	10.8
28.892000	52.10	---	60.00	7.90	N	10.8