


Appendix A.5: Test Results of Radiated Spurious Emissions

Note:1, Testing is carried out with frequency rang 9kHz to the tenth harmonics.
 2, The margin is greater than 20 dB are not shown in this Appendix.

30MHz - 1GHz (Worst case)

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_1.4M_5786.5MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 58.838846 | 17.92 | 40.00 | 22.08 | 100.0 | H | 321.0 | -19.2 |
| 96.631539 | 28.13 | 43.50 | 15.37 | 100.0 | H | 346.0 | -19.8 |
| 124.537692 | 34.96 | 43.50 | 8.54 | 100.0 | H | 315.0 | -21.6 |
| 186.990769 | 37.48 | 43.50 | 6.02 | 100.0 | H | 355.0 | -20.1 |
| 297.981154 | 29.68 | 46.00 | 16.32 | 100.0 | H | 315.0 | -16.7 |
| 417.216539 | 31.10 | 46.00 | 14.90 | 100.0 | H | 315.0 | -13.8 |
| 744.031923 | 25.15 | 46.00 | 20.85 | 100.0 | H | 317.0 | -7.7 |

Final_Result

| Frequency (MHz) | QuasiPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|--------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_1.4M_5786.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 30.970000 | 30.11 | 40.00 | 9.89 | 100.0 | V | 355.0 | -23.2 |
| 63.614231 | 28.42 | 40.00 | 11.58 | 100.0 | V | 355.0 | -20.1 |
| 109.763846 | 30.78 | 43.50 | 12.72 | 100.0 | V | 355.0 | -19.4 |
| 185.796923 | 36.49 | 43.50 | 7.01 | 100.0 | V | 331.0 | -20.3 |
| 361.366923 | 32.15 | 46.00 | 13.85 | 100.0 | V | 0.0 | -14.9 |
| 764.066154 | 27.84 | 46.00 | 18.16 | 100.0 | V | 315.0 | -7.4 |

Final_Result

| Frequency (MHz) | QuasiPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|--------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_1.4M_5786.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1196.690000 | --- | 36.72 | 54.00 | 17.28 | 100.0 | V | 357.0 | 1.1 |
| 1205.870000 | 46.43 | --- | 74.00 | 27.57 | 100.0 | V | 249.0 | 1.2 |
| 1998.750000 | --- | 42.01 | 54.00 | 11.99 | 100.0 | V | 155.0 | 6.0 |
| 1999.770000 | 51.29 | --- | 74.00 | 22.71 | 100.0 | V | 299.0 | 6.0 |
| 5370.000000 | --- | 50.74 | 54.00 | 3.26 | 100.0 | V | 157.0 | 13.3 |
| 5371.000000 | 61.52 | --- | 74.00 | 12.48 | 100.0 | V | 124.0 | 13.3 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_1.4M_5786.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11557.200000 | 46.44 | --- | 74.00 | 27.56 | 100.0 | H | 88.0 | 13.5 |
| 11574.900000 | --- | 37.48 | 54.00 | 16.52 | 100.0 | H | 152.0 | 13.4 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_1.4M_5786.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11549.825000 | --- | 37.95 | 54.00 | 16.05 | 100.0 | V | 59.0 | 13.5 |
| 11592.108333 | 46.18 | --- | 74.00 | 27.82 | 100.0 | V | 338.0 | 13.3 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|-----------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_1.4M CA_5788.12MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1185.300000 | --- | 36.50 | 54.00 | 17.50 | 100.0 | H | 285.0 | 1.0 |
| 1195.330000 | 45.25 | --- | 74.00 | 28.75 | 100.0 | H | 337.0 | 1.1 |
| 2760.350000 | 50.41 | --- | 74.00 | 23.59 | 100.0 | H | 245.0 | 7.9 |
| 2828.350000 | --- | 41.48 | 54.00 | 12.52 | 100.0 | H | 102.0 | 8.1 |
| 5403.000000 | 61.12 | --- | 74.00 | 12.88 | 100.0 | H | 196.0 | 13.5 |

Final Result

| Frequency (MHz) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5438.583333 | 49.49 | 54.00 | 4.51 | 105.0 | H | 178.0 | 13.5 |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_1.4M CA_5788.12MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1195.500000 | --- | 38.45 | 54.00 | 15.55 | 100.0 | V | 167.0 | 1.1 |
| 1249.900000 | 46.60 | --- | 74.00 | 27.40 | 100.0 | V | 196.0 | 1.9 |
| 1998.580000 | --- | 42.51 | 54.00 | 11.49 | 100.0 | V | 357.0 | 6.0 |
| 1998.750000 | 52.73 | --- | 74.00 | 21.27 | 100.0 | V | 357.0 | 6.0 |
| 5350.500000 | 62.44 | --- | 74.00 | 11.56 | 100.0 | V | 137.0 | 13.3 |

Final Result

| Frequency (MHz) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5363.286111 | 51.30 | 54.00 | 2.70 | 100.0 | V | 135.0 | 13.3 |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_1.4M CA_5788.12MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11576.375000 | --- | 37.41 | 54.00 | 16.59 | 100.0 | H | 76.0 | 13.4 |
| 11596.041667 | 46.58 | --- | 74.00 | 27.42 | 100.0 | H | 297.0 | 13.3 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_1.4M CA_5788.12MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11543.433333 | 47.11 | --- | 74.00 | 26.89 | 100.0 | V | 164.0 | 13.5 |
| 11558.675000 | --- | 37.29 | 54.00 | 16.71 | 100.0 | V | 100.0 | 13.5 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_3M_5784.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1194.310000 | 46.64 | --- | 74.00 | 27.36 | 100.0 | H | 335.0 | 1.1 |
| 1194.310000 | --- | 39.01 | 54.00 | 14.99 | 100.0 | H | 335.0 | 1.1 |
| 5365.500000 | 62.09 | --- | 74.00 | 11.91 | 100.0 | H | 212.0 | 13.3 |
| 5427.500000 | --- | 50.81 | 54.00 | 3.19 | 100.0 | H | 187.0 | 13.5 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_3M_5784.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1171.870000 | --- | 36.25 | 54.00 | 17.75 | 100.0 | V | 210.0 | 0.9 |
| 1205.700000 | 47.25 | --- | 74.00 | 26.75 | 100.0 | V | 239.0 | 1.2 |
| 1998.580000 | 50.76 | --- | 74.00 | 23.24 | 100.0 | V | 0.0 | 6.0 |
| 1998.580000 | --- | 42.12 | 54.00 | 11.88 | 100.0 | V | 0.0 | 6.0 |
| 5377.000000 | 61.72 | --- | 74.00 | 12.28 | 100.0 | V | 140.0 | 13.4 |

Final Result

| Frequency (MHz) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5368.463889 | 50.89 | 54.00 | 3.11 | 100.0 | V | 135.0 | 13.3 |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_3M_5784.5MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11554.250000 | --- | 37.40 | 54.00 | 16.60 | 100.0 | H | 206.0 | 13.5 |
| 11580.800000 | 47.38 | --- | 74.00 | 26.62 | 100.0 | H | 221.0 | 13.4 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_3M_5784.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11533.108333 | --- | 38.02 | 54.00 | 15.98 | 100.0 | V | 281.0 | 13.6 |
| 11606.858333 | 47.29 | --- | 74.00 | 26.71 | 100.0 | V | 17.0 | 13.3 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_3M CA_5787.2MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1198.050000 | --- | 37.84 | 54.00 | 16.16 | 100.0 | H | 324.0 | 1.1 |
| 1199.750000 | 45.42 | --- | 74.00 | 28.58 | 100.0 | H | 334.0 | 1.1 |
| 5383.500000 | --- | 50.97 | 54.00 | 3.03 | 100.0 | H | 212.0 | 13.4 |
| 5411.000000 | 61.78 | --- | 74.00 | 12.22 | 100.0 | H | 187.0 | 13.5 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_3M_CA_5787.2MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1196.860000 | 46.21 | --- | 74.00 | 27.79 | 100.0 | V | 175.0 | 1.1 |
| 1196.860000 | --- | 38.90 | 54.00 | 15.10 | 100.0 | V | 175.0 | 1.1 |
| 1997.900000 | 50.52 | --- | 74.00 | 23.48 | 100.0 | V | 354.0 | 6.0 |
| 1998.750000 | --- | 41.10 | 54.00 | 12.90 | 100.0 | V | 354.0 | 6.0 |
| 5380.000000 | 63.42 | --- | 74.00 | 10.58 | 100.0 | V | 157.0 | 13.4 |

Final Result

| Frequency (MHz) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5423.655556 | 51.46 | 54.00 | 2.54 | 100.0 | V | 152.0 | 13.5 |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_3M CA_5787.2MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11565.558333 | --- | 37.73 | 54.00 | 16.27 | 100.0 | H | 304.0 | 13.4 |
| 11585.716667 | 46.80 | --- | 74.00 | 27.20 | 100.0 | H | 0.0 | 13.3 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_3M CA_5787.2MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11574.900000 | 46.63 | --- | 74.00 | 27.37 | 100.0 | V | 230.0 | 13.4 |
| 11579.816667 | --- | 38.07 | 54.00 | 15.93 | 100.0 | V | 21.0 | 13.4 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_10M_5787.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1198.390000 | 45.39 | --- | 74.00 | 28.61 | 100.0 | H | 324.0 | 1.1 |
| 1198.390000 | --- | 37.62 | 54.00 | 16.38 | 100.0 | H | 324.0 | 1.1 |
| 2879.860000 | 50.18 | --- | 74.00 | 23.82 | 100.0 | H | 271.0 | 8.2 |
| 2898.220000 | --- | 42.15 | 54.00 | 11.85 | 100.0 | H | 324.0 | 8.3 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_10M_5787.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1195.500000 | --- | 38.18 | 54.00 | 15.82 | 100.0 | V | 177.0 | 1.1 |
| 1199.920000 | 46.67 | --- | 74.00 | 27.33 | 100.0 | V | 177.0 | 1.1 |
| 1998.920000 | 50.90 | --- | 74.00 | 23.10 | 100.0 | V | 156.0 | 6.0 |
| 1998.920000 | --- | 43.95 | 54.00 | 10.05 | 100.0 | V | 156.0 | 6.0 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_10M_5787.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11534.091667 | --- | 37.97 | 54.00 | 16.03 | 100.0 | H | 51.0 | 13.6 |
| 11544.908333 | 46.61 | --- | 74.00 | 27.39 | 100.0 | H | 111.0 | 13.5 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_10M_5787.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11534.091667 | --- | 37.68 | 54.00 | 16.32 | 100.0 | V | 61.0 | 13.6 |
| 11552.283333 | 46.63 | --- | 74.00 | 27.37 | 100.0 | V | 163.0 | 13.5 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_20M_5787.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1195.330000 | --- | 36.91 | 54.00 | 17.09 | 100.0 | H | 304.0 | 1.1 |
| 1202.810000 | 45.78 | --- | 74.00 | 28.22 | 100.0 | H | 58.0 | 1.2 |
| 2849.430000 | --- | 41.22 | 54.00 | 12.78 | 100.0 | H | 336.0 | 8.1 |
| 2857.760000 | 50.44 | --- | 74.00 | 23.56 | 100.0 | H | 0.0 | 8.2 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_20M_5787.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1201.110000 | 51.08 | --- | 74.00 | 22.92 | 100.0 | V | 222.0 | 1.1 |
| 1205.360000 | --- | 38.61 | 54.00 | 15.39 | 100.0 | V | 222.0 | 1.2 |
| 1998.410000 | 50.91 | --- | 74.00 | 23.09 | 100.0 | V | 62.0 | 6.0 |
| 1998.580000 | --- | 41.24 | 54.00 | 12.76 | 100.0 | V | 310.0 | 6.0 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_20M_5787.5MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11562.116667 | 46.85 | --- | 74.00 | 27.15 | 100.0 | H | 0.0 | 13.4 |
| 11563.100000 | --- | 37.44 | 54.00 | 16.56 | 100.0 | H | 64.0 | 13.4 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_20M_5787.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11538.025000 | --- | 37.96 | 54.00 | 16.04 | 100.0 | V | 326.0 | 13.5 |
| 11598.500000 | 47.27 | --- | 74.00 | 26.73 | 100.0 | V | 61.0 | 13.3 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_40M_5787.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1196.010000 | 46.95 | --- | 74.00 | 27.05 | 100.0 | H | 333.0 | 1.1 |
| 1196.010000 | --- | 37.36 | 54.00 | 16.64 | 100.0 | H | 333.0 | 1.1 |
| 2814.410000 | 50.91 | --- | 74.00 | 23.09 | 100.0 | H | 113.0 | 8.0 |
| 2874.420000 | --- | 41.78 | 54.00 | 12.22 | 100.0 | H | 322.0 | 8.2 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_40M_5787.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1208.930000 | 47.28 | --- | 74.00 | 26.72 | 100.0 | V | 205.0 | 1.3 |
| 1208.930000 | --- | 39.59 | 54.00 | 14.41 | 100.0 | V | 205.0 | 1.3 |
| 1998.750000 | --- | 42.44 | 54.00 | 11.56 | 100.0 | V | 0.0 | 6.0 |
| 1998.920000 | 51.70 | --- | 74.00 | 22.30 | 100.0 | V | 0.0 | 6.0 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_40M_5787.5MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11558.675000 | 46.64 | --- | 74.00 | 27.36 | 100.0 | H | 305.0 | 13.5 |
| 11618.166667 | --- | 38.11 | 54.00 | 15.89 | 100.0 | H | 196.0 | 13.3 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_40M_5787.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11558.675000 | 46.86 | --- | 74.00 | 27.14 | 100.0 | V | 126.0 | 13.5 |
| 11605.383333 | --- | 37.57 | 54.00 | 16.43 | 100.0 | V | 66.0 | 13.3 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_1.4M_5728.5MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5622.366667 | 60.62 | 68.20 | 7.58 | 100.0 | V | 128.0 | 13.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_1.4M_5846.5MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5938.347222 | 60.70 | 68.20 | 7.50 | 100.0 | H | 46.0 | 14.7 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_1.4M_5846.5MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5953.233333 | 62.06 | 68.20 | 6.14 | 100.0 | V | 211.0 | 14.8 |


Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

5.8G SDR, 1.4MHz BW CA mode

EUT Information

| | |
|---------------------|-----------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_1.4M CA_5730.12MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5623.650000 | 59.66 | 68.20 | 8.54 | 100.0 | H | 153.0 | 13.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_1.4M CA_5730.12MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5638.500000 | 61.79 | 68.20 | 6.41 | 100.0 | V | 130.0 | 13.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|-----------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_1.4M CA_5848.12MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5937.261111 | 60.61 | 68.20 | 7.59 | 100.0 | H | 17.0 | 14.7 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_1.4M CA_5848.12MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5948.825000 | 61.34 | 68.20 | 6.86 | 100.0 | V | 125.0 | 14.8 |


Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

5.8G SDR, 3MHz BW

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_3M_5727.5MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5640.700000 | 59.81 | 68.20 | 8.39 | 100.0 | H | 253.0 | 13.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_3M_5727.5MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5642.838889 | 60.76 | 68.20 | 7.44 | 100.0 | V | 155.0 | 13.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_3M_5844.5MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5928.380556 | 60.76 | 68.20 | 7.44 | 100.0 | H | 93.0 | 14.7 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_3M_5844.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5982.366667 | 62.73 | 68.20 | 5.47 | 100.0 | V | 138.0 | 14.9 |


Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

5.8G SDR, 3MHz BW CA mode

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_3M CA_5730.2MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5643.877778 | 60.08 | 68.20 | 8.12 | 100.0 | H | 274.0 | 13.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_3M CA_5730.2MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5635.505556 | 62.59 | 68.20 | 5.61 | 100.0 | V | 165.0 | 13.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_3M CA_5847.2MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5941.988889 | 60.99 | 68.20 | 7.21 | 100.0 | H | 6.0 | 14.7 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_3M CA_5847.2MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5926.208333 | 62.31 | 68.20 | 5.89 | 100.0 | V | 114.0 | 14.7 |


Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

5.8G SDR, 10MHz BW

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_10M_5730.5MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5632.938889 | 55.05 | 68.20 | 13.15 | 100.0 | H | 135.0 | 13.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_10M_5730.5MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5638.561111 | 55.07 | 68.20 | 13.13 | 100.0 | V | 204.0 | 13.8 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_10M_5844.5MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5924.611111 | 58.23 | 68.49 | 10.26 | 100.0 | H | 297.0 | 14.6 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_10M_5844.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5945.375000 | 57.98 | 68.20 | 10.22 | 100.0 | V | 286.0 | 14.7 |


Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

5.8G SDR, 20MHz BW

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_20M_5735.5MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5648.950000 | 55.03 | 68.20 | 13.17 | 100.0 | H | 295.0 | 13.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_20M_5735.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5645.955556 | 57.00 | 68.20 | 11.20 | 100.0 | V | 301.0 | 13.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_20M_5839.5MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5947.483333 | 56.61 | 68.20 | 11.59 | 100.0 | H | 214.0 | 14.8 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_20M_5839.5MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5945.694445 | 57.82 | 68.20 | 10.38 | 100.0 | V | 166.0 | 14.7 |


Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

5.8G SDR, 40MHz BW

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_40M_5745.5MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5643.938889 | 55.49 | 68.20 | 12.71 | 100.0 | H | 76.0 | 13.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_40M_5745.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5648.155556 | 55.75 | 68.20 | 12.45 | 100.0 | V | 19.0 | 13.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_40M_5750.5MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5631.961111 | 55.75 | 68.20 | 12.45 | 100.0 | V | 263.0 | 13.8 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_40M_5755.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5632.572222 | 56.04 | 68.20 | 12.16 | 100.0 | V | 47.0 | 13.8 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_40M_5810.5MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5975.913889 | 58.06 | 68.20 | 10.14 | 100.0 | V | 327.0 | 14.9 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_40M_5820.5MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5949.463889 | 57.38 | 68.20 | 10.82 | 100.0 | V | 193.0 | 14.8 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI DOCK |
| Model: | DOCK-01 |
| Test Mode: | SDR 5.8G_40M_5829.5MHz |
| Order No/Sample No: | 168386953/A003433343-002 |
| Test Voltage: | 120V/60Hz |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5952.211111 | 57.27 | 68.20 | 10.93 | 100.0 | H | 108.0 | 14.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI DOCK
 Model: DOCK-01
 Test Mode: SDR 5.8G_40M_5829.5MHz
 Order No/Sample No: 168386953/A003433343-002
 Test Voltage: 120V/60Hz
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5952.275000 | 57.58 | 68.20 | 10.62 | 100.0 | V | 112.0 | 14.8 |


Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

Appendix A.7: Test Results of Conducted Emission on AC Mains

EUT Information

| | |
|---------------------|-----------------------|
| EUT Name: | DJI DOCK |
| Order Number: | 168386953 |
| Model: | DOCK-01 |
| Test Mode: | Normal operation |
| Test Voltage: | AC 120V/60Hz |
| Test By./Review By: | Charlie Zha/Gary Chen |
| Standard: | FCC Part 15 |
| Tem./Hum./Pressure: | 23.0°C/50.8%/101kPa |
| Remark: | SR1 |




Critical_Freqs

| Frequency (MHz) | MaxPeak (dBµV) | Average (dBµV) | Limit (dBµV) | Margin (dB) | Line | Corr. (dB) |
|-----------------|----------------|----------------|--------------|-------------|------|------------|
| 0.194000 | 43.95 | --- | 63.86 | 19.91 | L1 | 9.8 |
| 0.194000 | --- | 37.89 | 53.86 | 15.97 | L1 | 9.8 |
| 0.330000 | 39.92 | --- | 59.45 | 19.53 | L1 | 10.0 |
| 0.330000 | --- | 31.20 | 49.45 | 18.25 | L1 | 10.0 |
| 1.624000 | 41.55 | --- | 56.00 | 14.45 | L1 | 9.9 |
| 1.676000 | --- | 28.24 | 46.00 | 17.76 | L1 | 9.9 |
| 6.896000 | 44.82 | --- | 60.00 | 15.18 | L1 | 10.1 |
| 7.064000 | --- | 37.36 | 50.00 | 12.64 | L1 | 10.1 |
| 10.080000 | 54.30 | --- | 60.00 | 5.70 | L1 | 10.1 |
| 10.080000 | --- | 46.32 | 50.00 | 3.68 | L1 | 10.1 |
| 28.316000 | 53.65 | --- | 60.00 | 6.35 | L1 | 10.9 |
| 28.444000 | --- | 45.34 | 50.00 | 4.66 | L1 | 10.9 |

EUT Information

| | |
|---------------------|-----------------------|
| EUT Name: | DJI DOCK |
| Order Number: | 168386953 |
| Model: | DOCK-01 |
| Test Mode: | Normal operation |
| Test Voltage: | AC 120V/60Hz |
| Test By:/Review By: | Charlie Zha/Gary Chen |
| Standard: | FCC Part 15 |
| Tem./Hum./Pressure: | 23.0°C/50.8%/101kPa |
| Remark: | SR1 |



Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV) | Average (dBµV) | Limit (dBµV) | Margin (dB) | Line | Corr. (dB) |
|-----------------|----------------|----------------|--------------|-------------|------|------------|
| 0.194000 | --- | 37.01 | 53.86 | 16.85 | N | 9.7 |
| 0.194000 | 44.00 | --- | 63.86 | 19.86 | N | 9.7 |
| 0.254000 | --- | 32.38 | 51.63 | 19.25 | N | 9.7 |
| 0.254000 | 40.23 | --- | 61.63 | 21.40 | N | 9.7 |
| 0.354000 | 45.04 | --- | 58.87 | 13.83 | N | 9.8 |
| 0.358000 | --- | 32.20 | 48.78 | 16.57 | N | 9.8 |
| 1.732000 | 39.60 | --- | 56.00 | 16.40 | N | 9.9 |
| 1.780000 | --- | 24.46 | 46.00 | 21.54 | N | 9.9 |
| 10.208000 | 52.75 | --- | 60.00 | 7.25 | N | 10.2 |
| 10.208000 | --- | 44.58 | 50.00 | 5.42 | N | 10.2 |
| 28.636000 | --- | 43.50 | 50.00 | 6.50 | N | 10.8 |
| 28.892000 | 52.10 | --- | 60.00 | 7.90 | N | 10.8 |