


EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M_2435.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7331.816667	42.62	---	74.00	31.38	100.0	H	19.0	8.1
7346.566667	---	33.67	54.00	20.33	100.0	H	180.0	8.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M_2435.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7305.758333	---	33.73	54.00	20.27	100.0	V	0.0	8.3
7315.100000	43.45	---	74.00	30.56	100.0	V	121.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M_2469.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4951.000000	---	39.88	54.00	14.12	100.0	H	100.0	11.8
4955.000000	51.23	---	74.00	22.77	100.0	H	29.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M_2469.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4920.500000	51.54	---	74.00	22.46	100.0	V	41.0	11.8
4927.500000	---	39.67	54.00	14.33	100.0	V	192.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	SDR 2.4G_1.4M_2469.5MHz
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7431.133333	42.45	---	74.00	31.55	100.0	H	51.0	8.4
7436.541667	---	33.72	54.00	20.28	100.0	H	76.0	8.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M_2469.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7418.841667	43.11	---	74.00	30.89	100.0	V	0.0	8.4
7431.133333	---	33.95	54.00	20.05	100.0	V	175.0	8.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M_2469.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2487.600000	50.47	---	74.00	23.53	100.0	H	113.0	7.4
2487.700000	---	41.30	54.00	12.70	100.0	H	74.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M_2469.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.600000	---	40.71	54.00	13.29	100.0	V	0.0	7.4
2486.700000	50.33	---	74.00	23.67	100.0	V	150.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 1.4MHz BW CA mode

EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	SDR 2.4G_1.4M CA_2405.12MHz
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4809.500000	52.09	---	74.00	21.91	100.0	H	333.0	11.8
4809.500000	---	40.01	54.00	13.99	100.0	H	333.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M CA_2405.12MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4814.000000	51.28	---	74.00	22.72	100.0	V	293.0	11.8
4814.000000	---	39.93	54.00	14.07	100.0	V	293.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M CA_2405.12MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7213.325000	42.39	---	74.00	31.61	100.0	H	0.0	8.7
7221.683333	---	34.16	54.00	19.84	100.0	H	318.0	8.7

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M CA_2405.12MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7223.158333	---	34.29	54.00	19.71	100.0	V	34.0	8.7
7245.775000	42.91	---	74.00	31.09	100.0	V	133.0	8.6

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M CA_2405.12MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2357.200000	52.62	---	74.00	21.38	100.0	H	212.0	6.9
2361.400000	---	43.56	54.00	10.44	100.0	H	212.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M CA_2405.12MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2378.000000	---	43.31	54.00	10.69	100.0	V	260.0	6.9
2383.500000	53.64	---	74.00	20.36	100.0	V	229.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M CA_2437.12MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4859.500000	---	39.40	54.00	14.60	100.0	H	260.0	11.8
4889.000000	51.03	---	74.00	22.97	100.0	H	155.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M CA_2437.12MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4850.500000	51.27	---	74.00	22.73	100.0	V	252.0	11.8
4852.500000	---	39.54	54.00	14.46	100.0	V	231.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M CA_2437.12MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7316.083333	42.45	---	74.00	31.55	100.0	H	140.0	8.2
7319.525000	---	33.51	54.00	20.49	100.0	H	43.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M CA_2437.12MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7317.066667	41.44	---	74.00	32.56	100.0	V	345.0	8.2
7319.033333	---	33.30	54.00	20.70	100.0	V	321.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	SDR 2.4G_1.4M CA_2471.12MHz
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4951.500000	---	39.84	54.00	14.16	100.0	H	259.0	11.8
4962.000000	51.16	---	74.00	22.84	100.0	H	186.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M CA_2471.12MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4951.000000	51.22	---	74.00	22.78	100.0	V	191.0	11.8
4951.000000	---	39.64	54.00	14.36	100.0	V	191.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M CA_2471.12MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7423.266667	42.17	---	74.00	31.83	100.0	H	326.0	8.4
7434.575000	---	33.14	54.00	20.86	100.0	H	326.0	8.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M CA_2471.12MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7406.550000	43.63	---	74.00	30.37	100.0	V	210.0	8.3
7419.333333	---	33.91	54.00	20.09	100.0	V	198.0	8.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M CA_2471.12MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2488.200000	---	44.07	54.00	9.93	100.0	H	315.0	7.4
2488.800000	53.63	---	74.00	20.37	100.0	H	147.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M CA_2471.12MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.100000	53.77	---	74.00	20.23	100.0	V	47.0	7.4
2486.500000	---	44.50	54.00	9.50	100.0	V	165.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 3MHz BW

EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	SDR 2.4G_3M_2405.5MHz
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4809.000000	51.32	---	74.00	22.68	100.0	H	188.0	11.8
4809.500000	---	40.05	54.00	13.95	100.0	H	334.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M_2405.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4811.000000	---	39.78	54.00	14.22	100.0	V	339.0	11.8
4829.000000	50.52	---	74.00	23.48	100.0	V	0.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M_2405.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7233.483333	43.13	---	74.00	30.87	100.0	H	0.0	8.6
7249.216667	---	33.73	54.00	20.27	100.0	H	50.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M_2405.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7210.375000	42.72	---	74.00	31.28	100.0	V	19.0	8.7
7220.208333	---	34.07	54.00	19.93	100.0	V	239.0	8.7

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M_2405.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2371.300000	53.05	---	74.00	20.95	100.0	H	233.0	6.9
2371.600000	---	43.34	54.00	10.66	100.0	H	7.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M_2405.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2367.100000	---	43.74	54.00	10.26	100.0	V	286.0	6.9
2368.000000	53.20	---	74.00	20.80	100.0	V	236.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M_2435.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4857.000000	51.05	---	74.00	22.95	100.0	H	306.0	11.8
4871.500000	---	39.48	54.00	14.52	100.0	H	232.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M_2435.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4858.500000	52.05	---	74.00	21.95	100.0	V	166.0	11.8
4870.000000	---	39.61	54.00	14.39	100.0	V	166.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M_2435.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7296.908333	---	33.51	54.00	20.49	100.0	H	161.0	8.3
7297.400000	42.15	---	74.00	31.85	100.0	H	357.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M_2435.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7307.233333	42.15	---	74.00	31.85	100.0	V	19.0	8.3
7329.850000	---	33.13	54.00	20.87	100.0	V	314.0	8.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M_2468.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4953.000000	---	40.00	54.00	14.00	100.0	H	291.0	11.8
4955.000000	51.44	---	74.00	22.56	100.0	H	255.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M_2468.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4948.000000	---	39.99	54.00	14.01	100.0	V	280.0	11.8
4955.500000	52.12	---	74.00	21.88	100.0	V	82.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M_2468.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7419.333333	42.15	---	74.00	31.85	100.0	H	0.0	8.4
7426.708333	---	33.68	54.00	20.32	100.0	H	255.0	8.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M_2468.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7390.816667	42.32	---	74.00	31.68	100.0	V	29.0	8.3
7425.725000	---	33.88	54.00	20.12	100.0	V	237.0	8.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M_2468.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.000000	53.79	---	74.00	20.21	100.0	H	66.0	7.4
2486.300000	---	45.06	54.00	8.94	100.0	H	0.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M_2468.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2488.000000	---	44.79	54.00	9.21	100.0	V	103.0	7.4
2492.800000	53.75	---	74.00	20.25	100.0	V	155.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 3MHz BW CA mode

EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	SDR 2.4G_3M CA_2408.2MHz
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4816.000000	---	39.43	54.00	14.57	100.0	H	357.0	11.8
4822.000000	51.64	---	74.00	22.36	100.0	H	331.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M CA_2408.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4809.500000	---	39.45	54.00	14.55	100.0	V	314.0	11.8
4813.000000	50.69	---	74.00	23.31	100.0	V	300.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M CA_2408.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7232.991667	---	33.97	54.00	20.03	100.0	H	356.0	8.6
7242.333333	43.36	---	74.00	30.64	100.0	H	236.0	8.6

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M CA_2408.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7207.916667	42.93	---	74.00	31.07	100.0	V	244.0	8.8
7228.075000	---	34.34	54.00	19.66	100.0	V	133.0	8.7

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M CA_2408.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2355.400000	---	43.05	54.00	10.95	100.0	H	122.0	6.9
2358.800000	52.83	---	74.00	21.17	100.0	H	354.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M CA_2408.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2360.600000	---	43.87	54.00	10.13	100.0	V	305.0	6.9
2377.600000	53.12	---	74.00	20.88	100.0	V	252.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M CA_2438.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4854.500000	50.91	---	74.00	23.09	100.0	H	195.0	11.8
4859.500000	---	39.09	54.00	14.91	100.0	H	289.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M CA_2438.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4852.500000	---	39.06	54.00	14.95	100.0	V	228.0	11.8
4896.500000	50.62	---	74.00	23.38	100.0	V	271.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M CA_2438.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7321.000000	---	33.80	54.00	20.20	100.0	H	163.0	8.2
7336.241667	42.36	---	74.00	31.64	100.0	H	16.0	8.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M CA_2438.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7300.350000	42.28	---	74.00	31.72	100.0	V	318.0	8.3
7327.883333	---	34.03	54.00	19.97	100.0	V	219.0	8.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M CA_2471.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4934.500000	50.75	---	74.00	23.25	100.0	H	358.0	11.8
4947.000000	---	39.31	54.00	14.69	100.0	H	114.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M CA_2471.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4940.000000	---	39.58	54.00	14.42	100.0	V	238.0	11.8
4940.500000	50.92	---	74.00	23.08	100.0	V	154.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M CA_2471.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7414.908333	42.63	---	74.00	31.37	100.0	H	40.0	8.3
7423.758333	---	33.53	54.00	20.47	100.0	H	126.0	8.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M CA_2471.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7401.141667	---	33.98	54.00	20.02	100.0	V	344.0	8.3
7405.566667	42.14	---	74.00	31.86	100.0	V	97.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M CA_2471.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2487.000000	53.96	---	74.00	20.04	100.0	H	4.0	7.4
2488.200000	---	44.42	54.00	9.58	100.0	H	242.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_3M CA_2471.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2487.500000	---	44.60	54.00	9.40	100.0	V	342.0	7.4
2494.200000	54.13	---	74.00	19.87	100.0	V	334.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 10MHz BW

EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	SDR 2.4G_10M_2407.5MHz
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4811.000000	54.63	---	74.00	19.37	100.0	H	331.0	11.8
4811.500000	---	44.02	54.00	9.98	100.0	H	331.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_10M_2407.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4807.000000	52.60	---	74.00	21.40	100.0	V	127.0	11.8
4812.000000	---	41.38	54.00	12.62	100.0	V	346.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_10M_2407.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7217.258333	---	33.99	54.00	20.01	100.0	H	258.0	8.7
7218.733333	42.34	---	74.00	31.66	100.0	H	295.0	8.7

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_10M_2407.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7228.566667	42.71	---	74.00	31.29	100.0	V	161.0	8.6
7237.908333	---	34.34	54.00	19.66	100.0	V	172.0	8.6

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_10M_2407.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2345.100000	---	43.99	54.00	10.01	100.0	H	329.0	6.9
2387.700000	55.54	---	74.00	18.46	100.0	H	284.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_10M_2407.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2342.600000	---	43.41	54.00	10.59	100.0	V	116.0	6.8
2345.400000	52.82	---	74.00	21.18	100.0	V	25.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_10M_2437.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4862.500000	51.59	---	74.00	22.41	100.0	H	108.0	11.8
4875.000000	---	40.50	54.00	13.50	100.0	H	336.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_10M_2437.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4869.000000	50.80	---	74.00	23.20	100.0	V	256.0	11.8
4869.000000	---	39.91	54.00	14.09	100.0	V	256.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_10M_2437.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7292.975000	43.06	---	74.00	30.94	100.0	H	27.0	8.3
7331.325000	---	33.54	54.00	20.46	100.0	H	327.0	8.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_10M_2437.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7310.183333	---	33.14	54.00	20.86	100.0	V	313.0	8.2
7326.408333	42.18	---	74.00	31.82	100.0	V	313.0	8.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_10M_2467.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4923.500000	51.72	---	74.00	22.28	100.0	H	110.0	11.8
4938.500000	---	40.70	54.00	13.30	100.0	H	324.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_10M_2467.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4915.500000	51.33	---	74.00	22.67	100.0	V	50.0	11.8
4950.500000	---	39.82	54.00	14.18	100.0	V	291.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_10M_2467.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7403.108333	42.33	---	74.00	31.67	100.0	H	298.0	8.3
7410.483333	---	33.59	54.00	20.41	100.0	H	128.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_10M_2467.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7407.533333	---	33.38	54.00	20.62	100.0	V	194.0	8.3
7409.991667	42.54	---	74.00	31.46	100.0	V	279.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	SDR 2.4G_10M_2467.5MHz
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.700000	58.39	---	74.00	15.61	100.0	H	0.0	7.4
2483.900000	---	47.28	54.00	6.72	100.0	H	7.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_10M_2467.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.000000	54.30	---	74.00	19.70	100.0	V	54.0	7.4
2485.600000	---	44.65	54.00	9.35	100.0	V	46.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 20MHz BW

EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	SDR 2.4G_20M_2412.5MHz
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4814.000000	---	39.88	54.00	14.12	100.0	H	358.0	11.8
4819.500000	50.79	---	74.00	23.21	100.0	H	332.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_20M_2412.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4810.000000	51.37	---	74.00	22.63	100.0	V	190.0	11.8
4813.000000	---	40.07	54.00	13.93	100.0	V	119.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_20M_2412.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7223.650000	---	34.15	54.00	19.85	100.0	H	145.0	8.7
7228.566667	42.61	---	74.00	31.39	100.0	H	132.0	8.6

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_20M_2412.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7207.425000	42.92	---	74.00	31.08	100.0	V	71.0	8.8
7229.550000	---	34.56	54.00	19.44	100.0	V	145.0	8.6

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_20M_2412.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.600000	---	45.89	54.00	8.11	100.0	H	15.0	7.0
2389.600000	57.38	---	74.00	16.62	100.0	H	15.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_20M_2412.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2363.500000	---	43.66	54.00	10.34	100.0	V	13.0	6.9
2371.900000	53.32	---	74.00	20.68	100.0	V	1.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_20M_2424.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2343.700000	---	44.38	54.00	9.62	100.0	H	97.0	6.9
2355.300000	52.97	---	74.00	21.03	100.0	H	4.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_20M_2437.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4888.500000	---	39.77	54.00	14.23	100.0	H	0.0	11.8
4902.000000	51.19	---	74.00	22.81	100.0	H	109.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_20M_2437.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4863.500000	---	39.93	54.00	14.07	100.0	V	210.0	11.8
4872.500000	50.63	---	74.00	23.37	100.0	V	217.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_20M_2437.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7329.850000	42.03	---	74.00	31.97	100.0	H	33.0	8.1
7337.225000	---	33.46	54.00	20.54	100.0	H	297.0	8.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_20M_2437.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7293.958333	42.47	---	74.00	31.53	100.0	V	352.0	8.3
7306.741667	---	33.82	54.00	20.18	100.0	V	97.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_20M_2451.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.700000	57.10	---	74.00	16.90	100.0	H	0.0	7.4
2485.500000	---	45.32	54.00	8.68	100.0	H	0.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_20M_2457.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.100000	---	46.30	54.00	7.70	100.0	H	4.0	7.4
2485.000000	58.28	---	74.00	15.72	100.0	H	12.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_20M_2462.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4922.000000	---	39.72	54.00	14.28	100.0	H	181.0	11.8
4924.000000	51.12	---	74.00	22.88	100.0	H	283.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_20M_2462.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4938.000000	51.01	---	74.00	22.99	100.0	V	355.0	11.8
4949.500000	---	39.76	54.00	14.24	100.0	V	284.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_20M_2462.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7402.125000	---	33.26	54.00	20.74	100.0	H	306.0	8.3
7424.250000	42.65	---	74.00	31.35	100.0	H	331.0	8.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_20M_2462.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7368.691667	41.83	---	74.00	32.17	100.0	V	310.0	8.2
7400.158333	---	33.53	54.00	20.47	100.0	V	221.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_20M_2462.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.900000	---	46.77	54.00	7.23	100.0	H	0.0	7.4
2484.000000	57.17	---	74.00	16.83	100.0	H	347.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	SDR 2.4G_20M_2462.5MHz
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2489.900000	---	45.23	54.00	8.77	100.0	V	299.0	7.4
2490.400000	53.78	---	74.00	20.22	100.0	V	73.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 40MHz BW

EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	SDR 2.4G_40M_2422.5MHz
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4849.500000	51.16	---	74.00	22.84	100.0	H	197.0	11.8
4857.000000	---	39.76	54.00	14.24	100.0	H	96.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_40M_2422.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4855.000000	---	39.90	54.00	14.10	100.0	V	172.0	11.8
4859.500000	51.04	---	74.00	22.96	100.0	V	159.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_40M_2422.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7234.958333	---	34.39	54.00	19.61	100.0	H	232.0	8.6
7283.633333	41.97	---	74.00	32.03	100.0	H	308.0	8.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_40M_2422.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7259.541667	43.64	---	74.00	30.36	100.0	V	1.0	8.5
7264.950000	---	34.34	54.00	19.66	100.0	V	275.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	SDR 2.4G_40M_2422.5MHz
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2387.300000	---	50.42	54.00	3.58	100.0	H	354.0	7.0
2388.100000	60.67	---	74.00	13.33	100.0	H	6.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	SDR 2.4G_40M_2422.5MHz
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2387.300000	53.82	---	74.00	20.18	100.0	V	221.0	7.0
2387.300000	---	45.52	54.00	8.48	100.0	V	221.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_40M_2427.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.100000	59.29	---	74.00	14.71	100.0	H	0.0	7.0
2389.500000	---	49.28	54.00	4.72	100.0	H	0.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_40M_2437.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4863.000000	---	39.59	54.00	14.41	100.0	H	275.0	11.8
4865.000000	51.73	---	74.00	22.27	100.0	H	122.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_40M_2437.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4869.500000	---	39.73	54.00	14.27	100.0	V	72.0	11.8
4877.500000	51.14	---	74.00	22.86	100.0	V	135.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_40M_2437.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7299.858333	43.06	---	74.00	30.94	100.0	H	340.0	8.3
7333.783333	---	33.25	54.00	20.75	100.0	H	314.0	8.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_40M_2437.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7321.983333	---	33.34	54.00	20.66	100.0	V	19.0	8.2
7333.783333	42.56	---	74.00	31.44	100.0	V	153.0	8.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_40M_2440.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.800000	---	49.26	54.00	4.74	100.0	H	11.0	7.4
2485.300000	59.32	---	74.00	14.68	100.0	H	11.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_40M_2447.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.600000	---	46.36	54.00	7.64	100.0	H	0.0	7.4
2483.800000	57.88	---	74.00	16.12	100.0	H	5.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_40M_2452.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4899.500000	---	39.75	54.00	14.25	100.0	H	151.0	11.8
4912.500000	51.31	---	74.00	22.69	100.0	H	359.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_40M_2452.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4899.000000	---	39.60	54.00	14.40	100.0	V	269.0	11.8
4901.000000	51.23	---	74.00	22.77	100.0	V	275.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_40M_2452.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7343.125000	43.15	---	74.00	30.85	100.0	H	0.0	8.1
7368.200000	---	33.16	54.00	20.84	100.0	H	83.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_40M_2452.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7362.300000	42.21	---	74.00	31.79	100.0	V	273.0	8.2
7389.341667	---	33.48	54.00	20.52	100.0	V	345.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_40M_2452.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.600000	---	46.65	54.00	7.35	100.0	H	4.0	7.4
2484.700000	57.10	---	74.00	16.90	100.0	H	0.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	SDR 2.4G_40M_2452.5MHz
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.300000	53.87	---	74.00	20.13	100.0	V	237.0	7.4
2485.300000	---	44.53	54.00	9.47	100.0	V	311.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M_2403.5MHz+WIFI 2.4G_11b_Ch6
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4806.500000	---	39.43	54.00	14.57	100.0	V	335.0	11.8
4809.000000	50.57	---	74.00	23.43	100.0	V	191.0	11.8
4872.500000	---	39.22	54.00	14.78	100.0	V	307.0	11.8
4877.500000	50.74	---	74.00	23.26	100.0	V	38.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M_2403.5MHz+WIFI 2.4G_11b_Ch6
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7202.016667	42.11	---	74.00	31.89	100.0	H	209.0	8.8
7213.325000	---	33.97	54.00	20.03	100.0	H	173.0	8.7
7313.133333	---	33.36	54.00	20.64	100.0	H	126.0	8.2
7314.608333	42.94	---	74.00	31.06	100.0	H	186.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	SDR 2.4G_1.4M_2403.5MHz+WIFI 2.4G_11b_Ch6
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7217.258333	---	33.89	54.00	20.11	100.0	V	211.0	8.7
7228.566667	42.75	---	74.00	31.25	100.0	V	261.0	8.6
7281.666667	43.33	---	74.00	30.67	100.0	V	32.0	8.4
7310.183333	---	34.09	54.00	19.91	100.0	V	19.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M_2435.5MHz+WIFI 5.8G_11a_Ch157
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC part 15C
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3348.210000	---	46.80	54.00	7.20	100.0	H	7.0	8.5
3350.250000	56.50	---	74.00	17.50	100.0	H	0.0	8.5
4862.000000	---	41.57	54.00	12.43	100.0	H	131.0	11.8
4881.500000	52.69	---	74.00	21.31	100.0	H	119.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M_2435.5MHz+WIFI 5.8G_11a_Ch157
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC part 15C
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3348.720000	59.67	---	74.00	14.33	100.0	V	241.0	8.5
3350.080000	---	50.88	54.00	3.12	100.0	V	252.0	8.5
4866.500000	---	41.74	54.00	12.26	100.0	V	92.0	11.8
4870.000000	52.31	---	74.00	21.69	100.0	V	136.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M_2435.5MHz+WIFI 5.8G_11a_Ch157
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC part 15C
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11543.433333	47.25	---	74.00	26.75	100.0	H	216.0	13.5
11569.983333	---	38.02	54.00	15.98	100.0	H	240.0	13.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 2.4G_1.4M_2435.5MHz+WIFI 5.8G_11a_Ch157
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 23 Humi:53%
 Test Standard: FCC part 15C
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11555.725000	47.87	---	74.00	26.13	100.0	V	222.0	13.5
11561.133333	---	38.15	54.00	15.85	100.0	V	210.0	13.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---