






11N20MIMO Ant1\_2412\_0~Reference





11N20MIMO Ant1\_2412\_30~1000



11N20MIMO Ant1\_2412\_1000~26500







11N20MIMO Ant1\_2462\_0~Reference




11N20MIMO Ant1\_2462\_30~1000





11N20MIMO Ant1\_2462\_1000~26500
















11AX20MIMO Ant1 2412 0~Reference



11AX20MIMO Ant1 2412 30~1000



11AX20MIMO Ant1 2412 1000~26500




11AX20MIMO Ant1 2437 0~Reference



11AX20MIMO Ant1 2437 30~1000



11AX20MIMO Ant1 2437 1000~26500






11AX20MIMO Ant1 2462 0~Reference



11AX20MIMO Ant1 2462 30~1000



11AX20MIMO Ant1 2462 1000~26500



11AX40MIMO Ant1 2422 0~Reference



11AX40MIMO Ant1 2422 30~1000



11AX40MIMO Ant1 2422 1000~26500



11AX40MIMO Ant1 2437 0~Reference



11AX40MIMO Ant1 2437 30~1000



11AX40MIMO Ant1 2437 1000~26500







11AX40MIMO Ant1 2452 0~Reference



11AX40MIMO Ant1 2452 30~1000



11AX40MIMO Ant1 2452 1000~26500




### Appendix C.5: Test Results of Radiated Spurious Emissions

Note: 1. Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported. 2. This testing was carried out on different modulations, but only the worst case was presented in this report.

#### 30MHz - 1GHz

#### EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	WIFI 2.4G_11b_Ch6
Order No./Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



#### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
49.836500	17.77	40.00	22.23	100.0	H	134.0	-18.3
185.879000	30.11	43.50	13.39	100.0	H	243.0	-20.0
264.012500	29.89	46.00	16.11	100.0	H	70.0	-17.0
312.027500	29.24	46.00	16.76	100.0	H	78.0	-15.9
928.026000	30.31	46.00	15.69	100.0	H	119.0	-4.7

#### Final\_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11b\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
39.700000	22.43	40.00	17.57	100.0	V	156.0	-20.2
51.534000	21.58	40.00	18.42	100.0	V	168.0	-18.3
153.238500	20.64	43.50	22.86	100.0	V	181.0	-22.0
312.027500	27.71	46.00	18.29	100.0	V	0.0	-15.9
359.994000	27.46	46.00	18.54	100.0	V	0.0	-14.6
408.009000	27.20	46.00	18.80	100.0	V	0.0	-13.5
871.814500	30.05	46.00	15.95	100.0	V	255.0	-5.2

### Final Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



**30MHz - 1GHz for co-location**

**EUT Information**

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	SDR 5.2G_10M_5201MHz+WIFI 2.4G_11b_Ch6
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC part 15C
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



**Critical Freqs**


Frequency (MHz)	MaxiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
48.624000	17.54	40.00	22.46	100.0	H	187.0	-18.4
184.278500	29.29	43.50	14.21	100.0	H	273.0	-20.1
263.964000	31.17	46.00	14.83	100.0	H	110.0	-17.0
312.027500	30.78	46.00	15.22	100.0	H	232.0	-15.9
408.009000	26.52	46.00	19.48	100.0	H	294.0	-13.5
919.587000	31.09	46.00	14.91	100.0	H	321.0	-4.8

**Final Result**

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: SDR 5.2G\_10M\_5201MHz+WIFI 2.4G\_11b\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:53%  
 Test Standard: FCC part 15C  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
40.621500	24.87	40.00	15.13	100.0	V	105.0	-19.9
58.566500	29.17	40.00	10.83	100.0	V	10.0	-18.8
141.695500	19.52	43.50	23.98	100.0	V	338.0	-22.2
312.027500	30.34	46.00	15.66	100.0	V	191.0	-15.9
359.994000	27.42	46.00	18.58	100.0	V	135.0	-14.6
408.009000	28.86	46.00	17.14	100.0	V	112.0	-13.5

### Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	SDR 5.8G_1.4M_5786.5MHz+WIFI 2.4G_11b_Ch6
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC part 15C
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
48.236000	21.60	40.00	18.40	100.0	H	69.0	-18.4
187.382500	30.36	43.50	13.14	100.0	H	240.0	-19.8
264.012500	31.22	46.00	14.78	100.0	H	82.0	-17.0
312.027500	31.05	46.00	14.95	100.0	H	75.0	-15.9
408.009000	27.00	46.00	19.00	100.0	H	275.0	-13.5
907.122500	30.36	46.00	15.64	100.0	H	317.0	-4.9

### Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---






**1GHz - 18GHz**

Note: The highest waveform in the figure is Wi-Fi Fundamental.

**EUT Information**

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	WIFI 2.4G_11b_Ch1
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



**Critical Freqs**


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4812.500000	51.57	---	74.00	22.43	100.0	H	135.0	11.8
4816.500000	---	39.87	54.00	14.13	100.0	H	107.0	11.8

**Final Result**

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11b\_Ch1  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4813.000000	51.75	---	74.00	22.25	100.0	V	216.0	11.8
4816.500000	---	39.85	54.00	14.15	100.0	V	74.0	11.8


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11b\_Ch1  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7223.650000	43.56	---	74.00	30.44	100.0	H	51.0	8.7
7227.091667	---	34.22	54.00	19.78	100.0	H	0.0	8.7

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11b\_Ch1  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7224.141667	43.09	---	74.00	30.91	100.0	V	73.0	8.7
7231.025000	---	34.24	54.00	19.76	100.0	V	206.0	8.6

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11b\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4852.500000	51.61	---	74.00	22.39	100.0	H	122.0	11.8
4863.500000	---	39.86	54.00	14.14	100.0	H	115.0	11.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	WIFI 2.4G_11b_Ch6
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4872.500000	51.53	---	74.00	22.47	100.0	V	109.0	11.8
4894.500000	---	40.01	54.00	13.99	100.0	V	17.0	11.8


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11b\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7327.391667	---	33.94	54.00	20.06	100.0	H	270.0	8.1
7340.175000	43.50	---	74.00	30.50	100.0	H	333.0	8.1

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11b\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7312.641667	---	33.72	54.00	20.28	100.0	V	129.0	8.2
7342.141667	42.70	---	74.00	31.30	100.0	V	278.0	8.1

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	WIFI 2.4G_11b_Ch11
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4909.500000	51.43	---	74.00	22.57	100.0	H	215.0	11.8
4909.500000	---	39.87	54.00	14.13	100.0	H	215.0	11.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11b\_Ch11  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4908.000000	---	40.28	54.00	13.72	100.0	V	164.0	11.8
4921.000000	50.90	---	74.00	23.10	100.0	V	156.0	11.8


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11b\_Ch11  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7394.750000	---	33.53	54.00	20.47	100.0	H	124.0	8.3
7398.191667	42.31	---	74.00	31.69	100.0	H	327.0	8.3

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11b\_Ch11  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7355.416667	---	33.32	54.00	20.68	100.0	V	0.0	8.1
7416.875000	43.43	---	74.00	30.57	100.0	V	55.0	8.3

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11g\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4854.500000	---	39.69	54.00	14.31	100.0	H	0.0	11.8
4864.500000	51.10	---	74.00	22.90	100.0	H	196.0	11.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11g\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4852.500000	51.30	---	74.00	22.70	100.0	V	65.0	11.8
4853.000000	---	40.23	54.00	13.77	100.0	V	82.0	11.8


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11g\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7295.433333	---	34.22	54.00	19.78	100.0	H	9.0	8.3
7306.250000	42.99	---	74.00	31.01	100.0	H	186.0	8.3

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11g\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7302.316667	42.82	---	74.00	31.18	100.0	V	121.0	8.3
7316.083333	---	33.60	54.00	20.40	100.0	V	314.0	8.2

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11n20\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4853.000000	---	39.51	54.00	14.49	100.0	H	221.0	11.8
4865.500000	50.68	---	74.00	23.32	100.0	H	271.0	11.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11n20\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4867.500000	---	39.86	54.00	14.14	100.0	V	140.0	11.8
4876.000000	51.04	---	74.00	22.96	100.0	V	86.0	11.8


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11n20\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7313.133333	---	33.59	54.00	20.41	100.0	H	176.0	8.2
7319.033333	43.31	---	74.00	30.69	100.0	H	225.0	8.2

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11n20\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7306.741667	---	34.16	54.00	19.84	100.0	V	100.0	8.3
7342.633333	43.26	---	74.00	30.74	100.0	V	53.0	8.1

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11n40\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4850.500000	52.57	---	74.00	21.43	100.0	H	46.0	11.8
4892.500000	---	40.05	54.00	13.95	100.0	H	9.0	11.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11n40\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4859.000000	---	39.81	54.00	14.19	100.0	V	359.0	11.8
4864.500000	50.87	---	74.00	23.13	100.0	V	26.0	11.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11n40\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7308.708333	---	33.54	54.00	20.46	100.0	H	263.0	8.2
7318.541667	42.48	---	74.00	31.52	100.0	H	164.0	8.2


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11n40\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7291.500000	43.31	---	74.00	30.69	100.0	V	45.0	8.3
7327.391667	---	34.78	54.00	19.22	100.0	V	274.0	8.1


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	SDR 5.2G_10M_5201MHz+WIFI 2.4G_11b_Ch6
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC part 15C
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2762.050000	54.68	---	74.00	19.32	100.0	V	293.0	7.9
2764.770000	---	46.46	54.00	7.54	100.0	V	210.0	7.9
4854.000000	---	41.72	54.00	12.28	100.0	V	208.0	11.8
4869.000000	52.66	---	74.00	21.34	100.0	V	120.0	11.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: SDR 5.2G\_10M\_5201MHz+WIFI 2.4G\_11b\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:53%  
 Test Standard: FCC part 15C  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
6934.550000	---	38.47	54.00	15.53	100.0	H	354.0	8.6
6943.891667	44.93	---	74.00	29.07	100.0	H	45.0	8.6
10389.491667	46.11	---	74.00	27.89	100.0	H	45.0	11.9
10430.791667	---	37.10	54.00	16.90	100.0	H	185.0	11.9

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: SDR 5.2G\_10M\_5201MHz+WIFI 2.4G\_11b\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:53%  
 Test Standard: FCC part 15C  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
6934.550000	48.23	---	74.00	25.77	100.0	V	233.0	8.6
6934.550000	---	44.98	54.00	9.02	100.0	V	233.0	8.6
10392.441667	---	37.09	54.00	16.91	100.0	V	159.0	11.9
10403.258333	44.66	---	74.00	29.34	100.0	V	73.0	11.9


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	SDR 5.8G_1.4M_5786.5MHz+WIFI 2.4G_11b_Ch6
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC part 15C
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3348.720000	58.36	---	74.00	15.64	100.0	H	342.0	8.5
3350.930000	---	50.39	54.00	3.61	100.0	H	342.0	8.5
5407.500000	---	47.36	54.00	6.64	100.0	H	328.0	13.5
5408.500000	57.48	---	74.00	16.52	100.0	H	322.0	13.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: SDR 5.8G\_1.4M\_5786.5MHz+WIFI 2.4G\_11b\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:53%  
 Test Standard: FCC part 15C  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3350.590000	58.00	---	74.00	16.00	100.0	V	217.0	8.5
3350.760000	---	49.40	54.00	4.60	100.0	V	217.0	8.5
4870.000000	---	42.12	54.00	11.88	100.0	V	37.0	11.8
4893.000000	53.15	---	74.00	20.85	100.0	V	79.0	11.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: SDR 5.8G\_1.4M\_5786.5MHz+WIFI 2.4G\_11b\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:53%  
 Test Standard: FCC part 15C  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11567.525000	---	38.73	54.00	15.27	100.0	H	358.0	13.4
11590.633333	47.08	---	74.00	26.92	100.0	H	296.0	13.3

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: SDR 5.8G\_1.4M\_5786.5MHz+WIFI 2.4G\_11b\_Ch6  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:53%  
 Test Standard: FCC part 15C  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11587.683333	46.63	---	74.00	27.37	100.0	V	325.0	13.3
11603.416667	---	37.97	54.00	16.03	100.0	V	21.0	13.3

### Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### Appendix C.6: Test Results of Radiated Emissions in Restricted Bands

Wi-Fi 802.11 b mode, 1 Mbps

#### EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	WIFI 2.4G_11b_Ch1
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



#### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2385.000000	---	42.21	54.00	11.79	100.0	H	354.0	7.0
2386.200000	49.77	---	74.00	24.23	100.0	H	354.0	7.0


#### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11b\_Ch1  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2383.600000	---	43.39	54.00	10.61	100.0	V	283.0	7.0
2388.400000	51.39	---	74.00	22.61	100.0	V	296.0	7.0

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11b\_Ch11  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.800000	---	44.22	54.00	9.78	100.0	H	354.0	7.4
2486.500000	52.00	---	74.00	22.00	100.0	H	354.0	7.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11b\_Ch11  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.800000	---	44.80	54.00	9.20	100.0	V	261.0	7.4
2485.900000	52.05	---	74.00	21.95	100.0	V	177.0	7.4


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Wi-Fi 802.11 g mode, 6 Mbps

EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11g\_Ch1  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.300000	58.16	---	74.00	15.84	100.0	H	0.0	7.0
2389.500000	---	46.47	54.00	7.53	100.0	H	355.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11g\_Ch1  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2390.000000	62.23	---	74.00	11.77	100.0	V	296.0	7.0
2390.000000	---	48.13	54.00	5.87	100.0	V	296.0	7.0

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11g\_Ch11  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.600000	57.52	---	74.00	16.48	100.0	H	344.0	7.4
2485.500000	---	46.16	54.00	7.84	100.0	H	344.0	7.4


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	WIFI 2.4G_11g_Ch11
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.100000	---	46.92	54.00	7.08	100.0	V	196.0	7.4
2484.400000	58.08	---	74.00	15.92	100.0	V	181.0	7.4


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Wi-Fi 802.11 n(HT20) mode, MCS0

EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11n20\_Ch1  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.000000	65.02	---	74.00	8.98	100.0	H	0.0	7.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.793200	50.41	54.00	3.59	100.0	H	339.0	7.0

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11n20\_Ch1  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.70000	63.49	---	74.00	10.51	100.0	V	125.0	7.0

### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.707150	49.74	54.00	4.26	105.0	V	80.0	7.0

### EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	WIFI 2.4G_11n20_Ch11
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.300000	63.88	---	74.00	10.12	100.0	H	11.0	7.4

### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.605250	49.90	54.00	4.10	100.0	H	340.0	7.4

### EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11n20\_Ch11  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.10000	66.97	---	74.00	7.03	100.0	V	178.0	7.4


### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.808250	50.96	54.00	3.04	100.0	V	186.0	7.4

Wi-Fi 802.11 n(HT40) mode, MCS0

EUT Information

EUT Name: DJI Mavic 3 Pro Cine  
 Model: L2E  
 Test Mode: WIFI 2.4G\_11n40\_Ch3  
 Order No/Sample No: 168400062/A003384103-004  
 Test Voltage: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2381.800000	66.51	---	74.00	7.49	100.0	H	342.0	7.0


Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.136900	49.40	54.00	4.60	100.0	H	304.0	7.0



### EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	WIFI 2.4G_11n40_Ch3
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.50000	63.49	---	74.00	10.51	100.0	V	70.0	7.0

### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2385.672300	47.41	54.00	6.59	100.0	V	285.0	7.0

### EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	WIFI 2.4G_11n40_Ch9
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.60000	64.04	---	74.00	9.96	100.0	H	343.0	7.4

### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.13640	48.60	54.00	5.40	100.0	H	338.0	7.4

### EUT Information

EUT Name:	DJI Mavic 3 Pro Cine
Model:	L2E
Test Mode:	WIFI 2.4G_11n40_Ch9
Order No/Sample No:	168400062/A003384103-004
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2489.000000	66.17	---	74.00	7.83	100.0	V	193.0	7.4

### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.048150	50.92	54.00	3.08	100.0	V	188.0	7.4