


EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M_5727.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11436.741667 | --- | 38.43 | 54.00 | 15.57 | 100.0 | H | 178.0 | 13.2 |
| 11458.375000 | 47.06 | --- | 74.00 | 26.94 | 100.0 | H | 178.0 | 13.4 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M_5727.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11427.891667 | 46.94 | --- | 74.00 | 27.06 | 100.0 | V | 29.0 | 13.1 |
| 11434.775000 | --- | 38.05 | 54.00 | 15.95 | 100.0 | V | 103.0 | 13.2 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Mavic 3 Pro Cine |
| Model: | L2E |
| Test Mode: | SDR 5.8G_3M_5727.5MHz |
| Order No/Sample No: | 168400062/A003384103-004 |
| Test Voltage: | Battery |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5642.472222 | 56.45 | 68.20 | 11.75 | 100.0 | H | 249.0 | 13.8 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M_5727.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5636.361111 | 55.89 | 68.20 | 12.31 | 100.0 | V | 0.0 | 13.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M_5784.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1196.690000 | 46.73 | --- | 74.00 | 27.27 | 100.0 | H | 252.0 | 1.1 |
| 1197.880000 | --- | 38.97 | 54.00 | 15.03 | 100.0 | H | 184.0 | 1.1 |
| 3735.470000 | --- | 43.90 | 54.00 | 10.10 | 100.0 | H | 174.0 | 9.6 |
| 3802.790000 | 53.42 | --- | 74.00 | 20.58 | 100.0 | H | 39.0 | 9.8 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M_5784.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1195.670000 | 45.74 | --- | 74.00 | 28.26 | 100.0 | V | 41.0 | 1.1 |
| 1195.840000 | --- | 35.98 | 54.00 | 18.02 | 100.0 | V | 0.0 | 1.1 |
| 3961.060000 | 54.02 | --- | 74.00 | 19.98 | 100.0 | V | 194.0 | 10.1 |
| 3990.810000 | --- | 44.72 | 54.00 | 9.28 | 100.0 | V | 152.0 | 10.1 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M_5784.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11559.658333 | --- | 37.83 | 54.00 | 16.17 | 100.0 | H | 343.0 | 13.4 |
| 11619.150000 | 47.49 | --- | 74.00 | 26.51 | 100.0 | H | 162.0 | 13.3 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M_5784.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11575.883333 | --- | 38.45 | 54.00 | 15.55 | 100.0 | V | 192.0 | 13.4 |
| 11658.975000 | 47.78 | --- | 74.00 | 26.22 | 100.0 | V | 279.0 | 13.3 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M_5844.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1198.050000 | --- | 38.05 | 54.00 | 15.95 | 100.0 | H | 164.0 | 1.1 |
| 1198.050000 | 48.64 | --- | 74.00 | 25.36 | 100.0 | H | 164.0 | 1.1 |
| 5419.500000 | 57.95 | --- | 74.00 | 16.05 | 100.0 | H | 34.0 | 13.5 |
| 5428.500000 | --- | 47.64 | 54.00 | 6.36 | 100.0 | H | 34.0 | 13.5 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M_5844.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1197.030000 | 44.87 | --- | 74.00 | 29.13 | 100.0 | V | 262.0 | 1.1 |
| 1197.540000 | --- | 35.79 | 54.00 | 18.21 | 100.0 | V | 262.0 | 1.1 |
| 3860.080000 | --- | 43.53 | 54.00 | 10.47 | 100.0 | V | 193.0 | 9.9 |
| 4018.350000 | 53.94 | --- | 74.00 | 20.06 | 100.0 | V | 0.0 | 10.1 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M_5844.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11656.025000 | 47.28 | --- | 74.00 | 26.72 | 100.0 | H | 242.0 | 13.3 |
| 11664.875000 | --- | 38.18 | 54.00 | 15.82 | 100.0 | H | 354.0 | 13.3 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M_5844.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11653.566667 | --- | 39.11 | 54.00 | 14.89 | 100.0 | V | 244.0 | 13.3 |
| 11697.816667 | 47.30 | --- | 74.00 | 26.70 | 100.0 | V | 51.0 | 13.3 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M_5844.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5943.841667 | 57.79 | 68.20 | 10.41 | 100.0 | H | 229.0 | 14.7 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M_5844.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5935.472222 | 57.66 | 68.20 | 10.54 | 100.0 | V | 27.0 | 14.7 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M CA_5730.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1197.540000 | --- | 35.79 | 54.00 | 18.21 | 100.0 | H | 191.0 | 1.1 |
| 1197.710000 | 47.69 | --- | 74.00 | 26.31 | 100.0 | H | 352.0 | 1.1 |
| 3716.940000 | 52.41 | --- | 74.00 | 21.59 | 100.0 | H | 275.0 | 9.6 |
| 3739.890000 | --- | 43.72 | 54.00 | 10.28 | 100.0 | H | 359.0 | 9.6 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M CA_5730.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1197.370000 | 47.78 | --- | 74.00 | 26.22 | 100.0 | V | 313.0 | 1.1 |
| 1197.370000 | --- | 37.90 | 54.00 | 16.10 | 100.0 | V | 313.0 | 1.1 |
| 3678.860000 | 53.58 | --- | 74.00 | 20.42 | 100.0 | V | 168.0 | 9.5 |
| 3727.990000 | --- | 43.72 | 54.00 | 10.28 | 100.0 | V | 125.0 | 9.6 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M CA_5730.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11444.608333 | --- | 37.72 | 54.00 | 16.28 | 100.0 | H | 308.0 | 13.3 |
| 11470.175000 | 46.51 | --- | 74.00 | 27.49 | 100.0 | H | 186.0 | 13.6 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M CA_5730.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11448.541667 | 46.93 | --- | 74.00 | 27.07 | 100.0 | V | 27.0 | 13.3 |
| 11476.075000 | --- | 38.02 | 54.00 | 15.98 | 100.0 | V | 0.0 | 13.7 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M CA_5730.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5638.255556 | 55.95 | 68.20 | 12.25 | 100.0 | H | 26.0 | 13.8 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M CA_5730.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5639.966667 | 56.31 | 68.20 | 11.89 | 100.0 | V | 180.0 | 13.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M CA_5787.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1194.480000 | --- | 36.49 | 54.00 | 17.51 | 100.0 | H | 159.0 | 1.1 |
| 1198.390000 | 46.68 | --- | 74.00 | 27.32 | 100.0 | H | 203.0 | 1.1 |
| 3769.640000 | --- | 43.84 | 54.00 | 10.16 | 100.0 | H | 213.0 | 9.7 |
| 3780.690000 | 53.01 | --- | 74.00 | 20.99 | 100.0 | H | 235.0 | 9.8 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M CA_5787.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1197.880000 | 44.17 | --- | 74.00 | 29.83 | 100.0 | V | 310.0 | 1.1 |
| 1198.560000 | --- | 35.49 | 54.00 | 18.51 | 100.0 | V | 0.0 | 1.1 |
| 3620.210000 | --- | 42.96 | 54.00 | 11.04 | 100.0 | V | 81.0 | 9.4 |
| 3667.640000 | 52.82 | --- | 74.00 | 21.18 | 100.0 | V | 288.0 | 9.5 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M CA_5787.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11556.216667 | 47.07 | --- | 74.00 | 26.93 | 100.0 | H | 186.0 | 13.5 |
| 11564.083333 | --- | 37.60 | 54.00 | 16.40 | 100.0 | H | 98.0 | 13.4 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M CA_5787.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11579.325000 | 46.31 | --- | 74.00 | 27.69 | 100.0 | V | 220.0 | 13.4 |
| 11623.575000 | --- | 38.29 | 54.00 | 15.71 | 100.0 | V | 109.0 | 13.3 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Mavic 3 Pro Cine |
| Model: | L2E |
| Test Mode: | SDR 5.8G_3M CA_5847.2MHz |
| Order No/Sample No: | 168400062/A003384103-004 |
| Test Voltage: | Battery |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1192.270000 | --- | 35.42 | 54.00 | 18.58 | 100.0 | H | 251.0 | 1.1 |
| 1201.450000 | 44.93 | --- | 74.00 | 29.07 | 100.0 | H | 350.0 | 1.2 |
| 3739.210000 | --- | 43.45 | 54.00 | 10.55 | 100.0 | H | 206.0 | 9.6 |
| 3751.280000 | 52.95 | --- | 74.00 | 21.05 | 100.0 | H | 228.0 | 9.7 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M CA_5847.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1195.160000 | --- | 37.17 | 54.00 | 16.83 | 100.0 | V | 313.0 | 1.1 |
| 1195.500000 | 46.73 | --- | 74.00 | 27.27 | 100.0 | V | 0.0 | 1.1 |
| 3725.440000 | --- | 43.44 | 54.00 | 10.56 | 100.0 | V | 66.0 | 9.6 |
| 3730.030000 | 52.62 | --- | 74.00 | 21.38 | 100.0 | V | 90.0 | 9.6 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M CA_5847.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11655.533333 | --- | 38.65 | 54.00 | 15.35 | 100.0 | H | 287.0 | 13.3 |
| 11700.275000 | 47.32 | --- | 74.00 | 26.68 | 100.0 | H | 165.0 | 13.3 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M CA_5847.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11682.083333 | --- | 38.16 | 54.00 | 15.84 | 100.0 | V | 352.0 | 13.3 |
| 11690.441667 | 46.73 | --- | 74.00 | 27.27 | 100.0 | V | 182.0 | 13.3 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Mavic 3 Pro Cine |
| Model: | L2E |
| Test Mode: | SDR 5.8G_3M CA_5847.2MHz |
| Order No/Sample No: | 168400062/A003384103-004 |
| Test Voltage: | Battery |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5937.069445 | 58.09 | 68.20 | 10.11 | 100.0 | H | 38.0 | 14.7 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_3M CA_5847.2MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5996.677778 | 58.07 | 68.20 | 10.13 | 100.0 | V | 161.0 | 15.0 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_10M_5730.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1195.840000 | 44.48 | --- | 74.00 | 29.52 | 100.0 | H | 181.0 | 1.1 |
| 1196.690000 | --- | 36.14 | 54.00 | 17.86 | 100.0 | H | 238.0 | 1.1 |
| 5426.500000 | 63.01 | --- | 74.00 | 10.99 | 100.0 | H | 24.0 | 13.5 |

Final Result

| Frequency (MHz) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5418.519444 | 51.71 | 54.00 | 2.29 | 100.0 | H | 29.0 | 13.5 |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_10M_5730.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1194.990000 | --- | 37.92 | 54.00 | 16.08 | 100.0 | V | 0.0 | 1.1 |
| 1199.410000 | 47.97 | --- | 74.00 | 26.03 | 100.0 | V | 85.0 | 1.1 |
| 3625.990000 | --- | 43.17 | 54.00 | 10.83 | 100.0 | V | 162.0 | 9.4 |
| 3701.300000 | 53.35 | --- | 74.00 | 20.65 | 100.0 | V | 344.0 | 9.6 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_10M_5730.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11446.575000 | --- | 37.60 | 54.00 | 16.40 | 100.0 | H | 318.0 | 13.3 |
| 11475.583333 | 47.28 | --- | 74.00 | 26.72 | 100.0 | H | 258.0 | 13.6 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_10M_5730.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11432.808333 | 47.66 | --- | 74.00 | 26.34 | 100.0 | V | 5.0 | 13.2 |
| 11500.166667 | --- | 38.33 | 54.00 | 15.67 | 100.0 | V | 41.0 | 13.7 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_10M_5730.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5636.666667 | 59.83 | 68.20 | 8.37 | 100.0 | H | 26.0 | 13.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Mavic 3 Pro Cine |
| Model: | L2E |
| Test Mode: | SDR 5.8G_10M_5730.5MHz |
| Order No/Sample No: | 168400062/A003384103-004 |
| Test Voltage: | Battery |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5636.605556 | 58.29 | 68.20 | 9.91 | 100.0 | V | 135.0 | 13.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Mavic 3 Pro Cine |
| Model: | L2E |
| Test Mode: | SDR 5.8G_10M_5787.5MHz |
| Order No/Sample No: | 168400062/A003384103-004 |
| Test Voltage: | Battery |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1190.570000 | 44.32 | --- | 74.00 | 29.68 | 100.0 | H | 330.0 | 1.1 |
| 1197.370000 | --- | 35.38 | 54.00 | 18.62 | 100.0 | H | 354.0 | 1.1 |
| 5422.000000 | 65.03 | --- | 74.00 | 8.97 | 100.0 | H | 323.0 | 13.5 |

Final Result

| Frequency (MHz) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5407.391667 | 50.93 | 54.00 | 3.07 | 100.0 | H | 325.0 | 13.5 |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Mavic 3 Pro Cine |
| Model: | L2E |
| Test Mode: | SDR 5.8G_10M_5787.5MHz |
| Order No/Sample No: | 168400062/A003384103-004 |
| Test Voltage: | Battery |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1197.370000 | 44.78 | --- | 74.00 | 29.22 | 100.0 | V | 344.0 | 1.1 |
| 1197.370000 | --- | 36.28 | 54.00 | 17.72 | 100.0 | V | 344.0 | 1.1 |
| 3774.400000 | --- | 43.79 | 54.00 | 10.21 | 100.0 | V | 21.0 | 9.7 |
| 3785.790000 | 52.90 | --- | 74.00 | 21.10 | 100.0 | V | 219.0 | 9.8 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_10M_5787.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11530.650000 | --- | 37.80 | 54.00 | 16.20 | 100.0 | H | 137.0 | 13.6 |
| 11536.058333 | 46.25 | --- | 74.00 | 27.75 | 100.0 | H | 0.0 | 13.5 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_10M_5787.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11596.533333 | --- | 37.54 | 54.00 | 16.46 | 100.0 | V | 277.0 | 13.3 |
| 11608.825000 | 47.16 | --- | 74.00 | 26.84 | 100.0 | V | 62.0 | 13.3 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_10M_5844.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1200.260000 | --- | 38.11 | 54.00 | 15.89 | 100.0 | H | 192.0 | 1.1 |
| 1200.600000 | 46.11 | --- | 74.00 | 27.89 | 100.0 | H | 192.0 | 1.1 |
| 5452.000000 | 67.08 | --- | 74.00 | 6.92 | 100.0 | H | 329.0 | 13.5 |

Final Result

| Frequency (MHz) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5440.316667 | 51.05 | 54.00 | 2.95 | 100.0 | H | 312.0 | 13.5 |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_10M_5844.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1199.240000 | 45.72 | --- | 74.00 | 28.28 | 100.0 | V | 263.0 | 1.1 |
| 1199.240000 | --- | 36.59 | 54.00 | 17.41 | 100.0 | V | 263.0 | 1.1 |
| 5429.500000 | 61.69 | --- | 74.00 | 12.31 | 100.0 | V | 224.0 | 13.5 |
| 5437.000000 | --- | 50.03 | 54.00 | 3.97 | 100.0 | V | 209.0 | 13.5 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_10M_5844.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11660.450000 | --- | 38.29 | 54.00 | 15.71 | 100.0 | H | 76.0 | 13.3 |
| 11663.891667 | 47.73 | --- | 74.00 | 26.27 | 100.0 | H | 29.0 | 13.3 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Mavic 3 Pro Cine |
| Model: | L2E |
| Test Mode: | SDR 5.8G_10M_5844.5MHz |
| Order No/Sample No: | 168400062/A003384103-004 |
| Test Voltage: | Battery |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11667.825000 | 47.90 | --- | 74.00 | 26.10 | 100.0 | V | 316.0 | 13.3 |
| 11681.591667 | --- | 38.34 | 54.00 | 15.66 | 100.0 | V | 57.0 | 13.3 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_10M_5844.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5964.988889 | 58.70 | 68.20 | 9.50 | 100.0 | H | 12.0 | 14.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_10M_5844.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5927.997222 | 58.93 | 68.20 | 9.27 | 100.0 | V | 136.0 | 14.7 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_20M_5735.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1198.220000 | --- | 37.04 | 54.00 | 16.96 | 100.0 | H | 156.0 | 1.1 |
| 1198.220000 | 48.43 | --- | 74.00 | 25.57 | 100.0 | H | 156.0 | 1.1 |
| 5407.000000 | 63.03 | --- | 74.00 | 10.97 | 100.0 | H | 32.0 | 13.5 |

Final Result

| Frequency (MHz) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5423.302778 | 51.50 | 54.00 | 2.50 | 100.0 | H | 30.0 | 13.5 |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_20M_5735.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1195.160000 | 46.60 | --- | 74.00 | 27.40 | 100.0 | V | 0.0 | 1.1 |
| 1197.540000 | --- | 37.34 | 54.00 | 16.66 | 100.0 | V | 76.0 | 1.1 |
| 3797.010000 | 53.79 | --- | 74.00 | 20.21 | 100.0 | V | 359.0 | 9.8 |
| 3810.100000 | --- | 43.14 | 54.00 | 10.86 | 100.0 | V | 155.0 | 9.8 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_20M_5735.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11478.041667 | 46.78 | --- | 74.00 | 27.22 | 100.0 | H | 15.0 | 13.7 |
| 11484.925000 | --- | 37.77 | 54.00 | 16.23 | 100.0 | H | 75.0 | 13.8 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_20M_5735.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11476.075000 | 47.84 | --- | 74.00 | 26.16 | 100.0 | V | 63.0 | 13.7 |
| 11503.608333 | --- | 37.73 | 54.00 | 16.27 | 100.0 | V | 214.0 | 13.7 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_20M_5735.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5650.111111 | 60.82 | 68.28 | 7.47 | 100.0 | H | 27.0 | 13.8 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_20M_5735.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5642.533333 | 59.82 | 68.20 | 8.38 | 100.0 | V | 133.0 | 13.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_20M_5787.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1197.710000 | --- | 37.56 | 54.00 | 16.44 | 100.0 | H | 174.0 | 1.1 |
| 1198.390000 | 45.83 | --- | 74.00 | 28.17 | 100.0 | H | 174.0 | 1.1 |
| 5384.000000 | 65.20 | --- | 74.00 | 8.80 | 100.0 | H | 315.0 | 13.4 |

Final Result

| Frequency (MHz) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5412.763889 | 51.30 | 54.00 | 2.70 | 100.0 | H | 314.0 | 13.5 |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_20M_5787.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1193.800000 | --- | 35.65 | 54.00 | 18.35 | 100.0 | V | 355.0 | 1.1 |
| 1197.370000 | 46.52 | --- | 74.00 | 27.48 | 100.0 | V | 0.0 | 1.1 |
| 5371.500000 | --- | 49.66 | 54.00 | 4.34 | 100.0 | V | 189.0 | 13.3 |
| 5417.500000 | 61.02 | --- | 74.00 | 12.98 | 100.0 | V | 268.0 | 13.5 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_20M_5787.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11534.091667 | 47.52 | --- | 74.00 | 26.48 | 100.0 | H | 359.0 | 13.6 |
| 11557.200000 | --- | 37.80 | 54.00 | 16.20 | 100.0 | H | 352.0 | 13.5 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_20M_5787.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11509.016667 | 47.12 | --- | 74.00 | 26.88 | 100.0 | V | 173.0 | 13.7 |
| 11509.016667 | --- | 37.99 | 54.00 | 16.01 | 100.0 | V | 173.0 | 13.7 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Mavic 3 Pro Cine |
| Model: | L2E |
| Test Mode: | SDR 5.8G_20M_5839.5MHz |
| Order No/Sample No: | 168400062/A003384103-004 |
| Test Voltage: | Battery |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1199.920000 | 48.61 | --- | 74.00 | 25.39 | 100.0 | H | 196.0 | 1.1 |
| 1199.920000 | --- | 38.14 | 54.00 | 15.86 | 100.0 | H | 196.0 | 1.1 |
| 5424.000000 | 62.65 | --- | 74.00 | 11.35 | 100.0 | H | 26.0 | 13.5 |

Final Result

| Frequency (MHz) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5423.422222 | 52.75 | 54.00 | 1.25 | 100.0 | H | 29.0 | 13.5 |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_20M_5839.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1196.180000 | --- | 35.97 | 54.00 | 18.03 | 100.0 | V | 347.0 | 1.1 |
| 1199.920000 | 43.50 | --- | 74.00 | 30.50 | 100.0 | V | 0.0 | 1.1 |
| 2844.670000 | --- | 41.45 | 54.00 | 12.55 | 100.0 | V | 224.0 | 8.1 |
| 2846.370000 | 50.29 | --- | 74.00 | 23.71 | 100.0 | V | 336.0 | 8.1 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_20M_5839.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11675.691667 | 47.37 | --- | 74.00 | 26.63 | 100.0 | H | 106.0 | 13.3 |
| 11720.925000 | --- | 39.43 | 54.00 | 14.57 | 100.0 | H | 94.0 | 13.3 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_20M_5839.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11711.091667 | --- | 38.41 | 54.00 | 15.59 | 100.0 | V | 181.0 | 13.3 |
| 11712.566667 | 48.50 | --- | 74.00 | 25.50 | 100.0 | V | 228.0 | 13.3 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_20M_5839.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5937.197222 | 58.05 | 68.20 | 10.15 | 100.0 | H | 283.0 | 14.7 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_20M_5839.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5992.525000 | 58.78 | 68.20 | 9.42 | 100.0 | V | 241.0 | 15.0 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Mavic 3 Pro Cine |
| Model: | L2E |
| Test Mode: | SDR 5.8G_40M_5745.5MHz |
| Order No/Sample No: | 168400062/A003384103-004 |
| Test Voltage: | Battery |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1196.520000 | 50.82 | --- | 74.00 | 23.18 | 100.0 | H | 167.0 | 1.1 |
| 1196.520000 | --- | 40.52 | 54.00 | 13.48 | 100.0 | H | 167.0 | 1.1 |
| 5411.000000 | 61.11 | --- | 74.00 | 12.89 | 100.0 | H | 325.0 | 13.5 |
| 5419.000000 | --- | 50.38 | 54.00 | 3.62 | 100.0 | H | 325.0 | 13.5 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Mavic 3 Pro Cine |
| Model: | L2E |
| Test Mode: | SDR 5.8G_40M_5745.5MHz |
| Order No/Sample No: | 168400062/A003384103-004 |
| Test Voltage: | Battery |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1196.010000 | 49.55 | --- | 74.00 | 24.45 | 100.0 | V | 78.0 | 1.1 |
| 1199.580000 | --- | 39.23 | 54.00 | 14.77 | 100.0 | V | 322.0 | 1.1 |
| 3792.930000 | --- | 44.02 | 54.00 | 9.98 | 100.0 | V | 354.0 | 9.8 |
| 3818.600000 | 52.84 | --- | 74.00 | 21.16 | 100.0 | V | 101.0 | 9.9 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_40M_5745.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11487.875000 | --- | 37.98 | 54.00 | 16.02 | 100.0 | H | 21.0 | 13.7 |
| 11503.608333 | 46.90 | --- | 74.00 | 27.10 | 100.0 | H | 339.0 | 13.7 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_40M_5745.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11480.500000 | --- | 38.21 | 54.00 | 15.79 | 100.0 | V | 0.0 | 13.7 |
| 11487.875000 | 46.89 | --- | 74.00 | 27.11 | 100.0 | V | 102.0 | 13.7 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_40M_5745.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5644.916667 | 59.21 | 68.20 | 8.99 | 100.0 | H | 321.0 | 13.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Mavic 3 Pro Cine |
| Model: | L2E |
| Test Mode: | SDR 5.8G_40M_5745.5MHz |
| Order No/Sample No: | 168400062/A003384103-004 |
| Test Voltage: | Battery |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5639.233333 | 57.26 | 68.20 | 10.94 | 100.0 | V | 224.0 | 13.8 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_40M_5768.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1195.840000 | --- | 37.03 | 54.00 | 16.97 | 100.0 | H | 352.0 | 1.1 |
| 1200.260000 | 46.35 | --- | 74.00 | 27.65 | 100.0 | H | 205.0 | 1.1 |
| 5417.522222 | 66.49 | --- | 74.00 | 7.51 | 100.0 | H | 36.0 | 13.5 |

Final Result

| Frequency (MHz) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5417.522222 | 51.98 | 54.00 | 2.02 | 100.0 | H | 317.0 | 13.5 |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_40M_5768.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11545.400000 | --- | 37.84 | 54.00 | 16.16 | 100.0 | H | 238.0 | 13.5 |
| 11552.283333 | 47.49 | --- | 74.00 | 26.51 | 100.0 | H | 341.0 | 13.5 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Mavic 3 Pro Cine |
| Model: | L2E |
| Test Mode: | SDR 5.8G_40M_5787.5MHz |
| Order No/Sample No: | 168400062/A003384103-004 |
| Test Voltage: | Battery |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1197.710000 | 50.25 | --- | 74.00 | 23.75 | 100.0 | H | 195.0 | 1.1 |
| 1198.730000 | --- | 37.15 | 54.00 | 16.85 | 100.0 | H | 195.0 | 1.1 |
| 5449.500000 | 66.78 | --- | 74.00 | 7.22 | 100.0 | H | 317.0 | 13.5 |

Final Result

| Frequency (MHz) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5448.391667 | 51.89 | 54.00 | 2.11 | 105.0 | H | 315.0 | 13.5 |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_40M_5787.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1195.840000 | 44.03 | --- | 74.00 | 29.97 | 100.0 | V | 262.0 | 1.1 |
| 1195.840000 | --- | 36.58 | 54.00 | 17.42 | 100.0 | V | 262.0 | 1.1 |
| 2795.540000 | 50.59 | --- | 74.00 | 23.41 | 100.0 | V | 0.0 | 8.0 |
| 2812.710000 | --- | 41.08 | 54.00 | 12.92 | 100.0 | V | 44.0 | 8.0 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_40M_5787.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11524.258333 | 48.07 | --- | 74.00 | 25.93 | 100.0 | H | 9.0 | 13.6 |
| 11572.441667 | --- | 38.37 | 54.00 | 15.63 | 100.0 | H | 144.0 | 13.4 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_40M_5787.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11566.541667 | 46.97 | --- | 74.00 | 27.03 | 100.0 | V | 338.0 | 13.4 |
| 11600.958333 | --- | 38.24 | 54.00 | 15.76 | 100.0 | V | 175.0 | 13.3 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_40M_5800.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1196.180000 | --- | 40.20 | 54.00 | 13.80 | 100.0 | H | 165.0 | 1.1 |
| 1196.180000 | 48.22 | --- | 74.00 | 25.78 | 100.0 | H | 165.0 | 1.1 |
| 5413.000000 | 65.95 | --- | 74.00 | 8.05 | 100.0 | H | 322.0 | 13.5 |

Final Result

| Frequency (MHz) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5417.019444 | 50.63 | 54.00 | 3.37 | 100.0 | H | 30.0 | 13.5 |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_40M_5768.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11598.500000 | --- | 37.59 | 54.00 | 16.41 | 100.0 | H | 123.0 | 13.3 |
| 11624.066667 | 46.61 | --- | 74.00 | 27.39 | 100.0 | H | 33.0 | 13.3 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_40M_5829.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1195.670000 | 46.35 | --- | 74.00 | 27.65 | 100.0 | H | 165.0 | 1.1 |
| 1195.670000 | --- | 38.87 | 54.00 | 15.13 | 100.0 | H | 165.0 | 1.1 |
| 5413.000000 | 61.76 | --- | 74.00 | 12.24 | 100.0 | H | 33.0 | 13.5 |

Final Result

| Frequency (MHz) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5413.516667 | 51.22 | 54.00 | 2.78 | 100.0 | H | 28.0 | 13.5 |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_40M_5829.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11642.258333 | 47.77 | --- | 74.00 | 26.23 | 100.0 | H | 152.0 | 13.3 |
| 11665.858333 | --- | 37.82 | 54.00 | 16.18 | 100.0 | H | 64.0 | 13.3 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Mavic 3 Pro Cine
 Model: L2E
 Test Mode: SDR 5.8G_40M_5829.5MHz
 Order No/Sample No: 168400062/A003384103-004
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11632.425000 | --- | 38.65 | 54.00 | 15.35 | 100.0 | V | 328.0 | 13.3 |
| 11674.708333 | 47.00 | --- | 74.00 | 27.00 | 100.0 | V | 316.0 | 13.3 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Mavic 3 Pro Cine |
| Model: | L2E |
| Test Mode: | SDR 5.8G_40M_5829.5MHz |
| Order No/Sample No: | 168400062/A003384103-004 |
| Test Voltage: | Battery |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5941.350000 | 58.53 | 68.20 | 9.67 | 100.0 | H | 32.0 | 14.7 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Mavic 3 Pro Cine |
| Model: | L2E |
| Test Mode: | SDR 5.8G_40M_5829.5MHz |
| Order No/Sample No: | 168400062/A003384103-004 |
| Test Voltage: | Battery |
| Remark: | Temp 22 Humi:55% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5934.066667 | 58.72 | 68.20 | 9.48 | 100.0 | V | 144.0 | 14.7 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |