









2.4GHz SDR, 40MHz BW

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
40M-MIMO	Ant1	2422.5	Reference	5.93	5.93	---	PASS
			30~1000	5.93	-38.12	≤-24.07	PASS
			1000~26500	5.93	-29.4	≤-24.07	PASS
		2437.5	Reference	8.41	8.41	---	PASS
			30~1000	8.41	-37.65	≤-21.59	PASS
			1000~26500	8.41	-29.67	≤-21.59	PASS
		2452.5	Reference	5.05	5.05	---	PASS
			30~1000	5.05	-38.31	≤-24.95	PASS
			1000~26500	5.05	-28.95	≤-24.95	PASS










2.4GHz SDR, 1.4MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
1.4M-MIMO	Ant1	Low	2403.5	13.20	-41.83	≤-16.8	PASS
		High	2469.5	13.36	-45.85	≤-16.64	PASS




2.4GHz SDR, 1.4MHz BW CA mode Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
1.4MCA-MIMO	Ant1	Low	2405.12	13.20	-45.15	≤-16.8	PASS
		High	2471.12	14.47	-45.71	≤-15.53	PASS





2.4GHz SDR, 3MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
3M-MIMO	Ant1	Low	2405.5	11.16	-45.66	≤-18.84	PASS
		High	2468.5	14.80	-46.35	≤-15.2	PASS



2.4GHz SDR, 3MHz BW CA mode Bandedge


TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
3MCA-MIMO	Ant1	Low	2408.2	11.35	-45.59	≤-18.65	PASS
		High	2471.2	12.26	-46.71	≤-17.74	PASS




2.4GHz SDR, 10MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
10M-MIMO	Ant1	Low	2407.5	14.11	-17.29	≤-15.89	PASS
		High	2467.5	13.93	-46.84	≤-16.07	PASS

10M-MIMO_Ant1_Low_2407.5



10M-MIMO_Ant1_High_2467.5




2.4GHz SDR, 20MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
20M-MIMO	Ant1	Low	2412.5	8.93	-23.17	≤-21.07	PASS
		High	2462.5	8.55	-46.41	≤-21.45	PASS

20M-MIMO_Ant1_Low_2412.5



20M-MIMO_Ant1_High_2462.5




2.4GHz SDR, 40MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
40M-MIMO	Ant1	Low	2422.5	8.65	-21.79	≤-21.35	PASS
		High	2452.5	6.45	-46.08	≤-23.55	PASS

40M-MIMO_Ant1_Low_2422.5



40M-MIMO_Ant1_High_2452.5




Note: Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

Appendix A.5: Test Results of Radiated Spurious Emissions

30MHz - 1GHz (Worst case)

EUT Information

EUT Name:	DJI Mavic 3E,
Model:	M3E
Test Mode:	SDR 2.4G_1.4M_2435.5MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
58.469500	19.85	40.00	20.15	100.0	H	339.0	-18.8
215.997500	36.80	43.50	6.70	100.0	H	76.0	-18.7
264.012500	37.26	46.00	8.74	100.0	H	88.0	-17.0
312.027500	32.36	46.00	13.64	100.0	H	130.0	-15.9
408.009000	25.92	46.00	20.08	100.0	H	94.0	-13.5
475.036000	26.11	46.00	19.89	100.0	H	233.0	-12.3

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M_2435.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
56.578000	23.90	40.00	16.10	100.0	V	305.0	-18.6
215.997500	23.14	43.50	20.36	100.0	V	0.0	-18.7
264.012500	30.95	46.00	15.05	100.0	V	134.0	-17.0
312.027500	28.95	46.00	17.05	100.0	V	147.0	-15.9
474.987500	27.16	46.00	18.84	100.0	V	155.0	-12.3
935.398000	30.90	46.00	15.10	100.0	V	344.0	-4.6

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_20M_2437.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
58.615000	18.76	40.00	21.24	100.0	H	120.0	-18.8
215.997500	34.10	43.50	9.40	100.0	H	0.0	-18.7
264.012500	35.73	46.00	10.27	100.0	H	127.0	-17.0
312.027500	32.42	46.00	13.58	100.0	H	258.0	-15.9
474.987500	26.65	46.00	19.35	100.0	H	320.0	-12.3

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_20M_2437.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
57.014500	22.59	40.00	17.41	100.0	V	38.0	-18.7
215.997500	23.03	43.50	20.47	100.0	V	0.0	-18.7
264.012500	31.49	46.00	14.51	100.0	V	227.0	-17.0
312.027500	28.03	46.00	17.97	100.0	V	173.0	-15.9
360.042500	27.19	46.00	18.81	100.0	V	166.0	-14.6
474.987500	27.34	46.00	18.66	100.0	V	234.0	-12.3

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---


1GHz - 18GHz

Note: The highest waveform in the figure is 2.4GHz SDR Fundamental.

Model M3E:

2.4GHz SDR, 1.4MHz BW
EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 2.4G_1.4M_2403.5MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin


Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4802.500000	---	39.35	54.00	14.65	100.0	H	209.0	11.8
4818.000000	50.52	---	74.00	23.48	100.0	H	316.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M_2403.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4809.000000	---	39.26	54.00	14.74	100.0	V	253.0	11.8
4827.000000	50.58	---	74.00	23.42	100.0	V	224.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M_2403.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7228.566667	43.75	---	74.00	30.25	100.0	H	315.0	8.6
7243.316667	---	33.94	54.00	20.06	100.0	H	251.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M_2403.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7220.208333	---	33.66	54.00	20.34	100.0	V	248.0	8.7
7226.600000	42.77	---	74.00	31.23	100.0	V	261.0	8.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M_2403.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2338.000000	---	43.20	54.00	10.80	100.0	H	50.0	6.8
2346.600000	53.01	---	74.00	20.99	100.0	H	0.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M_2403.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2329.800000	---	43.26	54.00	10.74	100.0	V	358.0	6.7
2348.400000	52.60	---	74.00	21.40	100.0	V	358.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M_2435.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4856.500000	---	39.74	54.00	14.26	100.0	H	95.0	11.8
4861.500000	50.80	---	74.00	23.20	100.0	H	0.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M_2435.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4864.500000	50.76	---	74.00	23.24	100.0	V	271.0	11.8
4875.500000	---	38.85	54.00	15.15	100.0	V	0.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M_2435.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7305.758333	---	33.34	54.00	20.66	100.0	H	272.0	8.3
7321.983333	42.62	---	74.00	31.38	100.0	H	0.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M_2435.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7301.333333	42.40	---	74.00	31.60	100.0	V	168.0	8.3
7332.800000	---	33.13	54.00	20.87	100.0	V	308.0	8.1

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M_2469.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4951.000000	---	39.64	54.00	14.36	100.0	H	353.0	11.8
4954.500000	51.45	---	74.00	22.55	100.0	H	340.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M_2469.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4947.500000	50.68	---	74.00	23.32	100.0	V	195.0	11.8
4951.000000	---	39.39	54.00	14.61	100.0	V	255.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 2.4G_1.4M_2469.5MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7407.533333	42.57	---	74.00	31.43	100.0	H	71.0	8.3
7426.216667	---	33.62	54.00	20.38	100.0	H	96.0	8.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M_2469.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7426.708333	42.94	---	74.00	31.06	100.0	V	17.0	8.4
7438.016667	---	34.26	54.00	19.74	100.0	V	234.0	8.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M_2469.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.200000	52.97	---	74.00	21.03	100.0	H	105.0	7.4
2485.500000	---	44.40	54.00	9.60	100.0	H	114.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M_2469.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2487.100000	---	44.10	54.00	9.90	100.0	V	180.0	7.4
2490.600000	53.58	---	74.00	20.42	100.0	V	169.0	7.4


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 1.4MHz BW CA mode

EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 2.4G_1.4M CA_2405.12MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4809.500000	---	39.59	54.00	14.41	100.0	H	110.0	11.8
4826.000000	50.86	---	74.00	23.14	100.0	H	45.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M CA_2405.12MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4802.000000	51.58	---	74.00	22.42	100.0	V	335.0	11.8
4809.000000	---	39.41	54.00	14.59	100.0	V	272.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M CA_2405.12MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7232.500000	42.52	---	74.00	31.48	100.0	H	91.0	8.6
7233.483333	---	33.70	54.00	20.30	100.0	H	251.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 2.4G_1.4M CA_2405.12MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7227.583333	---	33.97	54.00	20.03	100.0	V	164.0	8.7
7238.400000	42.96	---	74.00	31.04	100.0	V	237.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M CA_2405.12MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2371.300000	53.23	---	74.00	20.77	100.0	H	259.0	6.9
2371.400000	---	43.39	54.00	10.61	100.0	H	140.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M CA_2405.12MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2332.700000	52.86	---	74.00	21.14	100.0	V	199.0	6.7
2352.900000	---	44.02	54.00	9.98	100.0	V	110.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M CA_2437.12MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4854.500000	---	39.30	54.00	14.70	100.0	H	139.0	11.8
4863.500000	50.41	---	74.00	23.59	100.0	H	249.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M CA_2437.12MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4853.500000	51.30	---	74.00	22.70	100.0	V	255.0	11.8
4869.500000	---	39.14	54.00	14.86	100.0	V	321.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M CA_2437.12MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7296.908333	41.36	---	74.00	32.64	100.0	H	187.0	8.3
7321.000000	---	32.94	54.00	21.06	100.0	H	175.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M CA_2437.12MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7255.116667	44.17	---	74.00	29.83	100.0	V	329.0	8.5
7320.508333	---	32.68	54.00	21.32	100.0	V	102.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M CA_2471.12MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4927.000000	51.92	---	74.00	22.08	100.0	H	207.0	11.8
4951.500000	---	39.49	54.00	14.51	100.0	H	343.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M CA_2471.12MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4948.500000	52.22	---	74.00	21.78	100.0	V	306.0	11.8
4952.500000	---	39.66	54.00	14.34	100.0	V	146.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M CA_2471.12MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7407.041667	---	33.65	54.00	20.35	100.0	H	73.0	8.3
7429.658333	42.40	---	74.00	31.60	100.0	H	206.0	8.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M CA_2471.12MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7435.558333	---	33.76	54.00	20.24	100.0	V	359.0	8.4
7448.833333	42.82	---	74.00	31.18	100.0	V	291.0	8.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M CA_2471.12MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.300000	53.05	---	74.00	20.95	100.0	H	328.0	7.4
2485.400000	---	44.23	54.00	9.77	100.0	H	271.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_1.4M CA_2471.12MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.100000	53.48	---	74.00	20.52	100.0	V	155.0	7.4
2492.300000	---	44.89	54.00	9.11	100.0	V	0.0	7.4


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 3MHz BW

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M_2405.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4811.000000	50.68	---	74.00	23.32	100.0	H	45.0	11.8
4816.500000	---	39.25	54.00	14.75	100.0	H	260.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M_2405.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4809.500000	---	39.63	54.00	14.37	100.0	V	175.0	11.8
4811.000000	51.41	---	74.00	22.59	100.0	V	316.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M_2405.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7212.833333	---	34.39	54.00	19.61	100.0	H	37.0	8.7
7230.533333	42.33	---	74.00	31.67	100.0	H	2.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M_2405.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7232.008333	42.68	---	74.00	31.32	100.0	V	332.0	8.6
7233.975000	---	33.70	54.00	20.30	100.0	V	42.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M_2405.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2343.500000	---	43.85	54.00	10.15	100.0	H	352.0	6.9
2352.000000	53.12	---	74.00	20.88	100.0	H	71.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M_2405.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2334.500000	---	43.04	54.00	10.96	100.0	V	129.0	6.8
2334.600000	52.02	---	74.00	21.98	100.0	V	140.0	6.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M_2435.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4862.500000	---	39.50	54.00	14.50	100.0	H	149.0	11.8
4868.000000	50.99	---	74.00	23.01	100.0	H	229.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M_2435.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4856.500000	---	39.41	54.00	14.59	100.0	V	165.0	11.8
4868.500000	51.00	---	74.00	23.00	100.0	V	330.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M_2435.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7317.558333	42.15	---	74.00	31.85	100.0	H	118.0	8.2
7324.441667	---	32.88	54.00	21.12	100.0	H	249.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M_2435.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7292.975000	---	33.83	54.00	20.17	100.0	V	178.0	8.3
7318.541667	43.22	---	74.00	30.78	100.0	V	96.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M_2468.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4923.500000	50.98	---	74.00	23.02	100.0	H	159.0	11.8
4951.500000	---	40.12	54.00	13.88	100.0	H	346.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M_2468.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4920.500000	50.71	---	74.00	23.29	100.0	V	189.0	11.8
4952.000000	---	39.60	54.00	14.40	100.0	V	55.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M_2468.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7396.225000	42.10	---	74.00	31.90	100.0	H	143.0	8.3
7397.700000	---	34.12	54.00	19.88	100.0	H	49.0	8.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M_2468.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7407.533333	43.16	---	74.00	30.84	100.0	V	0.0	8.3
7408.516667	---	33.93	54.00	20.07	100.0	V	354.0	8.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M_2468.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.200000	53.66	---	74.00	20.34	100.0	H	239.0	7.4
2486.800000	---	44.68	54.00	9.32	100.0	H	259.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M_2468.5MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2488.800000	53.68	---	74.00	20.32	100.0	V	27.0	7.4
2490.600000	---	44.88	54.00	9.12	100.0	V	117.0	7.4


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 3MHz BW CA mode

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M CA_2408.2MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4811.500000	---	39.44	54.00	14.56	100.0	H	305.0	11.8
4817.000000	50.78	---	74.00	23.22	100.0	H	325.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M CA_2408.2MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4809.000000	---	39.30	54.00	14.70	100.0	V	346.0	11.8
4821.500000	50.24	---	74.00	23.76	100.0	V	225.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M CA_2408.2MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7230.041667	42.98	---	74.00	31.02	100.0	H	153.0	8.6
7247.250000	---	33.66	54.00	20.34	100.0	H	200.0	8.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 2.4G_3M CA_2408.2MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7212.833333	42.98	---	74.00	31.02	100.0	V	310.0	8.7
7220.208333	---	34.18	54.00	19.82	100.0	V	310.0	8.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M CA_2408.2MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2346.400000	---	43.76	54.00	10.24	100.0	H	0.0	6.9
2353.500000	53.16	---	74.00	20.84	100.0	H	0.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M CA_2408.2MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2357.300000	52.27	---	74.00	21.73	100.0	V	76.0	6.9
2360.500000	---	43.64	54.00	10.36	100.0	V	67.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M CA_2438.2MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4860.500000	51.17	---	74.00	22.83	100.0	H	352.0	11.8
4870.000000	---	39.05	54.00	14.95	100.0	H	358.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M CA_2438.2MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4860.000000	---	39.05	54.00	14.95	100.0	V	190.0	11.8
4871.500000	50.78	---	74.00	23.22	100.0	V	345.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mavic 3E
 Model: M3E
 Test Mode: SDR 2.4G_3M CA_2438.2MHz
 Order No/Sample No: 168379672
 Test Voltage: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7333.291667	---	33.85	54.00	20.15	100.0	H	159.0	8.1
7335.258333	41.93	---	74.00	32.07	100.0	H	354.0	8.1

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---