







5.8G SDR, 1.4MHz BW CA mode

TestMode	Antenna	Channel	DTS BW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
1.4M-CA	Ant1	5730.12	1.098	5729.568	5730.666	0.5	PASS
		5786.12	1.100	5785.566	5786.666	0.5	PASS
		5846.12	1.106	5845.566	5846.672	0.5	PASS






5.8G SDR, 3MHz BW

TestMode	Antenna	Channel	DTS BW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
3M	Ant1	5730.5	2.118	5729.432	5731.550	0.5	PASS
		5784.5	2.154	5783.414	5785.568	0.5	PASS
		5844.5	2.118	5843.444	5845.562	0.5	PASS






5.8G SDR, 10MHz BW

TestMode	Antenna	Channel	DTS BW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
10M	Ant1	5732.5	8.820	5728.080	5736.900	0.5	PASS
		5788.5	8.900	5784.060	5792.960	0.5	PASS
		5844.5	8.880	5840.080	5848.960	0.5	PASS



5.8G SDR, 20MHz BW

TestMode	Antenna	Channel	DTS BW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
20M	Ant1	5735.5	17.920	5726.540	5744.460	0.5	PASS
		5787.5	17.800	5778.540	5796.340	0.5	PASS
		5839.5	17.760	5830.540	5848.300	0.5	PASS



Appendix A.4: Test Results of Radiated Spurious Emissions


Note: Testing was carried out within frequency range 9kHz to the tenth harmonics.

The measurement results below 30MHz and above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

30MHz - 1GHz (Worst case)

EUT Information

EUT Name:	DJI Mini 2 SE
Model:	MT2SD
Test Mode:	SDR 5.8G_1.4M_5784.5MHz
Order No/Sample No:	168389903/A003336027-006
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
33.443500	17.04	40.00	22.96	100.0	H	0.0	-22.4
100.761500	14.41	43.50	29.09	100.0	H	27.0	-19.0
263.964000	26.90	46.00	19.10	100.0	H	278.0	-17.0
360.042500	27.74	46.00	18.26	100.0	H	328.0	-14.6
924.049000	31.03	46.00	14.97	100.0	H	228.0	-4.8

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 2 SE
Model:	MT2SD
Test Mode:	SDR 5.8G_1.4M_5784.5MHz
Order No/Sample No:	168389903/A003336027-006
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
34.365000	20.74	40.00	19.26	100.0	V	329.0	-22.2
49.109000	21.74	40.00	18.26	100.0	V	281.0	-18.3
106.387500	14.22	43.50	29.28	100.0	V	316.0	-18.8
382.207000	20.85	46.00	25.15	100.0	V	0.0	-14.2
929.141500	30.02	46.00	15.98	100.0	V	180.0	-4.7

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---


Above 1GHz

Note: The highest waveform in the figure is 5.8G SDR Fundamental.

5.8GHz SDR, 1.4MHz BW

EUT Information

EUT Name:	DJI Mini 2 SE
Model:	MT2SD
Test Mode:	SDR 5.8G_1.4M_5728.5MHz
Order No/Sample No:	168389903/A003336027-006
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1198.390000	---	37.01	54.00	16.99	100.0	H	87.0	1.1
1198.730000	46.50	---	74.00	27.50	100.0	H	87.0	1.1
5728.500000	---	94.53	/	/	100.0	H	334.0	13.9
5728.500000	102.27	---	/	/	100.0	H	334.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2 SE
 Model: MT2SD
 Test Mode: SDR 5.8G_1.4M_5728.5MHz
 Order No/Sample No: 168389903/A003336027-006
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5728.500000	---	105.02	/	/	100.0	V	273.0	13.9
5728.500000	113.66	---	/	/	100.0	V	273.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2 SE
 Model: MT2SD
 Test Mode: SDR 5.8G_1.4M_5728.5MHz
 Order No/Sample No: 168389903/A003336027-006
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11456.900000	49.27	---	74.00	24.73	100.0	V	195.0	13.4
11456.900000	---	46.04	54.00	7.96	100.0	V	195.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2 SE
 Model: MT2SD
 Test Mode: SDR 5.8G_1.4M_5728.5MHz
 Order No/Sample No: 168389903/A003336027-006
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5625.788889	55.19	68.20	13.01	100.0	H	178.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 2 SE
Model:	MT2SD
Test Mode:	SDR 5.8G_1.4M_5728.5MHz
Order No/Sample No:	168389903/A003336027-006
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5634.650000	54.98	68.20	13.22	100.0	V	139.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2 SE
 Model: MT2SD
 Test Mode: SDR 5.8G_1.4M_5784.5MHz
 Order No/Sample No: 168389903/A003336027-006
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5784.500000	---	103.39	/	/	100.0	V	0.0	14.0
5784.500000	112.34	---	/	/	100.0	V	0.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2 SE
 Model: MT2SD
 Test Mode: SDR 5.8G_1.4M_5784.5MHz
 Order No/Sample No: 168389903/A003336027-006
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11568.016667	---	38.36	54.00	15.64	100.0	H	54.0	13.4
11569.000000	46.77	---	74.00	27.23	100.0	H	271.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2 SE
 Model: MT2SD
 Test Mode: SDR 5.8G_1.4M_5784.5MHz
 Order No/Sample No: 168389903/A003336027-006
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11569.000000	51.25	---	74.00	22.75	100.0	V	185.0	13.4
11569.000000	---	47.86	54.00	6.14	100.0	V	185.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2 SE
 Model: MT2SD
 Test Mode: SDR 5.8G_1.4M_5844.5MHz
 Order No/Sample No: 168389903/A003336027-006
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11688.966667	---	38.42	54.00	15.58	100.0	H	230.0	13.3
11697.325000	47.01	---	74.00	26.99	100.0	H	167.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2 SE
 Model: MT2SD
 Test Mode: SDR 5.8G_1.4M_5844.5MHz
 Order No/Sample No: 168389903/A003336027-006
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11688.966667	50.14	---	74.00	23.86	100.0	V	0.0	13.3
11688.966667	---	46.49	54.00	7.51	100.0	V	0.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2 SE
 Model: MT2SD
 Test Mode: SDR 5.8G_1.4M_5844.5MHz
 Order No/Sample No: 168389903/A003336027-006
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5943.586111	57.28	68.20	10.92	100.0	H	127.0	14.7

Final Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2 SE
 Model: MT2SD
 Test Mode: SDR 5.8G_1.4M_5844.5MHz
 Order No/Sample No: 168389903/A003336027-006
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5965.308333	58.57	68.20	9.63	100.0	V	16.0	14.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 2 SE
Model:	MT2SD
Test Mode:	SDR 5.8G_1.4M CA_5730.12MHz
Order No/Sample No:	168389903/A003336027-006
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5730.000000	---	103.63	/	/	100.0	V	269.0	13.9
5730.000000	112.12	---	/	/	100.0	V	269.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 2 SE
Model:	MT2SD
Test Mode:	SDR 5.8G_1.4M CA_5730.12MHz
Order No/Sample No:	168389903/A003336027-006
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11460.341667	---	39.42	54.00	14.58	100.0	H	238.0	13.5
11461.325000	47.19	---	74.00	26.81	100.0	H	238.0	13.5

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2 SE
 Model: MT2SD
 Test Mode: SDR 5.8G_1.4M CA_5730.12MHz
 Order No/Sample No: 168389903/A003336027-006
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11460.341667	51.97	---	74.00	22.03	100.0	V	195.0	13.5
11460.341667	---	49.05	54.00	4.95	100.0	V	195.0	13.5

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2 SE
 Model: MT2SD
 Test Mode: SDR 5.8G_1.4M CA_5730.12MHz
 Order No/Sample No: 168389903/A003336027-006
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5637.888889	55.62	68.20	12.58	100.0	H	352.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 2 SE
Model:	MT2SD
Test Mode:	SDR 5.8G_1.4M CA_5730.12MHz
Order No/Sample No:	168389903/A003336027-006
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5614.911111	56.31	68.20	11.89	100.0	V	319.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2 SE
 Model: MT2SD
 Test Mode: SDR 5.8G_1.4M CA_5786.12MHz
 Order No/Sample No: 168389903/A003336027-006
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5786.000000	99.51	---	/	/	100.0	H	302.0	14.0
5786.500000	---	90.94	/	/	100.0	H	302.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2 SE
 Model: MT2SD
 Test Mode: SDR 5.8G_1.4M CA_5846.12MHz
 Order No/Sample No: 168389903/A003336027-006
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5846.500000	---	92.95	/	/	100.0	H	336.0	14.2
5846.500000	101.00	---	/	/	100.0	H	336.0	14.2

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2 SE
 Model: MT2SD
 Test Mode: SDR 5.8G_1.4M CA_5846.12MHz
 Order No/Sample No: 168389903/A003336027-006
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11688.475000	---	38.42	54.00	15.58	100.0	H	54.0	13.3
11692.408333	46.68	---	74.00	27.32	100.0	H	254.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2 SE
 Model: MT2SD
 Test Mode: SDR 5.8G_1.4M CA_5846.12MHz
 Order No/Sample No: 168389903/A003336027-006
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5940.583333	57.99	68.20	10.21	100.0	H	278.0	14.7

Final Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2 SE
 Model: MT2SD
 Test Mode: SDR 5.8G_1.4M CA_5846.12MHz
 Order No/Sample No: 168389903/A003336027-006
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5971.761111	58.17	68.20	10.03	100.0	V	11.0	14.9

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 2 SE
Model:	MT2SD
Test Mode:	SDR 5.8G_3M_5730.5MHz
Order No/Sample No:	168389903/A003336027-006
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5731.000000	---	102.83	/	/	100.0	V	272.0	13.9
5731.000000	112.62	---	/	/	100.0	V	272.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2 SE
 Model: MT2SD
 Test Mode: SDR 5.8G_3M_5730.5MHz
 Order No/Sample No: 168389903/A003336027-006
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5626.094445	55.57	68.20	12.63	100.0	H	213.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 2 SE
Model:	MT2SD
Test Mode:	SDR 5.8G_3M_5730.5MHz
Order No/Sample No:	168389903/A003336027-006
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5615.827778	55.76	68.20	12.44	100.0	V	264.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

