


EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_3M_2435.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7293.466667	42.19	---	74.00	31.81	100.0	V	358.0	8.3
7294.941667	---	34.17	54.00	19.83	100.0	V	225.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_3M_2456.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4904.500000	---	39.97	54.00	14.03	100.0	H	221.0	11.8
4923.500000	51.25	---	74.00	22.75	100.0	H	42.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_3M_2456.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4904.000000	51.48	---	74.00	22.52	100.0	V	16.0	11.8
4907.000000	---	40.39	54.00	13.61	100.0	V	74.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_3M_2456.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7367.708333	43.01	---	74.00	30.99	100.0	H	187.0	8.2
7368.200000	---	33.09	54.00	20.91	100.0	H	38.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_3M_2456.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7376.558333	42.29	---	74.00	31.71	100.0	V	0.0	8.2
7398.191667	---	33.59	54.00	20.41	100.0	V	308.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_3M_2456.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.000000	---	44.63	54.00	9.37	100.0	H	69.0	7.4
2485.700000	54.03	---	74.00	19.97	100.0	H	219.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_3M_2456.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.800000	55.20	---	74.00	18.80	100.0	V	268.0	7.4
2486.100000	---	46.39	54.00	7.61	100.0	V	319.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 10MHz BW

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2405.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4806.000000	51.66	---	74.00	22.34	100.0	H	220.0	11.8
4809.000000	---	39.89	54.00	14.11	100.0	H	142.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2405.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4814.000000	51.12	---	74.00	22.88	100.0	V	228.0	11.8
4816.000000	---	39.62	54.00	14.38	100.0	V	296.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2405.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7200.541667	---	33.82	54.00	20.18	100.0	H	234.0	8.8
7226.108333	43.05	---	74.00	30.95	100.0	H	18.0	8.7

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2405.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7201.525000	---	34.00	54.00	20.00	100.0	V	0.0	8.8
7214.308333	42.45	---	74.00	31.55	100.0	V	329.0	8.7

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2405.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2343.400000	---	43.88	54.00	10.12	100.0	H	101.0	6.8
2346.500000	53.05	---	74.00	20.95	100.0	H	139.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2405.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2366.600000	---	45.41	54.00	8.59	100.0	V	32.0	6.9
2389.200000	56.64	---	74.00	17.36	100.0	V	180.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2408.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2371.400000	---	47.11	54.00	6.89	100.0	V	41.0	6.9
2388.800000	60.64	---	74.00	13.36	100.0	V	130.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2414.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2381.100000	---	44.86	54.00	9.14	100.0	H	143.0	7.0
2387.900000	56.14	---	74.00	17.86	100.0	H	143.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2414.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2371.100000	---	46.63	54.00	7.37	100.0	V	197.0	6.9
2387.100000	62.22	---	74.00	11.78	100.0	V	138.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2440.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4878.500000	---	39.64	54.00	14.36	100.0	H	334.0	11.8
4882.000000	51.05	---	74.00	22.95	100.0	H	306.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2440.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4874.500000	---	39.60	54.00	14.40	100.0	V	123.0	11.8
4881.000000	51.32	---	74.00	22.68	100.0	V	257.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2440.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7318.050000	42.75	---	74.00	31.25	100.0	H	83.0	8.2
7329.850000	---	33.45	54.00	20.55	100.0	H	334.0	8.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2440.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7319.525000	42.59	---	74.00	31.41	100.0	V	84.0	8.2
7325.425000	---	33.06	54.00	20.94	100.0	V	132.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2455.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.700000	59.16	---	74.00	14.84	100.0	H	311.0	7.4
2484.400000	---	45.22	54.00	8.78	100.0	H	119.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2455.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.70000	68.02	---	74.00	5.98	100.0	V	212.0	7.4

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.157950	46.16	54.00	7.84	100.0	V	69.0	7.4

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2460.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.200000	66.41	---	74.00	7.59	100.0	V	197.0	7.4
2484.200000	---	49.66	54.00	4.34	100.0	V	197.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2465.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.100000	---	49.37	54.00	4.63	100.0	V	269.0	7.4
2484.400000	67.87	---	74.00	6.13	100.0	V	325.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2470.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.900000	---	46.16	54.00	7.84	100.0	V	275.0	7.4
2484.200000	55.02	---	74.00	18.98	100.0	V	79.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2476.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4952.000000	51.00	---	74.00	23.00	100.0	H	339.0	11.8
4952.000000	---	40.20	54.00	13.80	100.0	H	339.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2476.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4950.000000	---	40.13	54.00	13.87	100.0	V	254.0	11.8
4960.000000	50.95	---	74.00	23.05	100.0	V	240.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2476.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7426.708333	42.48	---	74.00	31.53	100.0	H	324.0	8.4
7428.183333	---	33.61	54.00	20.39	100.0	H	148.0	8.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2476.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7433.591667	---	33.74	54.00	20.26	100.0	V	193.0	8.4
7440.966667	42.94	---	74.00	31.06	100.0	V	61.0	8.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_10M_2476.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.300000	---	44.64	54.00	9.36	100.0	H	8.0	7.4
2490.000000	54.76	---	74.00	19.24	100.0	H	44.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 2
Model:	MT2WD
Test Mode:	SDR 2.4G_10M_2476.5MHz
Order No/Sample No:	168341845/A003199792-011
Test Voltage::	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.500000	61.65	---	74.00	12.35	100.0	V	275.0	7.4
2483.600000	---	48.08	54.00	5.92	100.0	V	68.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 20MHz BW

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2410.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4806.500000	51.93	---	74.00	22.07	100.0	H	171.0	11.8
4823.500000	---	39.53	54.00	14.47	100.0	H	213.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2410.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4821.000000	---	39.52	54.00	14.48	100.0	V	15.0	11.8
4822.000000	49.98	---	74.00	24.02	100.0	V	223.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2410.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7218.733333	---	33.97	54.00	20.03	100.0	H	353.0	8.7
7222.666667	42.30	---	74.00	31.70	100.0	H	271.0	8.7

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2410.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7229.550000	---	33.81	54.00	20.19	100.0	V	84.0	8.6
7239.875000	43.34	---	74.00	30.66	100.0	V	0.0	8.6

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2410.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2338.200000	52.36	---	74.00	21.64	100.0	H	293.0	6.8
2339.200000	---	43.32	54.00	10.68	100.0	H	239.0	6.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2410.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2370.600000	53.05	---	74.00	20.95	100.0	V	36.0	6.9
2371.400000	---	45.09	54.00	8.91	100.0	V	253.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2416.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2371.000000	53.62	---	74.00	20.38	100.0	V	0.0	6.9
2371.300000	---	45.62	54.00	8.38	100.0	V	269.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2426.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.200000	---	48.18	54.00	5.82	100.0	V	304.0	7.0
2388.500000	61.37	---	74.00	12.63	100.0	V	248.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2431.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2387.400000	65.32	---	74.00	8.68	100.0	V	132.0	7.0
2389.600000	---	49.58	54.00	4.42	100.0	V	17.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 2
Model:	MT2WD
Test Mode:	SDR 2.4G_20M_2432.5MHz
Order No/Sample No:	168341845/A003199792-011
Test Voltage::	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.300000	---	44.80	54.00	9.20	100.0	H	88.0	7.0
2388.600000	58.69	---	74.00	15.31	100.0	H	5.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2432.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2386.900000	64.66	---	74.00	9.34	100.0	V	147.0	7.0
2387.100000	---	50.79	54.00	3.21	100.0	V	333.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2441.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4887.500000	---	39.15	54.00	14.85	100.0	H	6.0	11.8
4888.000000	51.02	---	74.00	22.98	100.0	H	19.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2441.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4890.000000	---	39.53	54.00	14.47	100.0	V	7.0	11.8
4890.500000	50.83	---	74.00	23.17	100.0	V	200.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 2
Model:	MT2WD
Test Mode:	SDR 2.4G_20M_2441.5MHz
Order No/Sample No:	168341845/A003199792-011
Test Voltage::	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7318.541667	---	33.51	54.00	20.49	100.0	H	247.0	8.2
7329.850000	42.31	---	74.00	31.69	100.0	H	247.0	8.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2441.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7311.658333	41.77	---	74.00	32.23	100.0	V	290.0	8.2
7325.425000	---	33.60	54.00	20.40	100.0	V	205.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2443.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.600000	58.55	---	74.00	15.45	100.0	H	181.0	7.4
2484.700000	---	47.04	54.00	6.96	100.0	H	171.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2443.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.50000	68.48	---	74.00	5.53	100.0	V	202.0	7.4

Final Result

Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.071600	47.59	54.00	6.41	105.0	V	189.0	7.4

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2446.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.20000	65.74	---	74.00	8.26	100.0	V	206.0	7.4

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.167400	44.89	54.00	9.11	100.0	V	329.0	7.4

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2451.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.700000	---	50.37	54.00	3.63	100.0	V	69.0	7.4
2484.800000	64.30	---	74.00	9.70	100.0	V	69.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2461.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.600000	---	48.04	54.00	5.96	100.0	V	268.0	7.4
2484.100000	59.18	---	74.00	14.82	100.0	V	0.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2472.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4947.000000	50.72	---	74.00	23.28	100.0	H	107.0	11.8
4954.500000	---	39.76	54.00	14.24	100.0	H	157.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 2
Model:	MT2WD
Test Mode:	SDR 2.4G_20M_2472.5MHz
Order No/Sample No:	168341845/A003199792-011
Test Voltage::	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4952.000000	---	39.93	54.00	14.07	100.0	V	58.0	11.8
4955.000000	50.63	---	74.00	23.37	100.0	V	15.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2472.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7424.741667	---	34.53	54.00	19.47	100.0	H	180.0	8.4
7438.508333	42.44	---	74.00	31.56	100.0	H	144.0	8.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2472.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7415.400000	43.26	---	74.00	30.74	100.0	V	0.0	8.3
7423.266667	---	34.00	54.00	20.00	100.0	V	261.0	8.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: SDR 2.4G_20M_2472.5MHz
 Order No/Sample No: 168341845/A003199792-011
 Test Voltage:: Battery
 Remark: Temp 23 Humi:58%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.700000	---	44.08	54.00	9.92	100.0	H	105.0	7.4
2485.500000	53.49	---	74.00	20.51	100.0	H	7.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 2
Model:	MT2WD
Test Mode:	SDR 2.4G_20M_2472.5MHz
Order No/Sample No:	168341845/A003199792-011
Test Voltage::	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.700000	57.79	---	74.00	16.21	100.0	V	223.0	7.4
2484.600000	---	45.36	54.00	8.64	100.0	V	0.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---