


EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n20_Ch1
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2387.000000	57.44	---	74.00	16.56	100.0	V	26.0	7.0
2387.300000	---	43.99	54.00	10.01	100.0	V	196.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n20_Ch2
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.200000	---	41.66	54.00	12.34	100.0	H	242.0	7.0
2389.000000	54.77	---	74.00	19.23	100.0	H	231.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n20_Ch2
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2386.300000	---	46.37	54.00	7.63	100.0	V	240.0	7.0
2388.000000	62.33	---	74.00	11.67	100.0	V	282.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n20_Ch3
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2387.600000	---	41.37	54.00	12.63	100.0	H	229.0	7.0
2389.600000	54.59	---	74.00	19.41	100.0	H	51.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n20_Ch3
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.000000	---	46.46	54.00	7.54	100.0	V	352.0	7.0
2389.600000	62.19	---	74.00	11.81	100.0	V	231.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n20_Ch6
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4870.500000	52.10	---	74.00	21.90	100.0	H	237.0	11.8
4871.500000	---	42.07	54.00	11.93	100.0	H	237.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n20_Ch6
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4871.000000	---	41.84	54.00	12.16	100.0	V	234.0	11.8
4872.500000	52.91	---	74.00	21.09	100.0	V	344.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n20_Ch6
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7311.658333	---	36.02	54.00	17.98	100.0	H	124.0	8.2
7315.100000	44.71	---	74.00	29.29	100.0	H	112.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n20_Ch6
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7313.625000	---	37.30	54.00	16.70	100.0	V	171.0	8.2
7315.100000	46.13	---	74.00	27.87	100.0	V	171.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n20_Ch9
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.200000	---	41.13	54.00	12.87	100.0	H	271.0	7.4
2488.500000	49.95	---	74.00	24.05	100.0	H	0.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n20_Ch9
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.000000	61.65	---	74.00	12.35	100.0	V	335.0	7.4
2484.800000	---	47.91	54.00	6.09	100.0	V	25.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n20_Ch10
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.200000	50.85	---	74.00	23.15	100.0	H	236.0	7.4
2485.300000	---	40.56	54.00	13.44	100.0	H	245.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n20_Ch10
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.900000	---	48.30	54.00	5.70	100.0	V	158.0	7.4
2484.800000	60.11	---	74.00	13.89	100.0	V	291.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n20_Ch11
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.700000	---	41.33	54.00	12.67	100.0	H	69.0	7.4
2488.300000	49.87	---	74.00	24.13	100.0	H	48.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n20_Ch11
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.500000	57.31	---	74.00	16.69	100.0	V	169.0	7.4
2485.100000	---	46.07	54.00	7.93	100.0	V	103.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Wi-Fi 802.11 n(HT40) mode

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n40_Ch3
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.600000	---	45.68	54.00	8.32	100.0	H	221.0	7.0
2389.600000	60.16	---	74.00	13.84	100.0	H	221.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 2
Model:	MT2WD
Test Mode:	WIFI 2.4G_11n40_Ch3
Order No/Sample No:	168341845/A003199792-010
Test Voltage::	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.10000	66.72	---	74.00	7.28	100.0	V	55.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.33880	42.98	54.00	11.02	105.0	V	84.0	7.0

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n40_Ch3
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4872.500000	---	39.81	54.00	14.19	100.0	H	140.0	11.8
4883.500000	50.51	---	74.00	23.49	100.0	H	31.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n40_Ch3
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4869.000000	---	40.04	54.00	13.96	100.0	V	185.0	11.8
4878.000000	51.93	---	74.00	22.07	100.0	V	241.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n40_Ch6
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7310.675000	---	32.78	54.00	21.22	100.0	H	240.0	8.2
7329.358333	42.65	---	74.00	31.35	100.0	H	336.0	8.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n40_Ch6
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7309.691667	44.15	---	74.00	29.85	100.0	V	89.0	8.2
7310.183333	---	33.80	54.00	20.20	100.0	V	67.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n40_Ch9
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.400000	---	43.59	54.00	10.41	100.0	H	274.0	7.4
2484.400000	59.03	---	74.00	14.97	100.0	H	274.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 2
 Model: MT2WD
 Test Mode: WIFI 2.4G_11n40_Ch9
 Order No/Sample No: 168341845/A003199792-010
 Test Voltage:: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.800000	67.99	---	74.00	6.01	100.0	V	17.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.030150	44.37	54.00	9.63	100.0	V	16.0	7.4