




### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_3M\_5844.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5844.500000	---	109.78	---	---	100.0	V	144.0	14.2
5845.000000	118.88	---	---	---	100.0	V	358.0	14.2

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_3M\_5844.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11677.166667	47.46	---	74.00	26.54	100.0	H	247.0	13.3
11694.866667	---	38.39	54.00	15.61	100.0	H	247.0	13.3

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_3M\_5844.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11657.991667	47.13	---	74.00	26.87	100.0	V	88.0	13.3
11688.966667	---	38.84	54.00	15.16	100.0	V	190.0	13.3

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_3M\_5844.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5938.347222	56.94	68.20	11.26	100.0	H	308.0	14.7

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_3M\_5844.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5945.758333	57.13	68.20	11.07	100.0	V	252.0	14.7


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

5.8GHz SDR, 10MHz BW

EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_10M\_5732.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5731.500000	---	104.11	---	---	100.0	H	292.0	13.9
5737.000000	114.49	---	---	---	100.0	H	292.0	13.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_10M\_5732.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5729.000000	---	114.10	---	---	100.0	V	273.0	13.9
5735.000000	122.99	---	---	---	100.0	V	273.0	13.9


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_10M\_5732.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11461.325000	46.44	---	74.00	27.56	100.0	H	6.0	13.5
11465.258333	---	38.89	54.00	15.11	100.0	H	0.0	13.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_10M\_5732.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11465.258333	49.77	---	74.00	24.23	100.0	V	15.0	13.5
11465.258333	---	43.71	54.00	10.29	100.0	V	15.0	13.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_10M\_5732.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5632.511111	55.98	68.20	12.22	100.0	H	53.0	13.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_10M\_5732.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5616.133333	59.96	68.20	8.24	100.0	V	0.0	13.8


### Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_10M\_5788.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5788.000000	---	112.28	---	---	100.0	V	274.0	14.0
5791.000000	121.45	---	---	---	100.0	V	274.0	14.0

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_10M\_5788.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11567.525000	---	37.92	54.00	16.08	100.0	H	306.0	13.4
11591.616667	47.38	---	74.00	26.62	100.0	H	173.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_10M\_5788.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11575.391667	51.32	---	74.00	22.68	100.0	V	0.0	13.4
11575.391667	---	41.74	54.00	12.26	100.0	V	0.0	13.4


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5847.000000	---	103.58	---	---	100.0	H	293.0	14.2
5848.000000	112.13	---	---	---	100.0	H	293.0	14.2

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5843.500000	122.08	---	---	---	100.0	V	277.0	14.1
5847.000000	---	113.84	---	---	100.0	V	277.0	14.2

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11662.416667	46.66	---	74.00	27.34	100.0	H	52.0	13.3
11687.000000	---	38.13	54.00	15.87	100.0	H	89.0	13.3

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11693.883333	49.06	---	74.00	24.94	100.0	V	313.0	13.3
11693.883333	---	41.30	54.00	12.70	100.0	V	313.0	13.3

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5940.775000	58.40	68.20	9.80	100.0	H	226.0	14.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5951.827778	61.40	68.20	6.80	100.0	V	279.0	14.8


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

5.8GHz SDR, 20MHz BW

EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_20M\_5735.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5741.500000	110.15	---	---	---	100.0	H	296.0	13.9
5742.500000	---	100.94	---	---	100.0	H	296.0	13.9

Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---





### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_20M\_5735.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11467.716667	---	38.99	54.00	15.01	100.0	H	103.0	13.6
11481.975000	46.60	---	74.00	27.40	100.0	H	18.0	13.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_20M\_5735.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11466.733333	49.28	---	74.00	24.72	100.0	V	18.0	13.5
11470.175000	---	40.40	54.00	13.60	100.0	V	18.0	13.6

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_20M\_5735.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5629.394445	56.25	68.20	11.95	100.0	H	298.0	13.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_20M\_5735.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5641.861111	63.77	68.20	4.43	100.0	V	214.0	13.8
5653.594445	67.27	70.87	3.60	100.0	V	207.0	13.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_20M\_5787.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5780.000000	---	99.54	---	---	100.0	H	287.0	14.0
5790.500000	109.05	---	---	---	100.0	H	296.0	14.0


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



## EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_20M\_5787.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



## Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11589.650000	---	38.29	54.00	15.71	100.0	H	314.0	13.3
11599.483333	48.26	---	74.00	25.74	100.0	H	44.0	13.3

## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_20M\_5787.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11570.475000	48.21	---	74.00	25.79	100.0	V	0.0	13.4
11575.391667	---	40.69	54.00	13.31	100.0	V	352.0	13.4

### Final\_Result


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---





### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_20M\_5839.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5831.500000	---	110.63	---	---	100.0	V	142.0	14.1
5843.000000	121.41	---	---	---	100.0	V	142.0	14.1

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_20M\_5839.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11685.525000	47.57	---	74.00	26.43	100.0	H	214.0	13.3
11686.508333	---	38.24	54.00	15.76	100.0	H	149.0	13.3

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_20M\_5839.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11668.316667	---	39.50	54.00	14.50	100.0	V	0.0	13.3
11677.658333	47.91	---	74.00	26.09	100.0	V	0.0	13.3

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_20M\_5839.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5940.072222	56.80	68.20	11.40	100.0	H	68.0	14.7

### Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mini 2  
 Model: MT2WD  
 Test Mode: SDR 5.8G\_20M\_5839.5MHz  
 Order No/Sample No: 168341845/A003199792-011  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5928.252778	65.14	68.20	3.06	100.0	V	279.0	14.7

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---