










2.4GHz SDR, 3MHz BW

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
3M	Ant1	2405.5	Reference	7.45	7.45	---	PASS
			30~1000	7.45	-37.46	≤-22.55	PASS
			1000~26500	7.45	-28.16	≤-22.55	PASS
		2435.5	Reference	7.31	7.31	---	PASS
			30~1000	7.31	-38.24	≤-22.69	PASS
			1000~26500	7.31	-28.6	≤-22.69	PASS
		2468.5	Reference	7.03	7.03	---	PASS
			30~1000	7.03	-36.9	≤-22.97	PASS
			1000~26500	7.03	-28.86	≤-22.97	PASS









2.4GHz SDR, 3MHz BW CA mode

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
3MCA	Ant1	2408.2	Reference	0.67	0.67	---	PASS
			30~1000	0.67	-57.05	≤-29.33	PASS
			1000~26500	0.67	-48.58	≤-29.33	PASS
		2438.2	Reference	0.87	0.87	---	PASS
			30~1000	0.87	-57.08	≤-29.13	PASS
			1000~26500	0.87	-49.24	≤-29.13	PASS
		2471.2	Reference	1.39	1.39	---	PASS
			30~1000	1.39	-57.27	≤-28.61	PASS
			1000~26500	1.39	-48.68	≤-28.61	PASS


3MCA_Ant1_2408.2_0-Reference









3MCA_Ant1_2408.2_30-1000



3MCA_Ant1_2408.2_1000-26500
















2.4GHz SDR, 10MHz BW

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
10M	Ant1	2407.5	Reference	9.78	9.78	---	PASS
			30~1000	9.78	-52.1	≤-20.22	PASS
			1000~26500	9.78	-42.19	≤-20.22	PASS
		2437.5	Reference	15.52	15.52	---	PASS
			30~1000	15.52	-52.1	≤-14.48	PASS
			1000~26500	15.52	-43.29	≤-14.48	PASS
		2467.5	Reference	9.85	9.85	---	PASS
			30~1000	9.85	-52.07	≤-20.15	PASS
			1000~26500	9.85	-42.34	≤-20.15	PASS
















2.4GHz SDR, 20MHz BW

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
20M	Ant1	2412.5	Reference	3.34	3.34	---	PASS
			30~1000	3.34	-52.42	≤-26.66	PASS
			1000~26500	3.34	-42.97	≤-26.66	PASS
		2437.5	Reference	10.82	10.82	---	PASS
			30~1000	10.82	-52.53	≤-19.18	PASS
			1000~26500	10.82	-43.02	≤-19.18	PASS
		2462.5	Reference	-0.97	-0.97	---	PASS
			30~1000	-0.97	-52.33	≤-30.97	PASS
			1000~26500	-0.97	-43.19	≤-30.97	PASS







2.4GHz SDR, 40MHz BW

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
40M	Ant1	2422.5	Reference	-4.32	-4.32	---	PASS
			30~1000	-4.32	-52.49	≤-34.32	PASS
			1000~26500	-4.32	-43.56	≤-34.32	PASS
		2437.5	Reference	4.27	4.27	---	PASS
			30~1000	4.27	-52.41	≤-25.73	PASS
			1000~26500	4.27	-43.42	≤-25.73	PASS
		2452.5	Reference	-4.10	-4.10	---	PASS
			30~1000	-4.10	-51.98	≤-34.1	PASS
			1000~26500	-4.10	-43.24	≤-34.1	PASS

