


Appendix B.5: Test Results of Radiated Spurious Emissions

Note: Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

30MHz - 1GHz

EUT Information

EUT Name:	DJI Mini 3 PRO
Model:	MT3M3VZ
Test Mode:	SDR 2.4G_1.4M_2435.5MHz
Order No/Sample No:	168385896/A003420984-007
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
40.670000	22.37	40.00	17.63	100.0	H	182.0	-19.9
51.437000	17.68	40.00	22.32	100.0	H	277.0	-18.3
104.108000	14.29	43.50	29.21	100.0	H	163.0	-18.8
324.637500	18.27	46.00	27.73	100.0	H	151.0	-15.6
455.927000	22.70	46.00	23.30	100.0	H	277.0	-12.8
788.200500	28.74	46.00	17.26	100.0	H	313.0	-6.6

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_1.4M_2435.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
42.416000	25.90	40.00	14.10	100.0	V	50.0	-19.5
48.915000	22.05	40.00	17.95	100.0	V	347.0	-18.3
58.857500	20.42	40.00	19.58	100.0	V	44.0	-18.9
208.431500	17.15	43.50	26.35	100.0	V	246.0	-18.9
607.247000	25.54	46.00	20.46	100.0	V	145.0	-9.7
880.059500	30.07	46.00	15.93	100.0	V	295.0	-5.1

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_1.4M_2435.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4867.000000	51.47	---	74.00	22.53	100.0	V	66.0	11.8
4872.500000	---	40.21	54.00	13.80	150.0	V	0.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_1.4M_2435.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7291.991667	42.76	---	74.00	31.24	100.0	H	324.0	8.3
7316.575000	---	33.77	54.00	20.23	100.0	H	358.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_1.4M_2435.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7309.200000	42.31	---	74.00	31.69	100.0	V	186.0	8.2
7325.916667	---	34.04	54.00	19.96	100.0	V	343.0	8.2


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 1.4MHz BW CA mode

EUT Information

EUT Name:	DJI Mini 3 PRO
Model:	MT3M3VZ
Test Mode:	SDR 2.4G_1.4M CA_2437.12MHz
Order No/Sample No:	168385896/A003420984-007
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4861.500000	50.75	---	74.00	23.25	100.0	H	186.0	11.8
4862.000000	---	39.44	54.00	14.56	100.0	H	316.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_1.4M CA_2437.12MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4860.500000	51.37	---	74.00	22.63	100.0	V	34.0	11.8
4897.000000	---	39.62	54.00	14.38	100.0	V	79.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_1.4M CA_2437.12MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7281.175000	43.47	---	74.00	30.53	100.0	H	164.0	8.4
7305.758333	---	33.37	54.00	20.63	100.0	H	310.0	8.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_1.4M CA_2437.12MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7313.133333	---	33.02	54.00	20.98	100.0	V	40.0	8.2
7329.850000	42.05	---	74.00	31.95	100.0	V	227.0	8.1


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 3MHz BW

EUT Information

EUT Name:	DJI Mini 3 PRO
Model:	MT3M3VZ
Test Mode:	SDR 2.4G_3M_2435.5MHz
Order No/Sample No:	168385896/A003420984-007
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4856.000000	51.57	---	74.00	22.43	100.0	H	52.0	11.8
4897.000000	---	39.78	54.00	14.22	100.0	H	85.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_3M_2435.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4867.500000	---	39.23	54.00	14.77	100.0	V	135.0	11.8
4868.500000	50.82	---	74.00	23.18	100.0	V	147.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_3M_2435.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7297.400000	42.34	---	74.00	31.66	100.0	H	94.0	8.3
7309.691667	---	33.44	54.00	20.56	100.0	H	6.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_3M_2435.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7289.041667	---	34.17	54.00	19.83	100.0	V	340.0	8.4
7306.741667	41.93	---	74.00	32.07	100.0	V	244.0	8.3


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 3MHz BW CA mode

EUT Information

EUT Name:	DJI Mini 3 PRO
Model:	MT3M3VZ
Test Mode:	SDR 2.4G_3M CA_2438.2MHz
Order No/Sample No:	168385896/A003420984-007
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4881.500000	---	39.53	54.00	14.47	100.0	H	108.0	11.8
4883.000000	50.27	---	74.00	23.73	100.0	H	61.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_3M CA_2438.2MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4868.500000	---	39.33	54.00	14.67	100.0	V	277.0	11.8
4897.500000	50.24	---	74.00	23.76	100.0	V	3.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_3M CA_2438.2MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7313.133333	---	33.12	54.00	20.88	100.0	H	332.0	8.2
7334.766667	42.89	---	74.00	31.11	100.0	H	343.0	8.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_3M CA_2438.2MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7319.525000	---	33.53	54.00	20.47	100.0	V	0.0	8.2
7325.916667	42.12	---	74.00	31.88	100.0	V	46.0	8.2


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 10MHz BW

EUT Information

EUT Name:	DJI Mini 3 PRO
Model:	MT3M3VZ
Test Mode:	SDR 2.4G_10M_2437.5MHz
Order No/Sample No:	168385896/A003420984-007
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4858.500000	50.39	---	74.00	23.61	100.0	H	58.0	11.8
4896.000000	---	39.60	54.00	14.40	100.0	H	0.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_10M_2437.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4860.000000	---	39.75	54.00	14.25	100.0	V	153.0	11.8
4863.500000	50.62	---	74.00	23.38	100.0	V	148.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_10M_2437.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7303.300000	42.18	---	74.00	31.82	100.0	H	0.0	8.3
7322.966667	---	33.55	54.00	20.46	100.0	H	224.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_10M_2437.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7283.141667	43.41	---	74.00	30.59	100.0	V	196.0	8.4
7333.291667	---	33.55	54.00	20.45	100.0	V	31.0	8.1


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 20MHz BW

EUT Information

EUT Name:	DJI Mini 3 PRO
Model:	MT3M3VZ
Test Mode:	SDR 2.4G_20M_2437.5MHz
Order No/Sample No:	168385896/A003420984-007
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4870.000000	---	39.32	54.00	14.68	100.0	H	52.0	11.8
4890.500000	50.64	---	74.00	23.36	100.0	H	89.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_20M_2437.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4896.000000	51.07	---	74.00	22.93	100.0	V	13.0	11.8
4897.500000	---	39.48	54.00	14.52	100.0	V	269.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_20M_2437.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7321.491667	42.03	---	74.00	31.97	100.0	H	7.0	8.2
7328.866667	---	32.88	54.00	21.12	100.0	H	104.0	8.1

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_20M_2437.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7270.850000	43.19	---	74.00	30.81	100.0	V	86.0	8.5
7326.408333	---	33.08	54.00	20.92	100.0	V	322.0	8.1


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 40MHz BW

EUT Information

EUT Name:	DJI Mini 3 PRO
Model:	MT3M3VZ
Test Mode:	SDR 2.4G_40M_2437.5MHz
Order No/Sample No:	168385896/A003420984-007
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4852.000000	51.25	---	74.00	22.75	100.0	H	2.0	11.8
4852.500000	---	39.66	54.00	14.34	100.0	H	2.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_40M_2437.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4854.500000	---	39.50	54.00	14.50	100.0	V	325.0	11.8
4874.000000	50.35	---	74.00	23.65	100.0	V	59.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_40M_2437.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7301.333333	---	33.40	54.00	20.60	100.0	H	0.0	8.3
7305.266667	42.33	---	74.00	31.67	100.0	H	188.0	8.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_40M_2437.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7285.600000	43.58	---	74.00	30.42	100.0	V	355.0	8.4
7285.600000	---	33.89	54.00	20.11	100.0	V	355.0	8.4

Final_Result


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix B.6: Test Results of Radiated Emissions in Restricted Bands

2.4GHz SDR, 1.4MHz BW

EUT Information

EUT Name:	DJI Mini 3 PRO
Model:	MT3M3VZ
Test Mode:	SDR 2.4G_1.4M_2403.5MHz
Order No/Sample No:	168385896/A003420984-007
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2372.600000	---	40.44	54.00	13.56	100.0	H	41.0	6.9
2388.300000	49.21	---	74.00	24.79	100.0	H	281.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_1.4M_2403.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2377.600000	---	40.19	54.00	13.81	100.0	V	119.0	6.9
2384.500000	49.51	---	74.00	24.49	100.0	V	190.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3 PRO
Model:	MT3M3VZ
Test Mode:	SDR 2.4G_1.4M_2469.5MHz
Order No/Sample No:	168385896/A003420984-007
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.300000	---	41.06	54.00	12.94	100.0	H	0.0	7.4
2486.800000	50.28	---	74.00	23.72	100.0	H	333.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 1.4MHz BW CA mode

EUT Information

EUT Name:	DJI Mini 3 PRO
Model:	MT3M3VZ
Test Mode:	SDR 2.4G_1.4M CA_2405.12MHz
Order No/Sample No:	168385896/A003420984-007
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2347.600000	48.66	---	74.00	25.34	100.0	H	289.0	6.9
2349.100000	---	39.72	54.00	14.28	100.0	H	190.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_1.4M CA_2405.12MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2357.300000	50.07	---	74.00	23.93	100.0	V	36.0	6.9
2381.700000	---	40.44	54.00	13.57	100.0	V	144.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3 PRO
Model:	MT3M3VZ
Test Mode:	SDR 2.4G_1.4M CA_2471.12MHz
Order No/Sample No:	168385896/A003420984-007
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.700000	---	42.27	54.00	11.73	100.0	H	0.0	7.4
2484.700000	50.88	---	74.00	23.12	100.0	H	0.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_1.4M CA_2471.12MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.200000	---	41.54	54.00	12.46	100.0	V	334.0	7.4
2487.500000	49.56	---	74.00	24.44	100.0	V	307.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 3MHz BW

EUT Information

EUT Name:	DJI Mini 3 PRO
Model:	MT3M3VZ
Test Mode:	SDR 2.4G_3M_2405.5MHz
Order No/Sample No:	168385896/A003420984-007
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2351.700000	---	40.16	54.00	13.84	100.0	H	286.0	6.9
2358.800000	48.53	---	74.00	25.47	100.0	H	39.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_3M_2405.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2355.700000	---	40.68	54.00	13.32	100.0	V	209.0	6.9
2377.500000	49.53	---	74.00	24.47	100.0	V	300.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_3M_2468.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2491.400000	---	41.23	54.00	12.77	100.0	H	128.0	7.4
2498.000000	49.22	---	74.00	24.78	100.0	H	184.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 3MHz BW CA mode

EUT Information

EUT Name:	DJI Mini 3 PRO
Model:	MT3M3VZ
Test Mode:	SDR 2.4G_3M CA_2408.2MHz
Order No/Sample No:	168385896/A003420984-007
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2364.300000	---	39.84	54.00	14.16	100.0	H	4.0	6.9
2366.500000	48.63	---	74.00	25.37	100.0	H	1.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3 PRO
Model:	MT3M3VZ
Test Mode:	SDR 2.4G_3M CA_2408.2MHz
Order No/Sample No:	168385896/A003420984-007
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2350.100000	---	40.21	54.00	13.79	100.0	V	102.0	6.9
2356.200000	49.11	---	74.00	24.89	100.0	V	293.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_3M CA_2471.2MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.400000	---	43.50	54.00	10.50	100.0	H	0.0	7.4
2487.400000	49.33	---	74.00	24.67	100.0	H	307.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_3M CA_2471.2MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.300000	---	42.04	54.00	11.96	100.0	V	77.0	7.4
2488.000000	50.30	---	74.00	23.70	100.0	V	170.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 10MHz BW

EUT Information

EUT Name:	DJI Mini 3 PRO
Model:	MT3M3VZ
Test Mode:	SDR 2.4G_10M_2407.5MHz
Order No/Sample No:	168385896/A003420984-007
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.000000	54.70	---	74.00	19.30	100.0	H	290.0	7.0
2390.000000	---	44.77	54.00	9.23	100.0	H	282.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_10M_2407.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.100000	---	45.61	54.00	8.39	100.0	V	193.0	7.0
2389.900000	53.13	---	74.00	20.87	100.0	V	293.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_10M_2460.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.800000	60.73	---	74.00	13.27	100.0	H	7.0	7.4
2484.700000	---	47.77	54.00	6.23	100.0	H	1.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_10M_2465.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.900000	---	46.76	54.00	7.24	100.0	H	357.0	7.4
2483.900000	59.65	---	74.00	14.35	100.0	H	357.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_10M_2467.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.100000	---	46.03	54.00	7.97	100.0	H	0.0	7.4
2484.100000	59.30	---	74.00	14.70	100.0	H	0.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_10M_2467.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.200000	---	45.11	54.00	8.89	100.0	V	354.0	7.4
2488.400000	56.98	---	74.00	17.02	100.0	V	0.0	7.4


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 20MHz BW

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_20M_2412.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.300000	59.55	---	74.00	14.45	100.0	H	103.0	7.0
2389.800000	---	43.31	54.00	10.69	100.0	H	295.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_20M_2412.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.300000	59.29	---	74.00	14.71	100.0	V	225.0	7.0
2389.700000	---	43.56	54.00	10.44	100.0	V	296.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_20M_2415.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.300000	53.88	---	74.00	20.12	100.0	H	201.0	7.0
2389.600000	---	44.13	54.00	9.87	100.0	H	290.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_20M_2420.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.000000	52.71	---	74.00	21.29	100.0	H	289.0	7.0
2389.500000	---	46.08	54.00	7.92	100.0	H	108.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3 PRO
Model:	MT3M3VZ
Test Mode:	SDR 2.4G_20M_2454.5MHz
Order No/Sample No:	168385896/A003420984-007
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.700000	---	50.09	54.00	3.91	100.0	H	0.0	7.4
2485.800000	61.75	---	74.00	12.25	100.0	H	306.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_20M_2460.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.700000	---	47.51	54.00	6.50	100.0	H	356.0	7.4
2484.600000	60.65	---	74.00	13.35	100.0	H	0.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_20M_2462.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.700000	---	47.12	54.00	6.88	100.0	H	14.0	7.4
2484.000000	58.31	---	74.00	15.69	100.0	H	0.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 40MHz BW

EUT Information

EUT Name:	DJI Mini 3 PRO
Model:	MT3M3VZ
Test Mode:	SDR 2.4G_40M_2422.5MHz
Order No/Sample No:	168385896/A003420984-007
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2387.600000	54.00	---	74.00	20.00	100.0	H	285.0	7.0
2389.900000	---	45.35	54.00	8.65	100.0	H	276.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3 PRO
Model:	MT3M3VZ
Test Mode:	SDR 2.4G_40M_2422.5MHz
Order No/Sample No:	168385896/A003420984-007
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.800000	---	45.33	54.00	8.67	100.0	V	32.0	7.0
2390.000000	54.64	---	74.00	19.36	100.0	V	225.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3 PRO
Model:	MT3M3VZ
Test Mode:	SDR 2.4G_40M_2426.5MHz
Order No/Sample No:	168385896/A003420984-007
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2389.600000	54.51	---	74.00	19.49	100.0	H	309.0	7.0
2389.600000	---	49.40	54.00	4.60	100.0	H	309.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_40M_2430.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2385.000000	---	43.44	54.00	10.56	100.0	H	299.0	7.0
2389.200000	52.81	---	74.00	21.19	100.0	H	109.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3 PRO
Model:	MT3M3VZ
Test Mode:	SDR 2.4G_40M_2445.5MHz
Order No/Sample No:	168385896/A003420984-007
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.500000	---	51.70	54.00	2.30	100.0	H	0.0	7.4
2485.700000	64.01	---	74.00	9.99	100.0	H	12.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_40M_2446.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.900000	---	49.67	54.00	4.33	100.0	H	321.0	7.4
2484.000000	57.71	---	74.00	16.29	100.0	H	321.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3 PRO
Model:	MT3M3VZ
Test Mode:	SDR 2.4G_40M_2452.5MHz
Order No/Sample No:	168385896/A003420984-007
Test Voltage:	Battery
Remark:	Temp 22 Humi:55%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.300000	61.10	---	74.00	12.90	100.0	H	0.0	7.4
2485.700000	---	49.69	54.00	4.31	100.0	H	5.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3 PRO
 Model: MT3M3VZ
 Test Mode: SDR 2.4G_40M_2452.5MHz
 Order No/Sample No: 168385896/A003420984-007
 Test Voltage: Battery
 Remark: Temp 22 Humi:55%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.800000	---	48.13	54.00	5.87	100.0	V	37.0	7.4
2486.000000	58.47	---	74.00	15.53	100.0	V	17.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---