


Appendix B: Test Results of 2.4GHz SDR

APPENDIX B: TEST RESULTS OF 2.4GHZ SDR.....	1
APPENDIX B.1: TEST RESULTS OF CONDUCTED POWER SPECTRAL DENSITY	2
2.4GHZ SDR, 1.4MHZ BW.....	2
2.4GHZ SDR, 1.4MHZ BW CA mode	3
2.4GHZ SDR, 3MHZ BW.....	4
2.4GHZ SDR, 10MHZ BW.....	5
2.4GHZ SDR, 20MHZ BW.....	6
APPENDIX B.2: TEST RESULTS OF 6DB BANDWIDTH.....	7
2.4GHZ SDR, 1.4MHZ BW.....	7
2.4GHZ SDR, 1.4MHZ BW CA mode	8
2.4GHZ SDR, 3MHZ BW.....	9
2.4GHZ SDR, 10MHZ BW.....	10
2.4GHZ SDR, 20MHZ BW.....	11
APPENDIX B.3: TEST RESULTS OF 99% BANDWIDTH.....	12
2.4GHZ SDR, 1.4MHZ BW.....	12
2.4GHZ SDR, 1.4MHZ BW CA mode	13
2.4GHZ SDR, 3MHZ BW.....	14
2.4GHZ SDR, 10MHZ BW.....	15
2.4GHZ SDR, 20MHZ BW.....	16
APPENDIX B.4: TEST RESULTS OF CONDUCTED SPURIOUS EMISSIONS MEASURED IN 100 KHZ BANDWIDTH.....	17
2.4GHZ SDR, 1.4MHZ BW.....	17
2.4GHZ SDR, 1.4MHZ BW CA mode	21
2.4GHZ SDR, 3MHZ BW.....	25
2.4GHZ SDR, 10MHZ BW.....	29
2.4GHZ SDR, 20MHZ BW.....	33
2.4GHZ SDR, 1.4MHZ BW Bandedge	37
2.4GHZ SDR, 1.4MHZ BW CA mode Bandedge	38
2.4GHZ SDR, 3MHZ BW Bandedge	39
2.4GHZ SDR, 10MHZ BW Bandedge	40
2.4GHZ SDR, 20MHZ BW Bandedge	41
APPENDIX B.5: TEST RESULTS OF RADIATED SPURIOUS EMISSIONS	42
30MHZ - 1GHZ (Worst case)	42
1GHZ - 18GHZ.....	44

Appendix B.1: Test Results of Conducted Power Spectral Density

Both Ant ports tested, only the worst-case reported.
 2.4GHz SDR, 1.4MHz BW

TestMode	Antenna	Channel	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
1.4M	Ant1	2407.5	-0.9	≤8.00	PASS
		2435.5	-0.97	≤8.00	PASS
		2465.5	-1.23	≤8.00	PASS



2.4GHz SDR, 1.4MHz BW CA mode

TestMode	Antenna	Channel	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
1.4M-CA	Ant1	2409.12	-1.33	≤8.00	PASS
		2437.12	-1.93	≤8.00	PASS
		2467.12	-1.64	≤8.00	PASS

1.4MCA_Ant1_2409.12



1.4MCA_Ant1_2437.12



1.4MCA_Ant1_2467.12



2.4GHz SDR, 3MHz BW

TestMode	Antenna	Channel	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
3M	Ant1	2417.5	-3.28	≤8.00	PASS
		2435.5	-2.96	≤8.00	PASS
		2456.5	-2.98	≤8.00	PASS


3M_Ant1_2417.5



3M_Ant1_2435.5




3M_Ant1_2456.5




2.4GHz SDR, 10MHz BW

TestMode	Antenna	Channel	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
10M	Ant1	2405.5	-7.15	≤8.00	PASS
		2440.5	1.07	≤8.00	PASS
		2476.5	-15.37	≤8.00	PASS


10M_Ant1_2405.5



10M_Ant1_2440.5




10M_Ant1_2476.5




2.4GHz SDR, 20MHz BW

TestMode	Antenna	Channel	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
20M	Ant1	2410.5	-15.59	≤8.00	PASS
		2441.5	-2.76	≤8.00	PASS
		2472.5	-21.99	≤8.00	PASS


20M_Ant1_2410.5



20M_Ant1_2441.5



20M_Ant1_2472.5



Appendix B.2: Test Results of 6dB Bandwidth

2.4GHz SDR, 1.4MHz BW

TestMode	Antenna	Channel	DTS BW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
1.4M	Ant1	2407.5	1.106	2408.566	2409.672	0.5	PASS
		2435.5	1.089	2436.577	2437.666	0.5	PASS
		2465.5	1.106	2466.568	2467.674	0.5	PASS



2.4GHz SDR, 1.4MHz BW CA mode

TestMode	Antenna	Channel	DTS BW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
1.4M-CA	Ant1	2409.12	1.106	2408.566	2409.672	0.5	PASS
		2437.12	1.089	2436.577	2437.666	0.5	PASS
		2467.12	1.106	2466.568	2467.674	0.5	PASS



2.4GHz SDR, 3MHz BW

TestMode	Antenna	Channel	DTS BW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
3M	Ant1	2417.5	2.178	2416.414	2418.592	0.5	PASS
		2435.5	2.178	2434.420	2436.598	0.5	PASS
		2456.5	2.166	2455.426	2457.592	0.5	PASS



2.4GHz SDR, 10MHz BW

TestMode	Antenna	Channel	DTS BW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
10M	Ant1	2405.5	8.860	2401.120	2409.980	0.5	PASS
		2440.5	8.920	2436.060	2444.980	0.5	PASS
		2476.5	8.920	2472.060	2480.980	0.5	PASS

10M_Ant1_2405.5



10M_Ant1_2440.5





10M_Ant1_2476.5



2.4GHz SDR, 20MHz BW

TestMode	Antenna	Channel	DTS BW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
20M	Ant1	2410.5	17.960	2401.540	2419.500	0.5	PASS
		2441.5	17.920	2432.540	2450.460	0.5	PASS
		2472.5	17.840	2463.580	2481.420	0.5	PASS



Appendix B.3: Test Results of 99% Bandwidth

2.4GHz SDR, 1.4MHz BW

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
1.4M	Ant1	2407.5	1.1394	2406.9272	2408.0666	---	PASS
		2435.5	1.1384	2434.9280	2436.0664	---	PASS
		2465.5	1.1361	2464.9276	2466.0637	---	PASS


1.4M_Ant1_2407.5



1.4M_Ant1_2435.5






1.4M_Ant1_2465.5






2.4GHz SDR, 1.4MHz BW CA mode

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
1.4M-CA	Ant1	2409.12	1.1263	2408.5550	2409.6813	---	PASS
		2437.12	1.1260	2436.5558	2437.6818	---	PASS
		2467.12	1.1261	2466.5540	2467.6801	---	PASS






2.4GHz SDR, 3MHz BW

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
3M	Ant1	2417.5	2.2198	2416.3847	2418.6045	---	PASS
		2435.5	2.2177	2434.3843	2436.6020	---	PASS
		2456.5	2.2159	2455.3888	2457.6047	---	PASS






2.4GHz SDR, 10MHz BW

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
10M	Ant1	2405.5	9.0140	2401.0303	2410.0443	---	PASS
		2440.5	9.0232	2436.0036	2445.0268	---	PASS
		2476.5	9.0274	2471.9796	2481.0070	---	PASS



2.4GHz SDR, 20MHz BW




TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
20M	Ant1	2410.5	18.100	2401.5202	2419.6202	---	PASS
		2441.5	18.057	2432.4868	2450.5438	---	PASS
		2472.5	18.184	2463.4226	2481.6066	---	PASS




Appendix B.4: Test Results of Conducted Spurious Emissions Measured in 100 kHz Bandwidth

2.4GHz SDR, 1.4MHz BW


TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
1.4M	Ant1	2407.5	Reference	10.97	10.97	---	PASS
			30~1000	10.97	-48.16	≤-19.03	PASS
			1000~26500	10.97	-39.27	≤-19.03	PASS
		2435.5	Reference	10.68	10.68	---	PASS
			30~1000	10.68	-48.76	≤-19.32	PASS
			1000~26500	10.68	-39.32	≤-19.32	PASS
		2465.5	Reference	10.68	10.68	---	PASS
			30~1000	10.68	-48.65	≤-19.32	PASS
			1000~26500	10.68	-39.28	≤-19.32	PASS



1.4M_Ant1_2435.5_0~Reference




1.4M_Ant1_2435.5_30~1000




1.4M_Ant1_2435.5_1000~26500



1.4M_Ant1_2465.5_0~Reference



1.4M_Ant1_2465.5_30~1000









1.4M_Ant1_2465.5_1000~26500






2.4GHz SDR, 1.4MHz BW CA mode

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
1.4M-CA	Ant1	2409.12	Reference	10.94	10.94	---	PASS
			30~1000	10.94	-47.82	≤-19.06	PASS
			1000~26500	10.94	-39.66	≤-19.06	PASS
		2437.12	Reference	9.88	9.88	---	PASS
			30~1000	9.88	-48.36	≤-20.12	PASS
			1000~26500	9.88	-38.76	≤-20.12	PASS
		2467.12	Reference	10.72	10.72	---	PASS
			30~1000	10.72	-48.09	≤-19.28	PASS
			1000~26500	10.72	-39.76	≤-19.28	PASS










2.4GHz SDR, 3MHz BW


TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
3M	Ant1	2417.5	Reference	7.24	7.24	---	PASS
			30~1000	7.24	-48.34	≤-22.76	PASS
			1000~26500	7.24	-38.99	≤-22.76	PASS
		2435.5	Reference	6.77	6.77	---	PASS
			30~1000	6.77	-48.4	≤-23.23	PASS
			1000~26500	6.77	-39.54	≤-23.23	PASS
		2456.5	Reference	7.70	7.70	---	PASS
			30~1000	7.70	-48.39	≤-22.3	PASS
			1000~26500	7.70	-39.22	≤-22.3	PASS




3M_Ant1_2435.5_0-Reference






3M_Ant1_2435.5_30-1000






3M_Ant1_2435.5_1000-26500






2.4GHz SDR, 10MHz BW


TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
10M	Ant1	2405.5	Reference	6.48	6.48	---	PASS
			30~1000	6.48	-48.62	≤-23.52	PASS
			1000~26500	6.48	-39.43	≤-23.52	PASS
		2440.5	Reference	15.16	15.16	---	PASS
			30~1000	15.16	-48.15	≤-14.84	PASS
			1000~26500	15.16	-39.52	≤-14.84	PASS
		2476.5	Reference	-1.82	-1.82	---	PASS
			30~1000	-1.82	-48.37	≤-31.82	PASS
			1000~26500	-1.82	-39.4	≤-31.82	PASS




10M_Ant1_2440.5_0~Reference






10M_Ant1_2440.5_30~1000






10M_Ant1_2440.5_1000~26500






2.4GHz SDR, 20MHz BW


TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
20M	Ant1	2410.5	Reference	-2.22	-2.22	---	PASS
			30~1000	-2.22	-48.42	≤-32.22	PASS
			1000~26500	-2.22	-39.54	≤-32.22	PASS
		2441.5	Reference	11.66	11.66	---	PASS
			30~1000	11.66	-48.79	≤-18.34	PASS
			1000~26500	11.66	-39.11	≤-18.34	PASS
		2472.5	Reference	-13.40	-13.40	---	PASS
			30~1000	-13.40	-58.4	≤-43.4	PASS
			1000~26500	-13.40	-49.4	≤-43.4	PASS




20M_Ant1_2441.5_0~Reference




20M_Ant1_2441.5_30~1000




20M_Ant1_2441.5_1000~26500




20M_Ant1_2472.5_0~Reference



20M_Ant1_2472.5_30~1000





20M_Ant1_2472.5_1000~26500





2.4GHz SDR, 1.4MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
1.4M	Ant1	Low	2407.5	11.54	-36.93	≤-18.46	PASS
		High	2465.5	11.17	-37.34	≤-18.83	PASS





2.4GHz SDR, 1.4MHz BW CA mode Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
1.4M-CA	Ant1	Low	2409.12	12.16	-36.47	≤-17.84	PASS
		High	2467.12	11.80	-36.57	≤-18.2	PASS





2.4GHz SDR, 3MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
3M	Ant1	Low	2417.5	12.31	-37.66	≤-17.69	PASS
		High	2456.5	8.26	-36.51	≤-21.74	PASS





2.4GHz SDR, 10MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
10M	Ant1	Low	2405.5	6.90	-30.03	≤-23.1	PASS
		High	2476.5	-1.36	-35.76	≤-31.36	PASS



2.4GHz SDR, 20MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
20M	Ant1	Low	2410.5	-2.15	-36.22	≤-32.15	PASS
		High	2472.5	-13.59	-55.95	≤-43.59	PASS




Note: Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

Appendix B.5: Test Results of Radiated Spurious Emissions 30MHz - 1GHz (Worst case)

EUT Information

EUT Name: DJI Mini 3
 Model: MT3PD
 Test Mode: SDR 2.4G_3M_2435.5MHz
 Order No/Sample No: 168384966/A003338845-006
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
48.042000	18.58	40.00	21.42	100.0	H	181.0	-18.4
107.745500	14.70	43.50	28.80	100.0	H	110.0	-18.9
312.027500	21.49	46.00	24.51	100.0	H	334.0	-15.9
396.029500	28.11	46.00	17.89	100.0	H	321.0	-13.7
924.728000	30.43	46.00	15.57	100.0	H	104.0	-4.8

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3
 Model: MT3PD
 Test Mode: SDR 2.4G_3M_2435.5MHz
 Order No/Sample No: 168384966/A003338845-006
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
46.878000	27.48	40.00	12.52	100.0	V	154.0	-18.5
58.275500	25.76	40.00	14.24	100.0	V	0.0	-18.8
109.055000	14.50	43.50	29.00	100.0	V	82.0	-19.0
288.165500	17.67	46.00	28.33	100.0	V	237.0	-16.6
885.588500	31.23	46.00	14.77	100.0	V	29.0	-5.1

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---


1GHz - 18GHz

Note: The highest waveform in the figure is 2.4GHz SDR Fundamental.
 All modes tested, and only the worst-cases reported.

2.4GHz SDR, 3MHz BW

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_3M_2417.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4821.000000	50.76	---	74.00	23.24	100.0	H	295.0	11.8
4842.000000	---	38.71	54.00	15.29	100.0	H	267.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3
 Model: MT3PD
 Test Mode: SDR 2.4G_3M_2417.5MHz
 Order No/Sample No: 168384966/A003338845-006
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
6446.325000	---	42.08	54.00	11.92	100.0	V	250.0	8.7
6446.816667	45.80	---	74.00	28.21	100.0	V	19.0	8.7
7264.458333	---	33.83	54.00	20.17	100.0	V	163.0	8.5
7266.916667	42.30	---	74.00	31.70	100.0	V	78.0	8.5

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_3M_2435.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4866.000000	50.46	---	74.00	23.54	100.0	V	243.0	11.8
4870.000000	---	38.68	54.00	15.32	100.0	V	353.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_3M_2435.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7310.675000	42.52	---	74.00	31.48	100.0	H	0.0	8.2
7311.166667	---	33.44	54.00	20.56	100.0	H	312.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_3M_2435.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
6494.508333	45.86	---	74.00	28.14	100.0	V	353.0	8.8
6494.508333	---	42.19	54.00	11.81	100.0	V	353.0	8.8
7291.500000	---	33.63	54.00	20.37	100.0	V	0.0	8.3
7322.966667	42.68	---	74.00	31.32	100.0	V	184.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_3M_2456.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4903.000000	---	39.19	54.00	14.81	100.0	H	297.0	11.8
4918.500000	51.26	---	74.00	22.74	100.0	H	355.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_3M_2456.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4905.000000	51.08	---	74.00	22.92	100.0	V	243.0	11.8
4918.000000	---	39.16	54.00	14.84	100.0	V	308.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_3M_2456.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7352.958333	42.76	---	74.00	31.24	100.0	H	31.0	8.1
7364.266667	---	33.49	54.00	20.51	100.0	H	7.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---