


EUT Information

EUT Name: DJI Mini 3
 Model: MT3PD
 Test Mode: SDR 2.4G_3M_2456.5MHz
 Order No/Sample No: 168384966/A003338845-006
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
6550.066667	46.25	---	74.00	27.75	100.0	V	291.0	8.7
6550.558333	---	42.55	54.00	11.45	100.0	V	189.0	8.7
7364.758333	41.68	---	74.00	32.32	100.0	V	189.0	8.2
7366.725000	---	33.58	54.00	20.42	100.0	V	139.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_3M_2417.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2359.500000	49.01	---	74.00	24.99	100.0	H	278.0	6.9
2361.200000	---	39.26	54.00	14.74	100.0	H	85.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_3M_2417.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2344.900000	49.45	---	74.00	24.55	100.0	V	206.0	6.9
2363.400000	---	40.15	54.00	13.85	100.0	V	250.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_3M_2456.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.700000	50.70	---	74.00	23.30	100.0	H	336.0	7.4
2486.700000	---	40.45	54.00	13.55	100.0	H	152.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_3M_2456.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.900000	---	40.82	54.00	13.18	100.0	V	214.0	7.4
2487.700000	49.91	---	74.00	24.09	100.0	V	23.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_10M_2405.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4805.000000	---	39.22	54.00	14.78	100.0	V	272.0	11.8
4817.500000	50.44	---	74.00	23.56	100.0	V	208.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_10M_2405.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7221.191667	---	34.00	54.00	20.00	100.0	H	0.0	8.7
7233.483333	42.74	---	74.00	31.26	100.0	H	326.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3
 Model: MT3PD
 Test Mode: SDR 2.4G_10M_2405.5MHz
 Order No/Sample No: 168384966/A003338845-006
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
6414.366667	47.01	---	74.00	26.99	100.0	V	71.0	8.8
6414.366667	---	41.84	54.00	12.16	100.0	V	71.0	8.8
7216.766667	---	34.87	54.00	19.13	100.0	V	48.0	8.7
7218.733333	42.08	---	74.00	31.92	100.0	V	143.0	8.7

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3
 Model: MT3PD
 Test Mode: SDR 2.4G_10M_2405.5MHz
 Order No/Sample No: 168384966/A003338845-006
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2371.000000	---	39.85	54.00	14.15	100.0	H	174.0	6.9
2377.000000	49.89	---	74.00	24.11	100.0	H	23.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_10M_2405.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2362.300000	48.58	---	74.00	25.42	100.0	V	279.0	6.9
2362.500000	---	39.90	54.00	14.10	100.0	V	351.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3
 Model: MT3PD
 Test Mode: SDR 2.4G_10M_2410.5MHz
 Order No/Sample No: 168384966/A003338845-006
 Test Voltage: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2343.700000	---	40.46	54.00	13.54	100.0	V	67.0	6.9
2365.900000	50.57	---	74.00	23.43	100.0	V	351.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_10M_2413.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2353.500000	---	40.55	54.00	13.45	100.0	V	160.0	6.9
2388.100000	49.56	---	74.00	24.44	100.0	V	63.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_10M_2415.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2370.100000	49.79	---	74.00	24.21	100.0	H	188.0	6.9
2371.400000	---	40.65	54.00	13.35	100.0	H	188.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_10M_2415.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2378.100000	---	40.21	54.00	13.79	100.0	V	20.0	6.9
2378.100000	49.41	---	74.00	24.59	100.0	V	20.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_10M_2440.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4877.000000	49.59	---	74.00	24.41	100.0	H	232.0	11.8
4885.500000	---	38.57	54.00	15.43	100.0	H	165.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_10M_2440.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4878.000000	---	39.32	54.00	14.68	100.0	V	316.0	11.8
4891.500000	50.11	---	74.00	23.89	100.0	V	357.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_10M_2440.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7321.491667	42.18	---	74.00	31.82	100.0	H	262.0	8.2
7322.966667	---	33.37	54.00	20.63	100.0	H	46.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_10M_2440.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
6507.783333	47.45	---	74.00	26.55	100.0	V	117.0	8.8
6507.783333	---	43.07	54.00	10.93	100.0	V	117.0	8.8
7325.916667	42.23	---	74.00	31.77	100.0	V	251.0	8.2
7330.833333	---	33.45	54.00	20.55	100.0	V	20.0	8.1

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_10M_2457.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.600000	51.43	---	74.00	22.57	100.0	H	191.0	7.4
2485.900000	---	41.77	54.00	12.23	100.0	H	201.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_10M_2457.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.200000	54.50	---	74.00	19.50	100.0	V	264.0	7.4
2485.800000	---	44.55	54.00	9.45	100.0	V	167.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_10M_2458.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin




Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.800000	---	43.48	54.00	10.52	100.0	V	128.0	7.4
2485.200000	55.63	---	74.00	18.37	100.0	V	128.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Name: DJI Mini 3
 Model: MT3PD
 Test Mode: SDR 2.4G_10M_2476.5MHz
 Order No/Sample No: 168384966/A003338845-006
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4953.000000	---	39.12	54.00	14.88	100.0	H	209.0	11.8
4954.000000	50.74	---	74.00	23.26	100.0	H	182.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_10M_2476.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4949.000000	50.45	---	74.00	23.55	100.0	V	343.0	11.8
4957.000000	---	39.24	54.00	14.76	100.0	V	184.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_10M_2476.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7427.691667	43.02	---	74.00	30.98	100.0	H	149.0	8.4
7440.966667	---	33.83	54.00	20.17	100.0	H	25.0	8.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_10M_2476.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
6603.658333	47.09	---	74.00	26.91	100.0	V	189.0	8.8
6603.658333	---	42.00	54.00	12.00	100.0	V	189.0	8.8
7428.183333	---	33.67	54.00	20.33	100.0	V	164.0	8.4
7428.675000	42.47	---	74.00	31.53	100.0	V	150.0	8.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3
 Model: MT3PD
 Test Mode: SDR 2.4G_10M_2476.5MHz
 Order No/Sample No: 168384966/A003338845-006
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.600000	51.09	---	74.00	22.91	100.0	H	202.0	7.4
2484.500000	---	40.30	54.00	13.70	100.0	H	83.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_10M_2476.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.500000	55.04	---	74.00	18.96	100.0	V	15.0	7.4
2484.800000	---	41.10	54.00	12.90	100.0	V	123.0	7.4


Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 20MHz BW

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_20M_2410.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4807.000000	51.09	---	74.00	22.91	100.0	H	172.0	11.8
4810.500000	---	39.27	54.00	14.73	100.0	H	40.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_20M_2410.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4809.000000	50.47	---	74.00	23.53	100.0	V	213.0	11.8
4810.000000	---	39.17	54.00	14.83	100.0	V	228.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_20M_2410.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7224.633333	---	33.75	54.00	20.25	100.0	H	176.0	8.7
7239.875000	42.50	---	74.00	31.50	100.0	H	302.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3
 Model: MT3PD
 Test Mode: SDR 2.4G_20M_2410.5MHz
 Order No/Sample No: 168384966/A003338845-006
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
6427.641667	---	42.88	54.00	11.12	100.0	V	231.0	8.8
6428.133333	46.78	---	74.00	27.22	100.0	V	63.0	8.8
7234.466667	42.71	---	74.00	31.29	100.0	V	0.0	8.6
7235.941667	---	33.47	54.00	20.53	100.0	V	336.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3
 Model: MT3PD
 Test Mode: SDR 2.4G_20M_2410.5MHz
 Order No/Sample No: 168384966/A003338845-006
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2371.100000	---	39.84	54.00	14.16	100.0	H	171.0	6.9
2373.600000	48.71	---	74.00	25.29	100.0	H	180.0	6.9

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_20M_2415.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2359.300000	---	39.78	54.00	14.22	100.0	V	159.0	6.9
2383.500000	50.14	---	74.00	23.86	100.0	V	292.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_20M_2420.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2347.500000	---	39.18	54.00	14.82	100.0	V	308.0	6.9
2385.000000	49.32	---	74.00	24.68	100.0	V	293.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_20M_2425.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage:	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2388.200000	50.89	---	74.00	23.11	100.0	V	78.0	7.0
2388.500000	---	40.82	54.00	13.18	100.0	V	85.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_20M_2430.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2381.100000	---	41.70	54.00	12.30	100.0	H	333.0	7.0
2387.900000	51.73	---	74.00	22.27	100.0	H	10.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_20M_2430.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2386.700000	51.16	---	74.00	22.84	100.0	V	159.0	7.0
2389.000000	---	41.89	54.00	12.11	100.0	V	354.0	7.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_20M_2441.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4870.000000	---	39.05	54.00	14.95	100.0	H	330.0	11.8
4885.000000	49.91	---	74.00	24.09	100.0	H	323.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_20M_2441.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4885.000000	50.12	---	74.00	23.88	100.0	V	294.0	11.8
4898.500000	---	39.03	54.00	14.97	100.0	V	258.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_20M_2441.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7322.475000	---	33.86	54.00	20.14	100.0	H	107.0	8.2
7336.241667	42.22	---	74.00	31.78	100.0	H	169.0	8.1

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3
 Model: MT3PD
 Test Mode: SDR 2.4G_20M_2443.5MHz
 Order No/Sample No: 168384966/A003338845-006
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.700000	---	42.24	54.00	11.76	100.0	H	356.0	7.4
2488.000000	51.91	---	74.00	22.09	100.0	H	221.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3
 Model: MT3PD
 Test Mode: SDR 2.4G_20M_2443.5MHz
 Order No/Sample No: 168384966/A003338845-006
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.500000	---	47.07	54.00	6.93	100.0	V	218.0	7.4
2487.800000	58.88	---	74.00	15.12	100.0	V	337.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_20M_2450.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.000000	54.39	---	74.00	19.61	100.0	V	122.0	7.4
2485.100000	---	43.98	54.00	10.02	100.0	V	244.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3
 Model: MT3PD
 Test Mode: SDR 2.4G_20M_2455.5MHz
 Order No/Sample No: 168384966/A003338845-006
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.200000	---	43.28	54.00	10.72	100.0	V	125.0	7.4
2485.900000	52.43	---	74.00	21.57	100.0	V	260.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Mini 3
 Model: MT3PD
 Test Mode: SDR 2.4G_20M_2465.5MHz
 Order No/Sample No: 168384966/A003338845-006
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.200000	55.45	---	74.00	18.55	100.0	V	157.0	7.4
2484.800000	---	42.73	54.00	11.27	100.0	V	263.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_20M_2472.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4953.500000	51.04	---	74.00	22.96	100.0	H	62.0	11.8
4953.500000	---	39.38	54.00	14.62	100.0	H	62.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_20M_2472.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4925.500000	---	38.97	54.00	15.03	100.0	V	253.0	11.8
4952.000000	50.47	---	74.00	23.53	100.0	V	93.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_20M_2472.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7403.600000	---	33.05	54.00	20.95	100.0	H	257.0	8.3
7420.316667	43.19	---	74.00	30.81	100.0	H	270.0	8.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_20M_2472.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
6593.333333	45.83	---	74.00	28.17	100.0	V	137.0	8.7
6593.333333	---	41.74	54.00	12.26	100.0	V	137.0	8.7
7406.550000	41.86	---	74.00	32.14	100.0	V	15.0	8.3
7407.533333	---	33.50	54.00	20.50	100.0	V	226.0	8.3

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Mini 3
Model:	MT3PD
Test Mode:	SDR 2.4G_20M_2472.5MHz
Order No/Sample No:	168384966/A003338845-006
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.500000	50.84	---	74.00	23.16	100.0	H	118.0	7.4
2484.600000	---	40.39	54.00	13.61	100.0	H	281.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---