

## Appendix A: Test Results of 5.8GHz Wi-Fi

|  |    |
|--|----|
| APPENDIX A: TEST RESULTS OF 5.8GHZ WI-FI.....                        | 1  |
| APPENDIX A.1: TEST RESULTS OF CONDUCTED POWER SPECTRAL DENSITY ..... | 2  |
| APPENDIX A.2: TEST RESULTS OF 99% BANDWIDTH.....                     | 7  |
| APPENDIX A.3: TEST RESULTS OF 6DB BANDWIDTH .....                    | 12 |
| APPENDIX A.4: TEST RESULTS OF RADIATED SPURIOUS EMISSIONS .....      | 17 |
| 30MHz - 1GHz (Worst case) .....                                      | 17 |
| Above 1GHz.....  | 19 |

### Appendix A.1: Test Results of Conducted Power Spectral Density

| TestMode   | Antenna | Channel | Result [dBm/500KHz] | Limit[dBm/500KHz] | Verdict |
|------------|---------|---------|---------------------|-------------------|---------|
| 11A        | Ant1    | 5745    | 6.36                | ≤30               | PASS    |
|            |         | 5785    | 5.72                | ≤30               | PASS    |
|            |         | 5825    | 5.91                | ≤30               | PASS    |
| 11N20SISO  | Ant1    | 5745    | 5.51                | ≤30               | PASS    |
|            |         | 5785    | 5.35                | ≤30               | PASS    |
|            |         | 5825    | 5.45                | ≤30               | PASS    |
| 11N40SISO  | Ant1    | 5755    | 3.05                | ≤30               | PASS    |
|            |         | 5795    | 2.2                 | ≤30               | PASS    |
| 11AC20SISO | Ant1    | 5745    | 5.88                | ≤30               | PASS    |
|            |         | 5785    | 5.41                | ≤30               | PASS    |
|            |         | 5825    | 5.54                | ≤30               | PASS    |
| 11AC40SISO | Ant1    | 5755    | 2.92                | ≤30               | PASS    |
|            |         | 5795    | 2.04                | ≤30               | PASS    |
| 11AC80SISO | Ant1    | 5775    | -0.93               | ≤30               | PASS    |

Note: 1. The Duty Cycle Factor and RBW Factor is compensated in the graph.



11A\_Ant1\_5825



11N20SISO\_Ant1\_5745



11N20SISO\_Ant1\_5785










### Appendix A.2: Test Results of 99% Bandwidth


| TestMode   | Antenna | Channel | OCB [MHz] | FL[MHz]   | FH[MHz]   | Limit[MHz] | Verdict |
|------------|---------|---------|-----------|-----------|-----------|------------|---------|
| 11A        | Ant1    | 5745    | 17.116    | 5736.4773 | 5753.5933 | ---        | PASS    |
|            |         | 5785    | 17.118    | 5776.4923 | 5793.6103 | ---        | PASS    |
|            |         | 5825    | 18.062    | 5816.2690 | 5834.3310 | ---        | PASS    |
| 11N20SISO  | Ant1    | 5745    | 18.264    | 5735.8506 | 5754.1146 | ---        | PASS    |
|            |         | 5785    | 18.196    | 5775.9343 | 5794.1303 | ---        | PASS    |
|            |         | 5825    | 18.219    | 5815.9335 | 5834.1525 | ---        | PASS    |
| 11N40SISO  | Ant1    | 5755    | 36.401    | 5736.8899 | 5773.2909 | ---        | PASS    |
|            |         | 5795    | 36.467    | 5776.8167 | 5813.2837 | ---        | PASS    |
| 11AC20SISO | Ant1    | 5745    | 18.232    | 5735.8734 | 5754.1054 | ---        | PASS    |
|            |         | 5785    | 18.127    | 5775.9437 | 5794.0707 | ---        | PASS    |
|            |         | 5825    | 18.148    | 5815.9719 | 5834.1199 | ---        | PASS    |
| 11AC40SISO | Ant1    | 5755    | 36.532    | 5736.8031 | 5773.3351 | ---        | PASS    |
|            |         | 5795    | 36.341    | 5776.8692 | 5813.2102 | ---        | PASS    |
| 11AC80SISO | Ant1    | 5775    | 75.689    | 5737.2812 | 5812.9702 | ---        | PASS    |



11A\_Ant1\_5825



11N20SISO\_Ant1\_5745



11N20SISO\_Ant1\_5785





11N20SISO\_Ant1\_5825







11N40SISO\_Ant1\_5755



11N40SISO\_Ant1\_5795









11A\_Ant1\_5825



11N20SISO\_Ant1\_5745



11N20SISO\_Ant1\_5785



11N20SISO\_Ant1\_5825





11N40SISO\_Ant1\_5755



11N40SISO\_Ant1\_5795












### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11a\_Ch157  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 47.993500       | 27.16            | 40.00          | 12.84       | 100.0       | V   | 22.0          | -18.4        |
| 58.421000       | 24.11            | 40.00          | 15.89       | 100.0       | V   | 42.0          | -18.8        |
| 107.309000      | 15.99            | 43.50          | 27.51       | 100.0       | V   | 28.0          | -18.9        |
| 395.981000      | 21.12            | 46.00          | 24.88       | 100.0       | V   | 35.0          | -13.7        |
| 892.766500      | 29.75            | 46.00          | 16.25       | 100.0       | V   | 223.0         | -5.0         |

### Final\_Result


| Frequency (MHz) | QuasiPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|--------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---                | ---            | ---         | ---         |     | ---           | ---          |

**Above 1GHz**

Note: The highest waveform in the figure is 5GHz Wi-Fi Fundamental.  
Test performed for all modes, only the worst-cases reported.

**EUT Information**

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI Mini 3               |
| Model:              | MT3PD                    |
| Test Mode:          | WIFI 5G_11a_Ch149        |
| Order No/Sample No: | 168384966/A003338845-008 |
| Test Voltage::      | Battery                  |
| Remark:             | Temp 23 Humi:56%         |
| Test Standard:      | FCC 15.407               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



**Critical\_Freqs**


| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5643.572222     | 53.08            | 68.20          | 15.12       | 100.0       | H   | 108.0         | 13.8         |

**Final\_Result**

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11a\_Ch149  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5647.17778      | 56.28            | 68.20          | 11.92       | 100.0       | V   | 268.0         | 13.8         |

### Final Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

### EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI Mini 3               |
| Model:              | MT3PD                    |
| Test Mode:          | WIFI 5G_11a_Ch157        |
| Order No/Sample No: | 168384966/A003338845-008 |
| Test Voltage::      | Battery                  |
| Remark:             | Temp 23 Humi:56%         |
| Test Standard:      | FCC 15.407               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Average (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1194.990000     | 45.65            | ---              | 74.00          | 28.35       | 100.0       | H   | 0.0           | 1.1          |
| 1198.220000     | ---              | 36.63            | 54.00          | 17.37       | 100.0       | H   | 71.0          | 1.1          |

### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11a\_Ch157  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Average (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1196.860000     | 43.85            | ---              | 74.00          | 30.15       | 100.0       | V   | 338.0         | 1.1          |
| 1196.860000     | ---              | 35.51            | 54.00          | 18.49       | 100.0       | V   | 338.0         | 1.1          |
| 2929.840000     | ---              | 41.39            | 54.00          | 12.61       | 100.0       | V   | 260.0         | 8.4          |
| 2996.650000     | 52.57            | ---              | 74.00          | 21.43       | 100.0       | V   | 260.0         | 8.5          |

### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11a\_Ch157  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Average (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11564.083333    | 47.27            | ---              | 74.00          | 26.73       | 100.0       | H   | 24.0          | 13.4         |
| 11589.158333    | ---              | 37.87            | 54.00          | 16.13       | 100.0       | H   | 49.0          | 13.3         |

### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11a\_Ch157  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

| Frequency (MHz) | MaxPeak (dBuV/m) | Average (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 6601.200000     | 46.56            | ---              | 74.00          | 27.44       | 100.0       | V   | 335.0         | 8.8          |
| 6601.200000     | ---              | 43.03            | 54.00          | 10.97       | 100.0       | V   | 335.0         | 8.8          |
| 11562.608333    | 50.06            | ---              | 74.00          | 23.94       | 100.0       | V   | 0.0           | 13.4         |
| 11568.508333    | ---              | 41.93            | 54.00          | 12.07       | 100.0       | V   | 347.0         | 13.4         |


### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |



### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11a\_Ch165  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5933.427778     | 54.41            | 68.20          | 13.79       | 100.0       | H   | 215.0         | 14.7         |

### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11a\_Ch165  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5965.116667     | 54.92            | 68.20          | 13.28       | 100.0       | V   | 33.0          | 14.8         |

### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11n20\_Ch149  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5648.644445     | 54.43            | 68.20          | 13.77       | 100.0       | H   | 105.0         | 13.8         |

### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI Mini 3               |
| Model:              | MT3PD                    |
| Test Mode:          | WIFI 5G_11n20_Ch149      |
| Order No/Sample No: | 168384966/A003338845-008 |
| Test Voltage::      | Battery                  |
| Remark:             | Temp 23 Humi:56%         |
| Test Standard:      | FCC 15.407               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



## Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5644.733333     | 57.67            | 68.20          | 10.53       | 100.0       | V   | 228.0         | 13.8         |

## Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11n20\_Ch157  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Average (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1196.690000     | ---              | 39.50            | 54.00          | 14.50       | 100.0       | H   | 155.0         | 1.1          |
| 1196.860000     | 47.04            | ---              | 74.00          | 26.96       | 100.0       | H   | 155.0         | 1.1          |
| 2998.520000     | 55.20            | ---              | 74.00          | 18.80       | 100.0       | H   | 208.0         | 8.5          |
| 3099.840000     | ---              | 42.49            | 54.00          | 11.51       | 100.0       | H   | 208.0         | 8.7          |

### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11n20\_Ch157  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Average (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1195.160000     | 46.31            | ---              | 74.00          | 27.69       | 100.0       | V   | 261.0         | 1.1          |
| 1197.200000     | ---              | 35.33            | 54.00          | 18.67       | 100.0       | V   | 0.0           | 1.1          |
| 1995.520000     | 48.74            | ---              | 74.00          | 25.26       | 100.0       | V   | 284.0         | 6.0          |
| 1997.050000     | ---              | 40.91            | 54.00          | 13.09       | 100.0       | V   | 261.0         | 6.0          |

### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11n20\_Ch157  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Average (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11577.850000    | 47.70            | ---              | 74.00          | 26.30       | 100.0       | H   | 149.0         | 13.4         |
| 11591.125000    | ---              | 37.44            | 54.00          | 16.56       | 100.0       | H   | 100.0         | 13.3         |

### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11n20\_Ch157  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

| Frequency (MHz) | MaxPeak (dBuV/m) | Average (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 6601.200000     | 47.02            | ---              | 74.00          | 26.98       | 100.0       | V   | 307.0         | 8.8          |
| 6601.200000     | ---              | 42.12            | 54.00          | 11.88       | 100.0       | V   | 307.0         | 8.8          |
| 11569.983333    | ---              | 42.15            | 54.00          | 11.85       | 100.0       | V   | 45.0          | 13.4         |
| 11572.441667    | 50.40            | ---              | 74.00          | 23.60       | 100.0       | V   | 0.0           | 13.4         |


### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |



### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11n20\_Ch165  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5951.380556     | 54.50            | 68.20          | 13.70       | 100.0       | H   | 25.0          | 14.8         |

### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11n20\_Ch165  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5988.180556     | 55.75            | 68.20          | 12.45       | 100.0       | V   | 207.0         | 15.0         |

### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11n40\_Ch151  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Average (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1198.050000     | ---              | 36.07            | 54.00          | 17.93       | 100.0       | H   | 316.0         | 1.1          |
| 1199.410000     | 46.15            | ---              | 74.00          | 27.85       | 100.0       | H   | 305.0         | 1.1          |
| 2445.340000     | ---              | 40.83            | 54.00          | 13.17       | 100.0       | H   | 194.0         | 7.4          |
| 2458.940000     | 51.00            | ---              | 74.00          | 23.00       | 100.0       | H   | 148.0         | 7.5          |

### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11n40\_Ch151  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Average (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1194.650000     | 44.50            | ---              | 74.00          | 29.50       | 100.0       | V   | 0.0           | 1.1          |
| 1195.160000     | ---              | 35.48            | 54.00          | 18.52       | 100.0       | V   | 0.0           | 1.1          |
| 2999.200000     | 53.93            | ---              | 74.00          | 20.07       | 100.0       | V   | 42.0          | 8.5          |
| 3076.040000     | ---              | 42.51            | 54.00          | 11.49       | 100.0       | V   | 0.0           | 8.6          |

### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11n40\_Ch151  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Average (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11505.575000    | 46.32            | ---              | 74.00          | 27.68       | 100.0       | H   | 342.0         | 13.7         |
| 11531.633333    | ---              | 38.00            | 54.00          | 16.00       | 100.0       | H   | 174.0         | 13.6         |

### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI Mini 3               |
| Model:              | MT3PD                    |
| Test Mode:          | WIFI 5G_11n40_Ch151      |
| Order No/Sample No: | 168384966/A003338845-008 |
| Test Voltage::      | Battery                  |
| Remark:             | Temp 23 Humi:56%         |
| Test Standard:      | FCC 15.407               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



## Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Average (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11509.016667    | ---              | 37.65            | 54.00          | 16.35       | 100.0       | V   | 45.0          | 13.7         |
| 11536.058333    | 46.49            | ---              | 74.00          | 27.51       | 100.0       | V   | 203.0         | 13.5         |

## Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11n40\_Ch151  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5647.238889     | 59.07            | 68.20          | 9.13        | 100.0       | H   | 324.0         | 13.8         |

### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI Mini 3               |
| Model:              | MT3PD                    |
| Test Mode:          | WIFI 5G_11n40_Ch151      |
| Order No/Sample No: | 168384966/A003338845-008 |
| Test Voltage::      | Battery                  |
| Remark:             | Temp 23 Humi:56%         |
| Test Standard:      | FCC 15.407               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



## Critical\_Freqs

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5648.094445     | 62.68            | 68.20          | 5.52        | 100.0       | V   | 257.0         | 13.8         |


## Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |



### EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI Mini 3               |
| Model:              | MT3PD                    |
| Test Mode:          | WIFI 5G_11n40_Ch159      |
| Order No/Sample No: | 168384966/A003338845-008 |
| Test Voltage::      | Battery                  |
| Remark:             | Temp 23 Humi:56%         |
| Test Standard:      | FCC 15.407               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5941.797222     | 54.22            | 68.20          | 13.98       | 100.0       | H   | 240.0         | 14.7         |

### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11n40\_Ch159  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5931.000000     | 58.13            | 68.20          | 10.07       | 100.0       | V   | 276.0         | 14.7         |


### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |



## EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI Mini 3               |
| Model:              | MT3PD                    |
| Test Mode:          | WIFI 5G_11ac80_Ch155     |
| Order No/Sample No: | 168384966/A003338845-008 |
| Test Voltage::      | Battery                  |
| Remark:             | Temp 23 Humi:56%         |
| Test Standard:      | FCC 15.407               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



## Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Average (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1196.350000     | 45.89            | ---              | 74.00          | 28.11       | 100.0       | V   | 310.0         | 1.1          |
| 1196.350000     | ---              | 36.41            | 54.00          | 17.59       | 100.0       | V   | 310.0         | 1.1          |
| 2993.590000     | 55.79            | ---              | 74.00          | 18.21       | 100.0       | V   | 321.0         | 8.5          |
| 3080.460000     | ---              | 42.47            | 54.00          | 11.53       | 100.0       | V   | 342.0         | 8.6          |

## Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11ac80\_Ch155  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Average (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11542.450000    | 46.96            | ---              | 74.00          | 27.04       | 100.0       | H   | 111.0         | 13.5         |
| 11547.858333    | ---              | 38.10            | 54.00          | 15.90       | 100.0       | H   | 211.0         | 13.5         |

### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11ac80\_Ch155  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Average (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 11562.116667    | 46.51            | ---              | 74.00          | 27.49       | 100.0       | V   | 0.0           | 13.4         |
| 11569.491667    | ---              | 38.12            | 54.00          | 15.88       | 100.0       | V   | 313.0         | 13.4         |

### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11ac80\_Ch155  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5643.083333     | 59.80            | 68.20          | 8.40        | 100.0       | H   | 103.0         | 13.8         |

### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11ac80\_Ch155  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5648.094445     | 62.50            | 68.20          | 5.70        | 100.0       | H   | 316.0         | 13.8         |


### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |



### EUT Information

EUT Name: DJI Mini 3  
 Model: MT3PD  
 Test Mode: WIFI 5G\_11ac80\_Ch155  
 Order No/Sample No: 168384966/A003338845-008  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5636.788889     | 64.57            | 68.20          | 3.63        | 100.0       | V   | 259.0         | 13.8         |

### Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI Mini 3               |
| Model:              | MT3PD                    |
| Test Mode:          | WIFI 5G_11ac80_Ch155     |
| Order No/Sample No: | 168384966/A003338845-008 |
| Test Voltage::      | Battery                  |
| Remark:             | Temp 23 Humi:56%         |
| Test Standard:      | FCC 15.407               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



## Critical\_Freqs

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5649.622222     | 67.05            | 68.20          | 1.15        | 100.0       | V   | 341.0         | 13.8         |

## Final\_Result

| Frequency (MHz) | MaxPeak (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |