

Appendix A: Test Results of 5.2G SDR

| | |
|----------------------------------------------------------------------------|----|
| APPENDIX A: TEST RESULTS OF 5.2G SDR | 1 |
| APPENDIX A.1: TEST RESULTS OF CONDUCTED POWER SPECTRAL DENSITY | 2 |
| 5.2GHz SDR, 10MHz BW | 2 |
| 5.2GHz SDR, 20MHz BW | 7 |
| 5.2GHz SDR, 40MHz BW | 12 |
| APPENDIX A.2: TEST RESULTS OF FREQUENCY STABILITY | 17 |
| APPENDIX A.3: TEST RESULTS OF 26DB BANDWIDTH | 18 |
| 5.2GHz SDR, 10MHz BW | 18 |
| 5.2GHz SDR, 20MHz BW | 20 |
| 5.2GHz SDR, 40MHz BW | 22 |
| APPENDIX A.4: TEST RESULTS OF 99% BANDWIDTH | 24 |
| 5.2GHz SDR, 10MHz BW | 24 |
| 5.2GHz SDR, 20MHz BW | 26 |
| 5.2GHz SDR, 40MHz BW | 28 |
| APPENDIX A.5: TEST RESULTS OF RADIATED SPURIOUS EMISSIONS | 30 |
| 30MHz - 1GHz (Worst case) | 30 |
| 1GHz - 18GHz | 32 |
| APPENDIX A.6: TEST RESULTS OF RADIATED EMISSIONS IN RESTRICTED BANDS | 44 |
| 5.2GHz SDR, 10MHz BW | 44 |
| 5.2GHz SDR, 20MHz BW | 49 |
| 5.2GHz SDR, 40MHz BW | 54 |
| APPENDIX A.7: TEST RESULTS OF CONDUCTED EMISSION ON AC MAINS | 60 |


Appendix A.1: Test Results of Conducted Power Spectral Density

5.2GHz SDR, 10MHz BW

SISO mode (Worst case_ANT3)



| TestMode | Antenna | Channel | Result[dBm/MHz] | Limit[dBm/MHz] | Verdict |
|----------|---------|---------|-----------------|----------------|---------|
| 10M | Ant3 | 5157 | -2.99 | ≤11.00 | PASS |
| | | 5200 | 10.27 | ≤11.00 | PASS |
| | | 5245 | 10.10 | ≤11.00 | PASS |





MIMO mode (Worst case_ANT0+ANT3)

| TestMode | Antenna | Channel | Result[dBm/MHz] | Limit[dBm/MHz] | Verdict |
|----------|---------|---------|-----------------|----------------|---------|
| 10M | Ant0 | 5157 | -6.52 | ≤11.00 | PASS |
| | Ant3 | 5157 | -7.07 | ≤11.00 | PASS |
| | total | 5157 | -3.78 | ≤11.00 | PASS |
| | Ant0 | 5200 | 5.61 | ≤11.00 | PASS |
| | Ant3 | 5200 | 5.33 | ≤11.00 | PASS |
| | total | 5200 | 8.48 | ≤11.00 | PASS |
| | Ant0 | 5245 | 4.33 | ≤11.00 | PASS |
| | Ant3 | 5245 | 3.40 | ≤11.00 | PASS |
| | total | 5245 | 6.9 | ≤11.00 | PASS |



10M_Ant3_5200



10M_Ant0_5245




10M_Ant3_5245




5.2GHz SDR, 20MHz BW

SISO mode (Worst case_ANT3)

| TestMode | Antenna | Channel | Result[dBm/MHz] | Limit[dBm/MHz] | Verdict |
|----------|---------|---------|-----------------|----------------|---------|
| 20M | Ant3 | 5161 | -4.75 | ≤11.00 | PASS |
| | | 5200 | 6.51 | ≤11.00 | PASS |
| | | 5240 | 5.10 | ≤11.00 | PASS |





MIMO mode (Worst case_ANT0+ANT3)

| TestMode | Antenna | Channel | Result[dBm/MHz] | Limit[dBm/MHz] | Verdict |
|----------|---------|---------|-----------------|----------------|---------|
| 20M | Ant0 | 5161 | -6.54 | ≤11.00 | PASS |
| | Ant3 | 5161 | -4.67 | ≤11.00 | PASS |
| | total | 5161 | -2.49 | ≤11.00 | PASS |
| | Ant0 | 5200 | 2.99 | ≤11.00 | PASS |
| | Ant3 | 5200 | 7.29 | ≤11.00 | PASS |
| | total | 5200 | 8.66 | ≤11.00 | PASS |
| | Ant0 | 5240 | 2.59 | ≤11.00 | PASS |
| | Ant3 | 5240 | 4.71 | ≤11.00 | PASS |
| | total | 5240 | 6.79 | ≤11.00 | PASS |

20M_Ant0_5161





20M_Ant3_5161



20M_Ant0_5200






5.2GHz SDR, 40MHz BW

SISO mode (Worst case_ANT3)

| TestMode | Antenna | Channel | Result[dBm/MHz] | Limit[dBm/MHz] | Verdict |
|----------|---------|---------|-----------------|----------------|---------|
| 40M | Ant3 | 5170 | -4.95 | ≤11.00 | PASS |
| | | 5200 | 4.26 | ≤11.00 | PASS |
| | | 5230 | 4.38 | ≤11.00 | PASS |





MIMO mode (Worst case_ANT0+ANT3)

| TestMode | Antenna | Channel | Result[dBm/MHz] | Limit[dBm/MHz] | Verdict |
|----------|---------|---------|-----------------|----------------|---------|
| 40M | Ant0 | 5170 | -7.01 | ≤11.00 | PASS |
| | Ant3 | 5170 | -6.77 | ≤11.00 | PASS |
| | total | 5170 | -3.88 | ≤11.00 | PASS |
| | Ant0 | 5200 | 4.23 | ≤11.00 | PASS |
| | Ant3 | 5200 | 2.70 | ≤11.00 | PASS |
| | total | 5200 | 6.54 | ≤11.00 | PASS |
| | Ant0 | 5230 | 2.53 | ≤11.00 | PASS |
| | Ant3 | 5230 | 0.01 | ≤11.00 | PASS |
| | total | 5230 | 4.46 | ≤11.00 | PASS |

40M Ant0 5170



40M Ant3 5170



40M Ant0 5200





Appendix A.2: Test Results of Frequency Stability

Note: This testing was carried out on SISO mode and MIMO mode, but only the worst case (MIMO mode ANT2+ANT1) was presented in this report.


| Voltage | | | | | | | |
|----------|---------|---------|---------------|----------------|-----------------|-------------|---------|
| TestMode | Antenna | Channel | Voltage [Vdc] | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| 10MHz | Ant0 | 5157 | na | -3000.00 | -0.581734 | 20 | PASS |
| | | 5200 | na | -3000.00 | -0.576923 | 20 | PASS |
| | | 5245 | na | -3000.00 | -0.571973 | 20 | PASS |
| 20MHz | Ant0 | 5161 | na | -3000.00 | -0.581283 | 20 | PASS |
| | | 5200 | na | -3000.00 | -0.576923 | 20 | PASS |
| | | 5240 | na | -3000.00 | -0.572519 | 20 | PASS |
| 40MHz | Ant0 | 5170 | na | -4000.00 | -0.773694 | 20 | PASS |
| | | 5200 | na | -3000.00 | -0.576923 | 20 | PASS |
| | | 5230 | na | -3000.00 | -0.573614 | 20 | PASS |

Appendix A.3: Test Results of 26dB Bandwidth

Note: This testing was carried out on SISO mode and MIMO mode, but only the worst case (MIMO mode ANT0+ANT3) was presented in this report.

5.2GHz SDR, 10MHz BW


| TestMode | Antenna | Channel | 26Db EBW[MHz] | FL[MHz] | FH[MHz] | Limit[MHz] | Verdict |
|----------|---------|---------|---------------|----------|----------|------------|---------|
| 10M | Ant0 | 5157 | 10.660 | 5151.700 | 5162.360 | --- | PASS |
| | | 5200 | 10.360 | 5194.880 | 5205.240 | --- | PASS |
| | | 5245 | 10.380 | 5239.900 | 5250.280 | --- | PASS |






5.2GHz SDR, 20MHz BW


| TestMode | Antenna | Channel | 26Db EBW[MHz] | FL[MHz] | FH[MHz] | Limit[MHz] | Verdict |
|----------|---------|---------|---------------|----------|----------|------------|---------|
| 20M | Ant0 | 5161 | 19.360 | 5151.280 | 5170.640 | --- | PASS |
| | | 5200 | 19.320 | 5190.360 | 5209.680 | --- | PASS |
| | | 5240 | 19.360 | 5230.240 | 5249.600 | --- | PASS |





5.2GHz SDR, 40MHz BW

| TestMode | Antenna | Channel | 26Db EBW[MHz] | FL[MHz] | FH[MHz] | Limit[MHz] | Verdict |
|----------|---------|---------|---------------|----------|----------|------------|---------|
| 40M | Ant0 | 5170 | 37.760 | 5151.120 | 5188.880 | --- | PASS |
| | | 5200 | 37.680 | 5181.120 | 5218.800 | --- | PASS |
| | | 5230 | 37.600 | 5211.200 | 5248.800 | --- | PASS |








Appendix A.4: Test Results of 99% Bandwidth

Note: This testing was carried out on SISO mode and MIMO mode, but only the worst case (MIMO mode ANT0+ANT3) was presented in this report.

5.2GHz SDR, 10MHz BW



| TestMode | Antenna | Channel | OCB [MHz] | FL[MHz] | FH[MHz] | Limit[MHz] | Verdict |
|----------|---------|---------|-----------|-----------|-----------|------------|---------|
| 10M | Ant0 | 5157 | 9.1176 | 5152.4342 | 5161.5518 | --- | PASS |
| | | 5200 | 9.0746 | 5195.4595 | 5204.5341 | --- | PASS |
| | | 5245 | 9.0423 | 5240.4847 | 5249.5270 | --- | PASS |






5.2GHz SDR, 20MHz BW



| TestMode | Antenna | Channel | OCB [MHz] | FL[MHz] | FH[MHz] | Limit[MHz] | Verdict |
|----------|---------|---------|-----------|-----------|-----------|------------|---------|
| 20M | Ant0 | 5161 | 18.018 | 5152.0139 | 5170.0319 | --- | PASS |
| | | 5200 | 17.980 | 5191.0139 | 5208.9939 | --- | PASS |
| | | 5240 | 17.919 | 5231.0581 | 5248.9771 | --- | PASS |






5.2GHz SDR, 40MHz BW

| TestMode | Antenna | Channel | OCB [MHz] | FL[MHz] | FH[MHz] | Limit[MHz] | Verdict |
|----------|---------|---------|-----------|-----------|-----------|------------|---------|
| 40M | Ant0 | 5170 | 35.994 | 5152.0529 | 5188.0469 | --- | PASS |
| | | 5200 | 35.992 | 5182.0442 | 5218.0362 | --- | PASS |
| | | 5230 | 35.926 | 5212.0470 | 5247.9730 | --- | PASS |





Appendix A.5: Test Results of Radiated Spurious Emissions


Note:

- 1) This testing was carried out on SISO mode and MIMO mode, but only the worst case (MIMO mode ANT0+ANT3) was presented in this report.
- 2) This testing was carried out on different modulations, but only the worst case was presented in this report.
- 3) Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

30MHz - 1GHz (Worst case)

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Avata 2 |
| Model: | QF3W4K |
| Test Mode: | SDR 5.2G_10M_5200MHz |
| Order No/Sample No: | 168438670/A003598699-013 |
| Test Voltage: | Battery |
| Remark: | Temp 24 Humi:50% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |




Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 40.558077 | 15.96 | 40.00 | 24.04 | 100.0 | H | 322.0 | -20.3 |
| 59.174615 | 17.55 | 40.00 | 22.45 | 100.0 | H | 84.0 | -19.2 |
| 115.621154 | 11.70 | 43.50 | 31.80 | 100.0 | H | 174.0 | -20.2 |
| 365.694615 | 26.79 | 46.00 | 19.21 | 100.0 | H | 191.0 | -14.8 |
| 430.087692 | 26.82 | 46.00 | 19.18 | 100.0 | H | 0.0 | -13.6 |
| 556.523462 | 26.78 | 46.00 | 19.22 | 100.0 | H | 0.0 | -11.0 |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Avata 2 |
| Model: | QF3W4K |
| Test Mode: | SDR 5.2G_10M_5200MHz |
| Order No/Sample No: | 168438670/A003598699-013 |
| Test Voltage: | Battery |
| Remark: | Temp 24 Humi:50% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 40.371539 | 25.82 | 40.00 | 14.18 | 100.0 | V | 81.0 | -20.3 |
| 59.100000 | 30.21 | 40.00 | 9.79 | 100.0 | V | 208.0 | -19.2 |
| 114.427308 | 11.22 | 43.50 | 32.28 | 100.0 | V | 216.0 | -20.0 |
| 442.361923 | 22.22 | 46.00 | 23.78 | 100.0 | V | 57.0 | -13.4 |
| 563.388077 | 24.89 | 46.00 | 21.11 | 100.0 | V | 113.0 | -10.9 |

1GHz - 18GHz

Note: The highest waveform in the figure is 5.2GHz SDR Fundamental.

EUT Information

EUT Name: DJI Avata 2
 Model: QF3W4K
 Test Mode: SDR 5.2G_10M_5200MHz
 Order No/Sample No: 168438670/A003598699-013
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1249.500000 | 43.53 | --- | 74.00 | 30.47 | 150.0 | H | 26.0 | 1.9 |
| 1252.500000 | --- | 33.64 | 54.00 | 20.36 | 150.0 | H | 278.0 | 1.9 |
| 3373.500000 | --- | 41.86 | 54.00 | 12.14 | 150.0 | H | 349.0 | 8.6 |
| 3386.000000 | 52.50 | --- | 74.00 | 21.50 | 150.0 | H | 66.0 | 8.7 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Avata 2
 Model: QF3W4K
 Test Mode: SDR 5.2G_10M_5200MHz
 Order No/Sample No: 168438670/A003598699-013
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1308.000000 | 44.37 | --- | 74.00 | 29.63 | 150.0 | V | 231.0 | 2.0 |
| 1312.500000 | --- | 37.33 | 54.00 | 16.67 | 150.0 | V | 239.0 | 2.0 |
| 3713.000000 | 53.86 | --- | 74.00 | 20.14 | 150.0 | V | 297.0 | 9.6 |
| 3716.500000 | --- | 42.13 | 54.00 | 11.87 | 150.0 | V | 146.0 | 9.6 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Avata 2
 Model: QF3W4K
 Test Mode: SDR 5.2G_10M_5200MHz
 Order No/Sample No: 168438670/A003598699-013
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 6933.075000 | 49.39 | --- | 74.00 | 24.61 | 150.0 | H | 287.0 | 8.6 |
| 6933.075000 | --- | 46.14 | 54.00 | 7.86 | 150.0 | H | 287.0 | 8.6 |
| 10493.725000 | --- | 36.89 | 54.00 | 17.11 | 150.0 | H | 274.0 | 12.0 |
| 10507.491667 | 46.28 | --- | 74.00 | 27.72 | 150.0 | H | 323.0 | 12.0 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Avata 2
 Model: QF3W4K
 Test Mode: SDR 5.2G_10M_5200MHz
 Order No/Sample No: 168438670/A003598699-013
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 6933.075000 | --- | 45.19 | 54.00 | 8.81 | 150.0 | V | 77.0 | 8.6 |
| 6933.075000 | 48.01 | --- | 74.00 | 25.99 | 150.0 | V | 77.0 | 8.6 |
| 10609.758333 | --- | 37.60 | 54.00 | 16.40 | 150.0 | V | 353.0 | 12.0 |
| 10621.066667 | 46.20 | --- | 74.00 | 27.80 | 150.0 | V | 100.0 | 12.0 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Avata 2
 Model: QF3W4K
 Test Mode: SDR 5.2G_20M_5200MHz
 Order No/Sample No: 168438670/A003598699-013
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1312.500000 | --- | 34.73 | 54.00 | 19.27 | 150.0 | H | 264.0 | 2.0 |
| 1341.500000 | 44.51 | --- | 74.00 | 29.49 | 150.0 | H | 349.0 | 2.1 |
| 3199.500000 | 51.62 | --- | 74.00 | 22.38 | 150.0 | H | 322.0 | 8.6 |
| 3205.000000 | --- | 41.52 | 54.00 | 12.48 | 150.0 | H | 0.0 | 8.6 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Avata 2
 Model: QF3W4K
 Test Mode: SDR 5.2G_20M_5200MHz
 Order No/Sample No: 168438670/A003598699-013
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1312.000000 | --- | 36.32 | 54.00 | 17.68 | 150.0 | V | 243.0 | 2.0 |
| 1334.000000 | 44.13 | --- | 74.00 | 29.87 | 150.0 | V | 152.0 | 2.1 |
| 3164.000000 | 52.48 | --- | 74.00 | 21.52 | 150.0 | V | 314.0 | 8.6 |
| 3191.000000 | --- | 41.71 | 54.00 | 12.29 | 150.0 | V | 335.0 | 8.6 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Avata 2
 Model: QF3W4K
 Test Mode: SDR 5.2G_20M_5200MHz
 Order No/Sample No: 168438670/A003598699-013
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 6933.075000 | 51.92 | --- | 74.00 | 22.08 | 150.0 | H | 344.0 | 8.6 |
| 6933.075000 | --- | 49.28 | 54.00 | 4.72 | 150.0 | H | 344.0 | 8.6 |
| 10622.541667 | 46.42 | --- | 74.00 | 27.58 | 150.0 | H | 320.0 | 12.0 |
| 10641.716667 | --- | 37.41 | 54.00 | 16.59 | 150.0 | H | 187.0 | 12.0 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Avata 2
 Model: QF3W4K
 Test Mode: SDR 5.2G_20M_5200MHz
 Order No/Sample No: 168438670/A003598699-013
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 6933.075000 | 49.52 | --- | 74.00 | 24.48 | 150.0 | V | 30.0 | 8.6 |
| 6933.075000 | --- | 47.50 | 54.00 | 6.50 | 150.0 | V | 30.0 | 8.6 |
| 10603.858333 | --- | 37.38 | 54.00 | 16.62 | 150.0 | V | 90.0 | 12.1 |
| 10623.033333 | 46.35 | --- | 74.00 | 27.65 | 150.0 | V | 138.0 | 12.0 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Avata 2
 Model: QF3W4K
 Test Mode: SDR 5.2G_40M_5200MHz
 Order No/Sample No: 168438670/A003598699-013
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1312.500000 | --- | 34.12 | 54.00 | 19.88 | 150.0 | H | 111.0 | 2.0 |
| 1315.000000 | 43.88 | --- | 74.00 | 30.12 | 150.0 | H | 261.0 | 2.0 |
| 3561.500000 | --- | 42.36 | 54.00 | 11.64 | 150.0 | H | 359.0 | 9.2 |
| 3562.500000 | 53.42 | --- | 74.00 | 20.58 | 150.0 | H | 161.0 | 9.2 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Avata 2
 Model: QF3W4K
 Test Mode: SDR 5.2G_40M_5200MHz
 Order No/Sample No: 168438670/A003598699-013
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1312.500000 | --- | 33.99 | 54.00 | 20.01 | 150.0 | V | 234.0 | 2.0 |
| 1330.000000 | 43.80 | --- | 74.00 | 30.20 | 150.0 | V | 279.0 | 2.1 |
| 3359.500000 | --- | 41.99 | 54.00 | 12.01 | 150.0 | V | 152.0 | 8.6 |
| 3411.500000 | 52.71 | --- | 74.00 | 21.29 | 150.0 | V | 239.0 | 8.7 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Avata 2
 Model: QF3W4K
 Test Mode: SDR 5.2G_40M_5200MHz
 Order No/Sample No: 168438670/A003598699-013
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 6933.075000 | 50.64 | --- | 74.00 | 23.36 | 150.0 | H | 288.0 | 8.6 |
| 6933.075000 | --- | 48.79 | 54.00 | 5.21 | 150.0 | H | 288.0 | 8.6 |
| 10568.458333 | 46.11 | --- | 74.00 | 27.89 | 150.0 | H | 71.0 | 12.0 |
| 10625.983333 | --- | 38.10 | 54.00 | 15.90 | 150.0 | H | 21.0 | 12.0 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Avata 2
 Model: QF3W4K
 Test Mode: SDR 5.2G_40M_5200MHz
 Order No/Sample No: 168438670/A003598699-013
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 6933.075000 | 49.68 | --- | 74.00 | 24.32 | 150.0 | V | 72.0 | 8.6 |
| 6933.075000 | --- | 48.29 | 54.00 | 5.71 | 150.0 | V | 72.0 | 8.6 |
| 10565.016667 | 46.18 | --- | 74.00 | 27.82 | 150.0 | V | 354.0 | 12.0 |
| 10628.441667 | --- | 38.06 | 54.00 | 15.94 | 150.0 | V | 0.0 | 12.0 |

Final Result


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

Appendix A.6: Test Results of Radiated Emissions in Restricted Bands

5.2GHz SDR, 10MHz BW

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Avata 2 |
| Model: | QF3W4K |
| Test Mode: | SDR 5.2G_10M_5157MHz |
| Order No/Sample No: | 168438670/A003598699-013 |
| Test Voltage: | Battery |
| Remark: | Temp 24 Humi:50% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5130.616667 | --- | 39.77 | 54.00 | 14.23 | 150.0 | H | 110.0 | 12.4 |
| 5131.600000 | 51.50 | --- | 74.00 | 22.50 | 150.0 | H | 233.0 | 12.4 |

Final_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Avata 2
 Model: QF3W4K
 Test Mode: SDR 5.2G_10M_5157MHz
 Order No/Sample No: 168438670/A003598699-013
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5146.677778 | 57.33 | --- | 74.00 | 16.67 | 150.0 | V | 306.0 | 12.4 |
| 5149.627778 | --- | 45.84 | 54.00 | 8.16 | 150.0 | V | 143.0 | 12.4 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Avata 2 |
| Model: | QF3W4K |
| Test Mode: | SDR 5.2G_10M_5245MHz |
| Order No/Sample No: | 168438670/A003598699-013 |
| Test Voltage: | Battery |
| Remark: | Temp 24 Humi:50% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5369.016667 | --- | 41.07 | 54.00 | 12.93 | 150.0 | H | 37.0 | 13.3 |
| 5376.083333 | 52.41 | --- | 74.00 | 21.59 | 150.0 | H | 209.0 | 13.4 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Avata 2 |
| Model: | QF3W4K |
| Test Mode: | SDR 5.2G_10M_5245MHz |
| Order No/Sample No: | 168438670/A003598699-013 |
| Test Voltage: | Battery |
| Remark: | Temp 24 Humi:50% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5379.911111 | --- | 42.22 | 54.00 | 11.78 | 150.0 | V | 349.0 | 13.4 |
| 5405.822222 | 53.54 | --- | 74.00 | 20.46 | 150.0 | V | 338.0 | 13.5 |


Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

5.2GHz SDR, 20MHz BW

EUT Information

EUT Name: DJI Avata 2
 Model: QF3W4K
 Test Mode: SDR 5.2G_20M_5161MHz
 Order No/Sample No: 168438670/A003598699-013
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5133.566667 | 51.31 | --- | 74.00 | 22.69 | 150.0 | H | 0.0 | 12.4 |
| 5149.955556 | --- | 41.34 | 54.00 | 12.66 | 150.0 | H | 103.0 | 12.4 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Avata 2 |
| Model: | QF3W4K |
| Test Mode: | SDR 5.2G_20M_5240MHz |
| Order No/Sample No: | 168438670/A003598699-013 |
| Test Voltage: | Battery |
| Remark: | Temp 24 Humi:50% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5415.538889 | --- | 41.19 | 54.00 | 12.81 | 150.0 | H | 318.0 | 13.5 |
| 5422.605556 | 53.39 | --- | 74.00 | 20.61 | 150.0 | H | 329.0 | 13.5 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

EUT Name: DJI Avata 2
 Model: QF3W4K
 Test Mode: SDR 5.2G_20M_5240MHz
 Order No/Sample No: 168438670/A003598699-013
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5369.605556 | --- | 42.58 | 54.00 | 11.42 | 150.0 | V | 347.0 | 13.3 |
| 5414.655556 | 53.97 | --- | 74.00 | 20.03 | 150.0 | V | 16.0 | 13.5 |


Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

5.2GHz SDR, 40MHz BW

EUT Information

EUT Name: DJI Avata 2
 Model: QF3W4K
 Test Mode: SDR 5.2G_40M_5170MHz
 Order No/Sample No: 168438670/A003598699-013
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5146.350000 | 50.95 | --- | 74.00 | 23.05 | 150.0 | H | 111.0 | 12.4 |
| 5149.627778 | --- | 40.97 | 54.00 | 13.03 | 150.0 | H | 97.0 | 12.4 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Avata 2 |
| Model: | QF3W4K |
| Test Mode: | SDR 5.2G_40M_5180MHz |
| Order No/Sample No: | 168438670/A003598699-013 |
| Test Voltage: | Battery |
| Remark: | Temp 24 Humi:50% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5148.972222 | 52.21 | --- | 74.00 | 21.79 | 150.0 | V | 94.0 | 12.4 |
| 5149.627778 | --- | 42.46 | 54.00 | 11.54 | 150.0 | V | 138.0 | 12.4 |

Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

EUT Information

| | |
|---------------------|--------------------------|
| EUT Name: | DJI Avata 2 |
| Model: | QF3W4K |
| Test Mode: | SDR 5.2G_40M_5230MHz |
| Order No/Sample No: | 168438670/A003598699-013 |
| Test Voltage: | Battery |
| Remark: | Temp 24 Humi:50% |
| Test Standard: | FCC 15.407 |
| Tested By: | Kei Zhang |
| Reviewed By: | Terry Yin |



Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 5403.761111 | --- | 41.58 | 54.00 | 12.42 | 150.0 | H | 94.0 | 13.5 |
| 5418.777778 | 53.25 | --- | 74.00 | 20.75 | 150.0 | H | 0.0 | 13.5 |


Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| --- | --- | --- | --- | --- | | --- | --- |

Appendix A.7: Test Results of Conducted Emission on AC Mains

EUT Information

EUT Name: DJI Avata 2
 Order Number: 168438670
 Model: QF3W4K
 Test Mode: 5.2G SDR
 Test Voltage: AC 120V, 60Hz
 Test Standard: FCC Part 15.207
 Test By:/Review By: Eric Guo/ Gary Chen
 Tem./Hum./Pressure: 25.0°C/51.2%/101kPa
 Remark: SR2




Critical Freqs

| Frequency (MHz) | MaxPeak (dBμV) | Average (dBμV) | Limit (dBμV) | Margin (dB) | Line | Corr. (dB) |
|-----------------|----------------|----------------|--------------|-------------|------|------------|
| 0.150000 | 45.72 | --- | 66.00 | 20.28 | L1 | 9.9 |
| 0.224625 | --- | 26.52 | 52.65 | 26.13 | L1 | 9.9 |
| 0.235819 | 42.04 | --- | 62.24 | 20.20 | L1 | 9.9 |
| 0.403725 | --- | 24.65 | 47.78 | 23.13 | L1 | 9.9 |
| 0.426113 | 40.13 | --- | 57.33 | 17.20 | L1 | 9.9 |
| 0.448500 | --- | 28.95 | 46.90 | 17.95 | L1 | 9.9 |
| 0.452231 | 40.92 | --- | 56.83 | 15.91 | L1 | 9.9 |
| 0.493275 | --- | 24.24 | 46.11 | 21.87 | L1 | 10.0 |
| 0.519394 | 36.76 | --- | 56.00 | 19.24 | L1 | 10.0 |
| 0.855206 | --- | 17.65 | 46.00 | 28.35 | L1 | 10.0 |
| 0.982069 | 31.17 | --- | 56.00 | 24.83 | L1 | 10.0 |
| 1.705931 | --- | 17.20 | 46.00 | 28.80 | L1 | 10.1 |

EUT Information

EUT Name: DJI Avata 2
 Order Number: 168438670
 Model: QF3W4K
 Test Mode: 5.2G SDR
 Test Voltage: AC 120V, 60Hz
 Test Standard: FCC Part 15.207
 Test By:/Review By: Eric Guo/ Gary Chen
 Tem./Hum./Pressure: 25.0°C/51.2%/101kPa
 Remark: SR2



Critical_Freqs

| Frequency (MHz) | MaxPeak (dBµV) | Average (dBµV) | Limit (dBµV) | Margin (dB) | Line | Corr. (dB) |
|-----------------|----------------|----------------|--------------|-------------|------|------------|
| 0.429844 | --- | 25.09 | 47.26 | 22.16 | N | 9.8 |
| 0.437306 | --- | 35.10 | 47.11 | 12.01 | N | 9.8 |
| 0.437306 | 43.79 | --- | 57.11 | 13.33 | N | 9.8 |
| 0.467156 | 43.30 | --- | 56.56 | 13.26 | N | 9.8 |
| 0.470888 | --- | 34.04 | 46.50 | 12.46 | N | 9.8 |
| 0.500738 | 35.10 | --- | 56.00 | 20.90 | N | 9.8 |
| 0.504469 | --- | 24.72 | 46.00 | 21.28 | N | 9.8 |
| 0.534319 | --- | 23.08 | 46.00 | 22.92 | N | 9.8 |
| 0.534319 | 32.83 | --- | 56.00 | 23.17 | N | 9.8 |
| 1.310419 | 31.59 | --- | 56.00 | 24.41 | N | 9.8 |
| 1.314150 | --- | 19.95 | 46.00 | 26.05 | N | 9.8 |
| 4.340194 | 30.96 | --- | 56.00 | 25.04 | N | 9.9 |