





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com







5. Frequency Stability

5.1 Ant1

5.1.1 Test Result

Ant1								
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict	
1.4M	MIMO	5728.5	20	3.06	5728.535	5725 to 5850	Pass	
				3.60	5728.527	5725 to 5850	Pass	
				4.14	5728.531	5725 to 5850	Pass	
			-10	3.60	5728.533	5725 to 5850	Pass	
				-5	3.60	5728.533	5725 to 5850	Pass
				0	3.60	5728.530	5725 to 5850	Pass
			5	3.60	5728.531	5725 to 5850	Pass	
				10	3.60	5728.532	5725 to 5850	Pass
				20	3.60	5728.531	5725 to 5850	Pass
		30	3.60	5728.530	5725 to 5850	Pass		
			40	3.60	5728.526	5725 to 5850	Pass	
			20	3.06	5786.525	5725 to 5850	Pass	
		3.60		5786.531	5725 to 5850	Pass		
				4.14	5786.525	5725 to 5850	Pass	
		-10	3.60	5786.524	5725 to 5850	Pass		
			-5	3.60	5786.524	5725 to 5850	Pass	
			0	3.60	5786.528	5725 to 5850	Pass	
		5	3.60	5786.522	5725 to 5850	Pass		
			10	3.60	5786.525	5725 to 5850	Pass	
			20	3.60	5786.525	5725 to 5850	Pass	
		30	3.60	5786.521	5725 to 5850	Pass		
			40	3.60	5786.525	5725 to 5850	Pass	
			20	3.06	5846.142	5725 to 5850	Pass	
		3.60		5846.144	5725 to 5850	Pass		
				4.14	5846.140	5725 to 5850	Pass	
		-10	3.60	5846.144	5725 to 5850	Pass		
			-5	3.60	5846.139	5725 to 5850	Pass	
0	3.60		5846.144	5725 to 5850	Pass			
5	3.60	5846.141	5725 to 5850	Pass				



			10	3.60	5846.142	5725 to 5850	Pass		
			20	3.60	5846.141	5725 to 5850	Pass		
			30	3.60	5846.139	5725 to 5850	Pass		
			40	3.60	5846.141	5725 to 5850	Pass		
3M	MIMO	5727.5	20	3.06	5727.542	5725 to 5850	Pass		
				3.60	5727.506	5725 to 5850	Pass		
				4.14	5727.548	5725 to 5850	Pass		
			-10	3.60	5727.530	5725 to 5850	Pass		
			-5	3.60	5727.536	5725 to 5850	Pass		
			0	3.60	5727.536	5725 to 5850	Pass		
			5	3.60	5727.536	5725 to 5850	Pass		
			10	3.60	5727.527	5725 to 5850	Pass		
			20	3.60	5727.539	5725 to 5850	Pass		
			30	3.60	5727.539	5725 to 5850	Pass		
			40	3.60	5727.530	5725 to 5850	Pass		
			5784.5	20	3.06	5784.545	5725 to 5850	Pass	
		3.60			5784.536	5725 to 5850	Pass		
		4.14			5784.542	5725 to 5850	Pass		
		-10		3.60	5784.545	5725 to 5850	Pass		
		-5		3.60	5784.545	5725 to 5850	Pass		
		0		3.60	5784.551	5725 to 5850	Pass		
		5		3.60	5784.515	5725 to 5850	Pass		
		10		3.60	5784.521	5725 to 5850	Pass		
		20		3.60	5784.536	5725 to 5850	Pass		
		30		3.60	5784.554	5725 to 5850	Pass		
		40		3.60	5784.548	5725 to 5850	Pass		
		5847.2		20	3.06	5847.230	5725 to 5850	Pass	
			3.60		5847.224	5725 to 5850	Pass		
			4.14		5847.242	5725 to 5850	Pass		
			-10	3.60	5847.242	5725 to 5850	Pass		
			-5	3.60	5847.209	5725 to 5850	Pass		
			0	3.60	5847.242	5725 to 5850	Pass		
			5	3.60	5847.248	5725 to 5850	Pass		
			10	3.60	5847.212	5725 to 5850	Pass		
			20	3.60	5847.245	5725 to 5850	Pass		
			30	3.60	5847.233	5725 to 5850	Pass		
			40	3.60	5847.248	5725 to 5850	Pass		
			5M	MIMO	5732.5	20	3.06	5732.515	5725 to 5850
		3.60					5732.530	5725 to 5850	Pass



		5782.5		4.14	5732.520	5725 to 5850	Pass
			-10	3.60	5732.510	5725 to 5850	Pass
			-5	3.60	5732.525	5725 to 5850	Pass
			0	3.60	5732.530	5725 to 5850	Pass
			5	3.60	5732.520	5725 to 5850	Pass
			10	3.60	5732.525	5725 to 5850	Pass
			20	3.60	5732.520	5725 to 5850	Pass
			30	3.60	5732.525	5725 to 5850	Pass
			40	3.60	5732.525	5725 to 5850	Pass
			20	3.06	5782.530	5725 to 5850	Pass
				3.60	5782.520	5725 to 5850	Pass
				4.14	5782.515	5725 to 5850	Pass
			-10	3.60	5782.520	5725 to 5850	Pass
			-5	3.60	5782.530	5725 to 5850	Pass
		0	3.60	5782.510	5725 to 5850	Pass	
		5	3.60	5782.535	5725 to 5850	Pass	
		10	3.60	5782.515	5725 to 5850	Pass	
		20	3.60	5782.530	5725 to 5850	Pass	
		30	3.60	5782.530	5725 to 5850	Pass	
		40	3.60	5782.510	5725 to 5850	Pass	
		5842.5	20	3.06	5842.525	5725 to 5850	Pass
				3.60	5842.515	5725 to 5850	Pass
				4.14	5842.520	5725 to 5850	Pass
			-10	3.60	5842.515	5725 to 5850	Pass
			-5	3.60	5842.515	5725 to 5850	Pass
			0	3.60	5842.535	5725 to 5850	Pass
			5	3.60	5842.525	5725 to 5850	Pass
			10	3.60	5842.525	5725 to 5850	Pass
20	3.60		5842.530	5725 to 5850	Pass		
30	3.60		5842.510	5725 to 5850	Pass		
40	3.60	5842.520	5725 to 5850	Pass			
10M	MIMO	5730.5	20	3.06	5730.520	5725 to 5850	Pass
				3.60	5730.530	5725 to 5850	Pass
				4.14	5730.520	5725 to 5850	Pass
			-10	3.60	5730.520	5725 to 5850	Pass
			-5	3.60	5730.520	5725 to 5850	Pass
			0	3.60	5730.520	5725 to 5850	Pass
			5	3.60	5730.520	5725 to 5850	Pass
10	3.60	5730.520	5725 to 5850	Pass			



			20	3.60	5730.520	5725 to 5850	Pass
			30	3.60	5730.520	5725 to 5850	Pass
			40	3.60	5730.520	5725 to 5850	Pass
		5787.5	20	3.06	5787.520	5725 to 5850	Pass
				3.60	5787.530	5725 to 5850	Pass
				4.14	5787.520	5725 to 5850	Pass
			-10	3.60	5787.520	5725 to 5850	Pass
			-5	3.60	5787.500	5725 to 5850	Pass
			0	3.60	5787.530	5725 to 5850	Pass
			5	3.60	5787.530	5725 to 5850	Pass
			10	3.60	5787.510	5725 to 5850	Pass
			20	3.60	5787.530	5725 to 5850	Pass
			30	3.60	5787.520	5725 to 5850	Pass
			40	3.60	5787.520	5725 to 5850	Pass
		5844.5	20	3.06	5844.520	5725 to 5850	Pass
				3.60	5844.510	5725 to 5850	Pass
				4.14	5844.530	5725 to 5850	Pass
			-10	3.60	5844.530	5725 to 5850	Pass
			-5	3.60	5844.520	5725 to 5850	Pass
			0	3.60	5844.540	5725 to 5850	Pass
			5	3.60	5844.520	5725 to 5850	Pass
			10	3.60	5844.510	5725 to 5850	Pass
			20	3.60	5844.520	5725 to 5850	Pass
			30	3.60	5844.530	5725 to 5850	Pass
40	3.60	5844.530	5725 to 5850	Pass			
20M	MIMO	5735.5	20	3.06	5735.600	5725 to 5850	Pass
				3.60	5735.540	5725 to 5850	Pass
				4.14	5735.580	5725 to 5850	Pass
			-10	3.60	5735.560	5725 to 5850	Pass
			-5	3.60	5735.520	5725 to 5850	Pass
			0	3.60	5735.540	5725 to 5850	Pass
			5	3.60	5735.580	5725 to 5850	Pass
			10	3.60	5735.520	5725 to 5850	Pass
			20	3.60	5735.540	5725 to 5850	Pass
		30	3.60	5735.540	5725 to 5850	Pass	
		40	3.60	5735.540	5725 to 5850	Pass	
		5787.5	20	3.06	5787.580	5725 to 5850	Pass
				3.60	5787.540	5725 to 5850	Pass
				4.14	5787.600	5725 to 5850	Pass



			-10	3.60	5787.580	5725 to 5850	Pass
			-5	3.60	5787.540	5725 to 5850	Pass
			0	3.60	5787.560	5725 to 5850	Pass
			5	3.60	5787.540	5725 to 5850	Pass
			10	3.60	5787.600	5725 to 5850	Pass
			20	3.60	5787.540	5725 to 5850	Pass
			30	3.60	5787.580	5725 to 5850	Pass
			40	3.60	5787.560	5725 to 5850	Pass
		5839.5	20	3.06	5839.540	5725 to 5850	Pass
				3.60	5839.540	5725 to 5850	Pass
				4.14	5839.540	5725 to 5850	Pass
			-10	3.60	5839.540	5725 to 5850	Pass
			-5	3.60	5839.540	5725 to 5850	Pass
			0	3.60	5839.560	5725 to 5850	Pass
			5	3.60	5839.520	5725 to 5850	Pass
			10	3.60	5839.580	5725 to 5850	Pass
			20	3.60	5839.560	5725 to 5850	Pass
			30	3.60	5839.600	5725 to 5850	Pass
			40	3.60	5839.600	5725 to 5850	Pass
			40M	MIMO	5745.5	20	3.06
3.60	5745.580	5725 to 5850					Pass
4.14	5745.620	5725 to 5850					Pass
-10	3.60	5745.580				5725 to 5850	Pass
-5	3.60	5745.620				5725 to 5850	Pass
0	3.60	5745.620				5725 to 5850	Pass
5	3.60	5745.580				5725 to 5850	Pass
10	3.60	5745.620				5725 to 5850	Pass
20	3.60	5745.580			5725 to 5850	Pass	
30	3.60	5745.580			5725 to 5850	Pass	
40	3.60	5745.580			5725 to 5850	Pass	
5787.5	20	3.06			5787.580	5725 to 5850	Pass
		3.60			5787.620	5725 to 5850	Pass
		4.14			5787.620	5725 to 5850	Pass
	-10	3.60			5787.580	5725 to 5850	Pass
	-5	3.60			5787.580	5725 to 5850	Pass
	0	3.60	5787.580	5725 to 5850	Pass		
	5	3.60	5787.580	5725 to 5850	Pass		
	10	3.60	5787.620	5725 to 5850	Pass		
20	3.60	5787.620	5725 to 5850	Pass			



		5829.5	30	3.60	5787.580	5725 to 5850	Pass
			40	3.60	5787.580	5725 to 5850	Pass
			20	3.06	5829.580	5725 to 5850	Pass
				3.60	5829.620	5725 to 5850	Pass
			4.14	5829.620	5725 to 5850	Pass	
			-10	3.60	5829.620	5725 to 5850	Pass
			-5	3.60	5829.620	5725 to 5850	Pass
			0	3.60	5829.580	5725 to 5850	Pass
			5	3.60	5829.620	5725 to 5850	Pass
			10	3.60	5829.620	5725 to 5850	Pass
			20	3.60	5829.580	5725 to 5850	Pass
			30	3.60	5829.580	5725 to 5850	Pass
			40	3.60	5829.580	5725 to 5850	Pass
60M	MIMO	5755.5	20	3.06	5755.560	5725 to 5850	Pass
				3.60	5755.560	5725 to 5850	Pass
				4.14	5755.560	5725 to 5850	Pass
			-10	3.60	5755.560	5725 to 5850	Pass
			-5	3.60	5755.560	5725 to 5850	Pass
			0	3.60	5755.560	5725 to 5850	Pass
			5	3.60	5755.560	5725 to 5850	Pass
			10	3.60	5755.620	5725 to 5850	Pass
			20	3.60	5755.560	5725 to 5850	Pass
			30	3.60	5755.560	5725 to 5850	Pass
		40	3.60	5755.560	5725 to 5850	Pass	
		5787.5	20	3.06	5787.560	5725 to 5850	Pass
				3.60	5787.560	5725 to 5850	Pass
				4.14	5787.560	5725 to 5850	Pass
			-10	3.60	5787.560	5725 to 5850	Pass
			-5	3.60	5787.560	5725 to 5850	Pass
			0	3.60	5787.560	5725 to 5850	Pass
			5	3.60	5787.560	5725 to 5850	Pass
			10	3.60	5787.560	5725 to 5850	Pass
			20	3.60	5787.560	5725 to 5850	Pass
30	3.60		5787.560	5725 to 5850	Pass		
40	3.60	5787.560	5725 to 5850	Pass			
5819.5	20	3.06	5819.560	5725 to 5850	Pass		
		3.60	5819.560	5725 to 5850	Pass		
		4.14	5819.560	5725 to 5850	Pass		
	-10	3.60	5819.560	5725 to 5850	Pass		



			-5	3.60	5819.560	5725 to 5850	Pass
			0	3.60	5819.560	5725 to 5850	Pass
			5	3.60	5819.560	5725 to 5850	Pass
			10	3.60	5819.560	5725 to 5850	Pass
			20	3.60	5819.560	5725 to 5850	Pass
			30	3.60	5819.560	5725 to 5850	Pass
			40	3.60	5819.560	5725 to 5850	Pass
80M	MIMO	5765.5	20	3.06	5767.602	5725 to 5850	Pass
				3.60	5767.602	5725 to 5850	Pass
				4.14	5767.602	5725 to 5850	Pass
			-10	3.60	5767.602	5725 to 5850	Pass
			-5	3.60	5767.602	5725 to 5850	Pass
			0	3.60	5767.602	5725 to 5850	Pass
			5	3.60	5767.602	5725 to 5850	Pass
			10	3.60	5767.602	5725 to 5850	Pass
			20	3.60	5767.602	5725 to 5850	Pass
		5787.5	20	3.06	5787.650	5725 to 5850	Pass
				3.60	5787.650	5725 to 5850	Pass
				4.14	5787.575	5725 to 5850	Pass
			-10	3.60	5787.650	5725 to 5850	Pass
			-5	3.60	5787.650	5725 to 5850	Pass
			0	3.60	5787.650	5725 to 5850	Pass
			5	3.60	5787.650	5725 to 5850	Pass
			10	3.60	5787.650	5725 to 5850	Pass
			20	3.60	5787.650	5725 to 5850	Pass
		5809.5	20	3.06	5809.650	5725 to 5850	Pass
				3.60	5809.650	5725 to 5850	Pass
				4.14	5809.650	5725 to 5850	Pass
			-10	3.60	5809.650	5725 to 5850	Pass
			-5	3.60	5809.650	5725 to 5850	Pass
			0	3.60	5809.650	5725 to 5850	Pass
			5	3.60	5809.650	5725 to 5850	Pass
			10	3.60	5809.650	5725 to 5850	Pass
			20	3.60	5809.650	5725 to 5850	Pass
		30	3.60	5809.650	5725 to 5850	Pass	





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230400100907

Page: 463 of 463

			40	3.60	5809.650	5725 to 5850	Pass
--	--	--	----	------	----------	--------------	------

- End of the Report -



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Technical Service Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)