




40M_Ant1_2452.5_0~Reference



40M_Ant1_2452.5_30~1000





40M_Ant1_2452.5_1000~26500





2.4GHz SDR, 1.4MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
1.4M	Ant1	Low	2409.5	21.87	-42.7	≤-8.13	PASS
		High	2463.5	20.82	-47.73	≤-9.18	PASS





2.4GHz SDR, 1.4MHz BW CA mode Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
1.4M-CA	Ant1	Low	2411.12	21.82	-42.86	≤-8.18	PASS
		High	2465.12	21.77	-47.5	≤-8.23	PASS





2.4GHz SDR, 3MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
3M	Ant1	Low	2410.5	20.54	-40.69	≤-9.46	PASS
		High	2461.5	20.20	-48.19	≤-9.8	PASS





2.4GHz SDR, 3MHz BW CA mode Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
3M-CA	Ant1	Low	2413.2	13.68	-51.41	≤-16.32	PASS
		High	2464.2	13.52	-54.98	≤-16.48	PASS





2.4GHz SDR, 10MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
10M	Ant1	Low	2405.5	7.06	-24.2	≤-22.95	PASS
		High	2476.5	9.22	-31.02	≤-20.78	PASS




2.4GHz SDR, 20MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
20M	Ant1	Low	2410.5	3.96	-34.7	≤-26.04	PASS
		High	2472.5	5.76	-34.36	≤-24.24	PASS



2.4GHz SDR, 40MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
40M	Ant1	Low	2422.5	2.45	-32.9	≤-27.55	PASS
		High	2452.5	3.54	-35.61	≤-26.46	PASS




Note: Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

Appendix B.5: Test Results of Radiated Spurious Emissions
30MHz - 1GHz (Worst case)

EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	SDR 2.4G_10M_2405.5MHz
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
46.878000	23.00	40.00	17.00	100.0	H	172.0	-18.5
105.999500	18.29	43.50	25.21	100.0	H	180.0	-18.8
198.780000	20.80	43.50	22.70	100.0	H	287.0	-19.0
856.973500	33.68	46.00	12.32	100.0	H	0.0	-5.4

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_10M_2405.5MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
46.975000	25.49	40.00	14.51	100.0	V	340.0	-18.5
101.149500	19.05	43.50	24.45	100.0	V	0.0	-18.9
382.546500	24.63	46.00	21.37	100.0	V	278.0	-14.2
891.990500	34.55	46.00	11.45	100.0	V	261.0	-5.0

Final Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

1GHz - 18GHz

Note: The highest waveform in the figure is 2.4GHz SDR Fundamental.
2.4GHz SDR, 1.4MHz BW

EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	SDR 2.4G_1.4M_2409.5MHz
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4817.000000	---	39.10	54.00	14.90	100.0	H	239.0	11.8
4823.500000	51.36	---	74.00	22.64	100.0	H	315.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M_2409.5MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4817.500000	50.38	---	74.00	23.62	100.0	V	252.0	11.8
4819.000000	---	39.46	54.00	14.54	100.0	V	287.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M_2409.5MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7228.566667	---	34.56	54.00	19.44	100.0	H	67.0	8.6
7228.566667	44.82	---	74.00	29.18	100.0	H	67.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M_2409.5MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7227.583333	49.97	---	74.00	24.03	100.0	V	274.0	8.7
7228.566667	---	38.63	54.00	15.37	100.0	V	274.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M_2409.5MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2387.700000	---	44.73	54.00	9.27	100.0	H	231.0	7.0
2387.700000	52.94	---	74.00	21.06	100.0	H	231.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M_2435.5MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4851.500000	50.42	---	74.00	23.58	100.0	H	339.0	11.8
4856.500000	---	39.47	54.00	14.53	100.0	H	358.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M_2435.5MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4868.500000	50.87	---	74.00	23.13	100.0	V	232.0	11.8
4871.000000	---	39.34	54.00	14.66	100.0	V	86.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M_2435.5MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7305.758333	---	34.47	54.00	19.53	100.0	H	315.0	8.3
7306.741667	44.04	---	74.00	29.96	100.0	H	0.0	8.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M_2435.5MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7305.758333	46.07	---	74.00	27.93	100.0	V	278.0	8.3
7306.250000	---	34.30	54.00	19.70	100.0	V	122.0	8.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M_2463.5MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4924.000000	---	39.42	54.00	14.58	100.0	H	120.0	11.8
4926.000000	50.36	---	74.00	23.64	100.0	H	284.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M_2463.5MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4918.500000	---	39.33	54.00	14.67	100.0	V	148.0	11.8
4924.000000	50.09	---	74.00	23.91	100.0	V	4.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M_2463.5MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7389.833333	44.16	---	74.00	29.84	100.0	H	307.0	8.2
7390.325000	---	32.83	54.00	21.17	100.0	H	0.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M_2463.5MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7389.341667	44.60	---	74.00	29.40	100.0	V	137.0	8.2
7390.325000	---	34.23	54.00	19.77	100.0	V	278.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	SDR 2.4G_1.4M_2463.5MHz
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.000000	55.12	---	74.00	18.88	100.0	H	40.0	7.4
2484.300000	---	46.38	54.00	7.62	100.0	H	40.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 1.4MHz BW CA mode

EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	SDR 2.4G_1.4M CA_2411.12MHz
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4812.000000	51.52	---	74.00	22.48	100.0	H	53.0	11.8
4822.000000	---	39.51	54.00	14.50	100.0	H	147.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M CA_2411.12MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4816.500000	50.80	---	74.00	23.20	100.0	V	42.0	11.8
4818.500000	---	39.46	54.00	14.54	100.0	V	107.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M CA_2411.12MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7232.008333	---	32.15	54.00	21.85	100.0	H	318.0	8.6
7257.083333	41.88	---	74.00	32.12	100.0	H	290.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M CA_2411.12MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7233.483333	---	32.20	54.00	21.80	100.0	V	0.0	8.6
7240.858333	41.93	---	74.00	32.07	100.0	V	146.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M CA_2411.12MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2387.600000	---	45.93	54.00	8.07	100.0	H	0.0	7.0
2387.600000	54.18	---	74.00	19.82	100.0	H	0.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M CA_2437.12MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4850.000000	51.01	---	74.00	22.99	100.0	V	12.0	11.8
4859.000000	---	39.57	54.00	14.43	100.0	V	125.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M CA_2437.12MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7311.166667	45.41	---	74.00	28.59	100.0	H	66.0	8.2
7311.166667	---	35.35	54.00	18.65	100.0	H	66.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M CA_2437.12MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7303.300000	---	31.84	54.00	22.16	100.0	V	246.0	8.3
7313.133333	40.97	---	74.00	33.03	100.0	V	4.0	8.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M CA_2465.12MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4935.000000	50.31	---	74.00	23.69	100.0	V	3.0	11.8
4945.500000	---	39.30	54.00	14.70	100.0	V	214.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M CA_2465.12MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7395.241667	45.20	---	74.00	28.80	100.0	H	154.0	8.3
7395.241667	---	36.32	54.00	17.68	100.0	H	154.0	8.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M CA_2465.12MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7395.241667	---	38.29	54.00	15.71	100.0	V	266.0	8.3
7395.733333	48.34	---	74.00	25.66	100.0	V	281.0	8.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_1.4M CA_2465.12MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.800000	---	45.66	54.00	8.34	100.0	H	10.0	7.4
2484.100000	54.15	---	74.00	19.85	100.0	H	285.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 3MHz BW

EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	SDR 2.4G_3M_2410.5MHz
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4815.500000	49.63	---	74.00	24.37	100.0	H	274.0	11.8
4818.000000	---	39.22	54.00	14.78	100.0	H	14.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_3M_2410.5MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4811.000000	---	39.39	54.00	14.61	100.0	V	141.0	11.8
4819.500000	50.44	---	74.00	23.56	100.0	V	4.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_3M_2410.5MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7230.533333	---	33.81	54.00	20.19	100.0	H	58.0	8.6
7232.008333	43.46	---	74.00	30.54	100.0	H	146.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_3M_2410.5MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7231.025000	---	37.31	54.00	16.69	100.0	V	279.0	8.6
7232.991667	45.40	---	74.00	28.60	100.0	V	167.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: SDR 2.4G_3M_2434.5MHz
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4857.500000	---	39.21	54.00	14.79	100.0	V	259.0	11.8
4875.500000	50.66	---	74.00	23.34	100.0	V	153.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---