




11N40SISO_Ant1_5795







11AC20SISO_Ant1_5180






11AC20SISO_Ant1_5200













Appendix A.5: Test Results of 6dB Bandwidth


TestMode	Antenna	Channel	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	16.280	5736.880	5753.160	0.5	PASS
		5785	16.400	5776.800	5793.200	0.5	PASS
		5825	16.360	5816.840	5833.200	0.5	PASS
11N20SISO	Ant1	5745	17.640	5736.200	5753.840	0.5	PASS
		5785	17.320	5776.480	5793.800	0.5	PASS
		5825	16.720	5816.680	5833.400	0.5	PASS
11N40SISO	Ant1	5755	35.360	5737.560	5772.920	0.5	PASS
		5795	35.120	5777.480	5812.600	0.5	PASS
11AC20SISO	Ant1	5745	17.560	5736.240	5753.800	0.5	PASS
		5785	17.600	5776.200	5793.800	0.5	PASS
		5825	16.920	5816.600	5833.520	0.5	PASS
11AC40SISO	Ant1	5755	35.680	5737.480	5773.160	0.5	PASS
		5795	35.680	5777.160	5812.840	0.5	PASS
11AC80SISO	Ant1	5775	72.640	5739.960	5812.600	0.5	PASS

11A_Ant1_5745




11A_Ant1_5785







11N20SISO_Ant1_5825




11N40SISO_Ant1_5755




11N40SISO_Ant1_5795




11AC20SISO_Ant1_5745




11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5755



11AC40SISO_Ant1_5795



11AC80SISO_Ant1_5775




Note: Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

Appendix A.6: Test Results of Radiated Spurious Emissions
30MHz - 1GHz (Worst case)
5.2GHz Wi-Fi

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11a_Ch36
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
50.079000	19.87	40.00	20.13	100.0	H	0.0	-18.3
94.505000	18.99	43.50	24.51	100.0	H	15.0	-19.9
266.825500	22.53	46.00	23.47	100.0	H	0.0	-17.0
891.360000	35.55	46.00	10.45	100.0	H	0.0	-5.1

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11a_Ch36
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
51.679500	28.85	40.00	11.15	100.0	V	284.0	-18.4
102.750000	18.19	43.50	25.31	100.0	V	47.0	-18.9
239.471500	21.38	46.00	24.62	100.0	V	213.0	-17.7
500.013500	28.45	46.00	17.55	100.0	V	249.0	-11.8
943.352000	35.53	46.00	10.47	100.0	V	7.0	-4.5


Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

5.8GHz Wi-Fi

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11a_Ch165
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
56.432500	19.86	40.00	20.14	100.0	H	167.0	-18.6
108.958000	17.82	43.50	25.68	100.0	H	7.0	-19.0
204.842500	21.06	43.50	22.44	100.0	H	45.0	-18.9
908.771500	34.07	46.00	11.93	100.0	H	272.0	-4.9

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11a_Ch165
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
55.753500	27.83	40.00	12.17	100.0	V	192.0	-18.5
107.988000	17.73	43.50	25.77	100.0	V	112.0	-18.9
250.432500	22.00	46.00	24.00	100.0	V	297.0	-17.4
500.013500	28.53	46.00	17.47	100.0	V	246.0	-11.8
881.757000	34.01	46.00	11.99	100.0	V	129.0	-5.1

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11a_Ch36
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10340.325000	45.75	---	74.00	28.25	100.0	H	285.0	11.7
10342.783333	---	35.49	54.00	18.51	100.0	H	187.0	11.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11a_Ch36
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10339.833333	45.22	---	74.00	28.78	100.0	V	23.0	11.7
10359.991667	---	35.21	54.00	18.79	100.0	V	9.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11a_Ch40
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10384.575000	45.47	---	74.00	28.53	100.0	H	189.0	11.9
10405.716667	---	35.77	54.00	18.23	100.0	H	293.0	11.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11a_Ch40
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10407.191667	44.52	---	74.00	29.48	100.0	V	236.0	11.9
10418.991667	---	35.07	54.00	18.93	100.0	V	278.0	11.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11a_Ch48
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10478.975000	---	35.20	54.00	18.80	100.0	H	80.0	12.0
10494.216667	45.62	---	74.00	28.38	100.0	H	168.0	12.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11a_Ch48
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10468.158333	45.15	---	74.00	28.85	100.0	V	32.0	12.0
10477.991667	---	35.13	54.00	18.87	100.0	V	128.0	12.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11ac20_Ch40
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10418.008333	45.86	---	74.00	28.14	100.0	H	111.0	11.9
10423.416667	---	35.42	54.00	18.58	100.0	H	215.0	11.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11ac20_Ch40
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10422.433333	44.95	---	74.00	29.05	100.0	V	242.0	11.9
10448.000000	---	35.99	54.00	18.01	100.0	V	112.0	11.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11n40_Ch46
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10487.333333	---	35.39	54.00	18.61	100.0	H	92.0	12.0
10487.825000	44.99	---	74.00	29.01	100.0	H	0.0	12.0

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11n40_Ch46
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10434.233333	---	35.29	54.00	18.71	100.0	V	160.0	11.9
10451.441667	44.69	---	74.00	29.31	100.0	V	173.0	11.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11ac80_Ch42
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10415.058333	46.03	---	74.00	27.97	100.0	H	128.0	11.9
10421.450000	---	35.04	54.00	18.96	100.0	H	30.0	11.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11ac80_Ch42
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10425.875000	---	35.04	54.00	18.96	100.0	V	274.0	11.9
10445.050000	44.84	---	74.00	29.16	100.0	V	189.0	11.9


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

5.8GHz Wi-Fi

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11a_Ch149
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5744.500000	---	99.28	---	---	100.0	H	212.0	13.9
5744.500000	107.68	---	---	---	100.0	H	212.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11a_Ch149
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11485.908333	46.69	---	74.00	27.31	100.0	H	285.0	13.7
11510.491667	---	37.48	54.00	16.52	100.0	H	243.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11a_Ch149
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11480.991667	---	37.02	54.00	16.98	100.0	V	271.0	13.7
11499.675000	46.74	---	74.00	27.26	100.0	V	114.0	13.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	WIFI 5G_11a_Ch149
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5626.277778	53.24	68.20	14.96	100.0	H	316.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11a_Ch149
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5634.711111	54.62	68.20	13.58	100.0	V	266.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11a_Ch157
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11556.708333	46.52	---	74.00	27.48	100.0	H	268.0	13.5
11597.516667	---	37.01	54.00	16.99	100.0	H	0.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11a_Ch157
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11575.883333	---	37.20	54.00	16.80	100.0	V	199.0	13.4
11596.041667	46.97	---	74.00	27.03	100.0	V	86.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11a_Ch165
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11616.200000	47.78	---	74.00	26.22	100.0	H	263.0	13.3
11618.658333	---	37.05	54.00	16.95	100.0	H	19.0	13.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11a_Ch165
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11638.816667	46.83	---	74.00	27.17	100.0	V	87.0	13.3
11660.450000	---	37.10	54.00	16.90	100.0	V	185.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	WIFI 5G_11a_Ch165
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5944.672222	54.54	68.20	13.66	100.0	H	66.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11a_Ch165
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5940.391667	54.69	68.20	13.51	100.0	V	10.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	WIFI 5G_11n20_Ch149
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5640.027778	53.21	68.20	14.99	100.0	H	330.0	13.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11n20_Ch149
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5647.850000	53.30	68.20	14.90	100.0	V	0.0	13.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	WIFI 5G_11n20_Ch157
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11574.900000	46.78	---	74.00	27.22	100.0	H	324.0	13.4
11585.716667	---	36.66	54.00	17.34	100.0	H	218.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11n20_Ch157
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11543.925000	---	36.62	54.00	17.38	100.0	V	262.0	13.5
11572.441667	46.81	---	74.00	27.19	100.0	V	116.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	WIFI 5G_11n20_Ch165
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5938.027778	54.97	68.20	13.23	100.0	H	91.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11n20_Ch165
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5942.691667	54.65	68.20	13.55	100.0	V	357.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11n40_Ch151
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11503.608333	---	36.95	54.00	17.05	100.0	H	269.0	13.7
11541.466667	46.33	---	74.00	27.67	100.0	H	297.0	13.5

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	WIFI 5G_11n40_Ch151
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11510.983333	---	37.21	54.00	16.79	100.0	V	195.0	13.6
11513.441667	46.50	---	74.00	27.50	100.0	V	139.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	WIFI 5G_11n40_Ch151
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5645.894445	54.98	68.20	13.22	100.0	H	215.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11n40_Ch151
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5644.000000	54.94	68.20	13.26	100.0	V	65.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	WIFI 5G_11n40_Ch159
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5932.916667	53.37	68.20	14.83	100.0	H	88.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11n40_Ch159
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5947.163889	54.48	68.20	13.72	100.0	V	291.0	14.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11ac80_Ch155
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11559.658333	---	37.10	54.00	16.90	100.0	H	208.0	13.4
11573.916667	46.62	---	74.00	27.38	100.0	H	0.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11ac80_Ch155
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11517.375000	46.59	---	74.00	27.41	100.0	V	1.0	13.6
11563.591667	---	36.69	54.00	17.31	100.0	V	1.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11ac80_Ch155
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5643.144445	59.31	68.20	8.89	100.0	H	202.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI Goggles 2
 Model: RCDS18
 Test Mode: WIFI 5G_11ac80_Ch155
 Order No/Sample No: 168344875/A003185055-002
 Test Voltage:: Battery
 Remark: Temp 23 Humi:56%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5641.188889	57.70	68.20	10.50	100.0	V	69.0	13.8


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix A.7: Test Results of Conducted Emission on AC Mains

EUT Information

EUT Name: DJI Goggles 2
 Order No: 168344875 130
 Model: RCDS18
 Test Mode: Normal Operation
 Test Voltage: AC 120V/60Hz
 Test By: Kevin Zhou
 Review By: Gary Chen
 Remark: SR1



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)
0.150000	50.99	---	66.00	15.01	L1	9.6
0.158000	---	29.53	55.57	26.04	L1	9.6
0.500000	42.15	---	56.00	13.85	L1	9.7
0.529500	---	30.34	46.00	15.66	L1	9.7
4.740000	---	25.51	46.00	20.49	L1	10.0
4.740000	37.13	---	56.00	18.87	L1	10.0
5.464000	35.41	---	60.00	24.59	L1	10.0
5.468000	---	24.32	50.00	25.68	L1	10.0
10.468000	34.82	---	60.00	25.18	L1	10.0
10.480000	---	23.08	50.00	26.92	L1	10.0
14.340000	38.86	---	60.00	21.14	L1	10.2
15.540000	---	23.38	50.00	26.62	L1	10.2

Final_Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.500000	40.48	---	56.00	15.52	1000.0	9.000	L1	9.7
0.529500	---	22.57	46.00	23.43	1000.0	9.000	L1	9.7

EUT Information

EUT Name: DJI Goggles 2
 Order No: 168344875 130
 Model: RCDS18
 Test Mode: Normal Operation
 Test Voltage: AC 120V/60Hz
 Test By: Kevin Zhou
 Review By: Gary Chen
 Remark: SR1



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Line	Corr. (dB)
0.154000	---	34.38	55.78	21.40	N	9.6
0.154000	52.95	---	65.78	12.84	N	9.6
0.500000	---	34.34	46.00	11.66	N	9.7
0.521500	42.35	---	56.00	13.65	N	9.7
2.932000	35.57	---	56.00	20.43	N	9.9
2.992000	---	23.63	46.00	22.37	N	9.9
4.556000	37.09	---	56.00	18.91	N	10.0
4.652000	---	26.56	46.00	19.44	N	10.0
10.224000	33.21	---	60.00	26.79	N	10.0
10.696000	---	22.83	50.00	27.17	N	10.1
15.432000	38.67	---	60.00	21.33	N	10.2
15.440000	---	24.76	50.00	25.24	N	10.2

Final_Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.500000	---	33.59	46.00	12.41	1000.0	9.000	N	9.7
0.521500	36.11	---	56.00	19.89	1000.0	9.000	N	9.7