


### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_3M CA\_5730.2MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5631.838889	57.98	68.20	10.22	100.0	V	192.0	13.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_3M CA\_5787.2MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5348.500000	---	49.73	54.00	4.27	100.0	H	322.0	13.3
5350.500000	60.11	---	74.00	13.89	100.0	H	322.0	13.3
5787.000000	---	109.37	---	---	100.0	H	322.0	14.0
5788.000000	116.45	---	---	---	100.0	H	292.0	14.0

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_3M CA\_5787.2MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5360.000000	60.14	---	74.00	13.86	100.0	V	200.0	13.3
5371.000000	---	49.43	54.00	4.57	100.0	V	200.0	13.3
5787.500000	---	109.85	---	---	100.0	V	200.0	14.0
5787.500000	118.02	---	---	---	100.0	V	200.0	14.0

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_3M CA\_5787.2MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11555.725000	---	36.39	54.00	17.61	100.0	H	216.0	13.5
11574.900000	46.61	---	74.00	27.39	100.0	H	0.0	13.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_3M CA\_5787.2MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11574.900000	---	37.27	54.00	16.73	100.0	V	325.0	13.4
11575.391667	46.66	---	74.00	27.34	100.0	V	170.0	13.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_3M CA\_5847.2MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5407.500000	---	50.04	54.00	3.96	100.0	H	323.0	13.5
5411.000000	60.23	---	74.00	13.77	100.0	H	323.0	13.5
5847.000000	---	109.33	---	---	100.0	H	323.0	14.2
5847.000000	116.38	---	---	---	100.0	H	323.0	14.2

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_3M CA\_5847.2MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5422.500000	---	49.80	54.00	4.21	100.0	V	205.0	13.5
5441.000000	61.48	---	74.00	12.52	100.0	V	205.0	13.5
5847.000000	116.37	---	---	---	100.0	V	286.0	14.2
5847.500000	---	109.54	---	---	100.0	V	159.0	14.2

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_3M CA\_5847.2MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11688.475000	---	37.04	54.00	16.96	100.0	H	134.0	13.3
11720.925000	46.71	---	74.00	27.29	100.0	H	203.0	13.3


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_3M CA\_5847.2MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11671.266667	---	36.60	54.00	17.40	100.0	V	16.0	13.3
11677.658333	46.21	---	74.00	27.79	100.0	V	0.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	SDR 5.8G_3M CA_5847.2MHz
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5948.441667	57.30	68.20	10.90	100.0	H	292.0	14.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_3M CA\_5847.2MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5940.647222	58.89	68.20	9.31	100.0	V	78.0	14.7

### Final\_Result


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---





### EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	SDR 5.8G_10M_5730.5MHz
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11437.233333	46.66	---	74.00	27.34	100.0	H	275.0	13.2
11450.508333	---	36.83	54.00	17.17	100.0	H	0.0	13.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_10M\_5730.5MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11452.966667	---	36.58	54.00	17.42	100.0	V	357.0	13.4
11461.816667	47.13	---	74.00	26.87	100.0	V	6.0	13.5

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	SDR 5.8G_10M_5730.5MHz
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5642.350000	55.88	68.20	12.32	100.0	H	208.0	13.8


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	SDR 5.8G_10M_5730.5MHz
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5645.650000	56.22	68.20	11.98	100.0	V	2.0	13.8

### Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---





### EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	SDR 5.8G_10M_5787.5MHz
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11567.033333	48.16	---	74.00	25.84	100.0	H	290.0	13.4
11579.325000	---	36.65	54.00	17.35	100.0	H	333.0	13.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_10M\_5787.5MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11562.608333	---	36.93	54.00	17.07	100.0	V	30.0	13.4
11578.833333	46.24	---	74.00	27.76	100.0	V	353.0	13.4

### Final\_Result


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---





### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11692.408333	48.16	---	74.00	25.84	100.0	H	18.0	13.3
11697.325000	---	36.95	54.00	17.05	100.0	H	160.0	13.3


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11664.383333	47.54	---	74.00	26.46	100.0	V	342.0	13.3
11677.658333	---	36.89	54.00	17.11	100.0	V	140.0	13.3

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5963.966667	57.01	68.20	11.19	100.0	H	347.0	14.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5962.050000	56.89	68.20	11.31	100.0	V	13.0	14.8

### Final\_Result


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---





### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_20M\_5735.5MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11444.116667	---	36.90	54.00	17.10	100.0	H	230.0	13.3
11453.458333	46.51	---	74.00	27.49	100.0	H	200.0	13.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_20M\_5735.5MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11451.491667	47.26	---	74.00	26.74	100.0	V	223.0	13.4
11451.983333	---	36.80	54.00	17.20	100.0	V	205.0	13.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5638.133333	55.49	68.20	12.71	100.0	H	215.0	13.8


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5635.688889	55.02	68.20	13.18	100.0	V	25.0	13.8

### Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---





### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_20M\_5787.5MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11578.341667	---	37.21	54.00	16.79	100.0	H	89.0	13.4
11590.141667	46.52	---	74.00	27.48	100.0	H	103.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_20M\_5787.5MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11567.033333	---	36.93	54.00	17.07	100.0	V	355.0	13.4
11573.916667	46.67	---	74.00	27.33	100.0	V	70.0	13.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	SDR 5.8G_20M_5839.5MHz
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5839.500000	---	87.07	---	---	100.0	H	108.0	14.1
5841.500000	97.89	---	---	---	100.0	H	108.0	14.1


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_20M\_5839.5MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11635.866667	46.18	---	74.00	27.82	100.0	H	349.0	13.3
11656.025000	---	37.12	54.00	16.88	100.0	H	321.0	13.3


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_20M\_5839.5MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11632.916667	46.41	---	74.00	27.59	100.0	V	19.0	13.3
11650.125000	---	37.08	54.00	16.92	100.0	V	177.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_20M\_5839.5MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5942.819445	57.11	68.20	11.09	100.0	H	111.0	14.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_20M\_5839.5MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5934.194445	56.78	68.20	11.42	100.0	V	157.0	14.7

### Final\_Result


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---





### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_20M\_5745.5MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11487.383333	---	37.63	54.00	16.37	100.0	H	108.0	13.7
11507.541667	46.74	---	74.00	27.26	100.0	H	268.0	13.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	SDR 5.8G_20M_5745.5MHz
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11507.050000	---	37.23	54.00	16.77	100.0	V	136.0	13.7
11508.033333	46.65	---	74.00	27.35	100.0	V	358.0	13.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	SDR 5.8G_40M_5745.5MHz
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5639.966667	56.62	68.20	11.58	100.0	H	339.0	13.8


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_40M\_5745.5MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5635.750000	55.44	68.20	12.76	100.0	V	211.0	13.8

### Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---





### EUT Information

EUT Name:	DJI Goggles 2
Model:	RCDS18
Test Mode:	SDR 5.8G_20M_5787.5MHz
Order No/Sample No:	168344875/A003185055-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11568.016667	---	36.65	54.00	17.35	100.0	H	273.0	13.4
11594.566667	46.70	---	74.00	27.30	100.0	H	259.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_20M\_5787.5MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11543.433333	---	36.79	54.00	17.21	100.0	V	71.0	13.5
11573.916667	46.56	---	74.00	27.44	100.0	V	42.0	13.4

## Final\_Result


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---





### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_20M\_5829.5MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11648.650000	---	36.70	54.00	17.30	100.0	H	53.0	13.3
11670.283333	47.55	---	74.00	26.45	100.0	H	309.0	13.3


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_20M\_5829.5MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11638.325000	---	37.50	54.00	16.50	100.0	V	240.0	13.3
11639.308333	45.79	---	74.00	28.21	100.0	V	196.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_40M\_5829.5MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5963.455556	57.81	68.20	10.39	100.0	H	171.0	14.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Goggles 2  
 Model: RCDS18  
 Test Mode: SDR 5.8G\_40M\_5829.5MHz  
 Order No/Sample No: 168344875/A003185055-002  
 Test Voltage:: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5938.091667	56.22	68.20	11.99	100.0	V	117.0	14.7


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### Appendix B.6: Test Results of Conducted Emission on AC Mains

#### EUT Information

EUT Name: DJI Goggles 2  
 Order No: 168344875 130  
 Model: RCDS18  
 Test Mode: Normal Operation  
 Test Voltage: AC 120V/60Hz  
 Test By: Kevin Zhou  
 Review By: Gary Chen  
 Remark: SR1



#### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Line	Corr. (dB)
0.150000	50.99	---	66.00	15.01	L1	9.6
0.158000	---	29.53	55.57	26.04	L1	9.6
0.500000	42.15	---	56.00	13.85	L1	9.7
0.529500	---	30.34	46.00	15.66	L1	9.7
4.740000	---	25.51	46.00	20.49	L1	10.0
4.740000	37.13	---	56.00	18.87	L1	10.0
5.464000	35.41	---	60.00	24.59	L1	10.0
5.468000	---	24.32	50.00	25.68	L1	10.0
10.468000	34.82	---	60.00	25.18	L1	10.0
10.480000	---	23.08	50.00	26.92	L1	10.0
14.340000	38.86	---	60.00	21.14	L1	10.2
15.540000	---	23.38	50.00	26.62	L1	10.2

#### Final\_Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.500000	40.48	---	56.00	15.52	1000.0	9.000	L1	9.7
0.529500	---	22.57	46.00	23.43	1000.0	9.000	L1	9.7

### EUT Information

EUT Name: DJI Goggles 2  
 Order No: 168344875 130  
 Model: RCDS18  
 Test Mode: Normal Operation  
 Test Voltage: AC 120V/60Hz  
 Test By: Kevin Zhou  
 Review By: Gary Chen  
 Remark: SR1



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Line	Corr. (dB)
0.154000	---	34.38	55.78	21.40	N	9.6
0.154000	52.95	---	65.78	12.84	N	9.6
0.500000	---	34.34	46.00	11.66	N	9.7
0.521500	42.35	---	56.00	13.65	N	9.7
2.932000	35.57	---	56.00	20.43	N	9.9
2.992000	---	23.63	46.00	22.37	N	9.9
4.556000	37.09	---	56.00	18.91	N	10.0
4.652000	---	26.56	46.00	19.44	N	10.0
10.224000	33.21	---	60.00	26.79	N	10.0
10.696000	---	22.83	50.00	27.17	N	10.1
15.432000	38.67	---	60.00	21.33	N	10.2
15.440000	---	24.76	50.00	25.24	N	10.2

### Final\_Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.500000	---	33.59	46.00	12.41	1000.0	9.000	N	9.7
0.521500	36.11	---	56.00	19.89	1000.0	9.000	N	9.7