



Page 152 of 216

11.3. APPENDIX C: MAXIMUM AVERAGE CONDUCTED OUTPUT POWER 11.3.1. Test Result

Mode	Frequency	ANT	Conducted Outpu	ıt Power (dBm)	Limit
Wode	(MHz)	AIVI	SISO (dBm)	Total (dBm)	(dBm)
	2402.5	0	20.91	22.65	≤30
	2403.5	1	20.35	23.65	≥30
4 4 MILL	0405.5	0	21.48	24.40	-200
1.4 MHz	2435.5	1	20.65	24.10	≤30
	0460 F	0	20.24	22.50	<20
	2469.5	1	20.90	23.59	≤30
	2405 42	0	21.61	24.20	~ 200
	2405.12	1	21.12	24.38	≤30
4 4 14 1- 04	0407.40	0	21.46	04.40	400
1.4 MHz CA	2437.12	1	20.81	24.16	≤30
	0474.40	0	21.16	04.44	-200
	2471.12	1	21.63	24.41	≤30
	2405.5	0	23.12	05.74	≤30
	2405.5	1	22.29	25.74	
3 MHz	0405 5	0	23.08	05.50	≤30
	2435.5	1	22.01	25.59	
	2468.5	0	23.01	05.00	400
		1	22.80	25.92	≤30
	2408.2	0	23.57	20.42	≤30
		1	22.61	26.13	
0.841104	0.400.0	0	23.88	00.40	≤30
3 MHz CA	2438.2	1	22.98	26.46	
	0.474.0	0	23.20	00.40	≤30
	2471.2	1	23.16	26.19	
	0.407.5	0	20.14	00.00	100
	2407.5	1	19.68	22.93	≤30
40 MUL	0407.5	0	20.08	00.50	
10 MHz	2437.5	1	18.99	22.58	≤30
	0407.5	0	20.28	00.40	400
	2467.5	1	19.90	23.10	≤30
	0440.5	0	18.42	04.00	
20 MHz	2412.5	1	18.12	21.28	≤30
	0407.5	0	18.75	04.00	400
	2437.5	1	17.72	21.28	≤30
	0400.5	0	18.31	04.04	400
	2462.5	1	18.34	21.34	≤30
40 8411	0.400.5	0	17.15	00.07	≤30
40 MHz	2422.5	1	17.36	20.27	



REPORT NO.: 4790741213-RF-1 Page 153 of 216

2437.5	0	17.89	20.38	≤30
2437.5	1	16.77	20.36	≥30
2452.5	0	17.60	20.20	≤30
2452.5	1	17.13	20.38	

Mode	Frequency	ANT	Conducted Outpu	t Power (dBm)	Limit
Mode	(MHz)	AINI	SISO (dBm)	Total (dBm)	(dBm)
	2402 5	0	21.33	22.76	/20
	2403.5	3	20.07	23.76	≤30
4 4 MII-	0405.5	0	20.51	00.50	≤30
1.4 MHz	2435.5	3	20.59	23.56	_300
	0.400 5	0	20.29	00.54	400
	2469.5	3	20.76	23.54	≤30
	2405 42	0	21.72	24.40	~20
	2405.12	3	20.55	24.18	≤30
4 4 1 1 1 - 0 4	0407.40	0	21.37	24.50	-200
1.4 MHz CA	2437.12	3	21.61	24.50	≤30
	0474.40	0	21.25	24.00	-200
	2471.12	3	21.18	24.23	≤30
	2405.5	0	23.06	05.57	≤30
3 MHz	2405.5	3	21.99	25.57	
	0405.5	0	22.97	25.04	≤30
	2435.5	3	22.63	25.81	
	2468.5	0	22.90	05.75	≤30
		3	22.58	25.75	
	2400.2	0	23.53	26.29	≤30
	2408.2	3	23.02	20.29	
3 MHz CA	0420.2	0	22.94	25.00	≤30
3 MHZ CA	2438.2	3	22.80	25.88	
	0.474.0	0	23.26	20.40	
	2471.2	3	22.92	26.10	≤30
	2407 5	0	19.75	22.50	-200
	2407.5	3	19.38	22.58	≤30
10 MUI-	0407.5	0	19.67	22.50	-200
10 MHz	2437.5	3	19.49	22.59	≤30
	2407.5	0	19.46	22.57	-200
	2467.5	3	19.66	22.57	≤30
	0440.5	0	17.85	20.74	-200
	2412.5	3	17.61	20.74	≤30
00 MU-	0407.5	0	18.44	24.40	-00
20 MHz	2437.5	3	18.38	21.42	≤30
	0.400 5	0	17.82	04.04	
	2462.5	3	18.23	21.04	≤30



REPORT NO.: 4790741213-RF-1 Page 154 of 216

	2422.5	0	17.05	20.02	≤30	
	2422.0	3	16.96	20.02	≥30	
40 MHz	0407.5	0	17.69	20.65	<20	
40 IVITZ	2437.5	3	17.58	20.65	≤30	
	2452.5	0	17.40	20.26	<20	
	2432.3	3	17.10	20.20	≤30	

			T		
Mode	Frequency	ANT	Conducted Output	· · · · · · · · · · · · · · · · · · ·	Limit
	(MHz)		SISO (dBm)	Total (dBm)	(dBm)
	2403.5	2	21.46	24.19	≤30
_		1	20.88		
1.4 MHz	2435.5	2	20.91	23.81	≤30
_		1	20.69		-55
	2469.5	2	20.55	23.54	≤30
		1	20.51		
	2405.12	2	21.44	24.51	≤30
_	2100.12	1	21.56	21.01	_00
1.4 MHz CA	2437.12	2	20.74	23.79	≤30
1. 4 WILIZ OA	2407.12	1	20.81	20.75	- 300
	2471.12	2	21.17	24.16	≤30
	2471.12	1	21.12	24.10	
	2405.5	2	22.66	26.11	≤30
	2403.3	1	23.49	20.11	
3 MHz	2435.5	2	22.91	25.95	≤30
S IVITIZ	2435.5	1	22.96	25.95	430
	2468.5	2	23.16	26.19	≤30
	2400.5	1	23.20	20.19	
	2400.2	2	22.31	25.06	<20
	2408.2	1	23.33	25.86	≤30
2 MI I- CA	0400.0	2	22.99	00.45	10.0
3 MHz CA	2438.2	1	23.29	26.15	≤30
	0474.0	2	22.75	00.00	100
	2471.2	1	23.33	26.06	≤30
	0407.5	2	19.20	00.00	100
	2407.5	1	20.35	22.82	≤30
40.8411	0.407.5	2	19.68	00.00	100
10 MHz	2437.5	1	20.07	22.89	≤30
	0.407.7	2	20.39	00.00	.00
	2467.5	1	20.17	23.29	≤30
	0445 -	2	17.49	20.5	
	2412.5	1	18.27	20.91	≤30
20 MHz	0.40= =	2	17.52	00 ==	
	2437.5	1	18.01	20.78	≤30



REPORT NO.: 4790741213-RF-1 Page 155 of 216

	2462.5	2	17.60	20.72	≤30	
	2402.5	1	1 17.81		_300	
	2422.5	2	17.09	20.09	≤30	
	2422.5	1	17.07	20.09		
40 MU-	0407.5	2	16.64	10.04	~ 20	
40 MHz	2437.5	1	17.20	19.94	≤30	
	2452.5	2	17.00	20.30	<20	
	2432.3	1	17.57	20.30	≤30	

	_		Conducted Output	t Power (dBm)	Limit
Mode	Frequency (MHz)	ANT	SISO (dBm)	Total (dBm)	Limit (dBm)
	2403.5	2	21.57	24.14	400
	2403.5	3	20.63	24.14	≤30
1.4 MHz	2435.5	2	21.03	24.15	≤30
1. 4 ₩ΠΖ	2430.0	3	21.25	24.15	≥30
	2469.5	2	21.44	24.47	<20
	2409.5	3	21.47	24.47	≤30
	2405.12	2	21.49	24.06	<20
	2405.12	3	20.55	24.00	≤30
1.4 MHz CA	2437.12	2	21.31	24.42	≤30 ≤30
1.4 WITZ CA	2437.12	3	21.50	24.42	
	2471.12	2	21.28	24.17	
	247 1.12	3	21.03	24.17	≥30
	2405.5	2	23.13	25.60	≤30
	2403.3	3	21.97	25.00	
3 MHz	2435.5	2	22.64	25.67	<20
3 IVITZ	2433.3	3	22.68	25.07	≤30
	2468.5	2	23.04	25.88	≤30
	2400.5	3	22.69	25.00	≥30
	2408.2	2	23.81	26.24	≤30
	2400.2	3	22.56	20.24	≥30
3 MHz CA	2438.2	2	23.10	26.04	≤30
3 IVII IZ CA	2430.2	3	22.95	20.04	230
	2471.2	2	22.81	25.53	≤30
	2411.2	3	22.21	20.00	
	2407.5	2	20.23	22.70	<20
	2407.5	3	19.27	22.79	≤30
10 MHz	2437.5	2	19.99	23.17	≤30
	2437.3	3	20.33	23.17	≥ડ∪
	2467.5	2	20.22	23.48	≤30



REPORT NO.: 4790741213-RF-1 Page 156 of 216

		3	20.71		
	2412.5	2	18.31	20.06	≤30
	2412.5	3	17.56	20.96	≥30
20 MH-	0427 5	2	17.90	04.42	-20
20 MHz	2437.5	3	18.33	21.13	≤30
	2462.5	2	17.77	20.00	≤30
		3	18.18	20.99	
	2422.5	2	17.11	20.02	-20
		3	16.92	20.03	≤30
40 MH=	2427 5	2	17.21	20.20	100
40 MHz	2437.5	3	17.54	20.39	≤30
	2452.5	2	17.52	20.21	<20
	2452.5	3	17.06	20.31	≤30



Page 157 of 216

11.4. APPENDIX D: MAXIMUM POWER SPECTRAL DENSITY 11.4.1. **Test Result**

Mada	Frequency	ANIT	PSD (dBi	m/3kHz)	Limit
Mode	(MHz)	ANT.	SISO (dBm)	Total (dBm)	(dBm/3kHz)
	2402.5	0	1.45		-0
	2403.5	1	0.21	3.88	≤8
4 4 841 1-	0405.5	0	1.78	4.04	40
1.4 MHz	2435.5	1	0.53	4.21	≤8
	0460 F	0	0.15	3.77	
	2469.5	1	1.29	3.77	≤8
	2405.42	0	1.95	4.40	-0
	2405.12	1	0.92	4.48	≤8
4 4 1 1 1 - 0 1	0407.40	0	2.12	4.44	-0
1.4 MHz CA	2437.12	1	0.53	4.41	≤8
	0474.40	0	1.58	4.00	
	2471.12	1	2.29	4.96	≤8
	2405.5	0	2.20	4.00	-0
	2405.5	1	1.62	4.93	≤8
3 MHz	0405.5	0	2.58	5.00	
	2435.5	1	1.38	5.03	≤8
	2468.5	0	2.66	5.50	-10
		1	2.32	5.50	≤8
	2408.2	0	3.30	5.77	-10
		1	2.14	5.77	≤8
0.04110.0.041		0	3.20	5.00	-10
3 MHz CA Mode	2438.2	1	2.75	5.99	≤8
	0474.0	0	3.00	5.00	
	2471.2	1	2.62	5.82	≤8
	0407.5	0	-9.56	0.55	-10
	2407.5	1	-9.57	-6.55	≤8
40 MIL	0407.5	0	-8.66	0.00	-10
10 MHz	2437.5	1	-9.44	-6.02	≤8
	0407.5	0	-8.73	0.04	10
	2467.5	1	-9.34	-6.01	≤8
	2440.5	0	-13.50	40.04	
20 MHz	2412.5	1	-14.24	-10.84	≤8
	0407.5	0	-13.28	7.00	
	2437.5	1	-8.67	-7.38	≤8
	0400.5	0	-12.25	0.07	
	2462.5	1	-10.66	-8.37	≤8
40 MU	2420.5	0	-18.27	40.04	≤8
40 MHz	2422.5	1	-15.03	-13.34	




REPORT NO.: 4790741213-RF-1 Page 158 of 216


2427.5	0	-17.19	-11.43	~ 0
2437.5	1	-12.77	-11.43	≤8
2452.5	0	-17.58	12.00	/0
2452.5	1	-13.53	-12.09	≤8




11.4.2. Test Graphs




































































Page 173 of 216

11.5. APPENDIX E: BAND EDGE MEASUREMENTS 11.5.1. Test Result


Test Mode	Antenna	ChName	Channel	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
1.4 MHz	Ant0	Low	2403.5	20.42	-36.78	≤-9.58	PASS
1.4 1/11/12	Anto	High	2469.5	20.40	-44.87	≤-9.6	PASS
1.4 MHz CA	Ant0	Low	2405.12	20.29	-39.54	≤-9.71	PASS
1.4 MINZ CA	Anto	High	2471.12	20.42	-44.23	≤-9.58	PASS

Test Mode	Antenna	ChName	Channel	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
3 MHz	AntO	Low	2405.5	20.48	-32.73	≤-9.52	PASS
3 IVITZ	Ant0	High	2468.5	20.45	-43.8	≤-9.55	PASS
3 MHz CA	Ant0	Low	2408.2	21.26	-37.49	≤-8.74	PASS
3 MITZ CA	Anto	High	2471.2	20.28	-42.34	≤-9.72	PASS


Test Mode	Antenna	ChName	Channel	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
10 MHz	Ant0	Low	2407.5	11.88	-21.83	≤-18.12	PASS
	Ant1	Low	2407.5	10.04	-23.84	≤-19.96	PASS
	Ant0	High	2467.5	10.57	-44.51	≤-19.43	PASS
	Ant1	High	2467.5	10.48	-45.74	≤-19.52	PASS
20 MHz	Ant0	Low	2412.5	6.77	-28.11	≤-23.23	PASS
	Ant1	Low	2412.5	7.78	-29.25	≤-22.22	PASS
	Ant0	High	2462.5	6.16	-41.21	≤-23.84	PASS
	Ant1	High	2462.5	6.68	-40.4	≤-23.32	PASS
40 MHz	Ant0	Low	2422.5	2.38	-28.23	≤-27.62	PASS
	Ant1	Low	2422.5	4.08	-28.36	≤-25.92	PASS
	Ant0	High	2452.5	2.61	-35.88	≤-27.39	PASS
	Ant1	High	2452.5	2.81	-36.46	≤-27.19	PASS




11.5.2. Test Graphs







































Page 181 of 216

11.6. APPENDIX F: CONDUCTED SPURIOUS EMISSION 11.6.1. **Test Result**

Test Mode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
	Ant0	2403.5	Reference	20.58	20.58		PASS
			30~1000	20.58	-59.68	≤-9.42	PASS
			1000~26500	20.58	-38.59	≤-9.42	PASS
		2435.5	Reference	20.06	20.06		PASS
1.4 MHz			30~1000	20.06	-59.76	≤-9.94	PASS
			1000~26500	20.06	-38.55	≤-9.94	PASS
		2469.5	Reference	20.45	20.45		PASS
			30~1000	20.45	-59.71	≤-9.55	PASS
			1000~26500	20.45	-38.63	≤-9.55	PASS
		2405.12	Reference	20.12	20.12		PASS
1.4 MHz CA			30~1000	20.12	-59.99	≤-9.88	PASS
			1000~26500	20.12	-38.73	≤-9.88	PASS
			Reference	20.29	20.29		PASS
	Ant0	2437.12	30~1000	20.29	-58.71	≤-9.71	PASS
			1000~26500	20.29	-38.76	≤-9.71	PASS
			Reference	20.44	20.44		PASS
		2471.12	30~1000	20.44	-59.24	≤-9.56	PASS
			1000~26500	20.44	-38.45	≤-9.56	PASS

Test Mode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
		2405.5	Reference	20.73	20.73		PASS
			30~1000	20.73	-59.1	≤-9.27	PASS
			1000~26500	20.73	-39.69	≤-9.27	PASS
		2435.5	Reference	20.05	20.05		PASS
3 MHz	Ant0		30~1000	20.05	-59.65	≤-9.95	PASS
			1000~26500	20.05	-38.55	≤-9.95	PASS
		2468.5	Reference	20.49	20.49		PASS
			30~1000	20.49	-59.79	≤-9.51	PASS
			1000~26500	20.49	-39.22	≤-9.51	PASS
3 MHz CA		2408.2	Reference	21.52	21.52		PASS
			30~1000	21.52	-59.28	≤-8.48	PASS
			1000~26500	21.52	-38.14	≤-8.48	PASS
	Ant0	2438.2	Reference	20.61	20.61		PASS
			30~1000	20.61	-58.77	≤-9.39	PASS
			1000~26500	20.61	-38.45	≤-9.39	PASS
		2471.2	Reference	20.33	20.33		PASS
			30~1000	20.33	-58.88	≤-9.67	PASS
			1000~26500	20.33	-38.18	≤-9.67	PASS




REPORT NO.: 4790741213-RF-1 Page 182 of 216


Toot Modo	Antonno	Channal	FreqRange	RefLevel	Result	Limit	Verdict
Test Mode	Antenna	Channel	[Mhz]	[dBm]	[dBm]	[dBm]	verdict
			Reference	11.29	11.29		PASS
	Ant0	2407.5	30~1000	11.29	-55.68	≤-18.71	PASS
			1000~26500	11.29	-40.25	≤-18.71	PASS
			Reference	10.38	10.38		PASS
	Ant1	2407.5	30~1000	10.38	-55.44	≤-19.62	PASS
			1000~26500	10.38	-40.51	≤-19.62	PASS
	Ant0	2437.5	Reference	10.53	10.53		PASS
			30~1000	10.53	-55.22	≤-19.47	PASS
10 MH=			1000~26500	10.53	-40.56	≤-19.47	PASS
10 MHz			Reference	9.83	9.83		PASS
	Ant1	2437.5	30~1000	9.83	-55.05	≤-20.17	PASS
			1000~26500	9.83	-39.68	≤-20.17	PASS
			Reference	11.60	11.60		PASS
	Ant0	2467.5	30~1000	11.60	-55.3	≤-18.4	PASS
			1000~26500	11.60	-40.74	≤-18.4	PASS
			Reference	10.72	10.72		PASS
	Ant1	2467.5	30~1000	10.72	-54.78	≤-19.28	PASS
			1000~26500	10.72	-40.51	≤-19.28	PASS
			Reference	6.86	6.86		PASS
	Ant0	2412.5	30~1000	6.86	-55.56	≤-23.14	PASS
	7 11.10	2112.0	1000~26500	6.86	-40.67	≤-23.14	PASS
	Ant1	2412.5	Reference	6.00	6.00		PASS
			30~1000	6.00	-55.31	≤-24	PASS
			1000~26500	6.00	-40.13	≤-24	PASS
	Ant0		Reference	6.52	6.52		PASS
		2437.5	30~1000	6.52	-55.5	≤-23.48	PASS
00.1411			1000~26500	6.52	-40.77	≤-23.48	PASS
20 MHz	Ant1		Reference	5.52	5.52		PASS
		2437.5	30~1000	5.52	-55.67	≤-24.48	PASS
			1000~26500	5.52	-40.46	≤-24.48	PASS
			Reference	6.30	6.30		PASS
	Ant0	2462.5	30~1000	6.30	-55.61	≤-23.7	PASS
			1000~26500	6.30	-39.64	≤-23.7	PASS
	Ant1	2462.5	Reference	6.12	6.12		PASS
			30~1000	6.12	-55.33	≤-23.88	PASS
			1000~26500	6.12	-39.89	≤-23.88	PASS
			Reference	2.66	2.66		PASS
	Ant0	2422.5	30~1000	2.66	-55.76	≤-27.34	PASS
			1000~26500	2.66	-39.71	≤-27.34	PASS
		2422.5	Reference	2.40	2.40		PASS
	Ant1		30~1000	2.40	-55.62	≤-27.6	PASS
	7		1000~26500	2.40	-40.68	≤-27.6	PASS
	Ant0	2437.5	Reference	3.78	3.78		PASS
			30~1000	3.78	-55.18	≤-26.22	PASS
40 MHz			1000~26500	3.78	-40.23	≤-26.22	PASS
	Ant1	2437.5	Reference	2.63	2.63		PASS
			30~1000	2.63	-55.41	≤-27.37	PASS
			1000~26500	2.63	-40	≤-27.37	PASS
	Ant0	2452.5	Reference	3.10	3.10		PASS
			30~1000	3.10	-55.34	≤-26.9	PASS
			1000~26500	3.10	-40.29	≤-26.9	PASS
	Ant1	2452.5	Reference	3.49	3.49		PASS
			30~1000	3.49	-55.04	≤-26.51	PASS
			1000~26500	3.49	-40.42	≤-26.51	PASS
	l .		1000-2000	J. 4 J	- 1 U.4Z	<u> </u>	1 733

REPORT NO.: 4790741213-RF-1 Page 183 of 216


11.6.2. Test Graphs




















































































































































REPORT NO.: 4790741213-RF-1

Page 213 of 216

11.7. APPENDIX G: DUTY CYCLE 11.7.1. **Test Result**

Test Mode	Antenna	Channel	ON Time [ms]	Period [ms]	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)
1.4 MHz	Ant0	2403.5	105.00	105.00	1.0000	100.00	0.00
1.4 MHz CA	Ant0	2405.12	105.00	105.00	1.0000	100.00	0.00

Test Mode	Antenna	Channel	ON Time [ms]	Period [ms]	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)
3 MHz	Ant0	2405.5	105.00	105.00	1.0000	100.00	0.00
3 MHz CA	Ant0	2408.2	105.00	105.00	1.0000	100.00	0.00


Test Mode	Antenna	Channel	ON Time [ms]	Period [ms]	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)
10 MHz	Ant0	2407.5	105.00	105.00	1.0000	100.00	0.00
20 MHz	Ant0	2412.5	105.00	105.00	1.0000	100.00	0.00
40 MHz	Ant0	2422.5	105.00	105.00	1.0000	100.00	0.00

Note:

Duty Cycle Correction Factor=10log (1/x). Where: x is Duty Cycle (Linear)

Where: T is On Time

If that calculated VBW is not available on the analyzer then the next higher value should be used. Note: All the modes and antennas had been tested, but only the worst data was recorded in the report.






11.7.2. Test Graphs











Note: All the modes and antennas had been tested, but only the worst data was recorded in the report.

END OF REPORT