

## Appendix B: Test Results of Bluetooth Low Energy


APPENDIX B: TEST RESULTS OF BLUETOOTH LOW ENERGY .....	1
APPENDIX B.1: TEST RESULTS OF CONDUCTED POWER SPECTRAL DENSITY .....	2
APPENDIX B.2: TEST RESULTS OF 6DB BANDWIDTH.....	4
APPENDIX B.3: TEST RESULTS OF 99% BANDWIDTH.....	6
APPENDIX B.4: TEST RESULTS OF CONDUCTED SPURIOUS EMISSIONS MEASURED IN 100 KHZ BANDWIDTH.....	8
<i>Conducted Spurious Emission</i> .....	8
<i>Band Edge</i> .....	11
APPENDIX B.5: TEST RESULTS OF RADIATED SPURIOUS EMISSIONS .....	12
30 MHz to 1GHz.....	12
1GHz-18GHz.....	14
APPENDIX B.6: TEST RESULTS OF RADIATED EMISSIONS IN RESTRICTED BANDS .....	26
APPENDIX B.7: TEST RESULTS OF CONDUCTED EMISSION ON AC MAINS.....	30

### Appendix B.1: Test Results of Conducted Power Spectral Density

TestMode	Antenna	Channel	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	Ant1	2402	-7	≤8.00	PASS
		2440	-7.18	≤8.00	PASS
		2480	-6.97	≤8.00	PASS






BLE 1M Ant1 2480



Appendix B.2: Test Results of 6dB Bandwidth



TestMode	Antenna	Channel	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	0.672	2401.664	2402.336	0.5	PASS
		2440	0.676	2439.664	2440.340	0.5	PASS
		2480	0.664	2479.668	2480.332	0.5	PASS






### Appendix B.3: Test Results of 99% Bandwidth

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.0660	2401.482	2402.548	---	---
		2440	1.0608	2439.480	2440.541	---	---
		2480	1.0669	2479.481	2480.548	---	---









### Appendix B.4: Test Results of Conducted Spurious Emissions Measured in 100 kHz Bandwidth



#### Conducted Spurious Emission

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	Reference	1.78	1.78	---	PASS
			30~1000	1.78	-52.66	≤-18.22	PASS
			1000~26500	1.78	-44.02	≤-18.22	PASS
		2440	Reference	2.87	2.87	---	PASS
			30~1000	2.87	-53.2	≤-17.13	PASS
			1000~26500	2.87	-44.68	≤-17.13	PASS
		2480	Reference	2.34	2.34	---	PASS
			30~1000	2.34	-52.92	≤-17.66	PASS
			1000~26500	2.34	-43.91	≤-17.66	PASS











**Band Edge**

TestMode	Antenna	ChName	Channel	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	Low	2402	3.37	-49.95	≤-16.63	PASS
		High	2480	3.44	-50.57	≤-16.56	PASS

BLE 1M Ant1 Low 2402



BLE 1M Ant1 High 2480



## Appendix B.5: Test Results of Radiated Spurious Emissions


Note:

- 1) This testing was carried out on different modulations, but only the worst case was presented in this report.
- 2) Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

### 30 MHz to 1GHz

## EUT Information

EUT Name:	DJI RC
Model:	RM330
Test Mode:	BLE 1M_Mid channel
Order No/Sample No:	168350235/A003211905-003
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



## Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
51.000500	20.30	40.00	19.70	100.0	H	8.0	-18.3
112.789500	17.47	43.50	26.03	100.0	H	273.0	-19.5
368.384500	24.47	46.00	21.53	100.0	H	170.0	-14.5
896.792000	35.74	46.00	10.26	100.0	H	73.0	-5.0

## Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: BLE 1M\_Mid channel  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
38.342000	25.59	40.00	14.41	100.0	V	222.0	-20.7
66.375000	20.33	40.00	19.67	100.0	V	106.0	-20.5
113.565500	18.17	43.50	25.33	100.0	V	326.0	-19.6
336.374500	23.91	46.00	22.09	100.0	V	114.0	-15.1
934.719000	35.59	46.00	10.41	100.0	V	177.0	-4.6

### Final Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

**1GHz-18GHz**

Note: The highest waveform in the figure is Bluetooth Fundamental.

**EUT Information**

EUT Name:	DJI RC
Model:	RM330
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168350235/A003211905-003
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



**Critical\_Freqs**


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4804.000000	50.21	---	74.00	23.79	100.0	H	132.0	11.8
4804.000000	---	41.57	54.00	12.43	100.0	H	132.0	11.8

**Final\_Result**

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: BLE 1M\_Low channel  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4804.000000	51.95	---	74.00	22.05	100.0	V	127.0	11.8
4804.000000	---	44.65	54.00	9.35	100.0	V	127.0	11.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: BLE 1M\_Low channel  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7204.966667	---	33.19	54.00	20.81	100.0	H	74.0	8.8
7236.433333	42.78	---	74.00	31.22	100.0	H	100.0	8.6


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: BLE 1M\_Low channel  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7215.783333	---	33.85	54.00	20.15	100.0	V	185.0	8.7
7221.683333	42.65	---	74.00	31.35	100.0	V	27.0	8.7

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: BLE 1M\_Mid channel  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4880.000000	---	42.71	54.00	11.29	100.0	H	135.0	11.8
4895.000000	51.98	---	74.00	22.02	100.0	H	171.0	11.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: BLE 1M\_Mid channel  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4879.500000	52.45	---	74.00	21.55	100.0	V	248.0	11.8
4879.500000	---	45.59	54.00	8.41	100.0	V	248.0	11.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: BLE 1M\_Mid channel  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7329.850000	41.60	---	74.00	32.40	100.0	H	0.0	8.1
7329.850000	---	33.31	54.00	20.69	100.0	H	0.0	8.1

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI RC
Model:	RM330
Test Mode:	BLE 1M_Mid channel
Order No/Sample No:	168350235/A003211905-003
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7305.758333	42.24	---	74.00	31.76	100.0	V	328.0	8.3
7307.233333	---	33.10	54.00	20.90	100.0	V	260.0	8.3

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: BLE 1M\_High channel  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4960.000000	---	40.04	54.00	13.96	100.0	H	62.0	11.8
4965.500000	50.71	---	74.00	23.29	100.0	H	180.0	11.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: BLE 1M\_High channel  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4956.500000	50.73	---	74.00	23.27	100.0	V	129.0	11.8
4959.500000	---	42.04	54.00	11.96	100.0	V	0.0	11.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: BLE 1M\_High channel  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7416.875000	---	34.20	54.00	19.80	100.0	H	138.0	8.3
7438.016667	42.69	---	74.00	31.31	100.0	H	138.0	8.4


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: BLE 1M\_High channel  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7443.425000	42.71	---	74.00	31.29	100.0	V	340.0	8.5
7461.125000	---	33.91	54.00	20.09	100.0	V	169.0	8.5


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## Appendix B.6: Test Results of Radiated Emissions in Restricted Bands

### EUT Information

EUT Name:	DJI RC
Model:	RM330
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168350235/A003211905-003
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2342.655000	---	39.68	54.00	14.32	100.0	H	187.0	6.8
2347.091250	50.37	---	74.00	23.63	100.0	H	299.0	6.9

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: BLE 1M\_Low channel  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2333.268000	---	40.21	54.00	13.79	100.0	V	146.0	6.7
2338.056000	49.65	---	74.00	24.35	100.0	V	0.0	6.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI RC
Model:	RM330
Test Mode:	BLE 1M_High channel
Order No/Sample No:	168350235/A003211905-003
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.531250	52.49	---	74.00	21.51	100.0	H	0.0	7.4
2483.756250	---	41.19	54.00	12.81	100.0	H	225.0	7.4

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: BLE 1M\_High channel  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.538750	51.50	---	74.00	22.50	100.0	V	286.0	7.4
2483.717500	---	41.54	54.00	12.46	100.0	V	312.0	7.4


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## Appendix B.7: Test Results of Conducted Emission on AC Mains

### EUT Information

EUT Name: DJI RC  
 Order No: 168350235(P00550296)  
 Model: RM330  
 Test Mode: BT Link  
 Test Voltage: AC 120V/60Hz  
 Test By: Shower Dai  
 Review By: Gary Chen  
 Remark: SR1




### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Line	Corr. (dB)
0.174000	---	27.89	54.77	26.87	L1	9.6
0.174000	44.78	---	64.77	19.98	L1	9.6
0.246000	---	24.49	51.89	27.40	L1	9.6
0.246000	40.88	---	61.89	21.01	L1	9.6
0.314000	38.88	---	59.86	20.99	L1	9.6
0.318000	---	25.02	49.76	24.74	L1	9.7
0.350000	---	23.78	48.96	25.18	L1	9.8
0.350000	37.89	---	58.96	21.07	L1	9.8
0.458000	---	22.99	46.73	23.74	L1	9.7
0.486000	35.02	---	56.24	21.22	L1	9.7
11.916000	34.91	---	60.00	25.09	L1	10.1
12.424000	---	23.68	50.00	26.32	L1	10.1

### EUT Information

EUT Name: DJI RC  
 Order No: 168350235(P00550296)  
 Model: RM330  
 Test Mode: BT Link  
 Test Voltage: AC 120V/60Hz  
 Test By: Shower Dai  
 Review By: Gary Chen  
 Remark: SR1



### Critical Freqs

Frequency (MHz)	MaxPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Line	Corr. (dB)
0.174000	---	25.97	54.77	28.80	N	9.6
0.178000	42.64	---	64.58	21.94	N	9.6
0.242000	40.80	---	62.03	21.23	N	9.6
0.246000	---	23.09	51.89	28.80	N	9.6
0.318000	---	23.97	49.76	25.79	N	9.7
0.322000	40.05	---	59.66	19.60	N	9.7
0.458000	---	23.32	46.73	23.40	N	9.7
0.466000	37.59	---	56.59	18.99	N	9.7
0.780000	---	20.13	46.00	25.87	N	9.7
0.788000	35.55	---	56.00	20.45	N	9.7
12.204000	---	22.88	50.00	27.12	N	10.2
12.280000	35.12	---	60.00	24.88	N	10.2