



20M Ant1 2441.5 0~Reference




20M Ant1 2441.5 30~1000




20M Ant1 2441.5 1000~26500




20M Ant1 2471.5 0~Reference



20M Ant1 2471.5 30~1000




20M Ant1 2471.5 1000~26500




20M Ant1 2472.5 0~Reference



20M Ant1 2472.5 30~1000





20M Ant1 2472.5 1000~26500





2.4GHz SDR, 1.4MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
1.4M	Ant1	Low	2407.5	21.37	-41.7	≤-8.63	PASS
		High	2465.5	19.18	-46.9	≤-10.82	PASS



2.4GHz SDR, 1.4MHz BW CA mode Bandedge


TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
1.4M-CA	Ant1	Low	2409.12	19.95	-44.42	≤-10.05	PASS
		High	2467.12	19.97	-47.87	≤-10.03	PASS



2.4GHz SDR, 3MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
3M	Ant1	Low	2417.5	18.74	-44.52	≤-11.26	PASS
		High	2456.5	17.28	-46.97	≤-12.72	PASS

3M Ant1 Low 2417.5





3M Ant1 High 2456.5





2.4GHz SDR, 10MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
10M	Ant1	Low	2405.5	-1.72	-35.28	≤-31.72	PASS
		High	2476.5	-10.65	-49.53	≤-40.65	PASS



2.4GHz SDR, 20MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
20M	Ant1	Low	2410.5	-10.17	-49.68	≤-40.17	PASS
		High	2472.5	-14.86	-50.16	≤-44.86	PASS




Note: Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

Appendix C.5: Test Results of Radiated Spurious Emissions 30MHz - 1GHz (Worst case)

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M_2407.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
59.342500	19.40	40.00	20.61	100.0	H	101.0	-18.9
108.618500	17.70	43.50	25.80	100.0	H	308.0	-19.0
358.878500	24.84	46.00	21.16	100.0	H	134.0	-14.7
935.058500	35.39	46.00	10.61	100.0	H	0.0	-4.6

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M_2407.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
37.469000	25.32	40.00	14.68	100.0	V	269.0	-21.0
102.313500	18.55	43.50	24.95	100.0	V	311.0	-18.9
369.209000	24.07	46.00	21.93	100.0	V	7.0	-14.5
926.183000	34.35	46.00	11.65	100.0	V	359.0	-4.7

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---


1GHz - 18GHz

Note: The highest waveform in the figure is 2.4GHz SDR Fundamental.

2.4GHz SDR, 1.4MHz BW

EUT Information

EUT Name:	DJI RC
Model:	RM330
Test Mode:	SDR 2.4G_1.4M_2407.5MHz
Order No/Sample No:	168350235/A003211905-003
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4815.000000	---	43.50	54.00	10.50	100.0	H	185.0	11.8
4815.500000	53.20	---	74.00	20.80	100.0	H	166.0	11.8

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M_2407.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4814.500000	---	46.39	54.00	7.61	100.0	V	229.0	11.8
4815.000000	57.42	---	74.00	16.58	100.0	V	207.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI RC
Model:	RM330
Test Mode:	SDR 2.4G_1.4M_2407.5MHz
Order No/Sample No:	168350235/A003211905-003
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7218.241667	42.89	---	74.00	31.11	100.0	H	162.0	8.7
7226.600000	---	34.33	54.00	19.67	100.0	H	99.0	8.7

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M_2407.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7223.158333	43.21	---	74.00	30.79	100.0	V	166.0	8.7
7236.433333	---	34.90	54.00	19.10	100.0	V	10.0	8.6

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M_2407.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2380.900000	---	44.63	54.00	9.37	100.0	H	312.0	7.0
2381.400000	53.86	---	74.00	20.14	100.0	H	321.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M_2407.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2387.500000	55.78	---	74.00	18.22	100.0	V	0.0	7.0
2388.200000	---	48.11	54.00	5.89	100.0	V	359.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M_2435.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4870.500000	54.38	---	74.00	19.62	100.0	H	112.0	11.8
4871.000000	---	45.35	54.00	8.65	100.0	H	172.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M_2435.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4871.000000	55.89	---	74.00	18.11	100.0	V	331.0	11.8
4871.000000	---	47.19	54.00	6.81	100.0	V	331.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M_2435.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7306.250000	---	33.57	54.00	20.43	100.0	H	53.0	8.3
7310.183333	41.71	---	74.00	32.29	100.0	H	0.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M_2435.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7306.250000	---	34.43	54.00	19.57	100.0	V	143.0	8.3
7306.250000	45.89	---	74.00	28.11	100.0	V	143.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M_2465.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4931.000000	55.07	---	74.00	18.93	100.0	H	118.0	11.8
4931.000000	---	46.75	54.00	7.25	100.0	H	118.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M_2465.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4931.000000	57.33	---	74.00	16.67	100.0	V	230.0	11.8
4931.000000	---	47.62	54.00	6.38	100.0	V	230.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M_2465.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7384.916667	42.05	---	74.00	31.95	100.0	H	231.0	8.2
7402.125000	---	33.79	54.00	20.21	100.0	H	359.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M_2465.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7395.733333	---	34.76	54.00	19.24	100.0	V	33.0	8.3
7397.208333	44.30	---	74.00	29.70	100.0	V	105.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M_2465.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.200000	---	45.60	54.00	8.40	100.0	H	141.0	7.4
2484.300000	55.83	---	74.00	18.17	100.0	H	133.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M_2465.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.100000	54.91	---	74.00	19.09	100.0	V	339.0	7.4
2493.000000	---	46.85	54.00	7.15	100.0	V	339.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 1.4MHz BW CA mode

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M CA_2409.12MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4818.500000	---	41.48	54.00	12.52	100.0	H	166.0	11.8
4819.000000	51.31	---	74.00	22.69	100.0	H	173.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M CA_2409.12MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4818.000000	54.44	---	74.00	19.56	100.0	V	228.0	11.8
4818.000000	---	44.06	54.00	9.94	100.0	V	228.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI RC
Model:	RM330
Test Mode:	SDR 2.4G_1.4M CA_2409.12MHz
Order No/Sample No:	168350235/A003211905-003
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7221.683333	42.86	---	74.00	31.14	100.0	H	140.0	8.7
7254.625000	---	33.93	54.00	20.07	100.0	H	34.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M CA_2409.12MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7227.583333	---	34.19	54.00	19.81	100.0	V	340.0	8.7
7256.591667	44.23	---	74.00	29.77	100.0	V	306.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M CA_2409.12MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2357.500000	---	43.58	54.00	10.42	100.0	H	215.0	6.9
2359.100000	53.52	---	74.00	20.48	100.0	H	234.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M CA_2409.12MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2359.500000	---	45.16	54.00	8.84	100.0	V	0.0	6.9
2371.200000	54.94	---	74.00	19.06	100.0	V	220.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M CA_2437.12MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4873.500000	51.83	---	74.00	22.17	100.0	H	118.0	11.8
4874.500000	---	42.14	54.00	11.86	100.0	H	147.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M CA_2437.12MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4874.000000	54.12	---	74.00	19.88	100.0	V	230.0	11.8
4874.000000	---	43.88	54.00	10.12	100.0	V	230.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M CA_2437.12MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7307.725000	---	33.53	54.00	20.47	100.0	H	212.0	8.3
7312.150000	41.46	---	74.00	32.54	100.0	H	307.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M CA_2437.12MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7311.166667	---	34.17	54.00	19.83	100.0	V	90.0	8.2
7315.100000	42.37	---	74.00	31.63	100.0	V	20.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M CA_2467.12MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4934.000000	54.22	---	74.00	19.78	100.0	H	124.0	11.8
4934.000000	---	43.83	54.00	10.17	100.0	H	124.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M CA_2467.12MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4934.000000	54.53	---	74.00	19.47	100.0	V	234.0	11.8
4934.000000	---	44.23	54.00	9.77	100.0	V	234.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	DJI RC
Model:	RM330
Test Mode:	SDR 2.4G_1.4M CA_2467.12MHz
Order No/Sample No:	168350235/A003211905-003
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7396.225000	---	33.94	54.00	20.06	100.0	H	355.0	8.3
7398.683333	42.57	---	74.00	31.43	100.0	H	118.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M CA_2467.12MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7400.158333	43.04	---	74.00	30.96	100.0	V	182.0	8.3
7401.633333	---	33.88	54.00	20.12	100.0	V	182.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M CA_2467.12MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.200000	54.49	---	74.00	19.51	100.0	H	136.0	7.4
2490.300000	---	45.38	54.00	8.62	100.0	H	136.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_1.4M CA_2467.12MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.700000	54.72	---	74.00	19.28	100.0	V	0.0	7.4
2489.300000	---	45.85	54.00	8.15	100.0	V	309.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 3MHz BW

EUT Information

EUT Name:	DJI RC
Model:	RM330
Test Mode:	SDR 2.4G_3M_2417.5MHz
Order No/Sample No:	168350235/A003211905-003
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4835.000000	51.35	---	74.00	22.65	100.0	H	162.0	11.8
4835.000000	---	40.46	54.00	13.54	100.0	H	162.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_3M_2417.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4834.500000	---	40.93	54.00	13.07	100.0	V	222.0	11.8
4835.000000	53.36	---	74.00	20.64	100.0	V	222.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_3M_2417.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7232.991667	43.03	---	74.00	30.97	100.0	H	84.0	8.6
7241.841667	---	33.66	54.00	20.34	100.0	H	358.0	8.6

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_3M_2417.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7242.825000	---	34.39	54.00	19.61	100.0	V	204.0	8.6
7250.691667	42.76	---	74.00	31.24	100.0	V	107.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_3M_2417.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2342.600000	53.99	---	74.00	20.01	100.0	H	11.0	6.8
2363.200000	---	45.21	54.00	8.79	100.0	H	310.0	6.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_3M_2417.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2378.900000	---	46.58	54.00	7.42	100.0	V	358.0	7.0
2381.700000	55.25	---	74.00	18.75	100.0	V	0.0	7.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_3M_2435.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4870.500000	51.78	---	74.00	22.22	100.0	H	118.0	11.8
4870.500000	---	40.59	54.00	13.41	100.0	H	118.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_3M_2435.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4870.500000	53.55	---	74.00	20.45	100.0	V	341.0	11.8
4871.000000	---	41.87	54.00	12.13	100.0	V	220.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_3M_2435.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7306.741667	---	33.29	54.00	20.71	100.0	H	100.0	8.3
7324.441667	42.00	---	74.00	32.00	100.0	H	88.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_3M_2435.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7305.758333	---	34.13	54.00	19.87	100.0	V	195.0	8.3
7311.166667	41.90	---	74.00	32.10	100.0	V	19.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_3M_2456.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4912.500000	53.64	---	74.00	20.36	100.0	H	169.0	11.8
4912.500000	---	42.08	54.00	11.92	100.0	H	169.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_3M_2456.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4913.000000	54.33	---	74.00	19.67	100.0	V	233.0	11.8
4913.000000	---	43.43	54.00	10.57	100.0	V	233.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_3M_2456.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7356.891667	42.41	---	74.00	31.59	100.0	H	288.0	8.1
7369.675000	---	33.71	54.00	20.29	100.0	H	288.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_3M_2456.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7368.691667	---	34.06	54.00	19.94	100.0	V	0.0	8.2
7369.183333	44.08	---	74.00	29.92	100.0	V	248.0	8.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_3M_2456.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.000000	---	46.14	54.00	7.86	100.0	H	141.0	7.4
2487.000000	55.12	---	74.00	18.88	100.0	H	141.0	7.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_3M_2456.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.400000	54.66	---	74.00	19.34	100.0	V	337.0	7.4
2485.100000	---	46.23	54.00	7.77	100.0	V	306.0	7.4


Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

2.4GHz SDR, 10MHz BW

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_10M_2405.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4805.500000	50.80	---	74.00	23.20	100.0	H	349.0	11.8
4821.500000	---	39.41	54.00	14.59	100.0	H	349.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_10M_2405.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4807.500000	---	39.76	54.00	14.24	100.0	V	0.0	11.8
4813.000000	50.60	---	74.00	23.40	100.0	V	4.0	11.8

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: DJI RC
 Model: RM330
 Test Mode: SDR 2.4G_10M_2405.5MHz
 Order No/Sample No: 168350235/A003211905-003
 Test Voltage:: Battery
 Remark: Temp 22 Humi:52%
 Test Standard: FCC 15.247
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7205.458333	42.39	---	74.00	31.61	100.0	H	131.0	8.8
7214.308333	---	33.69	54.00	20.31	100.0	H	72.0	8.7

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---