


### Appendix B.4: Test Results of Radiated Spurious Emissions

Note:1, Testing is carried out with frequency rang 9kHz to the tenth harmonics.  
 2, The margin is greater than 20 dB are not shown in this Appendix.

30MHz - 1GHz (Worst case)

#### EUT Information

EUT Name:	DJI RC
Model:	RM330
Test Mode:	SDR 5.8G_1.4M_5728.5MHz
Order No/Sample No:	168350235/A003211905-003
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



#### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
49.642500	20.34	40.00	19.66	100.0	H	137.0	-18.3
108.133500	17.90	43.50	25.60	100.0	H	68.0	-18.9
368.045000	24.27	46.00	21.73	100.0	H	306.0	-14.5
824.527000	34.21	46.00	11.79	100.0	H	13.0	-5.9

#### Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M\_5728.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
37.517500	25.67	40.00	14.33	100.0	V	209.0	-21.0
104.932500	19.11	43.50	24.39	100.0	V	168.0	-18.7
342.194500	24.46	46.00	21.54	100.0	V	0.0	-14.9
938.162500	35.23	46.00	10.77	100.0	V	249.0	-4.6

## Final\_Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

**Above 1GHz**

Note: The highest waveform in the figure is 5.8GHz SDR Fundamental.

**EUT Information**

EUT Name:	DJI RC
Model:	RM330
Test Mode:	SDR 5.8G_1.4M_5728.5MHz
Order No/Sample No:	168350235/A003211905-003
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



**Critical Freqs**


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5421.000000	59.44	---	74.00	14.56	100.0	H	199.0	13.5
5421.000000	---	48.24	54.00	5.76	100.0	H	199.0	13.5
5728.500000	---	112.09	---	---	100.0	H	6.0	13.9
5728.500000	117.67	---	---	---	100.0	H	6.0	13.9

**Final Result**

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M\_5728.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5420.500000	63.09	---	74.00	10.91	100.0	V	330.0	13.5
5728.500000	---	122.11	---	---	100.0	V	95.0	13.9
5729.000000	127.43	---	---	---	100.0	V	95.0	13.9

### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5421.350000	51.15	54.00	2.85	100.0	V	224.0	13.5

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M\_5728.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11453.950000	---	38.56	54.00	15.44	100.0	H	240.0	13.4
11500.658333	47.58	---	74.00	26.42	100.0	H	2.0	13.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M\_5728.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11454.441667	48.31	---	74.00	25.69	100.0	V	165.0	13.4
11455.425000	---	37.41	54.00	16.59	100.0	V	357.0	13.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M\_5728.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5636.116667	55.95	68.20	12.25	100.0	H	42.0	13.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI RC
Model:	RM330
Test Mode:	SDR 5.8G_1.4M_5728.5MHz
Order No/Sample No:	168350235/A003211905-003
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5620.350000	59.66	68.20	8.54	100.0	V	93.0	13.8


### Final\_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M\_5784.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5785.000000	---	108.18	---	---	100.0	H	7.0	14.0
5784.500000	116.01	---	---	---	100.0	H	357.0	14.0


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M\_5784.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11573.425000	---	38.30	54.00	15.70	100.0	H	274.0	13.4
11577.358333	46.44	---	74.00	27.56	100.0	H	357.0	13.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M\_5784.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11564.575000	47.29	---	74.00	26.71	100.0	V	198.0	13.4
11569.000000	---	39.09	54.00	14.91	100.0	V	0.0	13.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M\_5844.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5844.500000	---	112.22	---	---	100.0	H	358.0	14.2
5844.500000	118.78	---	---	---	100.0	H	358.0	14.2


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M\_5844.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11682.575000	47.97	---	74.00	26.03	100.0	H	87.0	13.3
11690.933333	---	38.25	54.00	15.75	100.0	H	162.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M\_5844.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11688.966667	48.07	---	74.00	25.93	100.0	V	290.0	13.3
11688.966667	---	39.54	54.00	14.46	100.0	V	290.0	13.3


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M\_5844.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5977.511111	58.23	68.20	9.97	100.0	H	91.0	14.9

### Final\_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M\_5844.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



## Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5921.033333	64.68	71.14	6.47	100.0	V	109.0	14.6
5997.891667	60.82	68.20	7.38	100.0	V	101.0	15.0

## Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M CA\_5730.12MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5422.500000	---	48.94	54.00	5.06	100.0	H	201.0	13.5
5423.000000	58.60	---	74.00	15.40	100.0	H	201.0	13.5
5730.000000	117.75	---	---	---	100.0	H	10.0	13.9
5730.500000	---	110.91	---	---	100.0	H	10.0	13.9

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M CA\_5730.12MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5423.000000	63.66	---	74.00	10.34	100.0	V	331.0	13.5
5730.000000	---	120.96	---	---	100.0	V	91.0	13.9
5730.500000	126.67	---	---	---	100.0	V	91.0	13.9

### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5422.975000	51.87	54.00	2.13	100.0	V	326.0	13.5

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M CA\_5730.12MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11414.616667	47.26	---	74.00	26.74	100.0	H	216.0	12.9
11438.216667	---	38.05	54.00	15.95	100.0	H	216.0	13.2

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M CA\_5730.12MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11428.875000	47.79	---	74.00	26.21	100.0	V	0.0	13.1
11439.200000	---	37.59	54.00	16.41	100.0	V	139.0	13.2

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI RC
Model:	RM330
Test Mode:	SDR 5.8G_1.4M CA_5730.12MHz
Order No/Sample No:	168350235/A003211905-003
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5631.716667	55.63	68.20	12.57	100.0	H	4.0	13.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M CA\_5730.12MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5614.116667	58.34	68.20	9.86	100.0	V	331.0	13.8
5652.738889	60.54	70.23	9.69	100.0	V	94.0	13.8


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M CA\_5786.12MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5786.000000	---	108.39	---	---	100.0	H	359.0	14.0
5786.500000	115.94	---	---	---	100.0	H	359.0	14.0


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M CA\_5786.12MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11544.908333	47.30	---	74.00	26.70	100.0	H	17.0	13.5
11556.708333	---	37.98	54.00	16.02	100.0	H	262.0	13.5

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M CA\_5786.12MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11571.950000	---	38.40	54.00	15.60	100.0	V	308.0	13.4
11585.716667	46.67	---	74.00	27.33	100.0	V	61.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M CA\_5846.12MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5846.500000	---	111.79	---	---	100.0	H	357.0	14.2
5846.500000	118.93	---	---	---	100.0	H	357.0	14.2

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M CA\_5846.12MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



## Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5615.500000	64.15	---	68.20	4.05	100.0	V	96.0	13.8
5846.500000	127.41	---	---	---	100.0	V	117.0	14.2
5846.500000	---	120.99	---	---	100.0	V	117.0	14.2

## Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5459.294444	50.38	54.00	3.62	100.0	V	329.0	13.6

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M CA\_5846.12MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11694.375000	46.77	---	74.00	27.23	100.0	H	62.0	13.3
11707.158333	---	38.94	54.00	15.06	100.0	H	21.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M CA\_5846.12MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11691.425000	48.41	---	74.00	25.59	100.0	V	338.0	13.3
11692.408333	---	40.01	54.00	13.99	100.0	V	259.0	13.3


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_1.4M CA\_5846.12MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5945.247222	57.21	68.20	10.99	100.0	H	130.0	14.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name:	DJI RC
Model:	RM330
Test Mode:	SDR 5.8G_1.4M CA_5846.12MHz
Order No/Sample No:	168350235/A003211905-003
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



## Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5923.588889	64.73	69.25	4.52	100.0	V	102.0	14.6
5961.155556	59.99	68.20	8.21	100.0	V	112.0	14.8

## Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_3M\_5730.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5407.500000	59.01	---	74.00	14.99	100.0	H	194.0	13.5
5421.500000	---	48.12	54.00	5.88	100.0	H	201.0	13.5
5731.000000	118.50	---	---	---	100.0	H	14.0	13.9
5731.000000	---	110.30	---	---	100.0	H	14.0	13.9

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_3M\_5730.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5423.500000	63.67	---	74.00	10.34	100.0	V	234.0	13.5
5730.000000	---	119.21	---	---	100.0	V	87.0	13.9
5731.000000	127.64	---	---	---	100.0	V	87.0	13.9

### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5423.033333	50.84	54.00	3.16	100.0	V	229.0	13.5

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_3M\_5730.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11446.083333	46.84	---	74.00	27.16	100.0	H	14.0	13.3
11447.066667	---	37.94	54.00	16.06	100.0	H	49.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_3M\_5730.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11436.741667	---	38.57	54.00	15.43	100.0	V	87.0	13.2
11469.191667	46.85	---	74.00	27.15	100.0	V	87.0	13.6

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_3M\_5730.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5614.911111	57.35	68.20	10.85	100.0	H	15.0	13.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_3M\_5730.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5645.527778	61.61	68.20	6.59	100.0	V	86.0	13.8


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_3M\_5784.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5362.500000	---	47.67	54.00	6.33	100.0	H	202.0	13.3
5408.500000	59.55	---	74.00	14.45	100.0	H	202.0	13.5
5784.500000	---	111.30	---	---	100.0	H	358.0	14.0
5784.500000	118.63	---	---	---	100.0	H	358.0	14.0

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_3M\_5784.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5553.500000	63.62	---	68.20	4.58	100.0	V	91.0	13.8
5784.500000	126.59	---	---	---	100.0	V	91.0	14.0
5784.500000	---	119.05	---	---	100.0	V	91.0	14.0

### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5439.897222	48.13	54.00	5.87	105.0	V	325.0	13.5

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_3M\_5784.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11569.000000	46.68	---	74.00	27.32	100.0	H	175.0	13.4
11580.308333	---	37.76	54.00	16.24	100.0	H	356.0	13.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_3M\_5784.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11569.491667	47.31	---	74.00	26.69	100.0	V	1.0	13.4
11598.008333	---	38.00	54.00	16.00	100.0	V	70.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_3M\_5844.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5391.000000	57.92	---	74.00	16.08	100.0	H	7.0	13.4
5424.000000	---	47.18	54.00	6.82	100.0	H	211.0	13.5
5845.000000	---	107.11	---	---	100.0	H	357.0	14.2
5845.000000	117.10	---	---	---	100.0	H	357.0	14.2

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_3M\_5844.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5614.500000	64.60	---	68.20	3.60	100.0	V	83.0	13.8
5845.000000	126.11	---	---	---	100.0	V	111.0	14.2
5845.000000	---	116.02	---	---	100.0	V	111.0	14.2

### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5459.961111	49.09	54.00	4.91	100.0	V	326.0	13.6

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_3M\_5844.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11687.983333	47.52	---	74.00	26.48	100.0	H	93.0	13.3
11695.850000	---	38.92	54.00	15.08	100.0	H	239.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_3M\_5844.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11676.183333	47.03	---	74.00	26.97	100.0	V	212.0	13.3
11688.966667	---	38.97	54.00	15.03	100.0	V	295.0	13.3


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_3M\_5844.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5938.475000	57.38	68.20	10.82	100.0	H	229.0	14.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_3M\_5844.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5938.411111	60.09	68.20	8.11	100.0	V	109.0	14.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_10M\_5732.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5736.000000	104.59	---	---	---	100.0	H	8.0	13.9
5731.000000	---	94.59	---	---	100.0	H	359.0	13.9

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_10M\_5732.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5729.000000	113.63	---	---	---	100.0	V	95.0	13.9
5734.000000	---	103.58	---	---	100.0	V	95.0	13.9

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_10M\_5732.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11449.525000	---	38.16	54.00	15.84	100.0	H	109.0	13.3
11453.458333	46.23	---	74.00	27.77	100.0	H	327.0	13.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_10M\_5732.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11453.458333	46.94	---	74.00	27.06	100.0	V	227.0	13.4
11502.133333	---	38.52	54.00	15.48	100.0	V	240.0	13.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI RC
Model:	RM330
Test Mode:	SDR 5.8G_10M_5732.5MHz
Order No/Sample No:	168350235/A003211905-003
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5620.838889	55.89	68.20	12.31	100.0	H	200.0	13.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_10M\_5732.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5630.555556	57.24	68.20	10.96	100.0	V	86.0	13.8


### Final\_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_10M\_5788.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5785.000000	105.26	---	---	---	100.0	H	5.0	14.0
5791.000000	---	94.82	---	---	100.0	H	5.0	14.0

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_10M\_5788.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5785.500000	113.31	---	---	---	100.0	V	105.0	14.0
5792.000000	---	102.48	---	---	100.0	V	112.0	14.0

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_10M\_5788.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11570.966667	---	37.69	54.00	16.31	100.0	H	336.0	13.4
11608.333333	47.08	---	74.00	26.92	100.0	H	324.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_10M\_5788.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11540.483333	47.61	---	74.00	26.39	100.0	V	40.0	13.5
11588.175000	---	37.42	54.00	16.58	100.0	V	198.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5844.000000	101.37	---	---	---	100.0	H	358.0	14.1
5845.500000	---	90.54	---	---	100.0	H	358.0	14.2

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5844.000000	110.07	---	---	---	100.0	V	108.0	14.1
5846.000000	---	99.05	---	---	100.0	V	108.0	14.2

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11676.675000	---	38.15	54.00	15.85	100.0	H	80.0	13.3
11677.166667	47.55	---	74.00	26.45	100.0	H	211.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11681.591667	---	37.12	54.00	16.88	100.0	V	313.0	13.3
11697.816667	46.56	---	74.00	27.44	100.0	V	0.0	13.3


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5927.486111	56.66	68.20	11.54	100.0	H	112.0	14.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5941.605556	57.11	68.20	11.09	100.0	V	123.0	14.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_20M\_5735.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5728.500000	103.38	---	---	---	100.0	H	35.0	13.9
5740.500000	---	91.49	---	---	100.0	H	202.0	13.9

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI RC
Model:	RM330
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168350235/A003211905-003
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5736.500000	---	100.52	---	---	100.0	V	94.0	13.9
5738.500000	111.70	---	---	---	100.0	V	101.0	13.9

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_20M\_5735.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11471.158333	---	37.32	54.00	16.68	100.0	H	346.0	13.6
11477.550000	46.42	---	74.00	27.58	100.0	H	358.0	13.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_20M\_5735.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11471.158333	---	38.23	54.00	15.77	100.0	V	33.0	13.6
11473.125000	47.57	---	74.00	26.43	100.0	V	45.0	13.6

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI RC
Model:	RM330
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168350235/A003211905-003
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5631.166667	55.80	68.20	12.40	100.0	H	62.0	13.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI RC
Model:	RM330
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168350235/A003211905-003
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5607.700000	56.44	68.20	11.76	100.0	V	82.0	13.8


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_20M\_5787.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5780.000000	---	92.41	---	---	100.0	H	5.0	14.0
5782.500000	102.76	---	---	---	100.0	H	199.0	14.0

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_20M\_5787.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5781.500000	110.65	---	---	---	100.0	V	100.0	14.0
5784.000000	---	99.99	---	---	100.0	V	108.0	14.0

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_20M\_5787.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11563.100000	47.75	---	74.00	26.25	100.0	H	30.0	13.4
11575.883333	---	37.69	54.00	16.31	100.0	H	356.0	13.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_20M\_5787.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11551.300000	46.87	---	74.00	27.13	100.0	V	305.0	13.5
11579.325000	---	38.20	54.00	15.80	100.0	V	72.0	13.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_20M\_5839.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5833.500000	103.06	---	---	---	100.0	H	0.0	14.1
5838.500000	---	92.07	---	---	100.0	H	358.0	14.1

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_20M\_5839.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5834.500000	---	101.31	---	---	100.0	V	104.0	14.1
5847.000000	113.16	---	---	---	100.0	V	110.0	14.2

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_20M\_5839.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11674.708333	47.20	---	74.00	26.80	100.0	H	154.0	13.3
11744.033333	---	38.79	54.00	15.21	100.0	H	33.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_20M\_5839.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11676.183333	47.37	---	74.00	26.63	100.0	V	113.0	13.3
11688.966667	---	37.48	54.00	16.52	100.0	V	275.0	13.3


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



## EUT Information

EUT Name:	DJI RC
Model:	RM330
Test Mode:	SDR 5.8G_20M_5839.5MHz
Order No/Sample No:	168350235/A003211905-003
Test Voltage::	Battery
Remark:	Temp 22 Humi:52%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



## Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5938.283333	57.06	68.20	11.14	100.0	H	197.0	14.7

## Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI RC  
 Model: RM330  
 Test Mode: SDR 5.8G\_20M\_5839.5MHz  
 Order No/Sample No: 168350235/A003211905-003  
 Test Voltage:: Battery  
 Remark: Temp 22 Humi:52%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5938.794445	57.50	68.20	10.70	100.0	V	174.0	14.7


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## Appendix B.5: Test Results of Conducted Emission on AC Mains

### EUT Information

EUT Name: DJI RC  
 Order No: 168350235(P00550296)  
 Model: RM330  
 Test Mode: Normal Operation by 5.8G SDR  
 Test Voltage: AC 120V/60Hz  
 Test By: Shower Dai  
 Review By: Gary Chen  
 Remark: SR1




### Critical Freqs

Frequency (MHz)	MaxPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Line	Corr. (dB)
0.174000	---	25.34	54.77	29.43	L1	9.6
0.174000	42.04	---	64.77	22.73	L1	9.6
0.242000	38.79	---	62.03	23.24	L1	9.6
0.246000	---	23.16	51.89	28.73	L1	9.6
0.350000	---	23.01	48.96	25.95	L1	9.8
0.354000	36.83	---	58.87	22.04	L1	9.7
0.458000	---	22.15	46.73	24.58	L1	9.7
0.486000	33.69	---	56.24	22.55	L1	9.7
0.712000	32.50	---	56.00	23.50	L1	9.7
0.716000	---	18.82	46.00	27.18	L1	9.7
12.532000	---	22.98	50.00	27.02	L1	10.1
12.760000	34.94	---	60.00	25.06	L1	10.1

### EUT Information

EUT Name: DJI RC  
 Order No: 168350235(P00550296)  
 Model: RM330  
 Test Mode: Normal Operation by 5.8G SDR  
 Test Voltage: AC 120V/60Hz  
 Test By: Shower Dai  
 Review By: Gary Chen  
 Remark: SR1



### Critical Freqs

Frequency (MHz)	MaxPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Line	Corr. (dB)
0.174000	---	24.52	54.77	30.25	N	9.6
0.178000	41.44	---	64.58	23.14	N	9.6
0.242000	39.36	---	62.03	22.67	N	9.6
0.246000	---	22.31	51.89	29.58	N	9.6
0.318000	---	23.16	49.76	26.60	N	9.7
0.318000	39.43	---	59.76	20.33	N	9.7
0.458000	---	22.55	46.73	24.18	N	9.7
0.462000	36.86	---	56.66	19.79	N	9.7
0.560000	35.16	---	56.00	20.84	N	9.7
0.568000	---	20.56	46.00	25.44	N	9.7
12.572000	---	22.46	50.00	27.54	N	10.2
12.680000	34.18	---	60.00	25.82	N	10.2