


1.4 MHz

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 * 5728.00 | 101.46 | 58.26 | 43.20 | 54.00 | 47.46 | 112 | 37 | Average | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 * 5728.50 | 110.12 | 66.92 | 43.20 | 54.00 | 56.12 | 118 | 24 | Average | Vertical | |


1.4 MHz

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|--------|-----------|------------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5604.00 | 56.28 | 13.28 | 43.00 | 68.20 | -11.92 | 110 | 36 | Peak | Horizontal |
| 2 | 5690.00 | 57.23 | 14.17 | 43.06 | 97.83 | -40.60 | 110 | 36 | Peak | Horizontal |
| 3 | 5718.50 | 55.46 | 12.31 | 43.15 | 110.38 | -54.92 | 110 | 36 | Peak | Horizontal |
| 4 | 5723.50 | 55.45 | 12.27 | 43.18 | 110.78 | -63.33 | 110 | 36 | Peak | Horizontal |
| 5 | 5846.50 | 112.48 | 68.91 | 43.57 | 122.20 | -9.72 | 110 | 36 | Peak | Horizontal |
| 6 | 5851.00 | 65.33 | 21.75 | 43.58 | 119.92 | -54.59 | 110 | 36 | Peak | Horizontal |
| 7 | 5855.50 | 56.00 | 13.21 | 43.59 | 110.66 | -53.66 | 110 | 36 | Peak | Horizontal |
| 8 | 5877.00 | 57.15 | 13.50 | 43.65 | 103.71 | -46.56 | 110 | 36 | Peak | Horizontal |
| 9 | 5946.50 | 56.98 | 13.32 | 43.66 | 68.20 | -11.22 | 110 | 36 | Peak | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|--------|-----------|----------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5639.00 | 58.08 | 15.06 | 43.02 | 68.20 | -10.12 | 102 | 22 | Peak | Vertical |
| 2 | 5658.00 | 57.17 | 14.13 | 43.04 | 74.14 | -16.97 | 102 | 22 | Peak | Vertical |
| 3 | 5714.00 | 56.71 | 13.57 | 43.14 | 109.12 | -52.41 | 102 | 22 | Peak | Vertical |
| 4 | 5720.00 | 56.07 | 12.91 | 43.16 | 110.80 | -54.73 | 102 | 22 | Peak | Vertical |
| 5 * | 5846.50 | 124.15 | 80.58 | 43.57 | 122.20 | 1.95 | 102 | 22 | Peak | Vertical |
| 6 | 5851.50 | 71.72 | 28.14 | 43.58 | 118.78 | -47.06 | 102 | 22 | Peak | Vertical |
| 7 | 5856.00 | 59.09 | 15.50 | 43.59 | 110.52 | -51.43 | 102 | 22 | Peak | Vertical |
| 8 | 5912.00 | 57.12 | 13.42 | 43.70 | 77.79 | -20.67 | 102 | 22 | Peak | Vertical |
| 9 | 5946.50 | 56.85 | 13.20 | 43.65 | 68.20 | -11.35 | 102 | 22 | Peak | Vertical |


1.4 MHz

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 * 5846.50 | 97.91 | 54.34 | 43.57 | 54.00 | 43.91 | 110 | 36 | Average | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 * 5846.50 | 105.32 | 61.75 | 43.57 | 54.00 | 51.32 | 102 | 22 | Average | Vertical | |

3 MHz

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak



| Peak | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|--------|-----------|------------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5565.50 | 56.16 | 13.19 | 42.97 | 68.20 | -12.04 | 115 | 37 | Peak | Horizontal |
| 2 | 5655.50 | 55.64 | 12.60 | 43.04 | 72.29 | -16.65 | 115 | 37 | Peak | Horizontal |
| 3 | 5718.00 | 56.60 | 13.45 | 43.15 | 110.24 | -53.64 | 115 | 37 | Peak | Horizontal |
| 4 | 5722.00 | 57.07 | 13.90 | 43.17 | 115.36 | -58.29 | 115 | 37 | Peak | Horizontal |
| 5 | 5730.50 | 111.47 | 68.26 | 43.21 | 122.20 | -10.73 | 115 | 37 | Peak | Horizontal |
| 6 | 5851.00 | 56.97 | 13.39 | 43.58 | 119.92 | -62.95 | 115 | 37 | Peak | Horizontal |
| 7 | 5861.50 | 56.79 | 13.18 | 43.61 | 108.98 | -52.19 | 115 | 37 | Peak | Horizontal |
| 8 | 5916.50 | 56.19 | 12.49 | 43.70 | 74.47 | -18.28 | 115 | 37 | Peak | Horizontal |
| 9 | 5978.50 | 56.88 | 13.15 | 43.73 | 68.20 | -11.32 | 115 | 37 | Peak | Horizontal |

| Peak | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|--------|-----------|----------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5523.50 | 56.98 | 14.04 | 42.94 | 68.20 | -11.22 | 100 | 22 | Peak | Vertical |
| 2 | 5690.50 | 58.85 | 15.78 | 43.07 | 104.09 | -45.24 | 100 | 22 | Peak | Vertical |
| 3 | 5719.50 | 60.71 | 17.55 | 43.16 | 110.66 | -49.95 | 100 | 22 | Peak | Vertical |
| 4 | 5724.00 | 63.77 | 20.58 | 43.19 | 119.92 | -56.15 | 100 | 22 | Peak | Vertical |
| 5 | 5730.50 | 120.12 | 76.91 | 43.21 | 122.20 | -2.08 | 100 | 22 | Peak | Vertical |
| 6 | 5855.00 | 56.42 | 12.83 | 43.59 | 110.00 | -54.38 | 100 | 22 | Peak | Vertical |
| 7 | 5861.00 | 57.04 | 13.43 | 43.61 | 109.12 | -52.08 | 100 | 22 | Peak | Vertical |
| 8 | 5916.50 | 57.16 | 13.46 | 43.70 | 74.47 | -17.31 | 100 | 22 | Peak | Vertical |
| 9 | 5944.50 | 57.83 | 14.17 | 43.66 | 68.20 | -10.37 | 100 | 22 | Peak | Vertical |

3 MHz

Low Channel (Horizontal) Average



Low Channel (Vertical) Average



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|-------|-------|--------|-------|------|--------|-----------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 * 5730.50 | 100.13 | 56.92 | 43.21 | 54.00 | 46.13 | 115 | 37 | Average | Horizontal |

| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|-------|-------|--------|-------|------|--------|-----------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 * 5730.50 | 106.63 | 63.42 | 43.21 | 54.00 | 52.63 | 100 | 22 | Average | Vertical |

3 MHz

High Channel (Horizontal) Peak

High Channel (Vertical) Peak



| Peak | Freq | Level | Read | Limit | Over | Apos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|---------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5616.50 | 56.93 | 13.92 | 43.01 | 68.20 | -11.27 | 109 | 36 Peak | Horizontal | |
| 2 | 5676.50 | 55.52 | 13.57 | 43.05 | 87.85 | -31.23 | 109 | 36 Peak | Horizontal | |
| 3 | 5713.00 | 56.30 | 13.17 | 43.13 | 108.84 | -52.54 | 109 | 36 Peak | Horizontal | |
| 4 | 5721.50 | 55.68 | 12.51 | 43.17 | 114.22 | -58.54 | 109 | 36 Peak | Horizontal | |
| 5 | 5844.50 | 111.12 | 67.56 | 43.56 | 122.20 | -11.08 | 109 | 36 Peak | Horizontal | |
| 6 | 5852.00 | 57.82 | 14.24 | 43.58 | 117.64 | -59.82 | 109 | 36 Peak | Horizontal | |
| 7 | 5874.50 | 56.81 | 13.16 | 43.65 | 105.34 | -48.53 | 109 | 36 Peak | Horizontal | |
| 8 | 5896.50 | 57.08 | 13.38 | 43.70 | 89.25 | -32.17 | 109 | 36 Peak | Horizontal | |
| 9 | 5998.50 | 57.46 | 13.67 | 43.79 | 68.20 | -10.74 | 109 | 36 Peak | Horizontal | |

| Peak | Freq | Level | Read | Limit | Over | Apos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|---------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5637.00 | 58.12 | 15.10 | 43.02 | 68.20 | -10.08 | 101 | 23 Peak | Vertical | |
| 2 | 5676.00 | 57.96 | 14.91 | 43.05 | 87.48 | -29.52 | 101 | 23 Peak | Vertical | |
| 3 | 5713.50 | 57.15 | 14.02 | 43.13 | 108.98 | -51.83 | 101 | 23 Peak | Vertical | |
| 4 | 5722.00 | 55.90 | 12.73 | 43.17 | 115.36 | -59.46 | 101 | 23 Peak | Vertical | |
| 5 | 5844.50 | 119.85 | 76.29 | 43.56 | 122.20 | -2.35 | 101 | 23 Peak | Vertical | |
| 6 | 5852.00 | 65.19 | 21.61 | 43.58 | 117.64 | -52.45 | 101 | 23 Peak | Vertical | |
| 7 | 5855.00 | 59.46 | 15.87 | 43.59 | 110.00 | -51.34 | 101 | 23 Peak | Vertical | |
| 8 | 5916.00 | 57.42 | 13.72 | 43.70 | 74.84 | -17.42 | 101 | 23 Peak | Vertical | |
| 9 | 5964.00 | 57.83 | 14.14 | 43.69 | 68.20 | -10.37 | 101 | 23 Peak | Vertical | |

3 MHz

High Channel (Horizontal) Average



High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|-------|-------|--------|-------|------|--------|-----------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 * 5844.50 | 98.41 | 54.85 | 43.56 | 54.00 | 44.41 | 109 | 36 | Average | Horizontal |

| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|-------|-------|--------|-------|------|--------|-----------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 * 5844.50 | 107.30 | 63.74 | 43.56 | 54.00 | 53.30 | 101 | 23 | Average | Vertical |

10 MHz

Low Channel (Horizontal) Peak



Low Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|------------|--------|--------|--------|------|------|--------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 5638.00 | 57.91 | 14.89 | 43.02 | 68.20 | -10.29 | 112 | 36 | Peak | Horizontal | |
| 2 | 5700.00 | 59.45 | 16.38 | 43.07 | 105.20 | -45.75 | 112 | 36 | Peak | Horizontal | |
| 3 | 5719.50 | 89.83 | 46.67 | 43.16 | 110.66 | -20.83 | 112 | 36 | Peak | Horizontal | |
| 4 | 5724.00 | 95.22 | 52.03 | 43.19 | 121.74 | -26.52 | 112 | 36 | Peak | Horizontal | |
| 5 | 5730.50 | 117.76 | 74.55 | 43.21 | 122.20 | -4.44 | 112 | 36 | Peak | Horizontal | |
| 6 | 5855.00 | 57.71 | 14.12 | 43.59 | 110.80 | -53.09 | 112 | 36 | Peak | Horizontal | |
| 7 | 5855.00 | 57.71 | 14.12 | 43.59 | 110.80 | -53.09 | 112 | 36 | Peak | Horizontal | |
| 8 | 5876.00 | 57.04 | 13.39 | 43.65 | 104.46 | -47.42 | 112 | 36 | Peak | Horizontal | |
| 9 | 5941.00 | 57.69 | 14.02 | 43.67 | 68.20 | -10.51 | 112 | 36 | Peak | Horizontal | |

| Peak | Freq | Level | Read Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|------------|--------|--------|--------|------|------|--------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 5497.00 | 60.91 | 17.99 | 42.92 | 68.20 | -7.29 | 119 | 22 | Peak | Vertical | |
| 2 | 5700.00 | 67.53 | 24.46 | 43.07 | 105.20 | -37.67 | 119 | 22 | Peak | Vertical | |
| 3 | 5720.00 | 91.66 | 48.50 | 43.16 | 110.80 | -19.14 | 119 | 22 | Peak | Vertical | |
| 4 | 5724.00 | 102.53 | 59.34 | 43.19 | 121.29 | -18.76 | 119 | 22 | Peak | Vertical | |
| 5 | 5730.50 | 125.24 | 82.03 | 43.21 | 122.20 | 3.04 | 119 | 22 | Peak | Vertical | |
| 6 | 5854.50 | 60.03 | 16.44 | 43.59 | 111.94 | -51.91 | 119 | 22 | Peak | Vertical | |
| 7 | 5855.00 | 59.94 | 16.35 | 43.59 | 110.80 | -50.86 | 119 | 22 | Peak | Vertical | |
| 8 | 5911.50 | 59.02 | 15.32 | 43.70 | 78.16 | -19.14 | 119 | 22 | Peak | Vertical | |
| 9 | 5940.00 | 60.39 | 16.72 | 43.67 | 68.20 | -7.81 | 119 | 22 | Peak | Vertical | |


10 MHz

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 * 5738.50 | 104.76 | 61.55 | 43.21 | 54.00 | 50.76 | 112 | 36 | Average | Horizontal | |




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 * 5738.50 | 112.52 | 69.31 | 43.21 | 54.00 | 58.52 | 119 | 22 | Average | Vertical | |

10 MHz
High Channel (Horizontal) Peak
High Channel (Vertical) Peak

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


| Peak | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|---------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5647.00 | 58.61 | 15.58 | 43.03 | 68.20 | -9.59 | 110 | 36 Peak | Horizontal | |
| 2 | 5655.50 | 58.23 | 15.19 | 43.04 | 72.29 | -14.06 | 110 | 36 Peak | Horizontal | |
| 3 | 5707.00 | 57.43 | 14.33 | 43.10 | 107.16 | -49.73 | 110 | 36 Peak | Horizontal | |
| 4 | 5723.50 | 57.41 | 14.23 | 43.18 | 118.78 | -61.37 | 110 | 36 Peak | Horizontal | |
| 5 | 5844.50 | 116.09 | 72.53 | 43.56 | 122.20 | -6.11 | 110 | 36 Peak | Horizontal | |
| 6 | 5851.00 | 106.56 | 62.98 | 43.58 | 119.92 | -13.36 | 110 | 36 Peak | Horizontal | |
| 7 | 5855.00 | 86.59 | 42.91 | 43.59 | 110.00 | -24.30 | 110 | 36 Peak | Horizontal | |
| 8 | 5876.00 | 61.74 | 18.09 | 43.65 | 104.46 | -42.72 | 110 | 36 Peak | Horizontal | |
| 9 | 5989.00 | 58.51 | 14.75 | 43.76 | 68.20 | -9.69 | 110 | 36 Peak | Horizontal | |


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


| Peak | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|---------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5647.00 | 58.61 | 15.58 | 43.03 | 68.20 | -9.59 | 110 | 36 Peak | Horizontal | |
| 2 | 5655.50 | 58.23 | 15.19 | 43.04 | 72.29 | -14.06 | 110 | 36 Peak | Horizontal | |
| 3 | 5707.00 | 57.43 | 14.33 | 43.10 | 107.16 | -49.73 | 110 | 36 Peak | Horizontal | |
| 4 | 5723.50 | 57.41 | 14.23 | 43.18 | 118.78 | -61.37 | 110 | 36 Peak | Horizontal | |
| 5 | 5844.50 | 116.09 | 72.53 | 43.56 | 122.20 | -6.11 | 110 | 36 Peak | Horizontal | |
| 6 | 5851.00 | 106.56 | 62.98 | 43.58 | 119.92 | -13.36 | 110 | 36 Peak | Horizontal | |
| 7 | 5855.00 | 86.59 | 42.91 | 43.59 | 110.00 | -24.30 | 110 | 36 Peak | Horizontal | |
| 8 | 5876.00 | 61.74 | 18.09 | 43.65 | 104.46 | -42.72 | 110 | 36 Peak | Horizontal | |
| 9 | 5989.00 | 58.51 | 14.75 | 43.76 | 68.20 | -9.69 | 110 | 36 Peak | Horizontal | |


10 MHz

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 * 5844.50 | 102.97 | 59.41 | 43.56 | 54.00 | 48.97 | 110 | 36 | Average | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 * 5844.50 | 112.07 | 68.51 | 43.56 | 54.00 | 58.07 | 112 | 23 | Average | Vertical | |

20 MHz

Low Channel (Horizontal) Peak



Low Channel (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|---------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5638.00 | 58.98 | 15.96 | 43.02 | 68.20 | -9.22 | 115 | 38 Peak | Horizontal | |
| 2 | 5695.00 | 68.39 | 25.33 | 43.06 | 101.51 | -33.12 | 115 | 38 Peak | Horizontal | |
| 3 | 5719.50 | 90.17 | 47.01 | 43.16 | 110.66 | -20.49 | 115 | 38 Peak | Horizontal | |
| 4 | 5724.00 | 91.46 | 48.27 | 43.19 | 119.92 | -28.46 | 115 | 38 Peak | Horizontal | |
| 5 | 5735.50 | 117.42 | 74.19 | 43.23 | 122.20 | -4.78 | 115 | 38 Peak | Horizontal | |
| 6 | 5853.50 | 58.11 | 14.52 | 43.59 | 114.22 | -56.11 | 115 | 38 Peak | Horizontal | |
| 7 | 5873.00 | 58.94 | 15.29 | 43.65 | 105.76 | -46.82 | 115 | 38 Peak | Horizontal | |
| 8 | 5910.50 | 58.69 | 14.99 | 43.70 | 78.90 | -20.21 | 115 | 38 Peak | Horizontal | |
| 9 | 5979.00 | 58.55 | 14.82 | 43.73 | 68.20 | -9.65 | 115 | 38 Peak | Horizontal | |

| Peak | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|---------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5541.50 | 60.91 | 17.96 | 42.95 | 68.20 | -7.29 | 116 | 23 Peak | Vertical | |
| 2 | 5699.50 | 74.76 | 31.69 | 43.07 | 104.83 | -30.07 | 116 | 23 Peak | Vertical | |
| 3 | 5720.00 | 93.54 | 50.38 | 43.16 | 110.80 | -17.26 | 116 | 23 Peak | Vertical | |
| 4 | 5723.00 | 97.52 | 54.34 | 43.18 | 118.78 | -21.26 | 116 | 23 Peak | Vertical | |
| 5 | 5735.50 | 121.18 | 77.95 | 43.23 | 122.20 | -1.02 | 116 | 23 Peak | Vertical | |
| 6 | 5851.50 | 58.87 | 15.29 | 43.58 | 118.78 | -59.91 | 116 | 23 Peak | Vertical | |
| 7 | 5857.50 | 59.25 | 15.66 | 43.59 | 110.10 | -50.85 | 116 | 23 Peak | Vertical | |
| 8 | 5922.00 | 59.07 | 15.38 | 43.69 | 70.41 | -11.34 | 116 | 23 Peak | Vertical | |
| 9 | 5957.50 | 58.92 | 15.25 | 43.67 | 68.20 | -9.28 | 116 | 23 Peak | Vertical | |


20 MHz

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------------|---------|------------|------------|--------|-------|--------|-----------|-----------------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | |
| 1 * | 5735.50 | 101.76 | 58.53 | 43.23 | 54.00 | 47.76 | 115 | 38 Average Horizontal |



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------------|---------|------------|------------|--------|-------|--------|-----------|---------------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | |
| 1 * | 5735.50 | 108.68 | 65.45 | 43.23 | 54.00 | 54.68 | 116 | 23 Average Vertical |


20 MHz

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|--------|-----------|------------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5551.50 | 58.75 | 15.79 | 42.96 | 68.20 | -9.45 | 120 | 38 | Peak | Horizontal |
| 2 | 5651.50 | 57.95 | 14.92 | 43.09 | 70.06 | -12.11 | 120 | 38 | Peak | Horizontal |
| 3 | 5704.00 | 57.21 | 14.12 | 43.09 | 106.32 | -49.11 | 120 | 38 | Peak | Horizontal |
| 4 | 5722.50 | 58.47 | 15.30 | 43.17 | 116.50 | -58.03 | 120 | 38 | Peak | Horizontal |
| 5 | 5839.50 | 116.32 | 72.77 | 43.55 | 122.20 | -5.88 | 120 | 38 | Peak | Horizontal |
| 6 | 5851.00 | 89.67 | 46.09 | 43.58 | 119.92 | -30.25 | 120 | 38 | Peak | Horizontal |
| 7 | 5855.00 | 86.43 | 42.84 | 43.59 | 110.00 | -24.37 | 120 | 38 | Peak | Horizontal |
| 8 | 5876.50 | 66.68 | 23.03 | 43.65 | 104.09 | -37.41 | 120 | 38 | Peak | Horizontal |
| 9 | 5959.50 | 58.41 | 14.73 | 43.68 | 68.20 | -9.79 | 120 | 38 | Peak | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|--------|-----------|----------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5548.50 | 63.72 | 20.76 | 42.96 | 68.20 | -4.48 | 116 | 23 | Peak | Vertical |
| 2 | 5676.50 | 61.07 | 18.02 | 43.05 | 87.85 | -26.78 | 116 | 23 | Peak | Vertical |
| 3 | 5700.50 | 61.94 | 18.87 | 43.07 | 105.34 | -43.40 | 116 | 23 | Peak | Vertical |
| 4 | 5723.50 | 61.95 | 18.77 | 43.18 | 118.78 | -56.83 | 116 | 23 | Peak | Vertical |
| 5 | 5839.50 | 125.73 | 82.18 | 43.55 | 122.20 | 3.53 | 116 | 23 | Peak | Vertical |
| 6 | 5850.50 | 97.48 | 53.90 | 43.58 | 121.06 | -23.58 | 116 | 23 | Peak | Vertical |
| 7 | 5855.50 | 97.32 | 53.73 | 43.59 | 110.66 | -13.34 | 116 | 23 | Peak | Vertical |
| 8 | 5878.00 | 76.52 | 32.86 | 43.66 | 102.97 | -26.45 | 116 | 23 | Peak | Vertical |
| 9 | 5954.50 | 59.85 | 16.18 | 43.67 | 68.20 | -8.35 | 116 | 23 | Peak | Vertical |


20 MHz

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 * 5839.50 | 100.75 | 57.28 | 43.55 | 54.00 | 46.75 | 120 | 38 | Average | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 * 5839.50 | 109.68 | 66.05 | 43.55 | 54.00 | 55.68 | 116 | 23 | Average | Vertical | |


40 MHz

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|---------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5586.00 | 57.11 | 14.19 | 42.92 | 68.20 | -11.09 | 122 | 38 Peak | Horizontal | |
| 2 | 5700.00 | 62.78 | 19.71 | 43.07 | 105.20 | -42.42 | 122 | 38 Peak | Horizontal | |
| 3 | 5719.00 | 77.74 | 34.58 | 43.16 | 110.52 | -32.78 | 122 | 38 Peak | Horizontal | |
| 4 | 5721.50 | 78.54 | 35.37 | 43.17 | 114.22 | -35.68 | 122 | 38 Peak | Horizontal | |
| 5 | 5745.50 | 109.04 | 65.76 | 43.28 | 122.20 | -13.16 | 122 | 38 Peak | Horizontal | |
| 6 | 5852.50 | 56.57 | 12.99 | 43.58 | 116.50 | -59.93 | 122 | 38 Peak | Horizontal | |
| 7 | 5870.00 | 56.96 | 13.33 | 43.63 | 106.60 | -49.64 | 122 | 38 Peak | Horizontal | |
| 8 | 5915.50 | 57.27 | 13.57 | 43.70 | 75.21 | -17.94 | 122 | 38 Peak | Horizontal | |
| 9 | 5991.50 | 57.33 | 13.57 | 43.76 | 68.20 | -10.87 | 122 | 38 Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|---------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5479.00 | 60.30 | 17.39 | 42.91 | 68.20 | -7.90 | 112 | 25 Peak | Vertical | |
| 2 | 5699.50 | 72.31 | 29.24 | 43.07 | 104.83 | -32.52 | 112 | 25 Peak | Vertical | |
| 3 | 5719.00 | 84.02 | 40.86 | 43.16 | 110.52 | -26.50 | 112 | 25 Peak | Vertical | |
| 4 | 5723.00 | 87.82 | 44.64 | 43.18 | 117.64 | -29.82 | 112 | 25 Peak | Vertical | |
| 5 | 5745.50 | 118.38 | 75.10 | 43.28 | 122.20 | -3.82 | 112 | 25 Peak | Vertical | |
| 6 | 5852.50 | 59.10 | 15.52 | 43.58 | 116.50 | -57.40 | 112 | 25 Peak | Vertical | |
| 7 | 5855.00 | 58.50 | 14.91 | 43.59 | 110.00 | -52.50 | 112 | 25 Peak | Vertical | |
| 8 | 5878.50 | 58.62 | 14.96 | 43.66 | 102.60 | -43.98 | 112 | 25 Peak | Vertical | |
| 9 | 5926.50 | 57.82 | 14.13 | 43.69 | 68.20 | -10.38 | 112 | 25 Peak | Vertical | |


40 MHz

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1 * | 5745.50 | 94.09 | 59.81 | 43.28 | 54.08 | 40.09 | 122 | 38 | Average | Horizontal |
|-----|---------|-------|-------|-------|-------|-------|-----|----|---------|------------|
|-----|---------|-------|-------|-------|-------|-------|-----|----|---------|------------|



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1 * | 5745.50 | 102.51 | 59.23 | 43.28 | 54.08 | 48.51 | 112 | 25 | Average | Vertical |
|-----|---------|--------|-------|-------|-------|-------|-----|----|---------|----------|
|-----|---------|--------|-------|-------|-------|-------|-----|----|---------|----------|

40 MHz

High Channel (Horizontal) Peak



High Channel (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|---------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5639.00 | 58.15 | 15.13 | 43.02 | 68.20 | -10.05 | 113 | 37 Peak | Horizontal | |
| 2 | 5678.50 | 56.73 | 13.68 | 43.05 | 89.33 | -32.60 | 113 | 37 Peak | Horizontal | |
| 3 | 5719.00 | 56.28 | 13.12 | 43.16 | 110.52 | -54.24 | 113 | 37 Peak | Horizontal | |
| 4 | 5723.50 | 56.80 | 13.62 | 43.18 | 118.78 | -61.98 | 113 | 37 Peak | Horizontal | |
| 5 | 5829.50 | 107.47 | 63.95 | 43.52 | 122.20 | -14.73 | 113 | 37 Peak | Horizontal | |
| 6 | 5853.50 | 76.45 | 32.86 | 43.59 | 114.22 | -37.77 | 113 | 37 Peak | Horizontal | |
| 7 | 5856.50 | 74.03 | 30.44 | 43.59 | 110.38 | -36.35 | 113 | 37 Peak | Horizontal | |
| 8 | 5876.50 | 63.22 | 19.57 | 43.65 | 104.09 | -40.87 | 113 | 37 Peak | Horizontal | |
| 9 | 5999.00 | 58.87 | 15.08 | 43.79 | 68.20 | -9.33 | 113 | 37 Peak | Horizontal | |

| Peak | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|---------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5631.00 | 61.22 | 18.20 | 43.02 | 68.20 | -6.98 | 116 | 24 Peak | Vertical | |
| 2 | 5698.50 | 60.15 | 17.08 | 43.07 | 104.09 | -43.94 | 116 | 24 Peak | Vertical | |
| 3 | 5720.00 | 59.74 | 16.58 | 43.16 | 110.80 | -51.06 | 116 | 24 Peak | Vertical | |
| 4 | 5720.00 | 59.74 | 16.58 | 43.16 | 110.80 | -51.06 | 116 | 24 Peak | Vertical | |
| 5 | 5829.50 | 117.72 | 74.20 | 43.52 | 122.20 | -4.48 | 116 | 24 Peak | Vertical | |
| 6 | 5851.50 | 84.36 | 40.78 | 43.58 | 118.78 | -34.42 | 116 | 24 Peak | Vertical | |
| 7 | 5855.50 | 83.29 | 39.70 | 43.59 | 110.66 | -27.37 | 116 | 24 Peak | Vertical | |
| 8 | 5879.50 | 70.61 | 26.95 | 43.66 | 101.86 | -31.25 | 116 | 24 Peak | Vertical | |
| 9 | 5974.50 | 58.84 | 15.12 | 43.72 | 68.20 | -9.36 | 116 | 24 Peak | Vertical | |


40 MHz

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 * 5829.50 | 93.47 | 49.95 | 43.52 | 54.00 | 39.47 | 113 | 37 | Average | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 * 5829.50 | 102.28 | 58.76 | 43.52 | 54.00 | 48.28 | 116 | 24 | Average | Vertical | |

<ANT 1>


10 MHz

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|--------|------|---------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5560.50 | 58.54 | 15.58 | 42.96 | 68.20 | -9.66 | 109 | 36 Peak | Horizontal | |
| 2 | 5673.00 | 58.51 | 15.46 | 43.05 | 85.26 | -26.75 | 109 | 36 Peak | Horizontal | |
| 3 | 5720.00 | 57.43 | 14.27 | 43.16 | 110.80 | -53.37 | 109 | 36 Peak | Horizontal | |
| 4 | 5720.00 | 57.43 | 14.27 | 43.16 | 110.80 | -53.37 | 109 | 36 Peak | Horizontal | |
| 5 | 5844.50 | 116.02 | 72.46 | 43.56 | 122.20 | -6.18 | 109 | 36 Peak | Horizontal | |
| 6 | 5851.00 | 103.14 | 59.55 | 43.58 | 119.92 | -16.78 | 109 | 36 Peak | Horizontal | |
| 7 | 5855.00 | 86.41 | 42.82 | 43.59 | 110.80 | -24.39 | 109 | 36 Peak | Horizontal | |
| 8 | 5875.00 | 59.62 | 15.97 | 43.65 | 105.20 | -45.58 | 109 | 36 Peak | Horizontal | |
| 9 | 5976.50 | 58.55 | 14.83 | 43.72 | 68.20 | -9.65 | 109 | 36 Peak | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|--------|------|---------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5530.00 | 65.74 | 22.80 | 42.94 | 68.20 | -2.46 | 110 | 24 Peak | Vertical | |
| 2 | 5657.00 | 61.18 | 18.14 | 43.04 | 73.40 | -12.22 | 110 | 24 Peak | Vertical | |
| 3 | 5704.50 | 60.91 | 17.82 | 43.09 | 106.46 | -45.55 | 110 | 24 Peak | Vertical | |
| 4 | 5721.00 | 61.44 | 18.28 | 43.16 | 113.08 | -51.64 | 110 | 24 Peak | Vertical | |
| 5 | 5844.50 | 124.15 | 80.59 | 43.56 | 122.20 | -1.95 | 110 | 24 Peak | Vertical | |
| 6 | 5851.00 | 108.74 | 65.16 | 43.58 | 119.92 | -11.18 | 110 | 24 Peak | Vertical | |
| 7 | 5855.00 | 96.03 | 52.44 | 43.59 | 110.80 | -16.77 | 110 | 24 Peak | Vertical | |
| 8 | 5875.00 | 67.57 | 23.92 | 43.65 | 105.20 | -37.63 | 110 | 24 Peak | Vertical | |
| 9 | 5930.00 | 59.77 | 16.09 | 43.68 | 68.20 | -8.43 | 110 | 24 Peak | Vertical | |


10 MHz

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 * 5844.50 | 102.91 | 59.35 | 43.56 | 54.00 | 48.91 | 109 | 36 | Average | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 * 5844.50 | 111.43 | 67.87 | 43.56 | 54.00 | 57.43 | 110 | 24 | Average | Vertical | |

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz
<ANT 0>


10 MHz

High Channel (Open) 9kHz~150kHz

High Channel (Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1 | 2 | 3 | 4 | 5 | 6 |
|--------|--------|--------|--------|--------|--------|
| 0.01 | 0.03 | 0.05 | 0.08 | 0.12 | 0.14 |
| 81.27 | 78.49 | 64.43 | 59.78 | 55.35 | 53.78 |
| 3.15 | 0.18 | 0.00 | -1.49 | -2.56 | -3.08 |
| 78.12 | 78.31 | 64.43 | 61.27 | 57.91 | 56.78 |
| 126.65 | 117.66 | 112.88 | 109.55 | 105.78 | 104.51 |
| -45.38 | -47.17 | -48.45 | -49.77 | -50.43 | -50.81 |
| 100 | 100 | 100 | 100 | 100 | 100 |
| 155 | 122 | 301 | 113 | 299 | 282 |
| QP | QP | QP | QP | QP | QP |
| Open | Open | Open | Open | Open | Open |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




| 1 | 2 | 3 | 4 | 5 | 6 |
|--------|--------|--------|--------|--------|--------|
| 0.22 | 5.57 | 12.80 | 17.25 | 21.55 | 23.26 |
| 65.41 | 51.03 | 49.70 | 49.19 | 52.80 | 54.33 |
| 12.42 | 12.66 | 12.29 | 12.11 | 16.82 | 18.91 |
| 52.99 | 38.37 | 37.41 | 37.08 | 35.98 | 35.42 |
| 100.92 | 69.50 | 69.50 | 69.50 | 69.50 | 69.50 |
| -35.51 | -18.47 | -19.80 | -20.31 | -16.70 | -15.17 |
| 100 | 100 | 100 | 100 | 100 | 100 |
| 5 | 182 | 80 | 301 | 196 | 59 |
| QP | QP | QP | QP | QP | QP |
| Open | Open | Open | Open | Open | Open |

10 MHz

High Channel (Close) 9kHz~150kHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level | Read | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|--------|--------|--------|--------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 0.01 | 82.79 | 4.47 | 78.23 | 126.78 | -44.08 | 100 | 275 QP | Close | |
| 2 | 0.02 | 74.56 | 2.83 | 72.03 | 120.42 | -45.56 | 100 | 197 QP | Close | |
| 3 | 0.07 | 61.56 | -1.22 | 62.78 | 111.11 | -49.55 | 100 | 21 QP | Close | |
| 4 | 0.10 | 58.59 | -0.88 | 59.47 | 107.75 | -49.16 | 100 | 1 QP | Close | |
| 5 | 0.13 | 55.17 | -2.61 | 57.78 | 105.62 | -50.45 | 100 | 83 QP | Close | |
| 6 | 0.14 | 54.24 | -2.73 | 56.97 | 104.71 | -50.47 | 100 | 40 QP | Close | |

High Channel (Close) 150kHz~30MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|--------|--------|-------|--------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 0.25 | 63.59 | 11.67 | 51.92 | 99.59 | -36.00 | 100 | 248 QP | Close | |
| 2 | 5.80 | 50.95 | 12.57 | 38.38 | 69.50 | -18.55 | 100 | 222 QP | Close | |
| 3 | 11.45 | 50.19 | 12.92 | 37.27 | 69.50 | -19.31 | 100 | 142 QP | Close | |
| 4 | 15.11 | 50.78 | 13.05 | 37.73 | 69.50 | -18.72 | 100 | 248 QP | Close | |
| 5 | 20.59 | 49.32 | 13.16 | 36.16 | 69.50 | -20.18 | 100 | 310 QP | Close | |
| 6 | 29.13 | 49.59 | 12.02 | 37.57 | 69.50 | -19.91 | 100 | 304 QP | Close | |

<ANT 1>


10 MHz

High Channel (Open) 9kHz~150kHz

High Channel (Open) 150kHz~30MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Date: 2021-03-08

| Freq | Level | Read | Level | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|--------|--------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 0.01 | 84.71 | 5.42 | 79.29 | 127.95 | -43.24 | 100 | 96 QP | Open | |
| 2 | 0.03 | 71.15 | 0.32 | 70.84 | 118.21 | -47.05 | 100 | 57 QP | Open | |
| 3 | 0.06 | 63.22 | -0.90 | 64.12 | 112.53 | -49.31 | 100 | 297 QP | Open | |
| 4 | 0.09 | 58.54 | -2.03 | 60.57 | 108.64 | -50.10 | 100 | 140 QP | Open | |
| 5 | 0.11 | 55.59 | -2.98 | 58.57 | 106.63 | -51.04 | 100 | 154 QP | Open | |
| 6 | 0.13 | 54.94 | -2.44 | 57.38 | 105.16 | -50.22 | 100 | 152 QP | Open | |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Date: 2021-03-08


| Freq | Level | Read | Level | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|--------|--------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 0.23 | 65.77 | 13.14 | 52.63 | 100.46 | -34.69 | 100 | 28 QP | Open | |
| 2 | 3.43 | 60.03 | 11.75 | 38.28 | 69.50 | -19.47 | 100 | 260 QP | Open | |
| 3 | 8.54 | 50.73 | 12.79 | 37.94 | 69.50 | -18.77 | 100 | 355 QP | Open | |
| 4 | 14.31 | 50.24 | 12.57 | 37.67 | 69.50 | -19.26 | 100 | 185 QP | Open | |
| 5 | 21.59 | 51.89 | 15.92 | 35.97 | 69.50 | -17.61 | 100 | 189 QP | Open | |
| 6 | 26.18 | 50.60 | 16.28 | 34.32 | 69.50 | -18.90 | 100 | 136 QP | Open | |

10 MHz

High Channel (Close) 9kHz~150kHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|--------|--------|--------|-----------|-------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 0.01 | 83.84 | 5.19 | 78.65 | 127.33 | -43.49 | 100 | 159 QP | Close |
| 2 | 0.03 | 72.19 | 1.17 | 71.02 | 118.51 | -46.32 | 100 | 67 QP | Close |
| 3 | 0.06 | 63.57 | -0.44 | 64.01 | 112.41 | -48.84 | 100 | 159 QP | Close |
| 4 | 0.06 | 58.60 | -2.31 | 60.91 | 109.07 | -50.47 | 100 | 221 QP | Close |
| 5 | 0.11 | 56.02 | -2.50 | 58.52 | 106.55 | -50.53 | 100 | 150 QP | Close |
| 6 | 0.14 | 54.13 | -2.55 | 56.68 | 104.40 | -50.27 | 100 | 216 QP | Close |

High Channel (Close) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|-------|--------|--------|-----------|-------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 0.25 | 66.33 | 14.41 | 51.92 | 99.59 | -33.26 | 100 | 145 QP | Close |
| 2 | 3.42 | 49.83 | 11.55 | 38.28 | 69.58 | -19.67 | 100 | 132 QP | Close |
| 3 | 10.01 | 49.46 | 11.85 | 37.61 | 69.50 | -20.04 | 100 | 248 QP | Close |
| 4 | 17.83 | 48.81 | 11.90 | 36.91 | 69.50 | -20.69 | 100 | 329 QP | Close |
| 5 | 23.71 | 47.78 | 12.67 | 35.11 | 69.50 | -21.72 | 100 | 22 QP | Close |
| 6 | 29.18 | 49.41 | 11.90 | 37.51 | 69.50 | -20.09 | 100 | 283 QP | Close |

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
<ANT 0>



<ANT 1>


10 MHz

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1 | 2 | 3 | 4 | 5 | 6 | | | | | |
|-----|--------|-------|-------|--------|-------|--------|--------|-----------|------|------------|
| MHz | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | |
| | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 49.79 | 23.10 | 20.12 | -6.02 | 40.00 | -16.90 | 300 | 300 | QP | horizontal |
| 2 | 101.10 | 21.99 | 33.04 | -11.05 | 43.50 | -21.51 | 100 | 246 | QP | horizontal |
| 3 | 158.53 | 23.36 | 29.28 | -5.92 | 43.50 | -20.14 | 200 | 40 | QP | horizontal |
| 4 | 439.83 | 27.77 | 29.91 | -2.14 | 46.00 | -18.23 | 100 | 163 | QP | horizontal |
| 5 | 593.06 | 26.88 | 28.00 | 0.00 | 46.00 | -17.12 | 400 | 257 | QP | horizontal |
| 6 | 782.43 | 33.01 | 30.01 | 3.00 | 46.00 | -12.99 | 100 | 346 | QP | horizontal |




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1 | 2 | 3 | 4 | 5 | 6 | | | | | |
|-----|--------|-------|-------|--------|-------|--------|--------|-----------|------|----------|
| MHz | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | |
| | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 49.01 | 30.71 | 36.90 | -6.19 | 40.00 | -9.29 | 300 | 7 | QP | vertical |
| 2 | 169.87 | 22.10 | 25.22 | -6.93 | 43.50 | -21.31 | 100 | 18 | QP | vertical |
| 3 | 364.07 | 25.18 | 28.79 | -3.61 | 46.00 | -20.82 | 100 | 320 | QP | vertical |
| 4 | 493.08 | 27.64 | 29.38 | -1.74 | 46.00 | -18.36 | 400 | 149 | QP | vertical |
| 5 | 635.57 | 30.05 | 29.48 | 0.57 | 46.00 | -15.95 | 100 | 272 | QP | vertical |
| 6 | 886.41 | 33.16 | 28.63 | 4.53 | 46.00 | -12.84 | 100 | 253 | QP | vertical |

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
<ANT 0>



1.4 MHz

Middle Channel (Horizontal)



Middle Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 11573.00 | 43.96 | 44.64 | -0.68 | 74.00 | -30.04 | 100 | 165 | Peak | horizontal | |

| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 11573.00 | 42.50 | 43.18 | -0.68 | 74.00 | -31.50 | 100 | 236 | Peak | vertical | |

1.4 MHz

High Channel (Horizontal)



High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 11693.00 | 44.49 | 44.81 | -0.32 | 74.00 | -29.51 | 300 | 191 | Peak | horizontal | |

| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 11693.00 | 43.12 | 43.44 | -0.32 | 74.00 | -30.88 | 300 | 73 | Peak | vertical | |


3 MHz

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 11461.00 | 43.17 | 44.14 | -0.97 | 74.00 | -30.83 | 100 | 93 | Peak | horizontal | |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 11461.00 | 42.33 | 43.30 | -0.97 | 74.00 | -31.67 | 399 | 360 | Peak | vertical | |

3 MHz

Middle Channel (Horizontal)



Middle Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|------------|--------|------------|------------|--------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 11575.00 | 43.51 | 44.19 | -0.68 | 74.00 | -30.49 | 400 | 12 Peak | horizontal | |

| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|------------|--------|------------|------------|--------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 11575.00 | 44.09 | 44.77 | -0.68 | 74.00 | -29.91 | 237 | 0 Peak | vertical | |


3 MHz

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|------------|--------|------------|------------|--------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 11689.00 | 42.20 | 42.53 | -0.33 | 74.00 | -31.80 | 200 | 85 Peak | horizontal | |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|------------|--------|------------|------------|--------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 11689.00 | 42.61 | 42.94 | -0.33 | 74.00 | -31.39 | 211 | 0 Peak | vertical | |

10 MHz

Low Channel (Horizontal)



Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 11461.00 | 41.99 | 42.96 | -0.97 | 74.00 | -32.01 | 400 | 353 | Peak | horizontal | |

| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 11461.00 | 42.25 | 43.22 | -0.97 | 74.00 | -31.75 | 400 | 147 | Peak | vertical | |

10 MHz

Middle Channel (Horizontal)



Middle Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|------------|--------|------------|------------|--------|------|----------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 11575.00 | 43.38 | 44.06 | -0.68 | 74.00 | -30.62 | 100 | 280 Peak | horizontal | |

| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|------------|--------|------------|------------|--------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 11575.00 | 43.32 | 44.00 | -0.68 | 74.00 | -30.68 | 100 | 69 Peak | vertical | |

10 MHz

High Channel (Horizontal)



High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|------------|--------|------------|------------|--------|------|----------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 11689.00 | 42.84 | 43.17 | -0.33 | 74.00 | -31.16 | 400 | 236 Peak | horizontal | |

| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|------------|--------|------------|------------|--------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 11689.00 | 45.96 | 46.29 | -0.33 | 74.00 | -28.04 | 400 | 94 Peak | vertical | |

20 MHz

Low Channel (Horizontal)



Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 11471.00 | 43.14 | 44.09 | -0.95 | 74.00 | -30.86 | 400 | 83 | Peak | horizontal | |

| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 11471.00 | 43.31 | 44.26 | -0.95 | 74.00 | -30.69 | 242 | 0 | Peak | vertical | |

20 MHz

Middle Channel (Horizontal)



Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|------------|--------|------------|------------|--------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 11575.00 | 42.84 | 43.52 | -0.68 | 74.00 | -31.16 | 200 | 34 Peak | horizontal | |

| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|------------|--------|------------|------------|--------|------|----------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 11575.00 | 43.38 | 44.06 | -0.68 | 74.00 | -30.62 | 100 | 333 Peak | vertical | |

20 MHz

High Channel (Horizontal)



High Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 11679.00 | 42.59 | 42.95 | -0.36 | 74.00 | -31.41 | 200 | 330 | Peak | horizontal | |

| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 11679.00 | 44.39 | 44.75 | -0.36 | 74.00 | -29.61 | 400 | 132 | Peak | vertical | |


40 MHz

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 11491.00 | 43.42 | 44.33 | -0.91 | 74.00 | -30.58 | 100 | 99 | Peak | horizontal | |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 11491.00 | 43.46 | 44.37 | -0.91 | 74.00 | -30.54 | 300 | 97 | Peak | vertical | |

40 MHz

Middle Channel (Horizontal)



Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|------------|--------|------------|------------|--------|------|----------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 11575.00 | 42.37 | 43.05 | -0.68 | 74.00 | -31.63 | 100 | 183 Peak | horizontal | |

| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|------------|--------|------------|------------|--------|------|----------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 11575.00 | 43.06 | 43.74 | -0.68 | 74.00 | -30.94 | 300 | 200 Peak | vertical | |

40 MHz

High Channel (Horizontal)



High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|------------|--------|------------|------------|--------|------|--------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 11659.00 | 43.02 | 43.45 | -0.43 | 74.00 | -30.98 | 202 | 0 Peak | horizontal | |

| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|------------|--------|------------|------------|--------|------|----------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 11659.00 | 44.15 | 44.58 | -0.43 | 74.00 | -29.85 | 400 | 213 Peak | vertical | |

<ANT 1>

