


40 MHz

2420.5 MHz (Horizontal) Average

2420.5 MHz (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.35	39.79	2.52	37.27	54.00	-14.21	172	27	Average	Horizontal	
2 *	2420.50	75.98	38.63	37.35	54.00	21.98	172	27	Average	Horizontal	
3	2794.98	41.36	3.27	38.09	54.00	-12.64	172	27	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.41	41.96	4.69	37.27	54.00	-12.04	192	86	Average	Vertical	
2 *	2420.50	88.17	58.82	37.35	54.00	34.17	192	86	Average	Vertical	
3	2485.58	41.34	3.64	37.70	54.00	-12.66	192	86	Average	Vertical	


40 MHz

2421.5 MHz (Horizontal) Peak

2421.5 MHz (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2377.02	49.21	15.31	33.90	74.00	-24.79	186	198	Peak	Horizontal	
2 *	2421.50	94.94	60.75	34.19	74.00	20.94	186	198	Peak	Horizontal	
3	2869.49	50.57	16.07	34.50	74.00	-23.43	186	198	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.74	50.79	16.00	33.99	74.00	-23.21	213	115	Peak	Vertical	
2 *	2421.50	105.53	71.34	34.19	74.00	31.53	213	115	Peak	Vertical	
3	2829.92	50.67	16.46	34.41	74.00	-23.13	213	115	Peak	Vertical	


40 MHz

2421.5 MHz (Horizontal) Average

2421.5 MHz (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3							
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
2389.74	36.59	2.60	33.99	54.00	-17.41	186	198 Average	Horizontal	
2421.50	79.75	45.56	34.19	54.00	25.75	186	198 Average	Horizontal	*
2855.12	37.79	3.35	34.44	54.00	-16.21	186	198 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3							
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
2389.74	40.63	6.64	33.99	54.00	-13.37	213	115 Average	Vertical	
2421.50	90.37	56.18	34.19	54.00	36.37	213	115 Average	Vertical	*
2485.86	38.16	3.64	34.52	54.00	-15.84	213	115 Average	Vertical	


40 MHz

2460.5 MHz (Horizontal) Peak

2460.5 MHz (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2378.67	48.59	14.68	33.91	74.00	-25.41	186	198	Peak	Horizontal	
2 *	2460.50	94.84	60.43	34.41	74.00	20.84	186	198	Peak	Horizontal	
3	2895.86	50.56	16.16	34.40	74.00	-23.44	186	198	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2349.50	48.95	15.22	33.73	74.00	-25.05	213	115	Peak	Vertical	
2 *	2460.50	104.94	70.53	34.41	74.00	30.94	213	115	Peak	Vertical	
3	2485.98	57.93	23.41	34.52	74.00	-16.07	213	115	Peak	Vertical	

40 MHz

2460.5 MHz (Horizontal) Average

2460.5 MHz (Vertical) Average





Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2367.72	36.11	2.26	33.85	54.00	-17.89	186	198	Average	Horizontal	
2 *	2460.50	78.28	43.79	34.41	54.00	24.28	186	198	Average	Horizontal	
3	2483.50	37.97	3.46	34.51	54.00	-16.03	186	198	Average	Horizontal	

Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.09	37.31	3.33	33.98	54.00	-16.69	213	115	Average	Vertical	
2 *	2460.50	89.61	55.28	34.41	54.00	35.61	213	115	Average	Vertical	
3	2483.62	44.02	9.51	34.51	54.00	-9.98	213	115	Average	Vertical	

40 MHz

2462.5 MHz (Horizontal) Peak

2462.5 MHz (Vertical) Peak



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2385.17	53.68	16.41	37.27	74.00	-20.32	110	201	Peak	Horizontal	
2 *	2462.50	99.16	52.62	37.54	74.00	16.16	110	201	Peak	Horizontal	
3	2892.30	54.54	16.43	38.11	74.00	-19.46	110	201	Peak	Horizontal	

Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.41	53.27	16.00	37.27	74.00	-20.73	157	108	Peak	Vertical	
2 *	2462.50	102.37	64.83	37.54	74.00	28.37	157	108	Peak	Vertical	
3	2484.29	62.94	25.24	37.70	74.00	-11.06	157	108	Peak	Vertical	


40 MHz

2462.5 MHz (Horizontal) Average

2462.5 MHz (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2366.17	49.04	2.80	37.24	54.00	-13.96	110	201 Average	Horizontal
2 *	2462.50	75.51	37.97	37.54	54.00	21.51	110	201 Average	Horizontal
3	2823.30	41.70	3.57	38.13	54.00	-12.30	110	201 Average	Horizontal




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.10	49.47	3.20	37.27	54.00	-13.53	157	108 Average	Vertical
2 *	2462.50	87.48	49.94	37.54	54.00	33.48	157	108 Average	Vertical
3	2483.58	44.05	6.36	37.69	54.00	-9.95	157	108 Average	Vertical

<ANT 1>




1.4 MHz

High Channel (Horizontal) Average

High Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2354.96	40.12	2.89	37.23	54.00	-13.88	199	147	Average	Horizontal	
2 *	2477.58	101.04	63.39	37.65	54.00	47.04	199	147	Average	Horizontal	
3	2483.58	42.12	4.43	37.69	54.00	-11.88	199	147	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2398.00	40.57	3.30	37.27	54.00	-13.43	195	91	Average	Vertical	
2 *	2477.58	109.91	72.26	37.65	54.00	55.91	195	91	Average	Vertical	
3	2484.40	47.91	10.21	37.70	54.00	-6.09	195	91	Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz
<ANT 0>


1.4 MHz

High Channel (Open) 9kHz~150kHz

High Channel (Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6
0.01	83.64	4.75	78.89	127.62	-43.98
0.02	73.84	1.85	71.99	129.34	-46.50
0.05	64.65	-0.32	64.97	113.52	-48.87
0.09	59.57	-1.14	60.71	108.82	-49.25
0.12	56.55	-1.59	58.14	106.07	-49.52
0.14	54.11	-2.82	56.93	104.67	-50.56



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6
0.19	65.97	12.03	53.94	101.94	-35.97
2.04	50.95	12.26	38.69	69.50	-18.55
9.39	50.55	12.82	37.73	69.50	-18.95
15.09	50.16	12.43	37.73	69.50	-19.34
21.63	52.63	16.67	35.96	69.50	-16.87
26.78	51.48	17.15	34.33	69.50	-18.02


1.4 MHz

High Channel (Close) 9kHz~150kHz

High Channel (Close) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	84.98	5.41	79.57	128.18	-43.20	100	328 QP	Close
2	0.02	77.62	4.79	72.83	121.77	-44.15	100	137 QP	Close
3	0.04	66.03	-0.46	66.49	114.67	-48.64	100	128 QP	Close
4	0.08	59.60	-2.12	61.72	109.99	-50.39	100	272 QP	Close
5	0.11	56.30	-2.40	58.70	106.80	-50.50	100	182 QP	Close
6	0.13	55.79	-1.74	57.53	105.33	-49.54	100	195 QP	Close




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.25	64.07	12.15	51.92	99.59	-35.52	100	157 QP	Close
2	5.26	50.48	12.11	38.37	69.50	-19.02	100	50 QP	Close
3	13.98	50.36	12.72	37.64	69.50	-19.14	100	286 QP	Close
4	18.23	49.73	12.95	36.78	69.50	-19.77	100	167 QP	Close
5	22.35	49.00	13.21	35.79	69.50	-20.50	100	232 QP	Close
6	29.19	49.09	11.36	37.73	69.50	-20.41	100	170 QP	Close

<ANT 1>




1.4 MHz

High Channel (Close) 9kHz~150kHz

High Channel (Close) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	83.86	4.66	79.20	127.87	-44.01	100	223 QP	Close	
2	80.83	74.47	2.97	71.50	119.36	-44.89	100	140 QP	Close
3	80.85	64.93	0.14	64.79	113.30	-48.37	100	235 QP	Close
4	80.87	62.26	-0.37	62.63	110.96	-48.70	100	55 QP	Close
5	80.10	57.32	-1.74	59.06	107.31	-49.99	100	287 QP	Close
6	80.12	57.13	-0.71	57.84	105.70	-48.57	100	132 QP	Close




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	80.30	62.74	12.26	58.48	98.88	-35.34	100	271 QP	Close
2	4.15	51.51	13.16	38.35	69.50	-17.99	100	259 QP	Close
3	12.34	49.65	12.29	37.36	69.50	-19.85	100	225 QP	Close
4	17.67	49.23	12.27	36.96	69.50	-20.27	100	335 QP	Close
5	25.97	48.18	13.87	34.31	69.50	-21.32	100	159 QP	Close
6	29.27	50.37	12.42	37.95	69.50	-19.13	100	22 QP	Close


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
<ANT 0>



<ANT 1>



Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz
<ANT 0>




1.4 MHz

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4883.00	37.62	46.99	-9.37	74.00	-36.38	200	132 Peak	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4883.00	37.97	47.34	-9.37	74.00	-36.03	200	358 Peak	vertical	


1.4 MHz

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4955.00	38.05	47.29	-9.24	74.00	-35.95	400	177 Peak	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4955.00	38.07	47.31	-9.24	74.00	-35.93	250	163 Peak	vertical	


3 MHz

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4811.00	42.93	52.37	-9.44	74.00	-31.07	300	152 Peak	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4811.00	37.77	47.21	-9.44	74.00	-36.23	400	16 Peak	vertical	


3 MHz

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 4883.00	37.82	47.19	-9.37	74.00	-36.18	100	39	Peak	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 4883.00	37.14	46.51	-9.37	74.00	-36.86	251	0	Peak	vertical	


3 MHz

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 4949.00	38.38	47.62	-9.24	74.00	-35.62	156	360	Peak	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 4949.00	37.94	47.18	-9.24	74.00	-36.06	281	0	Peak	vertical	


10 MHz

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4811.00	38.13	47.57	-9.44	74.00	-35.87	400	240 Peak	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4811.00	37.48	46.92	-9.44	74.00	-36.52	100	150 Peak	vertical	


10 MHz

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4883.00	39.56	48.93	-9.37	74.00	-34.44	300	343 Peak	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4883.00	39.78	49.15	-9.37	74.00	-34.22	300	265 Peak	vertical	


10 MHz

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4951.00	38.46	47.70	-9.24	74.00	-35.54	300	22 Peak	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4951.00	37.43	46.67	-9.24	74.00	-36.57	129	360 Peak	vertical	


20 MHz

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4821.00	39.06	48.50	-9.44	74.00	-34.94	400	0 Peak	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4821.00	39.39	48.83	-9.44	74.00	-34.61	300	1 Peak	vertical	


20 MHz

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4883.00	38.70	48.12	-9.42	74.00	-35.30	159	360 Peak	horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4883.00	39.08	48.50	-9.42	74.00	-34.92	100	270 Peak	vertical	


20 MHz

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4943.00	37.92	47.26	-9.34	74.00	-36.08	100	124	Peak	horizontal
---	---------	-------	-------	-------	-------	--------	-----	-----	------	------------



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4943.00	38.26	47.60	-9.34	74.00	-35.74	390	360	Peak	vertical
---	---------	-------	-------	-------	-------	--------	-----	-----	------	----------


40 MHz

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Item	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4841.00	40.30	49.69	-9.39	74.00	-33.70	200	190	Peak	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Item	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4841.00	38.44	47.83	-9.39	74.00	-35.56	230	0	Peak	vertical	


40 MHz

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4883.00	37.85	47.27	-9.42	74.00	-36.15	400	265 Peak	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4883.00	37.53	46.95	-9.42	74.00	-36.47	200	19 Peak	vertical	


40 MHz

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4925.00	38.24	47.63	-9.39	74.00	-35.76	302	360 Peak	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4925.00	37.71	47.10	-9.39	74.00	-36.29	149	360 Peak	vertical	

<ANT 1>

