


Appendix B: Test Results of Radiated Spurious Emissions

Band Edges, 4.5GHz ~ 7GHz

<ANT 0>




1.4 MHz

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 *	5728.00	101.46	58.26	43.20	54.00	47.46	112	37 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 *	5728.50	110.12	66.92	43.20	54.00	56.12	118	24 Average	Vertical	


1.4 MHz

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5684.00	56.28	13.28	43.00	68.20	-11.92	110	36 Peak	Horizontal
2	5690.00	57.23	14.17	43.06	97.63	-40.60	110	36 Peak	Horizontal
3	5718.50	55.46	12.31	43.15	110.38	-54.92	110	36 Peak	Horizontal
4	5723.50	55.45	12.27	43.18	110.78	-63.33	110	36 Peak	Horizontal
5	5846.50	112.48	68.91	43.57	122.20	-9.72	110	36 Peak	Horizontal
6	5851.00	65.33	21.75	43.58	119.92	-54.59	110	36 Peak	Horizontal
7	5855.50	56.80	13.21	43.59	110.66	-53.86	110	36 Peak	Horizontal
8	5877.00	57.15	13.50	43.65	103.71	-46.56	110	36 Peak	Horizontal
9	5946.50	56.98	13.32	43.66	68.20	-11.22	110	36 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5639.00	58.08	15.06	43.02	68.20	-10.12	102	22 Peak	Vertical
2	5650.00	57.17	14.13	43.04	74.14	-16.97	102	22 Peak	Vertical
3	5714.00	56.71	13.57	43.14	109.12	-52.41	102	22 Peak	Vertical
4	5720.00	56.07	12.91	43.16	110.80	-54.73	102	22 Peak	Vertical
5	5846.50	124.15	80.58	43.57	122.20	1.95	102	22 Peak	Vertical
6	5851.50	71.72	28.14	43.58	118.78	-47.06	102	22 Peak	Vertical
7	5856.00	59.09	15.50	43.59	110.52	-51.43	102	22 Peak	Vertical
8	5912.00	57.12	13.42	43.70	77.79	-20.67	102	22 Peak	Vertical
9	5948.50	56.85	13.20	43.65	68.20	-11.35	102	22 Peak	Vertical


1.4 MHz

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 *	5846.50	97.91	54.34	43.57	54.00	43.91	110	36 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 *	5846.50	105.32	61.75	43.57	54.00	51.32	102	22 Average	Vertical	


3 MHz

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5565.50	56.16	13.19	42.97	68.20	-12.04	115	37	Peak	Horizontal	
2	5655.50	55.64	12.60	43.04	72.29	-16.65	115	37	Peak	Horizontal	
3	5718.00	56.60	13.45	43.15	110.24	-53.64	115	37	Peak	Horizontal	
4	5722.00	57.07	13.90	43.17	115.36	-58.29	115	37	Peak	Horizontal	
5	5730.50	111.47	68.26	43.21	122.20	-10.73	115	37	Peak	Horizontal	
6	5851.00	56.97	13.39	43.58	119.92	-62.95	115	37	Peak	Horizontal	
7	5861.50	56.79	13.18	43.61	108.98	-52.19	115	37	Peak	Horizontal	
8	5916.50	56.19	12.49	43.70	74.47	-18.28	115	37	Peak	Horizontal	
9	5978.50	56.88	13.15	43.73	68.20	-11.32	115	37	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5523.50	56.98	14.04	42.94	68.20	-11.22	100	22	Peak	Vertical	
2	5690.50	58.05	15.78	43.07	104.00	-45.24	100	22	Peak	Vertical	
3	5719.50	60.71	17.55	43.16	110.66	-49.95	100	22	Peak	Vertical	
4	5724.00	63.77	20.58	43.19	119.92	-56.15	100	22	Peak	Vertical	
5	5730.50	120.12	76.91	43.21	122.20	-2.08	100	22	Peak	Vertical	
6	5855.00	56.42	12.83	43.59	110.00	-54.38	100	22	Peak	Vertical	
7	5861.00	57.04	13.43	43.61	109.12	-52.08	100	22	Peak	Vertical	
8	5916.50	57.16	13.46	43.70	74.47	-17.31	100	22	Peak	Vertical	
9	5944.50	57.83	14.17	43.66	68.20	-10.37	100	22	Peak	Vertical	


3 MHz

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5730.50	106.63	56.92	43.21	54.00	46.13	115	37	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5730.50	106.63	63.42	43.21	54.00	52.63	100	22	Average	Vertical

3 MHz

High Channel (Horizontal) Peak

High Channel (Vertical) Peak



Peak	Freq	Level	Read	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5616.50	56.93	13.92	43.01	68.20	-11.27	109	36	Peak	Horizontal
2	5676.50	56.62	13.57	43.05	87.85	-31.23	109	36	Peak	Horizontal
3	5713.00	56.30	13.17	43.13	108.84	-52.54	109	36	Peak	Horizontal
4	5721.50	55.68	12.51	43.17	114.22	-58.54	109	36	Peak	Horizontal
5	5844.50	111.12	67.56	43.56	122.20	-11.08	109	36	Peak	Horizontal
6	5852.00	57.82	14.24	43.58	117.64	-59.82	109	36	Peak	Horizontal
7	5874.50	56.61	13.16	43.65	105.34	-48.53	109	36	Peak	Horizontal
8	5896.50	57.08	13.38	43.70	89.25	-32.17	109	36	Peak	Horizontal
9	5998.50	57.46	13.67	43.79	68.20	-10.74	109	36	Peak	Horizontal

Peak	Freq	Level	Read	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5637.00	58.12	15.10	43.02	68.20	-10.08	101	23	Peak	Vertical
2	5676.00	57.96	14.91	43.05	87.48	-29.52	101	23	Peak	Vertical
3	5713.50	57.15	14.02	43.13	108.98	-51.83	101	23	Peak	Vertical
4	5722.00	55.90	12.73	43.17	115.36	-59.46	101	23	Peak	Vertical
5	5844.50	119.85	76.29	43.56	122.20	-2.35	101	23	Peak	Vertical
6	5852.00	65.19	21.61	43.58	117.64	-52.45	101	23	Peak	Vertical
7	5855.00	59.46	15.87	43.59	110.00	-51.34	101	23	Peak	Vertical
8	5916.00	57.42	13.72	43.70	74.84	-17.42	101	23	Peak	Vertical
9	5964.00	57.83	14.14	43.69	68.20	-10.37	101	23	Peak	Vertical


3 MHz

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5844.50	98.41	54.85	43.56	54.00	44.41	109	36 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 * 5844.50	107.30	63.74	43.56	54.00	53.30	101	23 Average	Vertical	


10 MHz

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5638.00	57.91	14.89	43.02	68.20	-10.29	112	36	Peak	Horizontal	
2	5700.00	59.45	16.38	43.07	105.20	-45.75	112	36	Peak	Horizontal	
3	5719.50	89.83	46.67	43.16	110.66	-20.83	112	36	Peak	Horizontal	
4	5724.80	95.22	52.03	43.19	121.74	-26.52	112	36	Peak	Horizontal	
5	5730.50	117.76	74.55	43.21	122.20	-4.44	112	36	Peak	Horizontal	
6	5855.00	57.71	14.12	43.59	110.80	-53.09	112	36	Peak	Horizontal	
7	5855.00	57.71	14.12	43.59	110.80	-53.09	112	36	Peak	Horizontal	
8	5876.00	57.64	13.39	43.65	104.46	-47.42	112	36	Peak	Horizontal	
9	5941.00	57.69	14.02	43.67	68.20	-10.51	112	36	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5497.00	60.91	17.99	42.92	68.20	-7.29	119	22	Peak	Vertical	
2	5700.00	67.53	24.46	43.07	105.20	-37.67	119	22	Peak	Vertical	
3	5720.00	91.66	48.50	43.16	110.80	-19.14	119	22	Peak	Vertical	
4	5724.80	102.53	59.34	43.19	121.29	-18.76	119	22	Peak	Vertical	
5	5730.50	125.24	82.03	43.21	122.20	3.04	119	22	Peak	Vertical	
6	5854.50	60.03	16.44	43.59	111.94	-51.91	119	22	Peak	Vertical	
7	5855.00	59.94	16.35	43.59	110.80	-50.86	119	22	Peak	Vertical	
8	5911.50	59.02	15.32	43.70	78.16	-19.14	119	22	Peak	Vertical	
9	5940.00	60.39	16.72	43.67	68.20	-7.81	119	22	Peak	Vertical	


10 MHz

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 *	5730.50	104.76	61.55	43.21	54.00	58.76	112	36 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 *	5730.50	112.52	69.31	43.21	54.00	58.52	119	22 Average	Vertical	


10 MHz

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5647.00	58.61	15.58	43.03	68.20	-9.59	110	36 Peak	Horizontal
2	5655.50	58.23	15.19	43.04	72.29	-14.06	110	36 Peak	Horizontal
3	5707.00	57.43	14.33	43.10	107.16	-49.73	110	36 Peak	Horizontal
4	5723.50	57.41	14.23	43.18	118.78	-61.37	110	36 Peak	Horizontal
5	5844.50	116.09	72.53	43.56	122.20	-6.11	110	36 Peak	Horizontal
6	5851.00	106.56	62.98	43.58	119.92	-13.36	110	36 Peak	Horizontal
7	5855.00	86.50	42.91	43.59	110.00	-24.30	110	36 Peak	Horizontal
8	5876.00	61.74	18.09	43.65	104.46	-42.72	110	36 Peak	Horizontal
9	5989.00	58.51	14.75	43.76	68.20	-9.69	110	36 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5635.00	65.30	22.35	42.95	68.20	-2.90	112	23 Peak	Vertical
2	5653.50	61.15	18.12	43.03	70.00	-9.65	112	23 Peak	Vertical
3	5714.50	62.26	19.12	43.14	109.26	-47.00	112	23 Peak	Vertical
4	5723.50	61.48	18.30	43.18	117.64	-56.16	112	23 Peak	Vertical
5 *	5844.50	124.59	81.03	43.56	122.20	2.39	112	23 Peak	Vertical
6	5851.00	112.86	69.28	43.58	119.92	-7.06	112	23 Peak	Vertical
7	5855.00	95.39	51.60	43.59	110.00	-15.41	112	23 Peak	Vertical
8	5875.00	65.85	22.20	43.65	105.20	-39.35	112	23 Peak	Vertical
9	5952.50	60.04	16.39	43.65	68.20	-8.16	112	23 Peak	Vertical


10 MHz

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5844.50	102.97	59.41	43.56	54.00	48.97	110	36	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5844.50	112.07	68.51	43.56	54.00	58.07	112	23	Average	Vertical	


20 MHz

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5638.00	58.98	15.96	43.02	68.20	-9.22	115	38 Peak	Horizontal
2	5695.00	60.39	25.33	43.06	101.51	-33.12	115	38 Peak	Horizontal
3	5719.50	90.17	47.01	43.16	110.66	-20.49	115	38 Peak	Horizontal
4	5724.00	91.46	48.27	43.19	119.92	-28.46	115	38 Peak	Horizontal
5	5735.50	117.42	74.19	43.23	122.20	-4.78	115	38 Peak	Horizontal
6	5853.50	58.11	14.52	43.59	114.22	-56.11	115	38 Peak	Horizontal
7	5873.00	50.94	15.29	43.65	105.76	-46.82	115	38 Peak	Horizontal
8	5910.50	58.69	14.99	43.70	78.90	-20.21	115	38 Peak	Horizontal
9	5979.00	58.55	14.82	43.73	68.20	-9.65	115	38 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5541.50	60.91	17.96	42.95	68.20	-7.29	116	23 Peak	Vertical
2	5699.50	74.76	31.69	43.07	104.83	-30.07	116	23 Peak	Vertical
3	5720.00	93.54	50.38	43.16	110.80	-17.26	116	23 Peak	Vertical
4	5723.50	97.52	54.34	43.18	118.78	-21.26	116	23 Peak	Vertical
5	5735.50	121.18	77.95	43.23	122.20	-1.02	116	23 Peak	Vertical
6	5851.50	58.67	15.29	43.58	118.78	-59.91	116	23 Peak	Vertical
7	5857.50	59.25	15.66	43.59	110.10	-50.85	116	23 Peak	Vertical
8	5922.00	59.07	15.38	43.69	70.41	-11.34	116	23 Peak	Vertical
9	5957.50	58.92	15.25	43.67	68.20	-9.28	116	23 Peak	Vertical


20 MHz

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 *	5735.50	101.76	58.53	43.23	54.00	47.76	115	38 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 *	5735.50	108.68	65.45	43.23	54.00	54.68	116	23 Average	Vertical	


20 MHz

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5551.50	58.75	15.79	42.96	68.20	-9.45	120	38 Peak	Horizontal
2	5652.50	57.95	14.92	43.03	70.06	-12.11	120	38 Peak	Horizontal
3	5704.00	57.21	14.12	43.09	106.32	-49.11	120	38 Peak	Horizontal
4	5722.50	58.47	15.30	43.17	116.50	-58.03	120	38 Peak	Horizontal
5	5722.50	58.47	15.30	43.17	116.50	-58.03	120	38 Peak	Horizontal
5	5839.50	116.32	72.77	43.55	122.20	-5.88	120	38 Peak	Horizontal
6	5851.00	89.67	46.09	43.58	119.92	-30.25	120	38 Peak	Horizontal
7	5855.00	86.43	42.84	43.59	110.80	-24.37	120	38 Peak	Horizontal
8	5876.50	66.68	23.03	43.65	104.09	-37.41	120	38 Peak	Horizontal
9	5959.50	58.41	14.73	43.68	68.20	-9.79	120	38 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5548.50	63.72	20.76	42.96	68.20	-4.48	116	23 Peak	Vertical
2	5676.50	61.07	18.02	43.05	87.85	-26.78	116	23 Peak	Vertical
3	5700.50	61.94	18.87	43.07	105.34	-43.40	116	23 Peak	Vertical
4	5723.50	61.95	18.77	43.18	118.78	-56.83	116	23 Peak	Vertical
5	5839.50	125.73	82.18	43.55	122.20	3.53	116	23 Peak	Vertical
6	5850.50	97.48	53.90	43.58	121.06	-23.58	116	23 Peak	Vertical
7	5855.50	97.32	53.73	43.59	110.66	-13.34	116	23 Peak	Vertical
8	5878.00	76.52	32.86	43.66	102.97	-26.45	116	23 Peak	Vertical
9	5954.50	59.85	16.18	43.67	68.20	-8.35	116	23 Peak	Vertical


20 MHz

High Channel (Horizontal) Average

High Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 *	5839.58	100.75	57.28	43.55	54.00	46.75	120	38 Average Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 *	5839.58	109.68	66.05	43.55	54.00	55.60	116	23 Average Vertical


40 MHz

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5586.00	57.11	14.19	42.92	68.20	-11.09	122	38 Peak	Horizontal
2	5700.00	62.78	19.71	43.07	105.20	-42.42	122	38 Peak	Horizontal
3	5719.00	77.74	34.58	43.16	110.52	-32.78	122	38 Peak	Horizontal
4	5721.50	78.54	35.37	43.17	114.22	-35.68	122	38 Peak	Horizontal
5	5745.50	109.04	65.76	43.28	122.20	-13.16	122	38 Peak	Horizontal
6	5852.50	56.57	12.99	43.58	116.50	-59.93	122	38 Peak	Horizontal
7	5870.00	56.96	13.33	43.63	106.60	-49.64	122	38 Peak	Horizontal
8	5915.50	57.27	13.57	43.70	75.21	-17.94	122	38 Peak	Horizontal
9	5991.50	57.33	13.57	43.76	68.20	-10.87	122	38 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5479.00	60.30	17.39	42.91	68.20	-7.90	112	25 Peak	Vertical
2	5699.50	72.31	29.24	43.07	104.83	-32.52	112	25 Peak	Vertical
3	5719.00	84.02	40.86	43.16	110.52	-26.50	112	25 Peak	Vertical
4	5723.00	87.82	44.64	43.18	117.64	-29.82	112	25 Peak	Vertical
5	5745.50	118.38	75.10	43.28	122.20	-3.82	112	25 Peak	Vertical
6	5852.50	59.10	15.52	43.58	116.50	-57.40	112	25 Peak	Vertical
7	5855.00	58.50	14.91	43.59	110.00	-52.50	112	25 Peak	Vertical
8	5878.50	58.62	14.96	43.66	102.60	-43.98	112	25 Peak	Vertical
9	5926.50	57.82	14.13	43.69	68.20	-10.38	112	25 Peak	Vertical


40 MHz

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1 *	5745.50	94.09	50.81	43.28	54.00	40.09	122	38	Average	Horizontal
-----	---------	-------	-------	-------	-------	-------	-----	----	---------	------------



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1 *	5745.50	102.51	59.23	43.28	54.00	48.51	112	25	Average	Vertical
-----	---------	--------	-------	-------	-------	-------	-----	----	---------	----------


40 MHz

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5639.00	58.15	15.13	43.02	68.20	-10.05	113	37	Peak	Horizontal	
2	5678.50	56.73	13.68	43.05	89.33	-32.60	113	37	Peak	Horizontal	
3	5719.00	56.28	13.12	43.16	110.52	-54.24	113	37	Peak	Horizontal	
4	5723.50	56.80	13.62	43.18	110.78	-61.98	113	37	Peak	Horizontal	
5	5829.50	107.47	63.95	43.52	122.20	-14.73	113	37	Peak	Horizontal	
6	5853.50	76.45	32.86	43.59	114.22	-37.77	113	37	Peak	Horizontal	
7	5856.50	74.03	30.44	43.59	110.38	-36.35	113	37	Peak	Horizontal	
8	5876.50	63.22	19.57	43.65	104.09	-40.87	113	37	Peak	Horizontal	
9	5999.00	58.87	15.08	43.79	68.20	-9.33	113	37	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5631.00	61.22	18.20	43.02	68.20	-6.98	116	24	Peak	Vertical	
2	5698.50	60.15	17.08	43.07	104.09	-43.94	116	24	Peak	Vertical	
3	5720.00	59.74	16.58	43.16	110.00	-51.06	116	24	Peak	Vertical	
4	5720.00	59.74	16.58	43.16	110.00	-51.06	116	24	Peak	Vertical	
5	5829.50	117.72	74.20	43.52	122.20	-4.48	116	24	Peak	Vertical	
6	5851.50	84.36	40.78	43.58	118.78	-34.42	116	24	Peak	Vertical	
7	5855.50	83.29	39.70	43.59	110.66	-27.37	116	24	Peak	Vertical	
8	5879.50	70.61	26.95	43.66	101.86	-31.25	116	24	Peak	Vertical	
9	5974.50	58.84	15.12	43.72	68.20	-9.36	116	24	Peak	Vertical	


40 MHz

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5829.58	93.47	49.95	43.52	54.00	39.47	113	37	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5829.58	102.28	58.76	43.52	54.00	48.28	116	24	Average	Vertical	

<ANT 1>


10 MHz

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5560.50	58.54	15.58	42.96	68.20	-9.66	109	36 Peak Horizontal
2	5673.00	59.51	15.46	43.05	65.26	-6.75	109	36 Peak Horizontal
3	5720.00	57.43	14.27	43.16	110.80	-53.37	109	36 Peak Horizontal
4	5720.00	57.43	14.27	43.16	110.80	-53.37	109	36 Peak Horizontal
5	5844.50	116.02	72.46	43.56	122.20	-6.18	109	36 Peak Horizontal
6	5851.00	103.14	59.55	43.58	119.92	-16.78	109	36 Peak Horizontal
7	5855.00	86.41	42.82	43.59	110.80	-24.39	109	36 Peak Horizontal
8	5875.00	59.62	15.97	43.65	105.20	-45.58	109	36 Peak Horizontal
9	5976.50	58.55	14.83	43.72	68.20	-9.65	109	36 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5530.00	65.74	22.80	42.94	68.20	-2.46	110	24 Peak Vertical
2	5657.00	61.18	18.14	43.04	73.40	-12.22	110	24 Peak Vertical
3	5704.50	60.91	17.82	43.09	106.46	-45.55	110	24 Peak Vertical
4	5721.00	61.44	18.28	43.16	113.08	-51.64	110	24 Peak Vertical
5	5844.50	124.15	80.59	43.56	122.20	1.95	110	24 Peak Vertical
6	5851.00	108.74	65.16	43.58	119.92	-11.18	110	24 Peak Vertical
7	5855.00	96.03	52.44	43.59	110.80	-16.77	110	24 Peak Vertical
8	5875.00	67.57	23.92	43.65	105.20	-37.63	110	24 Peak Vertical
9	5930.00	59.77	16.09	43.68	68.20	-8.43	110	24 Peak Vertical


10 MHz

High Channel (Horizontal) Average

High Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5844.50	102.91	59.35	43.56	54.00	48.91	109	36	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5844.50	111.43	67.87	43.56	54.00	57.43	110	24	Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz
<ANT 0>


10 MHz

High Channel (Open) 9kHz~150kHz

High Channel (Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliack, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6
0.01	0.03	0.05	0.08	0.12	0.14
81.27	70.49	64.43	59.78	55.35	53.70
3.15	0.18	0.00	-1.49	-2.56	-3.08
78.12	70.31	64.43	61.27	57.91	56.78
126.65	117.66	112.88	109.55	105.78	104.51
-45.38	-47.17	-48.45	-49.77	-50.43	-50.81
100	100	100	100	100	100
155	122	301	113	299	282
QP	QP	QP	QP	QP	QP
Open	Open	Open	Open	Open	Open



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliack, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6
0.22	5.57	12.80	17.25	21.55	23.26
65.41	51.03	49.70	49.19	52.80	54.33
12.42	12.66	12.29	12.11	16.82	18.91
52.99	38.37	37.41	37.08	35.98	35.42
100.92	69.50	69.50	69.50	69.50	69.50
-35.51	-18.47	-19.80	-20.31	-16.70	-15.17
100	100	100	100	100	100
5	182	301	301	196	59
QP	QP	QP	QP	QP	QP
Open	Open	Open	Open	Open	Open


10 MHz

High Channel (Close) 9kHz~150kHz

High Channel (Close) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	82.70	4.47	78.23	126.78	-44.08	100	275 QP	Close	
2	0.02	74.86	2.83	72.03	120.42	-45.56	100	197 QP	Close	
3	0.07	61.56	-1.22	62.78	111.11	-49.55	100	21 QP	Close	
4	0.10	58.59	-0.88	59.47	107.75	-49.16	100	1 QP	Close	
5	0.13	55.17	-2.61	57.78	105.62	-50.45	100	83 QP	Close	
6	0.14	54.24	-2.73	56.97	104.71	-50.47	100	40 QP	Close	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliac, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.25	63.59	11.67	51.92	99.59	-36.00	100	248 QP	Close	
2	5.00	50.95	12.57	38.38	69.50	-18.55	100	222 QP	Close	
3	11.45	50.19	12.92	37.27	69.50	-19.31	100	142 QP	Close	
4	15.11	50.78	13.05	37.73	69.50	-18.72	100	248 QP	Close	
5	20.59	49.32	13.16	36.16	69.50	-20.18	100	310 QP	Close	
6	29.13	49.59	12.02	37.57	69.50	-19.91	100	304 QP	Close	

<ANT 1>


10 MHz

High Channel (Open) 9kHz~150kHz

High Channel (Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	84.71	5.42	79.29	127.95	-43.24	100	96 QP	Open	
2	0.03	71.16	0.32	70.84	119.21	-47.05	100	57 QP	Open	
3	0.06	63.22	-0.90	64.12	112.53	-49.31	100	297 QP	Open	
4	0.09	58.54	-2.03	60.57	108.64	-50.10	100	140 QP	Open	
5	0.11	55.59	-2.98	58.57	106.63	-51.04	100	154 QP	Open	
6	0.13	54.94	-2.44	57.38	105.16	-50.22	100	152 QP	Open	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.23	65.77	13.14	52.63	100.46	-34.69	100	28 QP	Open	
2	3.43	50.03	11.75	38.28	69.50	-19.47	100	260 QP	Open	
3	8.54	50.73	12.79	37.94	69.50	-18.77	100	355 QP	Open	
4	14.31	50.24	12.57	37.67	69.50	-19.26	100	185 QP	Open	
5	21.59	51.89	15.92	35.97	69.50	-17.61	100	189 QP	Open	
6	26.18	50.60	16.28	34.32	69.50	-18.90	100	136 QP	Open	

10 MHz

High Channel (Close) 9kHz~150kHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	83.84	5.19	78.65	127.33	-43.49	100	159 QP	Close
2	0.03	72.19	1.17	71.02	119.51	-46.32	100	67 QP	Close
3	0.06	63.57	-0.44	64.01	112.41	-48.84	100	150 QP	Close
4	0.08	58.60	-2.31	60.91	109.07	-50.47	100	221 QP	Close
5	0.11	56.02	-2.50	58.52	106.55	-50.53	100	150 QP	Close
6	0.14	54.13	-2.55	56.68	104.40	-50.27	100	216 QP	Close

High Channel (Close) 150kHz~30MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.25	66.33	14.41	51.92	99.59	-33.26	100	145 QP	Close
2	3.42	49.03	11.55	38.28	69.50	-19.67	100	132 QP	Close
3	10.01	49.46	11.85	37.61	69.50	-20.04	100	248 QP	Close
4	17.83	48.81	11.90	36.91	69.50	-20.69	100	329 QP	Close
5	23.71	47.78	12.67	35.11	69.50	-21.72	100	22 QP	Close
6	29.18	49.41	11.90	37.51	69.50	-20.09	100	283 QP	Close

<ANT 1>


10 MHz

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6				
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
49.79	23.10	29.12	-6.02	40.00	-16.90	300	300	QP	horizontal
101.10	21.99	33.04	-11.05	43.50	-21.51	100	245	QP	horizontal
158.53	23.36	29.28	-5.92	43.50	-20.14	200	40	QP	horizontal
439.83	27.77	29.91	-2.14	46.00	-18.23	100	163	QP	horizontal
593.86	28.88	28.80	0.08	46.00	-17.12	400	257	QP	horizontal
782.43	33.01	30.01	3.00	46.00	-12.99	100	346	QP	horizontal




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6				
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
49.01	30.71	36.90	-6.19	40.00	-9.29	300	7	QP	vertical
169.07	22.19	25.22	-6.03	43.50	-21.31	100	18	QP	vertical
364.07	25.18	28.79	-3.61	46.00	-20.82	100	320	QP	vertical
493.08	27.64	29.38	-1.74	46.00	-18.36	400	149	QP	vertical
635.57	30.05	29.48	0.57	46.00	-15.95	100	272	QP	vertical
886.41	33.16	28.63	4.53	46.00	-12.84	100	253	QP	vertical

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
<ANT 0>



1.4 MHz

Middle Channel (Horizontal)



Middle Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11573.00	43.96	44.64	-0.68	74.00	-30.04	100	165	Peak	horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11573.00	42.50	43.18	-0.68	74.00	-31.50	100	236	Peak	vertical	

1.4 MHz

High Channel (Horizontal)



High Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11693.00	44.49	44.81	-0.32	74.00	-29.51	300	191	Peak	horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11693.00	43.12	43.44	-0.32	74.00	-30.88	300	73	Peak	vertical	

3 MHz

Low Channel (Horizontal)



Low Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11461.00	43.17	44.14	-0.97	74.00	-30.83	100	93	Peak	horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11461.00	42.33	43.30	-0.97	74.00	-31.67	399	360	Peak	vertical	

3 MHz

Middle Channel (Horizontal)



Middle Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11575.00	43.51	44.19	-0.68	74.00	-30.49	400	12 Peak	horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11575.00	44.09	44.77	-0.68	74.00	-29.91	237	0 Peak	vertical	

3 MHz

High Channel (Horizontal)



High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11689.00	42.20	42.53	-0.33	74.00	-31.80	200	85	Peak	horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11689.00	42.61	42.94	-0.33	74.00	-31.39	211	0	Peak	vertical	

10 MHz

Low Channel (Horizontal)



Low Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11461.00	41.99	42.96	-0.97	74.00	-32.01	400	353 Peak	horizontal	

Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11461.00	42.25	43.22	-0.97	74.00	-31.75	400	147 Peak	vertical	

10 MHz

Middle Channel (Horizontal)



Middle Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11575.00	43.38	44.06	-0.68	74.00	-30.62	100	288	Peak	horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11575.00	43.32	44.00	-0.68	74.00	-30.68	100	69	Peak	vertical	

10 MHz

High Channel (Horizontal)



High Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11689.00	42.84	43.17	-0.33	74.00	-31.16	400	236	Peak	horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11689.00	45.96	46.29	-0.33	74.00	-28.04	400	94	Peak	vertical	

20 MHz

Low Channel (Horizontal)



Low Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11471.00	43.14	44.09	-0.95	74.00	-30.86	400	83	Peak	horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11471.00	43.31	44.26	-0.95	74.00	-30.69	242	0	Peak	vertical	

20 MHz

Middle Channel (Horizontal)



Middle Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11575.00	42.84	43.52	-0.68	74.00	-31.16	200	34	Peak	horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11575.00	43.38	44.06	-0.68	74.00	-30.62	100	333	Peak	vertical	

20 MHz

High Channel (Horizontal)



High Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11679.00	42.59	42.95	-0.36	74.00	-31.41	200	330	Peak	horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11679.00	44.39	44.75	-0.36	74.00	-29.61	400	132	Peak	vertical	

40 MHz

Low Channel (Horizontal)



Low Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11491.00	43.42	44.33	-0.91	74.00	-30.58	100	99	Peak	horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11491.00	43.46	44.37	-0.91	74.00	-30.54	300	97	Peak	vertical	

40 MHz

Middle Channel (Horizontal)



Middle Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11575.00	42.37	43.05	-0.68	74.00	-31.63	100	183	Peak	horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11575.00	43.06	43.74	-0.68	74.00	-30.94	300	200	Peak	vertical	

40 MHz

High Channel (Horizontal)



High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11659.00	43.02	43.45	-0.43	74.00	-30.98	202	0	Peak	horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11659.00	44.15	44.58	-0.43	74.00	-29.85	400	213	Peak	vertical	

<ANT 1>

