










2.4GHz SDR, 10MHz BW

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
10M	Ant0	2407.5	Reference	13.44	13.44	---	PASS
			30~1000	13.44	-61	≤-16.56	PASS
			1000~26500	13.44	-51.55	≤-16.56	PASS
		2437.5	Reference	13.56	13.56	---	PASS
			30~1000	13.56	-59.93	≤-16.44	PASS
			1000~26500	13.56	-51.31	≤-16.44	PASS
		2467.5	Reference	14.66	14.66	---	PASS
			30~1000	14.66	-59.86	≤-15.34	PASS
			1000~26500	14.66	-50.62	≤-15.34	PASS











2.4GHz SDR, 20MHz BW


TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
20M	Ant0	2412.5	Reference	9.14	9.14	---	PASS
			30~1000	9.14	-60.83	≤-20.86	PASS
			1000~26500	9.14	-51.14	≤-20.86	PASS
		2437.5	Reference	12.37	12.37	---	PASS
			30~1000	12.37	-60.39	≤-17.63	PASS
			1000~26500	12.37	-50.94	≤-17.63	PASS
		2462.5	Reference	7.65	7.65	---	PASS
			30~1000	7.65	-60.56	≤-22.35	PASS
			1000~26500	7.65	-50.91	≤-22.35	PASS



20M Ant0 2437.5 0~Reference



20M Ant0 2437.5 30~1000




20M Ant0 2437.5 1000~26500



20M Ant0 2462.5 0~Reference



20M Ant0 2462.5 30~1000




20M Ant0 2462.5 1000~26500




2.4GHz SDR, 40MHz BW

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
40M	Ant0	2422.5	Reference	5.57	5.57	---	PASS
			30~1000	5.57	-60.33	≤-24.43	PASS
			1000~26500	5.57	-50.76	≤-24.43	PASS
		2437.5	Reference	8.00	8.00	---	PASS
			30~1000	8.00	-47.84	≤-22	PASS
			1000~26500	8.00	-51.47	≤-22	PASS
		2452.5	Reference	3.22	3.22	---	PASS
			30~1000	3.22	-57.82	≤-26.78	PASS
			1000~26500	3.22	-51.4	≤-26.78	PASS

40M Ant0 2422.5 0~Reference



40M Ant0 2422.5 30~1000




40M Ant0 2422.5 1000~26500



40M Ant0 2437.5 0~Reference




40M Ant0 2437.5 30~1000




40M Ant0 2437.5 1000~26500



40M Ant0 2452.5 0~Reference



40M Ant0 2452.5 30~1000




40M Ant0 2452.5 1000~26500



2.4GHz SDR, 1.4MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
1.4M	Ant0	Low	2403.5	13.88	-43.87	≤-16.12	PASS
		High	2469.5	13.54	-48.42	≤-16.46	PASS




2.4GHz SDR, 1.4MHz BW CA mode Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
1.4MCA	Ant0	Low	2405.12	14.44	-46.02	≤-15.56	PASS
		High	2471.12	14.68	-48.02	≤-15.32	PASS




2.4GHz SDR, 3MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
3M	Ant0	Low	2405.5	9.84	-47.06	≤-20.16	PASS
		High	2468.5	-15.23	-47.55	≤-45.23	PASS





2.4GHz SDR, 3MHz BW CA mode Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
3MCA	Ant0	Low	2408.2	11.44	-46.98	≤-18.56	PASS
		High	2471.2	11.82	-48.66	≤-18.19	PASS




2.4GHz SDR, 10MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
10M	Ant0	Low	2407.5	14.91	-18.74	≤-15.09	PASS
		High	2467.5	15.73	-47.99	≤-14.27	PASS



2.4GHz SDR, 20MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
20M	Ant0	Low	2412.5	8.69	-28.75	≤-21.31	PASS
		High	2462.5	8.05	-48.38	≤-21.95	PASS



2.4GHz SDR, 40MHz BW Bandedge

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
40M	Ant0	Low	2422.5	8.48	-21.81	≤-21.54	PASS
		High	2452.5	3.56	-48.15	≤-26.44	PASS

