

Appendix A: Test Results of 5.8G SDR



APPENDIX A: TEST RESULTS OF 5.8G SDR	1
APPENDIX A.1: TEST RESULTS OF CONDUCTED POWER SPECTRAL DENSITY	2
5.8G SDR, 1.4MHz BW	2
5.8G SDR, 1.4MHz BW CA mode	5
5.8G SDR, 3MHz BW	8
5.8G SDR, 3MHz BW CA mode	11
5.8G SDR, 10MHz BW	14
5.8G SDR, 20MHz BW	17
5.8G SDR, 40MHz BW	20
APPENDIX A.2: TEST RESULTS OF FREQUENCY STABILITY	23
5.8G SDR, 1.4MHz BW	23
5.8G SDR, 1.4MHz BW CA mode	23
5.8G SDR, 3MHz BW	23
5.8G SDR, 3MHz BW CA mode	24
5.8G SDR, 10MHz BW	24
5.8G SDR, 20MHz BW	24
5.8G SDR, 40MHz BW	24
APPENDIX A.3: TEST RESULTS OF 6DB BANDWIDTH	25
5.8G SDR, 1.4MHz BW	25
5.8G SDR, 1.4MHz BW CA mode	27
5.8G SDR, 3MHz BW	28
5.8G SDR, 3MHz BW CA mode	29
5.8G SDR, 10MHz BW	30
5.8G SDR, 20MHz BW	31
5.8G SDR, 40MHz BW	32
APPENDIX A.4: TEST RESULTS OF 99% BANDWIDTH	33
5.8G SDR, 1.4MHz BW	33
5.8G SDR, 1.4MHz BW CA mode	35
5.8G SDR, 3MHz BW	36
5.8G SDR, 3MHz BW CA mode	37
5.8G SDR, 10MHz BW	38
5.8G SDR, 20MHz BW	39
5.8G SDR, 40MHz BW	40
APPENDIX A.5: TEST RESULTS OF RADIATED SPURIOUS EMISSIONS	41
30MHz - 1GHz (Worst case)	41
1GHz - 18GHz	43



Note: All testing were carried out on SISO mode and MIMO mode, but only the worst case was presented in this report.

Appendix A.1: Test Results of Conducted Power Spectral Density

5.8G SDR, 1.4MHz BW



TestMode	Channel	Antenna	Result[dBm/500kHz]	Limit[dBm/500kHz]	Verdict
1.4M	5728.5	Ant0	8.41	≤30.00	PASS
		Ant1	6.85	≤30.00	PASS
		Tatol	10.71	≤30.00	PASS
	5786.5	Ant0	7.93	≤30.00	PASS
		Ant1	6.34	≤30.00	PASS
		Tatol	10.22	≤30.00	PASS
	5846.5	Ant0	8.88	≤30.00	PASS
		Ant1	8.14	≤30.00	PASS
		Tatol	11.54	≤30.00	PASS







5.8G SDR, 1.4MHz BW CA mode




TestMode	Channel	Antenna	Result[dBm/500kHz]	Limit[dBm/500kHz]	Verdict
1.4MCA	5730.12	Ant0	8.46	≤30.00	PASS
		Ant1	6.51	≤30.00	PASS
		Tatol	10.60	≤30.00	PASS
	5788.12	Ant0	7.89	≤30.00	PASS
		Ant1	6.29	≤30.00	PASS
		Tatol	10.17	≤30.00	PASS
	5848.12	Ant0	8.65	≤30.00	PASS
		Ant1	7.73	≤30.00	PASS
		Tatol	11.22	≤30.00	PASS






5.8G SDR, 3MHz BW




TestMode	Channel	Antenna	Result[dBm/500kHz]	Limit[dBm/500kHz]	Verdict
3M	5727.5	Ant0	5.24	≤30.00	PASS
		Ant1	3.43	≤30.00	PASS
		Tatol	7.44	≤30.00	PASS
	5784.5	Ant0	4.02	≤30.00	PASS
		Ant1	3.30	≤30.00	PASS
		Tatol	6.69	≤30.00	PASS
	5844.5	Ant0	5.93	≤30.00	PASS
		Ant1	4.60	≤30.00	PASS
		Tatol	8.33	≤30.00	PASS







5.8G SDR, 3MHz BW CA mode




TestMode	Channel	Antenna	Result[dBm/500kHz]	Limit[dBm/500kHz]	Verdict
3MCA	5730.2	Ant0	4.94	≤30.00	PASS
		Ant1	3.83	≤30.00	PASS
		Tatol	7.43	≤30.00	PASS
	5787.2	Ant0	4.39	≤30.00	PASS
		Ant1	3.61	≤30.00	PASS
		Tatol	7.03	≤30.00	PASS
	5847.2	Ant0	6.30	≤30.00	PASS
		Ant1	4.59	≤30.00	PASS
		Tatol	8.54	≤30.00	PASS








5.8G SDR, 10MHz BW

TestMode	Channel	Antenna	Result[dBm/500kHz]	Limit[dBm/500kHz]	Verdict
10M	5730.5	Ant0	9.68	≤30.00	PASS
		Ant1	8.94	≤30.00	PASS
		Tatol	12.34	≤30.00	PASS
	5787.5	Ant0	9.65	≤30.00	PASS
		Ant1	8.96	≤30.00	PASS
		Tatol	12.33	≤30.00	PASS
	5844.5	Ant0	8.72	≤30.00	PASS
		Ant1	7.92	≤30.00	PASS
		Tatol	11.35	≤30.00	PASS





5.8G SDR, 20MHz BW

TestMode	Channel	Antenna	Result[dBm/500kHz]	Limit[dBm/500kHz]	Verdict
20M	5735.5	Ant0	7.53	≤30.00	PASS
		Ant1	6.29	≤30.00	PASS
		Tatol	9.64	≤30.00	PASS
	5787.5	Ant0	7.90	≤30.00	PASS
		Ant1	6.40	≤30.00	PASS
		Tatol	10.22	≤30.00	PASS
	5839.5	Ant0	7.48	≤30.00	PASS
		Ant1	6.27	≤30.00	PASS
		Tatol	9.93	≤30.00	PASS

